



BOSCH



ACCESSORIES 2023

Introducing the new **EXPERT** range.

www.bosch-professional.com

The best your tool can get. Bosch Professional Accessories.




EXPERT

ACCESSORY RANGE

THE BEST YOUR TOOL CAN GET.

- ▶ Our new top performance range for all trades
- ▶ Longer, tougher, faster: Up to 100x better performance*
- ▶ Advanced technologies for the toughest applications






NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.


BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.




TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.



* Bosch EXPERT products vs. Bosch standard products

TABLE OF CONTENTS

1 DRILLING

6	Metal Drill Bits
45	Wood Drill Bits
64	Concrete Drill Bits
108	Masonry Drill Bits
109	Multi-Material and Tile Drill Bits

2 ACCESSORIES FOR SCREWDRIVING

120	Impact Control
134	Extra Hard
147	Universal holders
149	Adapters and Attachments
150	Depth stops

3 CHISELLING

152	Chisels with SDS plus Shank
158	Chisels with SDS max Shank
168	Chisels with Hex Shank
175	Accessories for Chiselling

4 DIAMOND CUTTING, GRINDING AND DRILLING

178	Diamond cutting discs for angle grinders
199	Diamond cutting discs for tile cutting machines
206	Diamond cutting discs for table and petrol saws
212	Diamond cutting discs for joint cutters
216	Diamond grinding heads
225	Dry drill bits for drills
229	Wet drill bits
230	Dry drill bits for angle grinders
234	Dry core cutters
237	Accessories for the Bosch diamond drilling systems

5 CUTTING, GRINDING AND BRUSHING

240	Carbide Cutting wheels
244	Diamond Cutting Wheels
249	Cutting discs
262	Grinding discs
266	Bosch cordless angle grinders
267	Cup wheels and grinding rings
268	Grinding wheels
269	Wire brushes
283	Grinding points

6 CIRCULAR SAWING

290	Best for
295	Expert for
321	Standard for
338	Accessories

7 ROUTING AND PLANING

340	Standard for Wood Router Bits
349	Router Bit Sets
356	Accessories for Biscuit Joiners
357	Planer Knives

8 JIGSAWING

360	Single lug shank
394	Universal shank
397	Jigsaw blade sets
405	Accessories
406	Other saws

9 RECIPROCATING SAWING

415	Reciprocating Saw Blades
456	Other Saw Blades

10 HOLESAWING

462	Hole Saws for Power Change Plus System
485	Power Change Hole Saw Accessories
490	Hole Saws with Thread
495	Arbored Hole Saws

11 ACCESSORIES FOR MULTI-CUTTERS

498	Sawing
528	Cutting and Scraping
531	Sanding and Polishing
540	Routing and Rasping
548	Sets
551	Depth stops

12 SANDING AND POLISHING

554	Abrasives for Random Orbital Sanders
569	Abrasives for Delta Sanders and Multi Sanders
578	Abrasives for Orbital Sanders
587	Abrasives for Belt Sanders
596	Abrasives for Handsanding
610	Abrasives for Angle Grinders
634	Abrasives for Straight Grinders
635	Accessories for Polishers

TABLE OF CONTENTS

13 MACHINE ACCESSORIES

638	Accessories for Rotary Hammers and Impact Drills
646	Accessories for Drills
656	Accessories for Angle Grinders
680	Accessories for Concrete Grinders
681	Accessories for Straight Grinders
684	Accessories for Random Orbital Sanders
690	Accessories for Orbital Sanders
692	Accessories for Delta Sanders
694	Accessories for Belt Sanders
695	Accessories for Drywall Sanders
696	Accessories for Compact Belt Sanders
697	Accessories for Circular Saws
700	Accessories for Jigsaws
702	Accessories for Routers
709	Accessories for Planers
711	Nibbling and Cutting
715	Joining
725	Hot Air, Painting and Stripping
727	Dust Extraction
769	Carrying Cases

14 CORDLESS WORKING

774	Battery Packs
776	Chargers
780	Accessories for GDS, PLI, GLI

15 GENERAL INFORMATION

782	Part number index
805	Overview
810	Pictogram



METAL DRILLING

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.



METAL DRILL BITS

Complete range for hand-held applications.



HSS PointTeQ



HSS Ground



HSS Impact



HSS Cobalt

Page number	10	22	19	31
Diameter mm	1.0 – 20.0	1.0 – 16.0	2.0 – 12.0	1.0 – 13.0
DIN standard	338	338 / 340	338	338
Shank type	Cylindrical	Cylindrical	¼" Hex	Cylindrical

MATERIALS

Non-alloyed structural steel	✓	✓	✓	-
Sheet steel	✓	✓	✓	-
Non-alloyed tool steel	✓	✓	✓	-
Alloyed tool steel	-	✓	✓	✓
Stainless steel	-	✓	✓	✓
Fire proof steel, Spring steel	-	-	-	✓
Cast iron, cast steel	✓	✓	✓	✓
Malleable cast iron	✓	✓	✓	✓
Alloyed aluminium	-	✓	✓	-
Bronze	✓	✓	✓	-
Brass	-	-	✓	-
PVC, polyamide	✓	✓	✓	-
Perspex, Bakelite	✓	✓	✓	-
Pertinax, Formica, Hard rubber	✓	✓	✓	-



HSS Titanium

HSS-R Stub

HSS Ground Double-ended

Step drill bits with spiral flute

Countersink bits

35

37

38

39

42

1.0 - 13.0

2.0 - 10.0

2.0 - 6.5

4.0 - 39.0

M3 - M12

338

1897

1897

-

335

Cylindrical

Cylindrical

Cylindrical

3-flat or ¼" Hex

Cylindrical or ¼" Hex

✓

✓

✓

-

-

✓

✓

✓

✓

-

✓

✓

✓

-

✓

✓

-

✓

-

-

✓

-

✓

-

✓

-

-

-

-

-

✓

✓

✓

-

✓

✓

✓

✓

-

-

-

-

✓

-

✓

✓

✓

✓

-

✓

✓

-

-

-

✓

-

✓

✓

✓

-

✓

✓

✓

✓

-

-

✓

✓

✓

-

HSS POINTTEQ

Fast drilling in metal.

FAST CHIP REMOVAL

Supported by the black-oxide coated flute



FAST AND EASY START

The self-centering PointTeQ tip design allows an easy and efficient start

INCREASED LIFETIME

As a result of its fast drilling rate which leads to reduced wear



Metal drill bits HSS PointTeQ, DIN 338

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank equal to drill bit diameter
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Shank diameter (d) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 2								
1	12	1	-	PC1d	2	5	906623	2 608 577 153
1.5	18	1.5	-	PC1d	2	5	906630	2 608 577 154
2	24	2	-	PC1d	2	5	906647	2 608 577 155
2.5	30	2.5	-	PC1d	2	5	906654	2 608 577 156
2.6	30	2.6	-	PC1d	2	5	906661	2 608 577 157
3	33	3	-	PC1d	2	5	906678	2 608 577 158
3.2	36	3.2	-	PC1d	2	5	906685	2 608 577 159
3.5	39	3.5	-	PC1d	2	5	906692	2 608 577 160
4	43	4	-	PC1d	2	5	906708	2 608 577 161
Pack of 1								
4.2	43	4.2	-	PC1d	1	5	906715	2 608 577 162
4.5	47	4.5	-	PC1d	1	5	906722	2 608 577 163
4.8	52	4.8	-	PC1d	1	5	906739	2 608 577 164



Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Shank diameter (d) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5	52	5	-	PC1d	1	5	906746	2 608 577 165
5.5	57	5.5	-	PC1d	1	5	906753	2 608 577 166
6	57	6	-	PC1d	1	5	906760	2 608 577 167
6.5	63	6.5	-	PC1d	1	5	906777	2 608 577 168
7	69	7	-	PC1d	1	5	906784	2 608 577 169
7.5	69	7.5	-	PC1d	1	5	906791	2 608 577 170
8	75	8	-	PC1d	1	5	906807	2 608 577 171
8.5	75	8.5	-	PC1d	1	5	906814	2 608 577 172
9	81	9	-	PC1d	1	5	906821	2 608 577 173
10	87	10	-	PC1d	1	5	906838	2 608 577 174
11	94	11	-	PC1d	1	5	906845	2 608 577 175
12	101	12	-	PC1d	1	5	906852	2 608 577 176
13	101	13	-	PC1d	1	5	906869	2 608 577 177

Pack of 10

1	12	1	-	P2a	10	1	906876	2 608 577 178
1.1	14	1.1	-	P2a	10	1	906883	2 608 577 179
1.2	16	1.2	-	P2a	10	1	906890	2 608 577 180
1.3	16	1.3	-	P2a	10	1	906906	2 608 577 181
1.4	18	1.4	-	P2a	10	1	906913	2 608 577 182
1.5	18	1.5	-	P2a	10	1	906920	2 608 577 183
1.6	20	1.6	-	P2a	10	1	906937	2 608 577 184
1.7	20	1.7	-	P2a	10	1	906944	2 608 577 185
1.8	22	1.8	-	P2a	10	1	906951	2 608 577 186
1.9	22	1.9	-	P2a	10	1	906968	2 608 577 187
2	24	2	-	P2a	10	1	906975	2 608 577 188
2.1	24	2.1	-	P2a	10	1	906982	2 608 577 189
2.2	27	2.2	-	P2a	10	1	906999	2 608 577 190
2.3	27	2.3	-	P2a	10	1	907002	2 608 577 191
2.4	30	2.4	-	P2a	10	1	907019	2 608 577 192
2.5	30	2.5	-	P2a	10	1	907026	2 608 577 193
2.6	30	2.6	-	P2a	10	1	907033	2 608 577 194
2.7	33	2.7	-	P2a	10	1	907040	2 608 577 195
2.8	33	2.8	-	P2a	10	1	907057	2 608 577 196
2.9	33	2.9	-	P2a	10	1	907064	2 608 577 197
3	33	3	-	P2a	10	1	907071	2 608 577 198
3.1	36	3.1	-	P2a	10	1	907088	2 608 577 199
3.2	36	3.2	-	P2a	10	1	907095	2 608 577 200
3.3	36	3.3	-	P2a	10	1	907101	2 608 577 201
3.4	39	3.4	-	P2a	10	1	907118	2 608 577 202
3.5	39	3.5	-	P2a	10	1	907125	2 608 577 203
3.6	39	3.6	-	P2a	10	1	907132	2 608 577 204
3.7	39	3.7	-	P2a	10	1	907149	2 608 577 205
3.8	43	3.8	-	P2a	10	1	907156	2 608 577 206
3.9	43	3.9	-	P2a	10	1	907163	2 608 577 207
4	43	4	-	P1h	10	1	907170	2 608 577 208
4.1	43	4.1	-	P1h	10	1	907187	2 608 577 209
4.2	43	4.2	-	P1h	10	1	907194	2 608 577 210
4.3	47	4.3	-	P1h	10	1	907200	2 608 577 211
4.4	47	4.4	-	P1h	10	1	907217	2 608 577 212
4.5	47	4.5	-	P1h	10	1	907224	2 608 577 213
4.6	47	4.6	-	P1h	10	1	907231	2 608 577 214
4.7	47	4.7	-	P1h	10	1	907248	2 608 577 215
4.8	52	4.8	-	P1h	10	1	907255	2 608 577 216
4.9	52	4.9	-	P1h	10	1	907262	2 608 577 217
5	52	5	-	P1h	10	1	907279	2 608 577 218

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Shank diameter (d) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5.1	52	5.1	-	P1h	10	1	907286	2 608 577 219
5.2	52	5.2	-	P1h	10	1	907293	2 608 577 220
5.3	52	5.3	-	P1h	10	1	907309	2 608 577 221
5.4	57	5.4	-	P1h	10	1	907316	2 608 577 222
5.5	57	5.5	-	P1h	10	1	907323	2 608 577 223
5.6	57	5.6	-	P1h	10	1	907330	2 608 577 224
5.7	57	5.7	-	P1h	10	1	907347	2 608 577 225
5.8	57	5.8	-	P1h	10	1	907354	2 608 577 226
5.9	57	5.9	-	P1h	10	1	907361	2 608 577 227
6	57	6	-	P1h	10	1	907378	2 608 577 228
6.1	63	6.1	-	P1h	10	1	907385	2 608 577 229
6.2	63	6.2	-	P1h	10	1	907392	2 608 577 230
6.3	63	6.3	-	P1h	10	1	907408	2 608 577 231
6.4	63	6.4	-	P1h	10	1	907415	2 608 577 232
6.5	63	6.5	-	P1h	10	1	907422	2 608 577 233
6.6	63	6.6	-	P1h	10	1	907439	2 608 577 234
6.7	63	6.7	-	P1h	10	1	907446	2 608 577 235
6.8	69	6.8	-	P1h	10	1	907453	2 608 577 236
6.9	69	6.9	-	P1h	10	1	907460	2 608 577 237
7	69	7	-	P1h	10	1	907477	2 608 577 238
7.1	69	7.1	-	P1h	10	1	907484	2 608 577 239
7.2	69	7.2	-	P1h	10	1	907491	2 608 577 240
7.3	69	7.3	-	P1h	10	1	907507	2 608 577 241
7.4	69	7.4	-	P1h	10	1	907514	2 608 577 242
7.5	69	7.5	-	P1h	10	1	907521	2 608 577 243
7.6	75	7.6	-	P1h	10	1	907538	2 608 577 244
7.7	75	7.7	-	P1h	10	1	907545	2 608 577 245
7.8	75	7.8	-	P1h	10	1	907552	2 608 577 246
7.9	75	7.9	-	P1h	10	1	907569	2 608 577 247
8	75	8	-	P1h	10	1	907576	2 608 577 248
8.1	75	8.1	-	P1h	10	1	907583	2 608 577 249
8.2	75	8.2	-	P1h	10	1	907590	2 608 577 250
8.3	75	8.3	-	P1h	10	1	907606	2 608 577 251
8.4	75	8.4	-	P1h	10	1	907613	2 608 577 252
8.5	75	8.5	-	P1h	10	1	907620	2 608 577 253
8.6	81	8.6	-	P1h	10	1	907637	2 608 577 254
8.7	81	8.7	-	P1h	10	1	907644	2 608 577 255
8.8	81	8.8	-	P1h	10	1	907651	2 608 577 256
8.9	81	8.9	-	P1h	10	1	907668	2 608 577 257
9	81	9	-	P1h	10	1	907675	2 608 577 258
9.1	81	9.1	-	P1h	10	1	907682	2 608 577 259
9.2	81	9.2	-	P1h	10	1	907699	2 608 577 260
9.3	81	9.3	-	P1h	10	1	907705	2 608 577 261
9.4	81	9.4	-	P1h	10	1	907712	2 608 577 262
9.5	81	9.5	-	P1h	10	1	907729	2 608 577 263
9.6	87	9.6	-	P1h	10	1	907736	2 608 577 264
9.7	87	9.7	-	P1h	10	1	907743	2 608 577 265
9.8	87	9.8	-	P1h	10	1	907750	2 608 577 266
9.9	87	9.9	-	P1h	10	1	907767	2 608 577 267
10	87	10	-	P1h	10	1	907774	2 608 577 268
-	23	-	1/16	P2a	10	1	908252	2 608 577 316
-	26	-	5/64	P2a	10	1	908269	2 608 577 317
-	33	-	3/32	P2a	10	1	908276	2 608 577 318
-	39	-	7/64	P2a	10	1	908283	2 608 577 319
-	42	-	1/8	P2a	10	1	908290	2 608 577 320
-	45	-	9/64	P2a	10	1	908306	2 608 577 321

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Shank diameter (d) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	52	-	5/32	P1h	10	1	908313	2 608 577 322
-	55	-	11/64	P1h	10	1	908320	2 608 577 323
-	61	-	3/16	P1h	10	1	908337	2 608 577 324
-	64	-	13/64	P1h	10	1	908344	2 608 577 325
-	66	-	7/32	P1h	10	1	908351	2 608 577 326
-	69	-	15/64	P1h	10	1	908368	2 608 577 327
-	72	-	1/4	P1h	10	1	908375	2 608 577 328
-	75	-	17/64	P1h	10	1	908382	2 608 577 329
-	77	-	9/32	P1h	10	1	908399	2 608 577 330
-	80	-	19/64	P1h	10	1	908405	2 608 577 331
-	83	-	5/16	P1h	10	1	908412	2 608 577 332
-	87	-	21/64	P1h	10	1	908429	2 608 577 333
-	90	-	11/32	P1h	10	1	908436	2 608 577 334
-	92	-	23/64	P1h	10	1	908443	2 608 577 335
-	95	-	3/8	P1h	10	1	908450	2 608 577 336
-	98	-	25/64	P1h	10	1	908467	2 608 577 337

Pack of 5

10.2	87	10.2	-	P1h	5	1	907798	2 608 577 270
10.5	87	10.5	-	P1h	5	1	907828	2 608 577 273
10.6	87	10.6	-	P1h	5	1	907835	2 608 577 274
10.7	94	10.7	-	P1h	5	1	907842	2 608 577 275
10.8	94	10.8	-	P1h	5	1	907859	2 608 577 276
10.9	94	10.9	-	P1h	5	1	907866	2 608 577 277
11	94	11	-	P1h	5	1	907873	2 608 577 278
11.1	94	11.1	-	P1h	5	1	907880	2 608 577 279
11.2	94	11.2	-	P1h	5	1	907897	2 608 577 280
11.3	94	11.3	-	P1h	5	1	907903	2 608 577 281
11.4	94	11.4	-	P1h	5	1	907910	2 608 577 282
11.5	94	11.5	-	P1h	5	1	907927	2 608 577 283
11.6	94	11.6	-	P1h	5	1	907934	2 608 577 284
11.8	94	11.8	-	P1h	5	1	907958	2 608 577 286
11.9	101	11.9	-	P1h	5	1	907965	2 608 577 287
12	101	12	-	P1h	5	1	907972	2 608 577 288
12.1	101	12.1	-	P1h	5	1	907989	2 608 577 289
12.2	101	12.2	-	P1h	5	1	907996	2 608 577 290
12.3	101	12.3	-	P1h	5	1	908009	2 608 577 291
12.4	101	12.4	-	P1h	5	1	908016	2 608 577 292
12.5	101	12.5	-	P1h	5	1	908023	2 608 577 293
12.6	101	12.6	-	P1h	5	1	908030	2 608 577 294
12.7	101	12.7	-	P1h	5	1	908047	2 608 577 295
12.8	101	12.8	-	P1h	5	1	908054	2 608 577 296
13	101	13	-	P1h	5	1	908078	2 608 577 298
-	101	-	13/32	P1h	5	1	908474	2 608 577 338
-	103	-	27/64	P1h	5	1	908481	2 608 577 339
-	106	-	7/16	P1h	5	1	908498	2 608 577 340
-	109	-	29/64	P1h	5	1	908504	2 608 577 341
-	114	-	15/32	P1h	5	1	908511	2 608 577 342
-	115	-	31/64	P1h	5	1	908528	2 608 577 343
-	118	-	1/2	P1h	5	1	908535	2 608 577 344

Metal drill bits HSS PointTeQ, DIN 338 with reduced shank

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank is reduced to 10mm for drill bits with diameter ≤ 13 mm and to 12mm for drill bits with diameter > 13 mm
- ▶ Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
10.5	87	10	PC1d	1	5	908085	2 608 577 299
11	94	10	PC1d	1	5	908092	2 608 577 300
11.5	94	10	PC1d	1	5	908108	2 608 577 301
12	101	10	PC1d	1	1	908115	2 608 577 302
12.5	101	10	PC1d	1	1	908122	2 608 577 303
13	101	10	PC1d	1	1	908139	2 608 577 304
13.5	108	12	PC1d	1	1	908146	2 608 577 305
14	108	12	PC1d	1	1	908153	2 608 577 306
14.5	114	12	P1c	1	1	908160	2 608 577 307
15	114	12	P1c	1	1	908177	2 608 577 308
15.5	120	12	P1c	1	1	908184	2 608 577 309
16	120	12	P1c	1	1	908191	2 608 577 310
16.5	125	12	P1c	1	1	908207	2 608 577 311
17	125	12	P1c	1	1	908214	2 608 577 312
18	130	12	P1c	1	1	908221	2 608 577 313
19	135	12	P1c	1	1	908238	2 608 577 314
20	140	12	P1c	1	1	908245	2 608 577 315

Metal drill bit sets HSS PointTeQ, DIN 338

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank equal to drill bit diameter
- ▶ Two-cutter, cylindrical, two flutes




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set, HSS PointTeQ						
2	24	P1c	5	1	917636	2 608 577 345
3	33					
4	43					
5	52					
6	57					

Metal drill bit sets HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece metal drill bit set, HSS PointTeQ							
2	24		P1k	6	1	917643	2 608 577 346
3	33						
4	43						
5	52						
6	57						
8	75						



7-piece metal drill bit set, HSS PointTeQ							
2	24		P1k	7	1	917650	2 608 577 347
3	33						
4	43						
5	52						
6	57						
8	75						
10	87						



10-piece metal drill bit set, HSS PointTeQ							
1	12		P1k	10	1	917667	2 608 577 348
2	24						
3	33						
4	43						
5	52						
6	57						
7	69						
8	75						
9	81						
10	87						



13-piece metal drill bit set, HSS PointTeQ							
1.5	18		P1k	13	1	917674	2 608 577 349
2	24						
2.5	30						
3	33						
3.2	36						
3.5	39						
4	43						
4.5	47						
4.8	52						
5	52						
5.5	57						
6	57						
6.5	63						



Metal drill bit sets HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
side set, milled 18-piece ToughBox metal drill bit set, HSS PointTeQ							
4	34		M0a	18	1	917681	2 608 577 350
4.5	40						
5	49						
5.5	49						
6	57						
7	61						
8	61						
9	70						
10	75						
1	75						
1.5	80						
2	86						
2	93						
2.5	93						
3	109						
3	117						
3.5	125						
4	133						
19-piece ProBox metal drill bit set, HSS PointTeQ							
1	12		P1k	19	1	917698	2 608 577 351
1.5	18						
2	24						
2.5	30						
3	33						
3.5	39						
4	43						
4.5	47						
5	52						
5.5	57						
6	57						
6.5	63						
7	69						
7.5	69						
8	75						
8.5	75						
9	81						
9.5	81						
10	87						
25-piece ProBox metal drill bit set, HSS PointTeQ							
1	57		P1k	25	1	917704	2 608 577 352
1.5	57						
2	63						
2.5	69						
3	69						
3.5	75						
4	75						
4.5	81						
5	81						
5.5	87						
6	87						
6.5	94						
7	94						
7.5	101						
8	101						
8.5	101						
9	12						
9.5	18						
10	24						
10.5	30						
11	33						
11.5	39						
12	43						
12.5	47						
13	52						



Metal drill bits HSS PointTeQ, DIN 338 with hex shank



- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Two-cutter, hexagonal, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
Pack of 1								
2	24	60	PC1d	1	5	231321	2 608 577 517	
2.5	30	69	PC1d	1	5	231338	2 608 577 518	
3	33	72	PC1d	1	5	231345	2 608 577 519	
3.2	36	75	PC1d	1	5	231352	2 608 577 520	
3.3	36	75	PC1d	1	5	231369	2 608 577 521	
3.5	39	79	PC1d	1	5	231376	2 608 577 522	
4	43	83	PC1d	1	5	231383	2 608 577 523	
4.2	43	83	PC1d	1	5	231390	2 608 577 524	
4.5	47	87	PC1d	1	5	231406	2 608 577 525	
5	52	91	PC1d	1	5	231413	2 608 577 526	
5.5	57	98	PC1d	1	5	231420	2 608 577 527	
6	57	98	PC1d	1	5	231437	2 608 577 528	
6.5	63	107	PC1d	1	5	231444	2 608 577 529	
6.8	69	109	PC1d	1	5	231451	2 608 577 530	
7	69	109	PC1d	1	5	231468	2 608 577 531	
7.5	69	109	PC1d	1	5	231475	2 608 577 532	
8	75	117	PC1d	1	5	231482	2 608 577 533	
8.5	75	117	PC1d	1	5	231499	2 608 577 534	
9	81	125	PC1d	1	5	231505	2 608 577 535	
9.5	81	125	PC1d	1	5	231512	2 608 577 536	
10	87	133	PC1d	1	5	231529	2 608 577 537	
11	94	142	PC1d	1	5	231536	2 608 577 538	
12	101	151	PC1d	1	5	231543	2 608 577 539	
Pack of 10								
2	24	60	P1h	10	1	231550	2 608 577 540	
3	33	72	P1h	10	1	231567	2 608 577 541	
3.5	39	79	P1h	10	1	231574	2 608 577 542	
4	43	83	P1h	10	1	231581	2 608 577 543	
4.2	43	83	P1h	10	1	231598	2 608 577 544	
5	52	91	P1h	10	1	231604	2 608 577 545	
6	57	98	P1h	10	1	231611	2 608 577 546	
Pack of 5								
8	75	117	P1h	5	1	231628	2 608 577 547	
10	87	133	P1h	5	1	231635	2 608 577 548	
12	101	151	P1h	5	1	231642	2 608 577 549	



Metal drill bit sets HSS PointTeQ, DIN 338 with hex shank

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Two-cutter, hexagonal, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
5-piece metal drill bit set, HSS PointTeQ							
2	57	60	P1k	5	1	231659	2 607 002 824
3	24	72					
4	33	83					
5	43	91					
6	52	98					



9-piece metal drill bit set, HSS PointTeQ							
2	24	60	P1k	9	1	231673	2 607 002 826
2.5	30	69					
3	33	72					
3.5	39	79					
4	43	83					
5	52	91					
6	57	98					
7	69	109					
8	75	117					



HSS IMPACT

Highly robust with impact drivers.



ROBUSTNESS

Due to high strength body. Drill bit designed to perform with impact drivers



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter




UNIVERSAL USE AND EXCELLENT FIXING

1/4" hex-shank fitting all power tools. No spinning of the drill


Impact Control HSS twist drill bits



- ▶ Highly robust drilling in metal, especially with impact drivers
- ▶ Very strong body provides high robustness
- ▶ Precision-ground from solid metal with an oxide coated flute for slicing through materials with reduced wear
- ▶ Manufactured to DIN 338, drill bit Type N (flute angle) with tip of 135 degrees
- ▶ Active cutting and perfect centering due to pointed split point tip. 1/4-inch hex shank for universal use




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	60	6.35	PC1d	1	5	858731	2 608 577 045
2.5	30	69	6.35	PC1d	1	5	858755	2 608 577 047
3	33	72	6.35	PC1d	1	5	858786	2 608 577 048
3.2	36	75	6.35	PC1d	1	5	858762	2 608 577 049
3.3	36	75	6.35	PC1d	1	5	858779	2 608 577 050
3.5	39	79	6.35	PC1d	1	5	858793	2 608 577 051
4	43	83	6.35	PC1d	1	5	858809	2 608 577 052
4.5	47	87	6.35	PC1d	1	5	858830	2 608 577 055
5	52	91	6.35	PC1d	1	5	858847	2 608 577 056
5.5	57	98	6.35	PC1d	1	5	858854	2 608 577 057
6	57	98	6.35	PC1d	1	5	858861	2 608 577 058
6.5	63	107	6.35	PC1d	1	5	858878	2 608 577 059
6.8	69	109	6.35	PC1d	1	5	883603	2 608 577 149



Impact Control HSS twist drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7.5	69	109	6.35	PC1d	1	5	872157	2 608 577 128
8	75	117	6.35	PC1d	1	5	858892	2 608 577 061
8.5	75	117	6.35	PC1d	1	5	872164	2 608 577 129
9	81	125	6.35	PC1d	1	5	858908	2 608 577 062
10	87	133	6.35	PC1d	1	5	858915	2 608 577 063
11	94	142	6.35	PC1d	1	5	858922	2 608 577 064
12	101	151	6.35	PC1d	1	5	858939	2 608 577 065
Pack of 1								
4.2	43	83	6.35	PC1d	1	5	858823	2 608 577 054
Pack of 1								
7	69	109	6.35	PC1d	1	5	858885	2 608 577 060

Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 8 (Index) - tap hole diameters for M3 - M10							
2	60	22.0 x 115.0 x	PC1a	8	5	881692	2 608 577 139
3	72	235					
4	83						
5	91						
6	98						
7	109						
8	117						
10	133						



Pack of 8 (Index) - tap hole diameters for M3-M10							
2.5	69	22.0 x 115.0 x	PC1a	8	5	881708	2 608 577 140
3.3	75	210					
4.2	83						
4.2	83						
5	91						
5	91						
6.8	109						
8.5	117						



Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece set							
2	60	41.0 x 110.0 x	P1k	8	6	881760	2 608 577 146
3	72	200					
4	83						
5	91						
6	98						
7	109						
8	117						
10	133						

HSS GROUND

High-precision holes.



EXCELLENT CUTTING FEATURES

135° tip design enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard HSS drills with chisel edge

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body



Metal drill bits HSS-G

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-G metal drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 2								
1	12	34	-	PC1d	2	5	521413	2 608 585 906
1.5	18	40	-	PC1d	2	5	521420	2 608 585 907
2	24	49	-	PC1d	2	5	521437	2 608 585 908
2.5	30	57	-	PC1d	2	5	521444	2 608 585 909
3	33	61	-	PC1d	2	5	521468	2 608 585 911
3.2	36	65	-	PC1d	2	5	521475	2 608 585 912
3.3	36	65	-	PC1d	2	5	521482	2 608 585 913
3.5	39	70	-	PC1d	2	5	521499	2 608 585 914
4	43	75	-	PC1d	2	5	521512	2 608 585 916



Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
4.2	43	75	-	PC1d	1	5	521536	2 608 585 918
4.5	47	80	-	PC1d	1	5	521550	2 608 585 920
4.8	52	86	-	PC1d	1	5	521567	2 608 585 921
5	52	86	-	PC1d	1	5	521574	2 608 585 922
5.2	52	86	-	PC1d	1	5	521598	2 608 585 924
5.5	57	93	-	PC1d	1	5	521604	2 608 585 925
6	57	93	-	PC1d	1	5	521611	2 608 585 926
6.5	63	101	-	PC1d	1	5	521628	2 608 585 927
6.8	69	109	-	PC1d	1	5	521635	2 608 585 928
7	69	109	-	PC1d	1	5	521642	2 608 585 929
7.5	69	109	-	PC1d	1	5	521659	2 608 585 930
8	75	117	-	PC1d	1	5	521673	2 608 585 932
8.5	75	117	-	PC1d	1	5	521680	2 608 585 933
9	81	125	-	PC1d	1	5	521697	2 608 585 934
9.5	81	125	-	PC1d	1	5	521703	2 608 585 935
10	87	133	-	PC1d	1	5	521710	2 608 585 936
10.5	87	133	-	PC1d	1	5	521727	2 608 585 937
11	94	142	-	PC1d	1	5	521734	2 608 585 938
11.5	94	142	-	PC1d	1	5	521741	2 608 585 939
12	101	151	-	PC1d	1	5	521758	2 608 585 940
12.5	101	151	-	PC1d	1	5	521765	2 608 585 941
13	101	151	-	PC1d	1	5	521772	2 608 585 942



Pack of 10								
1	12	34	-	P2a	10	1	290494	2 608 595 049
1.1	14	36	-	P2a	10	1	474726	2 608 585 467
1.2	16	38	-	P2a	10	1	474733	2 608 585 468
1.3	16	38	-	P2a	10	1	474740	2 608 585 469
1.4	18	40	-	P2a	10	1	474757	2 608 585 470
1.5	18	40	-	P2a	10	1	290500	2 608 595 050
1.6	20	43	-	P2a	10	1	474764	2 608 585 471
1.7	20	43	-	P2a	10	1	474771	2 608 585 472
1.8	22	46	-	P2a	10	1	474788	2 608 585 473
2	24	49	-	P2a	10	1	290517	2 608 595 051
2.1	24	49	-	P2a	10	1	474801	2 608 585 475
2.2	27	53	-	P2a	10	1	290524	2 608 595 052
2.3	27	53	-	P2a	10	1	474818	2 608 585 476
2.4	30	57	-	P2a	10	1	474825	2 608 585 477
2.5	30	57	-	P2a	10	1	290531	2 608 595 053
2.6	30	57	-	P2a	10	1	474832	2 608 585 478
2.7	33	61	-	P2a	10	1	474849	2 608 585 479
2.8	33	61	-	P2a	10	1	290548	2 608 595 054
2.9	33	61	-	P2a	10	1	474856	2 608 585 480
3	33	61	-	P2a	10	1	290555	2 608 595 055
3.1	36	65	-	P2a	10	1	474863	2 608 585 481
3.4	39	70	-	P2a	10	1	474870	2 608 585 482
3.5	39	70	-	P2a	10	1	290586	2 608 595 058
3.6	39	70	-	P2a	10	1	323499	2 608 595 332
3.7	39	70	-	P2a	10	1	474887	2 608 585 483
3.8	43	75	-	P2a	10	1	474894	2 608 585 484
3.9	43	75	-	P2a	10	1	474900	2 608 585 485
4	43	75	-	P1h	10	1	290593	2 608 595 059
4.1	43	75	-	P2a	10	1	474917	2 608 585 486
4.3	47	80	-	P1h	10	1	474924	2 608 585 487

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4.4	47	80	-	P1h	10	1	323505	2 608 595 333
4.6	47	80	-	P1h	10	1	474931	2 608 585 488
4.7	47	80	-	P1h	10	1	474948	2 608 585 489
4.9	52	86	-	P1h	10	1	474955	2 608 585 490
5	52	86	-	P1h	10	1	290623	2 608 595 062
5.1	52	86	-	P1h	10	1	474962	2 608 585 491
5.3	52	86	-	P1h	10	1	474979	2 608 585 492
5.5	57	93	-	P1h	10	1	290647	2 608 595 064
5.6	57	93	-	P1h	10	1	474993	2 608 585 494
5.7	57	93	-	P1h	10	1	475006	2 608 585 495
5.8	57	93	-	P1h	10	1	290654	2 608 595 065
5.9	57	93	-	P1h	10	1	475013	2 608 585 496
6	57	93	-	P1h	10	1	290661	2 608 595 066
6.1	63	101	-	P1h	10	1	475020	2 608 585 497
6.2	63	101	-	P1h	10	1	290678	2 608 595 067
6.3	63	101	-	P1h	10	1	475037	2 608 585 498
6.4	63	101	-	P1h	10	1	323529	2 608 595 335
6.5	63	101	-	P1h	10	1	290685	2 608 595 068
6.6	63	101	-	P1h	10	1	475044	2 608 585 499
6.7	63	101	-	P1h	10	1	323536	2 608 595 336
6.9	69	109	-	P1h	10	1	475051	2 608 585 500
7	69	109	-	P1h	10	1	290708	2 608 595 070
7.1	69	109	-	P1h	10	1	475068	2 608 585 501
7.2	69	109	-	P1h	10	1	323543	2 608 595 337
7.3	69	109	-	P1h	10	1	475075	2 608 585 502
7.4	69	109	-	P1h	10	1	475082	2 608 585 503
7.5	69	109	-	P1h	10	1	290715	2 608 595 071
7.6	75	117	-	P1h	10	1	475099	2 608 585 504
7.7	75	117	-	P1h	10	1	475105	2 608 585 505
7.8	75	117	-	P1h	10	1	475112	2 608 585 506
7.9	75	117	-	P1h	10	1	475129	2 608 585 507
-	5	20	1/64	P2a	10	1	474382	2 608 585 433
-	10	30	1/32	P2a	10	1	474399	2 608 585 434
-	16	38	3/64	P2a	10	1	474405	2 608 585 435
-	20	43	1/16	P2a	10	1	474412	2 608 585 436
-	24	49	5/64	P2a	10	1	474429	2 608 585 437
-	30	57	3/32	P2a	10	1	474436	2 608 585 438
-	33	61	7/64	P2a	10	1	474443	2 608 585 439
-	36	65	1/8	P2a	10	1	474450	2 608 585 440
-	39	70	9/64	P2a	10	1	474467	2 608 585 441
-	43	75	5/32	P1h	10	1	474474	2 608 585 442
-	47	80	11/64	P1h	10	1	474481	2 608 585 443
-	52	86	3/16	P1h	10	1	474498	2 608 585 444
-	52	86	13/64	P1h	10	1	474504	2 608 585 445
-	57	93	7/32	P1h	10	1	474511	2 608 585 446
-	57	93	15/64	P1h	10	1	474528	2 608 585 447
-	63	101	1/4	P1h	10	1	474535	2 608 585 448
-	69	109	17/64	P1h	10	1	474542	2 608 585 449
-	69	109	9/32	P1h	10	1	474559	2 608 585 450
-	75	117	19/64	P1h	10	1	474566	2 608 585 451
-	75	117	5/16	P1h	10	1	474573	2 608 585 452
Pack of 10								
4.5	47	80	-	P1h	10	1	290616	2 608 595 061
5.4	57	93	-	P1h	10	1	474986	2 608 585 493

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
8	75	117	-	P1h	5	1	290722	2 608 595 072
8.1	75	117	-	P1h	5	1	475136	2 608 585 508
8.2	75	117	-	P1h	5	1	475143	2 608 585 509
8.3	75	117	-	P1h	5	1	475150	2 608 585 510
8.4	75	117	-	P1h	5	1	475167	2 608 585 511
8.5	75	117	-	P1h	5	1	290739	2 608 595 073
8.6	81	125	-	P1h	5	1	475174	2 608 585 512
8.7	81	125	-	P1h	5	1	475181	2 608 585 513
8.8	81	125	-	P1h	5	1	290746	2 608 595 074
8.9	81	125	-	P1h	5	1	475198	2 608 585 514
9	81	125	-	P1h	5	1	290753	2 608 595 075
9.1	81	125	-	P1h	5	1	475204	2 608 585 515
9.2	81	125	-	P1h	5	1	475211	2 608 585 516
9.3	81	125	-	P1h	5	1	475228	2 608 585 517
9.4	81	125	-	P1h	5	1	475235	2 608 585 518
9.5	81	125	-	P1h	5	1	290760	2 608 595 076
9.6	87	133	-	P1h	5	1	475242	2 608 585 519
9.7	87	133	-	P1h	5	1	475259	2 608 585 520
9.8	87	133	-	P1h	5	1	323550	2 608 595 338
9.9	87	133	-	P1h	5	1	475266	2 608 585 521
10	87	133	-	P1h	5	1	290777	2 608 595 077
10.1	87	133	-	P1h	5	1	475273	2 608 585 522
10.2	87	133	-	P1h	5	1	475280	2 608 585 523
10.3	87	133	-	P1h	5	1	475297	2 608 585 524
10.4	87	133	-	P1h	5	1	475303	2 608 585 525
10.5	87	133	-	P1h	5	1	290784	2 608 595 078
10.6	87	133	-	P1h	5	1	475310	2 608 585 526
10.7	94	142	-	P1h	5	1	475327	2 608 585 527
10.8	94	142	-	P1h	5	1	475334	2 608 585 528
10.9	94	142	-	P1h	5	1	475341	2 608 585 529
11	94	142	-	P1h	5	1	290791	2 608 595 079
11.1	94	142	-	P1h	5	1	475358	2 608 585 530
11.2	94	142	-	P1h	5	1	475365	2 608 585 531
11.3	94	142	-	P1h	5	1	475372	2 608 585 532
11.4	94	142	-	P1h	5	1	475389	2 608 585 533
11.5	94	142	-	P1h	5	1	290807	2 608 595 080
11.6	94	142	-	P1h	5	1	475396	2 608 585 534
11.7	94	142	-	P1h	5	1	475402	2 608 585 535
11.8	94	142	-	P1h	5	1	475419	2 608 585 536
11.9	101	151	-	P1h	5	1	475426	2 608 585 537
12	101	151	-	P1h	5	1	290814	2 608 595 081
12.1	101	151	-	P1h	5	1	475433	2 608 585 538
12.2	101	151	-	P1h	5	1	475440	2 608 585 539
12.3	101	151	-	P1h	5	1	475457	2 608 585 540
12.4	101	151	-	P1h	5	1	475464	2 608 585 541
12.5	101	151	-	P1h	5	1	290821	2 608 595 082
12.6	101	151	-	P1h	5	1	475471	2 608 585 542
12.7	101	151	-	P1h	5	1	475488	2 608 585 543
12.8	101	151	-	P1h	5	1	475495	2 608 585 544
12.9	101	151	-	P1h	5	1	475501	2 608 585 545
13	101	151	-	P1h	5	1	290838	2 608 595 083
-	75	117	21/64	P1h	5	1	474580	2 608 585 453
-	81	125	11/32	P1h	5	1	474597	2 608 585 454
-	81	125	23/64	P1h	5	1	474603	2 608 585 455
-	87	133	3/8	P1h	5	1	474610	2 608 585 456

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	87	133	25/64	P1h	5	1	474627	2 608 585 457
-	87	133	13/32	P1h	5	1	474634	2 608 585 458
-	94	142	27/64	P1h	5	1	474641	2 608 585 459
-	94	142	7/16	P1h	5	1	474658	2 608 585 460
-	94	142	29/64	P1h	5	1	474665	2 608 585 461
-	101	151	15/32	P1h	5	1	474672	2 608 585 462
-	101	151	31/64	P1h	5	1	474689	2 608 585 463
-	101	151	1/2	P1h	5	1	474696	2 608 585 464

Pack of 4 reduced shank to 13 mm

14	108	160	-	P1h	4	1	478786	2 608 585 593
15	114	169	-	P1h	4	1	478793	2 608 585 594
16	120	178	-	P1h	4	1	478809	2 608 585 595

Pack of 4 reduced shank to 1/2-inch

-	114	169	9/16	P1h	4	1	474702	2 608 585 465
-	120	178	5/8	P1h	4	1	474719	2 608 585 466



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set HSS-G, 135° drill bit tip, 1/4" hex shank						P1k	5	1	395427	2 608 595 517
2	-	-	-	-						
3	-	-	-	-						
4	-	-	-	-						
5	-	-	-	-						
6	-	-	-	-						



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18-piece Toughbox metal drill bit set HSS-G, DIN 338, 135°										
4	-	12	34	-	180.0 x	P1k	18	1	430210	2 607 019 578
4	-	18	40	-	85.0 x 45					
4.5	-	24	49	-						
5	-	24	49	-						
5.5	-	30	57	-						
6	-	33	61	-						
7	-	33	61	-						
8	-	39	70	-						
9	-	43	75	-						
10	-	43	75	-						
1	-	47	80	-						
1.5	-	52	86	-						
2	-	57	93	-						
2	-	57	93	-						
2.5	-	69	109	-						
3	-	75	117	-						
3	-	81	125	-						
3.5	-	87	133	-						



19-piece metal drill bit set HSS-G, DIN 338, 135° in plastic tube										
1	-	12	34	-	-	P1a	19	1	061179	2 607 018 361
1.5	-	18	40	-						
2	-	24	49	-						
2.5	-	30	57	-						
3	-	33	61	-						
3.5	-	39	70	-						
4	-	43	75	-						
4.5	-	47	80	-						
5	-	52	86	-						
5.5	-	57	93	-						
6	-	57	93	-						
6.5	-	63	101	-						
7	-	69	109	-						
7.5	-	69	109	-						
8	-	75	117	-						
8.5	-	75	117	-						
9	-	81	125	-						
9.5	-	81	125	-						
10	-	87	133	-						



19-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette										
1	-	12	-	-	-	M1a	19	1	145893	2 607 018 726
1.5	-	18	-	-						
2	-	24	-	-						
2.5	-	30	-	-						
3	-	33	-	-						
3.5	-	39	-	-						
4	-	43	-	-						
4.5	-	47	-	-						
5	-	52	-	-						
5.5	-	57	-	-						
6	-	57	-	-						
6.5	-	63	-	-						
7	-	69	-	-						
7.5	-	69	-	-						
8	-	75	-	-						
8.5	-	75	-	-						
9	-	81	-	-						
9.5	-	81	-	-						
10	-	87	-	-						



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19-piece HSS-G ProBox metal drill bit set, DIN 338, 135°										
8	-	12	-	-	172.0 x	P1k	19	1	689779	2 608 587 013
8.5	-	18	-	-	115.0 x					
9	-	24	-	-	42					
9.5	-	30	-	-						
10	-	33	-	-						
1	-	39	-	-						
1.5	-	43	-	-						
2	-	47	-	-						
2.5	-	52	-	-						
3	-	57	-	-						
3.5	-	57	-	-						
4	-	63	-	-						
4.5	-	69	-	-						
5	-	69	-	-						
5.5	-	75	-	-						
6	-	75	-	-						
6.5	-	81	-	-						
7	-	81	-	-						
7.5	-	87	-	-						
25-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette										
1	-	101	-	-		P1k	25	1	145909	2 607 018 727
1.5	-	12	-	-						
2	-	18	-	-						
2.5	-	24	-	-						
3	-	30	-	-						
3.5	-	33	-	-						
4	-	39	-	-						
4.5	-	43	-	-						
5	-	47	-	-						
5.5	-	52	-	-						
6	-	57	-	-						
6.5	-	57	-	-						
7	-	63	-	-						
7.5	-	69	-	-						
8	-	69	-	-						
8.5	-	75	-	-						
9	-	75	-	-						
9.5	-	81	-	-						
10	-	81	-	-						
10.5	-	87	-	-						
11	-	87	-	-						
11.5	-	94	-	-						
12	-	94	-	-						
12.5	-	101	-	-						
13	-	101	-	-						
25-piece HSS-G ProBox metal drill bit set, DIN 338, 135°										
1	-	12	-	-	200.0 x	P1k	25	1	689816	2 608 587 017
1.5	-	18	-	-	115.0 x					
2	-	24	-	-	58					
2.5	-	30	-	-						
3	-	33	-	-						
3.5	-	39	-	-						
4	-	43	-	-						
4.5	-	47	-	-						
5	-	52	-	-						
5.5	-	57	-	-						
6	-	57	-	-						
6.5	-	63	-	-						
7	-	69	-	-						
7.5	-	69	-	-						
8	-	75	-	-						
8.5	-	75	-	-						
9	-	81	-	-						
9.5	-	81	-	-						
10	-	87	-	-						
10.5	-	87	-	-						
11	-	94	-	-						
11.5	-	94	-	-						
12	-	101	-	-						
12.5	-	101	-	-						
13	-	101	-	-						




Metal drill bits HSS-G, DIN 340

- ▶ Twist drill bit made of high speed steel manufactured to DIN 340
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	66	100	-	PC1d	1	5	417952	2 608 595 676
3.2	69	106	-	PC1d	1	5	417969	2 608 595 677
3.5	73	112	-	PC1d	1	5	417976	2 608 595 678
4.2	78	119	-	PC1d	1	5	417990	2 608 595 680
4.5	82	126	-	PC1d	1	5	418003	2 608 595 681
4.8	87	132	-	PC1d	1	5	418010	2 608 595 682
5	87	132	-	PC1d	1	5	418027	2 608 595 683
5.5	91	139	-	PC1d	1	5	418034	2 608 595 684
6	91	139	-	PC1d	1	5	418041	2 608 595 685
6.5	97	148	-	PC1d	1	5	418058	2 608 595 686
7	102	156	-	PC1d	1	5	418065	2 608 595 687
8	109	165	-	PC1d	1	5	418072	2 608 595 688
9	115	175	-	PC1d	1	5	418089	2 608 595 689
10	121	184	-	PC1d	1	5	418096	2 608 595 690
11	128	195	-	PC1d	1	5	418102	2 608 595 691
12	134	205	-	PC1d	1	5	418119	2 608 595 692
13	134	205	-	PC1d	1	5	418126	2 608 595 693

Pack of 1								
4	78	119	-	PC1d	1	5	417983	2 608 595 679

Pack of 5								
1.5	45	70	-	P0a	5	1	066983	2 608 596 808
2	56	85	-	P0a	5	1	066990	2 608 596 809
2.5	62	95	-	P0a	5	1	067003	2 608 596 810
3	66	100	-	P0a	5	1	067027	2 608 596 812
3.2	69	106	-	P0a	5	1	067034	2 608 596 813
3.5	73	112	-	P0a	5	1	067041	2 608 596 814
4	78	119	-	P0a	5	1	067065	2 608 596 816
4.2	78	119	-	P0a	5	1	067072	2 608 596 817
4.5	82	126	-	P0a	5	1	067089	2 608 596 818
4.8	87	132	-	P0a	5	1	067096	2 608 596 819
5	87	132	-	P0a	5	1	067102	2 608 596 820
5.5	91	139	-	P0a	5	1	067119	2 608 596 821
6	91	139	-	P0a	5	1	067126	2 608 596 822
6.5	97	148	-	P0a	5	1	067140	2 608 596 824
7	102	156	-	P0a	5	1	067157	2 608 596 825
7.5	102	156	-	P0a	5	1	067164	2 608 596 826
8	109	165	-	P0a	5	1	067171	2 608 596 827
8.5	109	165	-	P0a	5	1	067188	2 608 596 828
9	115	175	-	P0a	5	1	067195	2 608 596 829
9.5	115	175	-	P0a	5	1	067201	2 608 596 830
10	121	184	-	P0a	5	1	067225	2 608 596 832
11	128	195	-	P0a	5	1	067232	2 608 596 833
12	134	205	-	P0a	5	1	067249	2 608 596 834
13	134	205	-	P0a	5	1	067256	2 608 596 835



Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
2	24	A	156.5 x 69.5 x 23	P1k	6	1	446136	2 607 010 529
3	33							
4	43							
5	52							
6	57							
8	75							
10-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
1	12	B	156.5 x 106.5 x 23	P1k	10	1	446198	2 607 010 535
2	24							
3	33							
4	43							
5	52							
6	57							
7	69							
8	75							
9	81							
10	87							
13-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
3.5	18	C	124.0 x 106.5 x 23	P1k	13	1	446228	2 607 010 538
4	24							
4.5	30							
4.8	33							
5	36							
5.5	39							
6	43							
6.5	47							
1.5	52							
2	52							
2.5	57							
3	57							
3.2	63							



HSS COBALT

Long lifetime when drilling stainless steel.



LONG LIFETIME IN STAINLESS STEEL

Heat and wear resistant drill bit with 5 % cobalt alloying

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body




Metal drill bits HSS-Co, DIN 338



- ▶ Twist drill bit made of alloyed high speed steel to DIN 338, cobalt content 5%
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal with excellent surface quality manufactured to special factory standards
- ▶ Shank equal to drill bit diameter, except when diameter >10 mm shank is 10 mm, drill bit colour: bronze
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-Co metal drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
1	12	34	-	PC1d	1	5	520737	2 608 585 838
1.5	18	40	-	PC1d	1	5	520744	2 608 585 839
2	29	49	-	PC1d	1	5	520751	2 608 585 840
2.5	30	57	-	PC1d	1	5	520768	2 608 585 841
3	33	61	-	PC1d	1	5	520775	2 608 585 842
3.2	36	65	-	PC1d	1	5	520782	2 608 585 843
3.3	36	65	-	PC1d	1	5	520799	2 608 585 844
3.5	39	70	-	PC1d	1	5	520805	2 608 585 845
4	43	75	-	PC1d	1	5	520812	2 608 585 846
4.1	43	75	-	PC1d	1	5	520829	2 608 585 847



Metal drill bits HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4.2	43	75	-	PC1d	1	5	520836	2 608 585 848
4.5	47	80	-	PC1d	1	5	520843	2 608 585 849
4.8	52	86	-	PC1d	1	5	520850	2 608 585 850
5	52	86	-	PC1d	1	5	520867	2 608 585 851
5.1	52	86	-	PC1d	1	1	520874	2 608 585 852
5.2	52	86	-	PC1d	1	1	520881	2 608 585 853
5.5	57	93	-	PC1d	1	1	520898	2 608 585 854
6	57	93	-	PC1d	1	1	520904	2 608 585 855
6.5	63	101	-	PC1d	1	1	520911	2 608 585 856
6.8	69	109	-	PC1d	1	1	520928	2 608 585 857
7	69	109	-	PC1d	1	1	520935	2 608 585 858
7.5	69	109	-	PC1d	1	1	520942	2 608 585 859
8	75	117	-	PC1d	1	1	520959	2 608 585 860
8.5	75	117	-	PC1d	1	1	520966	2 608 585 861
9	81	125	-	PC1d	1	1	520973	2 608 585 862
9.5	81	125	-	PC1d	1	1	520980	2 608 585 863
10	87	133	-	PC1d	1	1	520997	2 608 585 864
10.2	87	133	-	PC1d	1	1	521000	2 608 585 865
10.5	87	133	-	PC1d	1	1	521017	2 608 585 866
11	94	142	-	PC1d	1	1	521024	2 608 585 867
11.5	94	142	-	PC1d	1	1	521031	2 608 585 868
12	101	151	-	PC1d	1	1	521048	2 608 585 869
12.5	101	151	-	PC1d	1	1	521055	2 608 585 870
13	101	151	-	PC1d	1	1	521062	2 608 585 871

Pack of 10

3	33	61	-	P2a	10	1	521116	2 608 585 876
3.5	39	70	-	P2a	10	1	521147	2 608 585 879
4	43	75	-	P1h	10	1	521154	2 608 585 880
4.5	47	80	-	P1h	10	1	521185	2 608 585 883
5	52	86	-	P1h	10	1	521208	2 608 585 885
5.5	57	93	-	P1h	10	1	521239	2 608 585 888
6	57	93	-	P1h	10	1	521246	2 608 585 889
6.5	63	101	-	P1h	10	1	521253	2 608 585 890
7	69	109	-	P1h	10	1	521277	2 608 585 892
7.5	69	109	-	P1h	10	1	521284	2 608 585 893

Pack of 5

8	75	117	-	P1h	5	1	521291	2 608 585 894
9	81	125	-	P1h	5	1	521314	2 608 585 896
9.5	81	125	-	P1h	5	1	521321	2 608 585 897
10	87	133	-	P1h	5	1	521338	2 608 585 898
11	94	142	-	P1h	5	1	521369	2 608 585 901
12	101	151	-	P1h	5	1	521383	2 608 585 903
13	101	151	-	P1h	5	1	521406	2 608 585 905



Metal drill bit sets HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18-piece Toughbox metal drill bit set HSS-Co, DIN 338, 135°								
1	12	34	180.0 x 85.0 x 45	P1k	1	1	574730	2 607 017 047
1.5	18	40						
2	24	49						
2	24	49						
2.5	30	57						
3	33	61						
3	33	61						
3.5	39	70						
4	43	75						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
7	69	109						
8	75	117						
9	81	125						
10	87	133						



6-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°								
2	29	-	156.5 x 69.5 x 23	P1k	6	1	517041	2 607 019 924
3	33							
4	43							
5	52							
6	57							
8	75							



10-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°								
1	12	-	156.5 x 107.0 x 23	P1k	10	1	517058	2 607 019 925
2	24							
3	33							
4	43							
5	52							
6	57							
7	59							
8	75							
9	81							
10	87							



13-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°								
1.5	18	-	124.0 x 107.0 x 23	P1k	13	1	517065	2 607 019 926
2	30							
2.5	30							
3	33							
3.2	36							
3.5	39							
4	43							
4.5	47							
4.8	52							
5	52							
5.5	57							
6	57							
6.5	63							

Metal drill bit sets HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)								
1	12	- 172.0 x 115.0		P1k	19	1	689786	2 608 587 014
1.5	18		x 42					
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							
25-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)								
1	12	- 200.0 x 115.0		P1k	25	1	689823	2 608 587 018
1.5	18		x 58					
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							
10.5	87							
11	94							
11.5	94							
12	101							
12.5	101							
13	101							



Metal drill bits HSS-TiN

Metal drill bits HSS-TiN, DIN 338



- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal with high surface quality due to titanium-nitride coating
- ▶ Shank equal to drill bit diameter, drill bit colour: golden
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-TiN metal drill bits



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
1.5	18	40	PC1d	1	5	060776	2 608 596 666
2	24	49	PC1d	1	5	060783	2 608 596 671
2.5	30	57	PC1d	1	5	060790	2 608 596 676
3	33	61	PC1d	1	5	060806	2 608 596 681
3.2	36	65	PC1d	1	5	060813	2 608 596 683
3.5	39	70	PC1d	1	5	060820	2 608 596 686
4	43	75	PC1d	1	5	060837	2 608 596 691
4.5	47	80	PC1d	1	5	060844	2 608 596 696
5	52	86	PC1d	1	5	060851	2 608 596 701
5.5	57	93	PC1d	1	1	060868	2 608 596 706
6	57	93	PC1d	1	1	060875	2 608 596 711
6.5	63	101	PC1d	1	1	060882	2 608 596 716
7	69	109	PC1d	1	1	060899	2 608 596 721
7.5	69	109	PC1d	1	1	060905	2 608 596 726
8	75	117	PC1d	1	1	060912	2 608 596 731
8.5	75	117	PC1d	1	1	060929	2 608 596 736
9	81	125	PC1d	1	1	060936	2 608 596 741
9.5	81	125	PC1d	1	1	060943	2 608 596 746
10	87	133	PC1d	1	1	060950	2 608 596 751
11	94	142	PC1d	1	1	060967	2 608 596 761
12	101	151	PC1d	1	1	060974	2 608 596 771
13	101	151	PC1d	1	1	060981	2 608 596 781

Metal drill bit sets HSS-TiN



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece Robust Line metal drill bit set HSS-TiN, 135°							
2	24	156.5 x 69.5 x 23	P1k	6	1	446143	2 607 010 530
3	33						
4	43						
5	52						
6	57						
8	75						

Metal drill bit sets HSS-TiN

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13-piece Robust Line metal drill bit set HSS-TiN, 135°							
1.5	18	124.0 x 106.5	P1k	13	1	446235	2 607 010 539
2	24	x 23					
2.5	30						
3	33						
3.2	36						
3.5	39						
4	43						
4.5	47						
4.8	52						
5	52						
5.5	57						
6	57						
6.5	63						
19-piece ProBox metal drill bit set HSS-TiN (titanium coating)							
4.5	12	172.0 x 115.0	P1k	19	1	689793	2 608 587 015
5	18	x 42					
5.5	24						
6	30						
6.5	33						
7	39						
7.5	43						
8	47						
8.5	52						
9	57						
9.5	57						
10	63						
1	69						
1.5	69						
2	75						
2.5	75						
3	81						
3.5	81						
4	87						
25-piece ProBox metal drill bit set HSS-TiN (titanium coating)							
1	12	200.0 x 115.0	P1k	25	1	689830	2 608 587 019
1.5	18	x 58					
2	24						
2.5	30						
3	33						
3.5	39						
4	43						
4.5	47						
5	52						
5.5	57						
6	57						
6.5	63						
7	69						
7.5	69						
8	75						
8.5	75						
9	81						
9.5	81						
10	87						
10.5	87						
11	94						
11.5	94						
12	101						
12.5	101						
13	101						




Stub drill bits HSS-R

Stub drill bits, HSS-R, DIN 1897

- ▶ Twist drill bit made of high speed steel manufactured to DIN 1897
- ▶ Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Rolled spiral flute with ground point, vapour-plated
- ▶ Shank equal to drill bit diameter, drill bit colour: black
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
2	12	38	P2a	10	1	099769	2 608 597 209
2.5	14	43	P2a	10	1	099813	2 608 597 214
3	16	46	P2a	10	1	099868	2 608 597 219
3.2	18	49	P2a	10	1	099882	2 608 597 221
3.3	18	49	P2a	10	1	099905	2 608 597 223
3.5	20	52	P2a	10	1	099929	2 608 597 225
3.8	22	55	P2a	10	1	099967	2 608 597 229
4	22	55	P1h	10	1	099981	2 608 597 231
4.1	22	55	P1h	10	1	099998	2 608 597 232
4.2	22	55	P1h	10	1	100007	2 608 597 233
4.5	24	58	P1h	10	1	100038	2 608 597 236
4.8	26	62	P1h	10	1	100069	2 608 597 239
4.9	26	62	P1h	10	1	100076	2 608 597 240
5	26	62	P1h	10	1	100083	2 608 597 241
5.6	28	66	P1h	10	1	100144	2 608 597 247
5.7	28	66	P1h	10	1	100151	2 608 597 248
6	28	66	P1h	10	1	100182	2 608 597 251
6.5	31	70	P1h	10	1	100199	2 608 597 252
Pack of 5							
8	37	79	P1h	5	1	100229	2 608 597 255
9	40	84	P1h	5	1	100243	2 608 597 257
10	43	89	P1h	5	1	100267	2 608 597 259



Double-ended drill bits HSS-G

Double-ended drill bits HSS-G

- ▶ Ground HSS drill bit, similar to DIN 1897
- ▶ Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Two flutes


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
2	8	38	P2a	10	1	148009	2 608 597 580
2.5	10	43	P2a	10	1	148016	2 608 597 581
3	11	46	P2a	10	1	148023	2 608 597 582
3.1	11	49	P2a	10	1	148030	2 608 597 583
3.2	11	49	P2a	10	1	148047	2 608 597 584
3.3	11	49	P2a	10	1	148054	2 608 597 585
3.5	14	52	P2a	10	1	148078	2 608 597 587
4	14	55	P1h	10	1	148085	2 608 597 588
4.1	14	55	P1h	10	1	148092	2 608 597 589
4.2	14	55	P1h	10	1	148108	2 608 597 590
4.5	17	58	P1h	10	1	148115	2 608 597 591
4.8	17	62	P1h	10	1	148122	2 608 597 592
4.9	17	62	P1h	10	1	148139	2 608 597 593
5	17	62	P1h	10	1	148146	2 608 597 594
5.1	17	62	P1h	10	1	148153	2 608 597 595
5.5	19	66	P1h	10	1	182300	2 608 597 597
6	19	66	P1h	10	1	182324	2 608 597 599




A-tip

STEP DRILL BIT WITH SPIRAL FLUTE

Drilling several diameters with one drill bit.



Step drill bit, hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	70.5	1/4	P1a	1	1	107396	2 608 597 524
HSS-TiN	4-20	4	70.5	1/4	P1a	1	1	630276	2 608 587 433
HSS-AlTiN	4-20	4	70.5	1/4	P1a	1	1	666503	2 608 588 070

Step drill bit, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-5-6-7-8-9-10-11-12 mm									
HSS	4-12	4	6	66.5	P1a	1	1	630191	2 608 587 425
HSS-TiN	4-12	4	6	66.5	P1a	1	1	107402	2 608 597 525
HSS-AITiN	4-12	4	6	66.5	P1a	1	1	666459	2 608 588 065



5 steps, diameter 4-6-8-10-12 mm									
HSS	4-12	4	6	50	P1a	1	1	107334	2 608 597 518
HSS-TiN	4-12	4	6	50	P1a	1	1	630238	2 608 587 429
HSS-AITiN	4-12	4	6	50	P1a	1	1	666442	2 608 588 064



13 steps, diameter 6-8-10-12-14-16-18-20-22-24-26-28-30 mm									
HSS	6-30	4	10	93.5	P1a	1	1	107358	2 608 597 520
HSS-TiN	6-30	4	10	93.5	P1a	1	1	630245	2 608 587 430
HSS-AITiN	6-30	4	10	93.5	P1a	1	1	666473	2 608 588 067



12 steps, diameter 6-9-12-15-18-21-24-27-30-33-36-39 mm									
HSS	6-39	4	10	93.5	P1a	1	1	107365	2 608 597 521
HSS-TiN	6-39	4	10	93.5	P1a	1	1	630252	2 608 587 431
HSS-AITiN	6-39	4	10	93.5	P1a	1	1	666480	2 608 588 068



9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	8	70.5	P1a	1	1	107341	2 608 597 519
HSS-TiN	4-20	4	8	70.5	P1a	1	1	107419	2 608 597 526
HSS-AITiN	4-20	4	8	70.5	P1a	1	1	666466	2 608 588 066



Step drill bit, 3-flat shank, for cable fittings



Tapping drill holes for cable fittings:

Diameter 6-8.5-10.5-14.5-18.5-23.5-30.5-38.5 mm;

M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5

Clearance holes for cable fittings:

Diameter 6-10.5-12.5-16.5-20.5-25.5-28-32.5-35.5-40.5 mm;

M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5

HSS	M10-M40	6/4	10	125.5	P1a	1	1	630214	2 608 587 427
HSS-TiN	M10-M40	6/4	10	125.5	P1a	1	1	630283	2 608 587 434
HSS-AITiN	M10-M40	6/4	10	125.5	P1h	1	1	666510	2 608 588 071



Step drill bit, 3-flat shank, for cable fittings



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
12 steps, diameter 6-9-12.5-15.2-18.6-20.4-22.5-26-28.3-30.5-34-37; PG7-PG9-PG11-PG13.5-PG16-PG21-PG29									
HSS	6-37	4	10	93	P1a	1	1	630221	2 608 587 428
HSS-TiN	6-37	4	10	93	P1a	1	1	630290	2 608 587 435

Step drill bit sets, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Shank diameter mm	Step height mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS	4-12	8	4	66.5	P1k	3	1	630207	2 608 587 426
	4-20	10	4	70.5					
	6-30	6	4	93.5					



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS-TiN	4-12	6	4	66.5	P1k	3	1	630269	2 608 587 432
	4-20	8	4	70.5					
	6-30	10	4	93.5					



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)									
HSS-AITiN	4-12	6	4	66.5	P1k	3	1	666497	2 608 588 069
	4-20	8	4	70.5					
	6-30	10	4	93.5					

Countersink bits, sheet metal cone drill bits

Countersink bits, tool steel, hex shank



- ▶ **Suitable for** non-ferrous metals, wood, plastics
- ▶ Ground countersink made of tool steel to factory standard
- ▶ With seven 90° cutting edges

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	90°	50	1/4	P1c	1	1	004626	1 609 200 315



Countersink bits HSS, hex shank



- ▶ **Suitable for** non-ferrous metals, alloyed and non-alloyed steel, cast iron
- ▶ Ground countersink manufactured to DIN 335 with hexagonal shank suitable for screwdrivers to ISO 1173 C6.3
- ▶ With three 90° cutting edges

8.3	M 4	31	1/4	P1c	1	1	060110	2 608 596 405
12.4	M 6	35	1/4	P1c	1	1	060127	2 608 596 407
16.5	M 8	40	1/4	P1c	1	1	067409	2 608 596 408




Countersink bit set, cylindrical shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece countersink bit set						
1 cutting edge 90°, diameter 8-10-12 mm						
Suitable for wood, plastic, non-ferrous metals						
50	6 8	P1h	3	1	085700	2 608 596 667



HSS countersink bit, cylindrical shank with five 90° cutting edges



- ▶ Suitable for non-ferrous metals, steel, wood, plastics
- ▶ Ground countersink manufactured to DIN 335
- ▶ With five 90° cutting edges



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	M 3	48	1/4	6	P1c	1	1	107150	2 608 597 500
8	M 4	48	1/4	8	P1h	1	1	085687	2 608 596 664
12	M 6	40	1/4	8	P1c	1	1	059770	2 608 596 371
16	M 8	43	1/4	8	P1c	1	1	059787	2 608 596 372
20	M 10	45	1/4	8	P1c	1	1	059794	2 608 596 373
10	M 5	40	1/4	8	P1h	1	1	085694	2 608 596 665

Slanting hole countersink bits HSS-E, cylindrical shank



- ▶ Suitable for non-ferrous metals, alloyed and non-alloyed steel, cast iron, stainless steel
- ▶ Ground countersink made of HSS-E with 5% cobalt content
- ▶ Slanting hole to factory standard



PRODUCT PROPERTIES					ORDERING INFORMATION				
Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
2-5	45	1/4	6	P1c	1	1	107266	2 608 597 511	
5-10	48	1/4	8	P1c	1	1	107273	2 608 597 512	
10-15	65	1/4	10	P1c	1	1	107280	2 608 597 513	

Sheet metal cone drill bits HSS, cylindrical shank



- ▶ Suitable for non-ferrous metals, sheet steel, plastic
- ▶ Without pilot drilling in the thinnest sheet metals, burr-free, without friction deposit
- ▶ Ground bit





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
16-30.5	76	9	P1h	1	1	060073	2 608 596 401	
3-14	58	6	P1c	1	1	060059	2 608 596 399	
5-20	71	8	P1c	1	1	060066	2 608 596 400	

Accessories for metal drill bits

Drill Bit Sharpener S 41

- ▶ **Appropriate for** drills with spindle collar diameter of 43 mm, optimum speed of 2000 to 3000 rpm
- ▶ For drill bits with diameters of 2.5 mm to 10 mm and point angle of 118°

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Drill bit sharpener S 41	C0a	1	1	070249	2 607 990 050
 Replacement grinding disc for drill bit sharpener	U0	1	1	070256	2 608 600 029

Universal Cutting Oil

Universal cutting oil

Use of the universal cutting oil increases the operational life several times over when cutting metal

	P0h	1	1	271240	2 607 001 409
---	-----	---	---	--------	----------------------



WOOD DRILL BITS

Find the right one for every application.



The best your tool can get. Bosch Professional Accessories.



WOOD DRILL BITS

Versatile products for all applications.



	SelfCut Speed Spade Bits	Brad point drill bits	Machine wood drill bits M-tip	Brad point drill bits with 90° countersink	HSS brad point drill bits
	EXPERT				
Page number	50	55	54	53	54
Diameter mm	6.0 – 40.0	3.0 – 30.0	6.0 – 20.0	3.0 – 12.0	2.0 – 10.0
Working length mm	115 / 370	33 – 145	190 / 340	33 – 56	24 – 87
Shank type	¼" Hex	Cylindrical	Cylindrical	Cylindrical	¼" Hex
	 				

MATERIALS

Softwood	✓	✓	✓	✓	✓
Tropical wood	-	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓
Veneered chipboard	✓	✓	✓	✓	✓
Laminated chipboard and fibre board	✓	✓	✓	✓	✓
Formica	-	✓	✓	✓	✓
Zementgebundene Spanplatte	-	-	-	-	-
Profiles, pipes, thickwalled	✓	-	-	-	-
Rockwool boards	✓	-	-	-	-
Porous concrete	✓	-	-	-	-
Thermoplasts	-	-	-	-	-
Duroplasts	-	✓	✓	✓	✓
Hard foam materials	✓	✓	✓	✓	✓



Spur auger bits

Hinge cutting bits

Forstner bits

Cantilever hinge bits

Disc / shank cutter

Formwork and installation drill bits

57	60	61	62	62	63
6.0 – 32.0	15.0 – 50.0	10.0 – 50.0	26.0 – 35.0	10.0 – 40.0	6.0 – 30.0
95 – 470	-	-	-	-	400 / 600
Various Hex	Cylindrical Ø 8 / 10 mm	Cylindrical Ø 8 / 10 mm	Cylindrical Ø 8 mm	Cylindrical Ø 13 mm	Cylindrical or SDS plus

✓	✓	✓	-	✓	✓
✓	✓	✓	✓	-	-
✓	✓	✓	✓	-	✓
-	✓	✓	-	-	-
-	✓	-	✓	-	✓
-	✓	-	✓	-	-
-	✓	-	✓	-	-
-	-	-	-	-	✓
-	-	-	-	-	✓
-	-	-	-	-	✓
-	✓	-	✓	-	-
-	✓	-	✓	-	-
-	✓	-	✓	-	✓

HIGH SPEED DRILLING IN WOOD

EXPERT SelfCut Speed Spade Bits

ASSORTMENT: Ø 6mm - 40mm

EXPERT

- 1 Fast drilling is easy with Bosch Tip Technology
- 2 Self-feeding thread for effortless drilling and speed
- 3 Clever wave-shaped spade designed for fast chip removal



EXPERT SelfCut Speed Spade Drill Bits

EXPERT



- ▶ Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- ▶ Best for electricians and other installation workers: high speed and efficiency.
- ▶ Up to 3x faster than Bosch 2609255269 Spade Bit.
- ▶ 1/4" Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Total length 152 mm							
6	152	1/4	PC1d	1	5	533834	2 608 900 309
8	152	1/4	PC1d	1	5	533841	2 608 900 310
10	152	1/4	PC1d	1	5	533858	2 608 900 311

EXPERT SelfCut Speed Spade Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	152	1/4	PC1d	1	5	533865	2 608 900 312
13	152	1/4	PC1d	1	5	533872	2 608 900 313
14	152	1/4	PC1d	1	5	533889	2 608 900 314
16	152	1/4	PC1d	1	5	533896	2 608 900 315
17	152	1/4	PC1d	1	5	533902	2 608 900 316
18	152	1/4	PC1d	1	5	533919	2 608 900 317
19	152	1/4	PC1d	1	5	533926	2 608 900 318
20	152	1/4	PC1d	1	5	533933	2 608 900 319
22	152	1/4	PC1d	1	5	533940	2 608 900 320
24	152	1/4	PC1d	1	5	533957	2 608 900 321
25	152	1/4	PC1d	1	5	533964	2 608 900 322
26	152	1/4	PC1d	1	5	533971	2 608 900 323
28	152	1/4	PC1d	1	5	533988	2 608 900 324
30	152	1/4	PC1d	1	5	533995	2 608 900 325
32	152	1/4	PC1d	1	5	534008	2 608 900 326
35	152	1/4	PC1d	1	5	534015	2 608 900 327
36	152	1/4	PC1d	1	5	534022	2 608 900 328
38	152	1/4	PC1d	1	5	534039	2 608 900 329
40	152	1/4	PC1d	1	5	534046	2 608 900 330
Total length 400 mm							
6	400	1/4	PC1a	1	5	534114	2 608 900 337
8	400	1/4	PC1a	1	5	534121	2 608 900 338
10	400	1/4	PC1a	1	5	534138	2 608 900 339
12	400	1/4	PC1a	1	5	534145	2 608 900 340
13	400	1/4	PC1a	1	5	534152	2 608 900 341
14	400	1/4	PC1a	1	5	534169	2 608 900 342
16	400	1/4	PC1a	1	5	534176	2 608 900 343
17	400	1/4	PC1a	1	5	534183	2 608 900 344
18	400	1/4	PC1a	1	5	534190	2 608 900 345
19	400	1/4	PC1a	1	5	534206	2 608 900 346
20	400	1/4	PC1a	1	5	534213	2 608 900 347
22	400	1/4	PC1a	1	5	534220	2 608 900 348
24	400	1/4	PC1a	1	5	534237	2 608 900 349
25	400	1/4	PC1a	1	5	534244	2 608 900 350
26	400	1/4	PC1a	1	5	534251	2 608 900 351
28	400	1/4	PC1a	1	5	534268	2 608 900 352
30	400	1/4	PC1a	1	5	534275	2 608 900 353
32	400	1/4	PC1a	1	5	534282	2 608 900 354
35	400	1/4	PC1a	1	5	534299	2 608 900 355
36	400	1/4	PC1a	1	5	534305	2 608 900 356
38	400	1/4	PC1a	1	5	534312	2 608 900 357
40	400	1/4	PC1a	1	5	534329	2 608 900 358

EXPERT SelfCut Speed Spade Drill Bit Sets

EXPERT


- ▶ Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- ▶ Best for electricians and other installation workers: high speed and efficiency.
- ▶ Up to 3x faster than Bosch 2609255269 Spade Bit.
- ▶ 1/4" Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Set dimension(s) mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece SelfCut Speed spade bit set							
20	232.0 x 115.0 x 20	3	PC1a	3	5	534053	2 608 900 331
22							
25							
6-piece SelfCut Speed spade bit set in a roll-up case							
14	195.0 x 185.0 x 15	6	PC1a	6	1	534060	2 608 900 332
16							
18							
20							
22							
24							
13	195.0 x 185.0 x 15	6	PC1a	6	1	534077	2 608 900 333
16							
19							
20							
22							
25							
7-piece SelfCut Speed spade bit set including extension (152 mm)							
16	215.0 x 235.0 x 20	7	PC1a	7	5	534084	2 608 900 334
18							
20							
22							
25							
32							
13-piece SelfCut Speed spade bit set in a roll-up case							
10	300.0 x 345.0 x 20	13	PC1a	13	5	534107	2 608 900 336
12							
13							
14							
16							
18							
20							
22							
24							
25							
28							
30							
32							

Extension for spade bits



PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Quick-change 1/4" hex shank extension for Self Cut Speed spade bits						
152		PC1a	1	1	638821	2 608 587 520

Extension for spade bits

PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
305	PC1a	1	1	638838	2 608 587 521	
1/4" (6.35 mm) hex shank extension for Self Cut Speed spade bits						
152	PC1a	1	1	346450	2 608 595 422	
305	PC1a	1	1	346467	2 608 595 423	



Adjustable spade bit


PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Adjustable spade bit, 15 - 25 mm diameter, 25 - 45 mm diameter						
120	P1c	1	1	059398	2 608 596 333	



Brad point drill bits

Arbour-mounted countersink for brad point drill bits

- ▶ Suitable for hard and soft wood, laminated and non-laminated chipboard, plywood
- ▶ Countersink can also be used as a depth stop



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Outer diameter mm	Step height	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	16	M 5	P1c	1	1	510998	2 608 585 737
4	16	M 5	P1c	1	1	511001	2 608 585 738
5	16	M 5	P1c	1	1	511018	2 608 585 739
6	16	M 5	P1c	1	1	511025	2 608 585 740
8	19	M 6	P1c	1	1	511032	2 608 585 741
10	19	M 6	P1c	1	1	511049	2 608 585 742

Brad point drill bit sets

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Robust Line brad point drill bit set									
4	43	75	A	156.5 x 69.5 x 23	P1k	5	5	446112	2 607 010 527
5	52	86							
6	57	93							
8	75	117							
10	80	120							



7-piece wood drill bit set									
3	30	60	-	-	P1k	7	1	557351	2 607 017 034
4	40	70							
5	45	85							
6	50	90							
7	60	105							
8	65	110							
10	75	120							




Brad point drill bit sets



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece Robust Line brad point drill bit set									
3	33	61	B	156.5 x	P1k	8	5	446174	2 607 010 533
4	43	75		106.5 x 23					
5	52	86							
6	57	93							
7	69	109							
8	75	117							
9	80	120							
10	80	120							

Brad point drill bits with 90° countersink




- ▶ Suitable for hard and soft wood, laminated and non-laminated chipboard, plywood
- ▶ Drilling and countersinking in one operation
- ▶ Countersink can also be used as a depth stop
- ▶ Cylindrical, two flutes




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Outer diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	16	P1c	1	1	323666	2 608 595 345
4	16	P1c	1	1	059978	2 608 596 391
5	16	P1c	1	1	059985	2 608 596 392
6	16	P1c	1	1	059992	2 608 596 393
8	20	P1c	1	1	060011	2 608 596 395
10	20	P1c	1	1	060028	2 608 596 396
12	20	P1c	1	1	060035	2 608 596 397

Brad point drill bits HSS with 1/4" hex shank




- ▶ Suitable for hard and soft wood
- ▶ HSS precision brad point drill bit ground from solid metal with centring tip and cutting edges
- ▶ With hex shank manufactured to ISO 1173 E6.3
- ▶ Fast, tool-free drill bit changes
- ▶ Drill bit colour: polished
- ▶ Two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	24	62	PC1d	1	5	395434	2 608 595 518
3	33	74	PC1d	1	5	395441	2 608 595 519
4	43	88	PC1d	1	5	395458	2 608 595 520
5	52	99	PC1d	1	5	395465	2 608 595 521
6	63	106	PC1d	1	5	395472	2 608 595 522
8	75	117	PC1d	1	5	395489	2 608 595 523
10	87	133	PC1d	1	5	395496	2 608 595 524




Machine wood drill bits with M-tip (2 scoring spurs)



- ▶ Drill bits with CBN-ground M-tip
- ▶ Special flute shape prevents jamming and ensures speedy chip extraction
- ▶ Drill bit colour: polished, black
- ▶ Two-cutter, cylindrical, two flutes


PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 250 mm								
6	190	250	6	PC1d	1	1	099530	2 608 597 187
8	190	250	8	PC1d	1	1	099547	2 608 597 188
10	190	250	10	PC1d	1	1	099554	2 608 597 189
12	190	250	10	PC1d	1	1	099561	2 608 597 190
14	190	250	10	PC1d	1	1	099578	2 608 597 191
16	190	250	10	P1c	1	1	099585	2 608 597 192
18	190	250	10	P1c	1	1	099592	2 608 597 193
20	190	250	10	P1c	1	1	099608	2 608 597 194
Total length 400 mm								
8	340	400	8	P1c	1	1	099615	2 608 597 195
10	340	400	10	P1c	1	1	099622	2 608 597 196
12	340	400	10	P1c	1	1	099639	2 608 597 197
14	340	400	10	P1c	1	1	099646	2 608 597 198
16	340	400	10	P1c	1	1	099653	2 608 597 199
18	340	400	10	P1c	1	1	099660	2 608 597 200




Machine wood drill bits with M-tip (2 scoring spurs)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20	340	400	10	P1c	1	1	099677	2 608 597 201

Standard brad point drill bits



- Suitable for hard and soft wood
- Drill bit with centring tip and shoulder cutter
- Drill bit colour: black, ground point
- Two flutes



Pack of 1								
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	33	61	3	PC1d	1	5	059060	2 608 596 300
4	43	75	4	PC1d	1	5	059077	2 608 596 301
5	52	86	5	PC1d	1	5	059084	2 608 596 302
6	57	93	6	PC1d	1	5	059091	2 608 596 303
7	69	109	7	PC1d	1	5	059107	2 608 596 304
8	75	117	8	PC1d	1	5	059114	2 608 596 305
9	80	120	9	PC1d	1	5	059121	2 608 596 306
10	80	120	10	PC1d	1	5	059138	2 608 596 307
11	89	142	10	PC1d	1	5	059145	2 608 596 308
12	96	151	10	PC1d	1	5	059152	2 608 596 309
13	96	151	10	PC1d	1	1	059169	2 608 596 310
14	96	151	10	PC1d	1	1	059176	2 608 596 311
15	100	160	10	P1c	1	1	059183	2 608 596 312
16	100	160	10	P1c	1	1	059190	2 608 596 313
18	130	180	10	P1c	1	1	099684	2 608 597 202
20	140	200	10	P1c	1	1	099691	2 608 597 203
22	140	210	13	P1c	1	1	099707	2 608 597 204
24	140	215	13	P1c	1	1	099714	2 608 597 205
26	140	215	13	P1c	1	1	099721	2 608 597 206
28	140	220	13	P1c	1	1	099738	2 608 597 207
30	145	220	13	P1c	1	1	099745	2 608 597 208

Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece brad point drill bit set, 1/4" hex shank									
2	24	62	-	56.0 x 18.0	P1k	5	1	395502	2 608 595 525
3	33	74		x 163					
4	43	88							
5	52	99							
6	63	106							

Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece Robust Line brad point drill bit set, 1/4" hex shank									
2	24	-	A	156.5 x	P1k	7	1	517034	2 607 019 923
3	33			107.0 x 23					
3	33								
4	43								
5	52								
6	63								
8	75								

SPUR AUGER BITS

Precise and clean drilled holes.

HEAVY-DUTY SELF-FEEDING TIP

Pulls the bit through all the way

NEW DESIGNED SCORING SPUR


Clean and fast holes

SOLID CENTRE, LOW-FRICTION FLUTE

Straight holes, high chip removal




Spur auger bits, hex shank



- ▶ **Suitable** for all soft and hard woods, even wet wood
- ▶ Ideal for use in ancillary building trade, for joiners and roofers
- ▶ Can be used in all drills with 13 mm chuck
- ▶ For through-holes, pre-drilling for rafter nails and for deep dowel holes
- ▶ Precision-ground for accurate dimensional stability when drilling
- ▶ Fast drilling rate due to optimised flute geometry
- ▶ High break resistance, fine surface finish

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 160 mm									
6	95	4.8	-	3/16	P1h	1	1	488648	2 608 585 694
7	95	5.6	-	7/32	P1h	1	1	488655	2 608 585 695
8	95	6.35	-	1/4	P1h	1	1	488662	2 608 585 696
10	95	6.35	-	1/4	P1h	1	1	488679	2 608 585 697
11	95	6.35	-	1/4	P1h	1	1	488686	2 608 585 698
12	95	6.35	-	1/4	P1h	1	1	488693	2 608 585 699
13	95	7.9	-	5/16	P1h	1	1	488709	2 608 585 700
14	95	11.1	-	7/16	P1h	1	1	488716	2 608 585 701
15	95	11.1	-	7/16	P1h	1	1	488723	2 608 585 702
16	95	11.1	-	7/16	P1h	1	1	488730	2 608 585 703
18	95	11.1	-	7/16	P1h	1	1	488747	2 608 585 704



Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20	95	11.1	-	7/16	P1h	1	1	488754	2 608 585 705
22	95	11.1	-	7/16	P1h	1	1	488761	2 608 585 706
24	95	11.1	-	7/16	P1h	1	1	488778	2 608 585 707
25	100	11.1	-	7/16	P1h	1	1	488785	2 608 585 708
26	95	11.1	-	7/16	P1h	1	1	488792	2 608 585 709
28	95	11.1	-	7/16	P1h	1	1	488808	2 608 585 710
30	95	11.1	-	7/16	P1h	1	1	488815	2 608 585 711
32	95	11.1	-	7/16	P1h	1	1	488822	2 608 585 712
Total length 235 mm									
6	170	4.8	3/16	3/16	P1h	1	1	183314	2 608 597 622
7	170	5.6	-	7/32	P1h	1	1	488839	2 608 585 713
8	170	6.35	1/4	1/4	P1h	1	1	183321	2 608 597 623
10	170	6.35	1/4	1/4	P1h	1	1	183338	2 608 597 624
11	170	6.35	1/4	1/4	P1h	1	1	183345	2 608 597 625
12	170	6.35	1/4	1/4	P1h	1	1	183352	2 608 597 626
13	170	7.9	5/16	5/16	P1h	1	1	183369	2 608 597 627
14	170	11.1	7/16	7/16	P1h	1	1	183376	2 608 597 628
15	170	11.1	7/16	7/16	P1h	1	1	183383	2 608 597 629
16	170	11.1	7/16	7/16	P1h	1	1	183390	2 608 597 630
18	170	11.1	7/16	7/16	P1h	1	1	183406	2 608 597 631
20	170	11.1	7/16	7/16	P1h	1	1	183413	2 608 597 632
22	170	11.1	7/16	7/16	P1h	1	1	183420	2 608 597 633
24	170	11.1	7/16	7/16	P1h	1	1	183437	2 608 597 634
25	170	11.1	7/16	7/16	P1h	1	1	183444	2 608 597 635
26	170	11.1	7/16	7/16	P1h	1	1	183451	2 608 597 636
28	170	11.1	7/16	7/16	P1h	1	1	183468	2 608 597 637
30	170	11.1	7/16	7/16	P1h	1	1	183475	2 608 597 638
32	170	11.1	7/16	7/16	P1h	1	1	183482	2 608 597 639
Total length 450 mm									
7	385	5.6	-	7/32	P1h	1	1	488846	2 608 585 714
8	385	6.35	1/4	1/4	P1h	1	1	183499	2 608 597 640
10	385	6.35	1/4	1/4	P1h	1	1	183505	2 608 597 641
12	385	6.35	1/4	1/4	P1h	1	1	183512	2 608 597 642
14	385	11.1	7/16	7/16	P1h	1	1	183529	2 608 597 643
16	385	11.1	7/16	7/16	P1h	1	1	183536	2 608 597 644
18	385	11.1	7/16	7/16	P1h	1	1	183543	2 608 597 645
20	385	11.1	7/16	7/16	P1h	1	1	183550	2 608 597 646
22	385	11.1	7/16	7/16	P1h	1	1	183567	2 608 597 647
24	385	11.1	7/16	7/16	P1h	1	1	183574	2 608 597 648
25	385	11.1	7/16	7/16	P1h	1	1	505925	2 608 585 730
26	385	11.1	7/16	7/16	P1h	1	1	183581	2 608 597 649
28	385	11.1	7/16	7/16	P1h	1	1	183598	2 608 597 650
30	385	11.1	7/16	7/16	P1h	1	1	183604	2 608 597 651
32	385	11.1	7/16	7/16	P1h	1	1	183611	2 608 597 652
Total length 600 mm									
10	470	7.9	-	5/16	P1h	1	1	488860	2 608 585 716
12	470	7.9	-	5/16	P1h	1	1	488877	2 608 585 717
14	470	11.1	-	7/16	P1h	1	1	488884	2 608 585 718
16	470	11.1	-	7/16	P1h	1	1	488891	2 608 585 719
18	470	11.1	-	7/16	P1h	1	1	488907	2 608 585 720
20	470	11.1	-	7/16	P1h	1	1	488914	2 608 585 721
22	470	11.1	-	7/16	P1h	1	1	488921	2 608 585 722

Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	470	11.1	-	7/16	P1h	1	1	488938	2 608 585 723
26	470	11.1	-	7/16	P1h	1	1	488945	2 608 585 724
28	470	11.1	-	7/16	P1h	1	1	488952	2 608 585 725
30	470	11.1	-	7/16	P1h	1	1	488969	2 608 585 726
32	470	11.1	-	7/16	P1h	1	1	488976	2 608 585 727

Spur auger bit sets, hex shank

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece spur auger bit set								
10	170	235		W0a	6	1	379090	2 607 019 322
12								
14								
16								
18								
20								
6-piece spur auger bit set								
10	385	450		W0a	6	1	379106	2 607 019 323
12								
14								
16								
18								
20								




Hinge cutting and Forstner bits

Hinge cutting bits, tungsten carbide tipped



- **Suitable for** abrasive materials such as plywood, hardwood, chipboard, wood fibreboard, plastic laminated wood
- Ideal for use by joiners and carpenters, especially for window, door and kitchen building




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
15	90	8	C1a	1	1	148177	2 608 597 601
20	90	8	C1a	1	1	148207	2 608 597 604
25	90	8	C1a	1	1	148238	2 608 597 607
30	90	8	C1a	1	1	148269	2 608 597 610
35	90	10	P1p	1	1	148290	2 608 597 613
40	90	10	P1p	1	1	148320	2 608 597 616
50	90	10	C1a	1	1	148344	2 608 597 618

Hinge cutting bit sets, tungsten carbide tipped



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece tungsten carbide hinge cutting bit set						
15		W0a	5	1	148375	2 607 018 750
20						
25						
30						
35						

Forstner drill bits, DIN 7483 G




- ▶ Suitable for hard and soft wood, veneered wood
- ▶ Precision drill bit with main and side cutting spurs, and short centre tip
- ▶ Made of tempered special steel according to factory standard, cutter hardness of minimum 50 HRC
- ▶ Forged and ground drilling head, polished with black flutes
- ▶ Meets high requirements with regard to cutting quality and tear-free drilled hole edges
- ▶ Can be used in all drills with 10 mm chuck



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
10	90	8	P1p	1	1	857901	2 608 577 000
12	90	8	P1p	1	1	857918	2 608 577 001
14	90	8	P1p	1	1	857925	2 608 577 002
15	90	8	P1p	1	1	857932	2 608 577 003
16	90	8	P1p	1	1	857949	2 608 577 004
18	90	8	P1p	1	1	857956	2 608 577 005
20	90	8	P1p	1	1	857963	2 608 577 006
22	90	8	P1p	1	1	857970	2 608 577 007
24	90	8	P1p	1	1	857987	2 608 577 008
25	90	8	P1p	1	1	857994	2 608 577 009
26	90	8	P1p	1	1	858007	2 608 577 010
27	90	8	P1p	1	1	858014	2 608 577 011
28	90	8	P1p	1	1	858021	2 608 577 012
30	90	8	P1p	1	1	858038	2 608 577 013
32	90	10	P1p	1	1	858045	2 608 577 014
34	90	10	P1p	1	1	858052	2 608 577 015
35	90	10	P1p	1	1	858069	2 608 577 016
36	90	10	P1p	1	1	858076	2 608 577 017
38	90	10	P1p	1	1	858083	2 608 577 018
40	90	10	P1p	1	1	858090	2 608 577 019
45	90	10	P1p	1	1	858106	2 608 577 020
50	90	10	P1p	1	1	858113	2 608 577 021

Forstner drill bit set




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Forstner drill bit set							
15 20 25 30 35	90	8 10	W0a	5	1	858120	2 608 577 022



Cantilever hinge cutting bits




- ▶ **Suitable for** soft and hard wood, treated woods such as pressed laminated wood, plastic laminated chipboards, abrasive materials with mineral content also for medium density tiles
- ▶ Ideal for pre-drilling for fittings
- ▶ Versions with and without tungsten carbide
- ▶ For use in bench drills only



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cantilever hinge cutter bit, tungsten carbide tipped							
26	56	8	C1a	1	1	076128	2 608 596 979
30	56	8	C1a	1	1	076142	2 608 596 980
35	56	8	C1a	1	1	076159	2 608 596 981

Disc cutters/Shank cutters




- ▶ **Suitable for** soft and hard wood such as pine, beech, oak
- ▶ Especially for joiners, carpenters, exhibition stand builders
- ▶ Plugcutter with high performance and long life thanks to high-quality tool steel and solid structure
- ▶ Precision-ground drilling head for precise, cylindrical, accurately fitting tenons
- ▶ Low friction thanks to high concentricity and optimum geometry with multiple relief grinding
- ▶ The extra-long body with open sides enables extra-long tenons to be cut and easily removed
- ▶ The 13 mm cylindrical shank fits all standard drills



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	140	13	P1h	1	1	511056	2 608 585 743
15	140	13	P1h	1	1	511063	2 608 585 744
20	140	13	P1h	1	1	511070	2 608 585 745
25	140	13	P1h	1	1	511087	2 608 585 746
30	140	13	P1h	1	1	511094	2 608 585 747
35	160	13	P1h	1	1	511100	2 608 585 748
40	160	13	P1h	1	1	511117	2 608 585 749

Formwork and installation drill bits

Formwork and installation drill bits



- ▶ **Suitable for** formwork, interior fitting work, plumbing, heating, electrical installation, also for metals, e.g. sandwich material with steel, aluminium or profile sheeting, wood, plasterboard, light building materials, insulation
- ▶ Can be used in all drills with 13 mm chuck
- ▶ HSS twist drill bit with long shank, drill bit tip with chisel edge 118°, manufactured to DIN 7490
- ▶ Drill bit meets the safety standards of the “Berufsgenossenschaft Holz” (German Timber Trade Association)
- ▶ Drill bit colour: black, polished
- ▶ **Note:** Only drill with rotary function, without impact

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 400 mm							
6	400	5	P1c	1	1	099318	2 608 597 165
8	400	6	P1c	1	1	059411	2 608 596 335
10	400	8	P1c	1	1	059428	2 608 596 336
12	400	8	P1c	1	1	059435	2 608 596 337
14	400	8	P1c	1	1	059442	2 608 596 338
16	400	10	P1c	1	1	059459	2 608 596 339
18	400	10	P1c	1	1	059466	2 608 596 340
20	400	10	P1c	1	1	059473	2 608 596 341
22	400	10	P1c	1	1	099332	2 608 597 167
24	400	11	P1c	1	1	099349	2 608 597 168
25	400	11	P1c	1	1	099356	2 608 597 169
26	400	11	P1c	1	1	099363	2 608 597 170
28	400	11	P1c	1	1	099370	2 608 597 171
30	400	11	P1c	1	1	099387	2 608 597 172
Total length 600 mm							
6	600	5	P1c	1	1	099394	2 608 597 173
8	600	6	P1c	1	1	059480	2 608 596 342
10	600	8	P1c	1	1	059497	2 608 596 343
12	600	8	P1c	1	1	059503	2 608 596 344
14	600	8	P1c	1	1	059510	2 608 596 345
16	600	10	P1c	1	1	059527	2 608 596 346
18	600	10	P1c	1	1	059534	2 608 596 347
20	600	10	P1c	1	1	059541	2 608 596 348
22	600	10	P1c	1	1	099400	2 608 597 174
24	600	11	P1c	1	1	099417	2 608 597 175
26	600	11	P1c	1	1	099424	2 608 597 176
30	600	11	P1c	1	1	099448	2 608 597 178



HAMMER DRILL BITS

Drill in concrete effectively.

The best your tool can get. Bosch Professional Accessories.



THE SDS PLUS DRILL BIT RANGE

Quick mounting and 100% power transfer.



	SDS plus-7X EXPERT	SDS plus-5X	SDS plus-5	SDS plus-3
Page number	70	78	82	83
Diameter mm	3.5 – 30.0	4.0 – 26.0	3.0 – 26.0	4.0 – 25.0
Working length mm	50 – 950	50 – 550	50 – 950	50 – 400
Head design				
PGM certification				

MATERIALS

Masonry				
Concrete				
Reinforced concrete			-	-
Natural stone		-	-	-

HEAD DESIGNS



4-cutter full carbide head



4-cutter



Tungsten carbide teeth²



Asymmetrical carbide teeth



2-cutter




*Bosch EXPERT products vs. Bosch standard products



SDS plus-9 Speed Clean

SDS plus-9 Rebar Cutter








SDS plus-9 Core Cutter

Page number	77	87	88
Diameter mm	6.0 – 24.0	16.0 – 32.0	25.0 – 112.0
Working length mm	100 – 320	120	50 – 54
Head design			
PGM certification	✓	-	-
MATERIALS			
Masonry	✓	-	✓
Concrete	✓	-	✓
Reinforced concrete	-	✓	-
Natural stone	-	-	-












THE SDS MAX DRILL BIT RANGE

Quick mounting and 100% power transfer.



	SDS max-8X EXPERT	SDS max-7	SDS max-4
Page number	90	93	94
Diameter mm	12.0 – 32.0	10.5 – 52	12.0 – 40.0
Working length mm	200 – 800	200 – 1200	200 – 400
Head design			
PGM certification			
			

MATERIALS

Masonry			
Concrete			
Reinforced concrete			
Natural stone			-

HEAD DESIGNS



4-cutter full carbide head



2-cutter



Asymmetrical carbide teeth



4-cutter



Multi-cutter

* Bosch EXPERT products vs. Bosch standard products







SDS max-9 Natural Stone

SDS max-9 Break Through

SDS max-9 Core Cutter

SDS max-9 Speed Clean

Page number	96	97	98	95
Diameter mm	28.0 – 32.0	45.0 – 80.0	45.0 – 150.0	14.0 – 35.0
Working length mm	400 – 800	450 – 850	80	400 – 650
Head design				
PGM certification	✓	-	-	✓

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	-	-	-	-
Natural stone	✓	-	-	-

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS plus-7X Hammer Drill Bits

ASSORTMENT: Ø 3.5 mm - 30 mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- ▶ Best for electricians: long lasting and powerful.
- ▶ Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- ▶ Fits all SDS plus rotary hammer drills.



CARBIDE TECHNOLOGY UP TO **3x** LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3.5	50	115	P1e	1	1	531281	2 608 900 055
3.5	100	165	P1e	1	1	531298	2 608 900 056
4	50	115	P1e	1	1	531304	2 608 900 057
4	100	165	P1e	1	1	531311	2 608 900 058
5	50	115	P1e	1	5	531328	2 608 900 059

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	100	165	P1e	1	5	531335	2 608 900 060
5	150	215	P1e	1	5	531342	2 608 900 061
5	200	265	P1e	1	5	531359	2 608 900 062
5	250	315	P1e	1	5	531366	2 608 900 063
5	400	465	P1e	1	1	531373	2 608 900 064
5.5	50	115	P1e	1	5	531380	2 608 900 065
5.5	100	165	P1e	1	5	531397	2 608 900 066
5.5	150	215	P1e	1	5	531403	2 608 900 067
5.5	200	265	P1e	1	5	531410	2 608 900 068
5.5	250	315	P1e	1	1	531427	2 608 900 069
5.5	400	465	P1e	1	1	531434	2 608 900 070
6	50	115	P1e	1	5	531441	2 608 900 071
6	100	165	P1e	1	5	531458	2 608 900 072
6	150	215	P1e	1	5	531465	2 608 900 073
6	200	265	P1e	1	5	531472	2 608 900 074
6	250	315	P1e	1	5	531489	2 608 900 075
6	400	465	P1e	1	1	531496	2 608 900 076
6.5	50	115	P1e	1	1	531502	2 608 900 077
6.5	100	165	P1e	1	5	531519	2 608 900 078
6.5	150	215	P1e	1	5	531526	2 608 900 079
6.5	200	265	P1e	1	5	531533	2 608 900 080
6.5	250	315	P1e	1	1	531540	2 608 900 081
6.5	400	465	P1e	1	1	531557	2 608 900 082
7	50	115	P1e	1	1	531564	2 608 900 083
7	100	165	P1e	1	1	531571	2 608 900 084
7	150	215	P1e	1	1	531588	2 608 900 085
7	200	265	P1e	1	1	531595	2 608 900 086
8	50	115	P1e	1	5	531601	2 608 900 087
8	100	165	P1e	1	5	531618	2 608 900 088
8	150	215	P1e	1	5	531625	2 608 900 089
8	200	265	P1e	1	5	531632	2 608 900 090
8	250	315	P1e	1	1	531649	2 608 900 091
8	300	365	P1e	1	5	531656	2 608 900 092
8	400	465	P1e	1	1	531663	2 608 900 093
9	100	165	P1e	1	1	531670	2 608 900 094
9	150	215	P1e	1	1	531687	2 608 900 095
10	50	115	P1e	1	1	531694	2 608 900 096
10	100	165	P1e	1	5	531700	2 608 900 097
10	150	215	P1e	1	5	531717	2 608 900 098
10	200	265	P1e	1	5	531724	2 608 900 099
10	250	315	P1e	1	1	531731	2 608 900 100
10	300	365	P1e	1	5	531748	2 608 900 101
10	400	465	P1e	1	1	531755	2 608 900 102
10	550	600	P1e	1	1	531762	2 608 900 103
10	950	1,000	P1e	1	1	531779	2 608 900 104
11	100	165	P1e	1	1	531786	2 608 900 105
11	150	215	P1e	1	1	531793	2 608 900 106
11	200	265	P1e	1	1	531809	2 608 900 107
12	100	165	P1e	1	5	531816	2 608 900 108
12	150	215	P1e	1	5	531823	2 608 900 109
12	200	265	P1e	1	5	531830	2 608 900 110
12	250	315	P1e	1	5	531847	2 608 900 111
12	300	365	P1e	1	5	531854	2 608 900 112
12	400	465	P1e	1	1	531861	2 608 900 113
12	550	600	P1e	1	1	531878	2 608 900 114
12	950	1,000	P1e	1	1	531885	2 608 900 115
13	100	165	P1e	1	1	531892	2 608 900 116
13	150	215	P1e	1	1	531908	2 608 900 117
13	200	265	P1e	1	1	531915	2 608 900 118
14	100	165	P1e	1	5	531922	2 608 900 119
14	150	215	P1e	1	5	531939	2 608 900 120
14	200	265	P1e	1	5	531946	2 608 900 121
14	250	315	P1e	1	5	531953	2 608 900 122
14	300	365	P1e	1	1	531960	2 608 900 123
14	400	465	P1e	1	1	531977	2 608 900 124
14	550	600	P1e	1	1	531984	2 608 900 125

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	950	1,000	P1e	1	1	531991	2 608 900 126
15	100	165	P1e	1	1	532004	2 608 900 127
15	200	265	P1e	1	1	532011	2 608 900 128
15	400	465	P1e	1	1	532028	2 608 900 129
16	150	215	P1e	1	5	532035	2 608 900 130
16	200	265	P1e	1	5	532042	2 608 900 131
16	250	315	P1e	1	1	532059	2 608 900 132
16	400	465	P1e	1	1	532066	2 608 900 133
16	550	600	P1e	1	1	532073	2 608 900 134
16	950	1,000	P1e	1	1	532080	2 608 900 135
17	150	215	P1e	1	1	532097	2 608 900 136
17	250	315	P1e	1	1	532103	2 608 900 137
18	200	250	P1e	1	1	532110	2 608 900 138
18	400	450	P1e	1	1	532127	2 608 900 139
18	550	600	P1e	1	1	532134	2 608 900 140
18	950	1,000	P1e	1	1	532141	2 608 900 141
20	200	250	P1e	1	1	532158	2 608 900 142
20	400	450	P1e	1	1	532165	2 608 900 143
20	550	600	P1e	1	1	532172	2 608 900 144
20	950	1,000	P1e	1	1	532189	2 608 900 145
22	200	250	P1e	1	1	532196	2 608 900 146
22	400	450	P1e	1	1	532202	2 608 900 147
22	550	600	P1e	1	1	532219	2 608 900 148
22	950	1,000	P1e	1	1	532226	2 608 900 149
24	400	450	P1e	1	1	532233	2 608 900 150
25	400	450	P1e	1	1	532240	2 608 900 151
25	550	600	P1e	1	1	532257	2 608 900 152
25	950	1,000	P1e	1	1	532264	2 608 900 153
28	400	450	P1e	1	1	532271	2 608 900 154
30	400	450	P1e	1	1	532288	2 608 900 155
Pack of 10							
4	50	115	P1h	10	1	532295	2 608 900 156
5	50	115	P1h	10	1	532301	2 608 900 157
5	100	165	P1h	10	1	532318	2 608 900 158
6	50	115	P1h	10	1	532325	2 608 900 159
6	100	165	P1h	10	1	532332	2 608 900 160
6	150	215	P1h	10	1	532349	2 608 900 161
6	200	265	P1h	10	1	532356	2 608 900 162
6.5	100	165	P1h	10	1	532363	2 608 900 163
6.5	150	215	P1h	10	1	532370	2 608 900 164
6.5	200	265	P1h	10	1	532387	2 608 900 165
7	100	165	P1h	10	1	532394	2 608 900 166
8	100	165	P1h	10	1	532400	2 608 900 167
8	150	215	P1h	10	1	532417	2 608 900 168
8	200	265	P1h	10	1	532424	2 608 900 169
10	100	165	P1h	10	1	532431	2 608 900 170
10	150	215	P1h	10	1	532448	2 608 900 171
10	200	265	P1h	10	1	532455	2 608 900 172
12	100	165	P1h	10	1	532462	2 608 900 173
12	150	215	P1h	10	1	532479	2 608 900 174
12	200	265	P1h	10	1	532486	2 608 900 175
14	200	265	P1h	10	1	532493	2 608 900 176
16	200	265	P1h	10	1	532509	2 608 900 177
Pack of 30							
5	50	115	POh	30	1	532516	2 608 900 178
5	100	165	POh	30	1	532523	2 608 900 179
6	50	115	POh	30	1	532530	2 608 900 180
6	100	165	POh	30	1	532547	2 608 900 181
6	150	215	POh	30	1	532554	2 608 900 182
8	100	165	POh	30	1	532561	2 608 900 183
8	150	215	POh	30	1	532578	2 608 900 184
8	200	265	POh	30	1	532585	2 608 900 185
10	100	165	POh	30	1	532592	2 608 900 186
10	150	215	POh	30	1	532608	2 608 900 187
10	200	265	POh	30	1	532615	2 608 900 188
12	150	215	POh	30	1	532622	2 608 900 189


EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	200	265	P0h	30	1	532639	2 608 900 190
Pack of 50							
6	100	165	P0h	50	1	532646	2 608 900 191
8	100	165	P0h	50	1	532653	2 608 900 192
10	100	165	P0h	50	1	532660	2 608 900 193
10	150	215	P0h	50	1	532677	2 608 900 194

EXPERT SDS plus-7X Hammer Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- ▶ Best for electricians: long lasting and powerful.
- ▶ Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- ▶ Fits all SDS plus rotary hammer drills.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece SDS plus-7X hammer drill bit set							
6	100	165	P1h	3	5	532707	2 608 900 196
8	100	165					
10	100	165					
5-piece Robust Line SDS plus-7X hammer drill bit set							
5	50	115	P1k	5	1	532714	2 608 900 197
6	50	115					
6	100	165					
8	100	165					
10	100	165					
6	100	165	P1k	5	1	532721	2 608 900 198
6	100	165					
8	100	165					
8	100	165					
10	100	165					
7-piece SDS plus-7X hammer drill bit set							
5	50	115	P1k	7	1	532691	2 608 900 195
6	50	115					
8	50	115					
6	100	165					
8	100	165					
10	100	165					
12	100	165					

EXPERT SDS Clean plus-8X for Instalation

EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when drilling overhead or drilling a series of holes for chemical anchors.
- ▶ Best choice for installers and construction workers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS plus-7X Drill Bit.



PRODUCT PROPERTIES	ORDERING INFORMATION	
	Packaging type	Part number
SDS Clean plus-8X Hammer Drill Bit	Pack quantity	
	Minimum order quantity	
	Barcode 4 059 952...	
		662886 2 608 901 756
		662947 2 608 901 762
		662923 2 608 901 760
		662909 2 608 901 758

EXPERT SDS Clean plus-8X Set for Installation

EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when drilling overhead or drilling a series of holes for chemical anchors.
- ▶ Best choice for installers and construction workers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS plus-7X Drill Bit.



PRODUCT PROPERTIES	ORDERING INFORMATION	
	Packaging type	Part number
SDS Clean plus-8X Hammer Drill Bit with one Connector	Pack quantity	
	Minimum order quantity	
	Barcode 4 059 952...	
		662879 2 608 901 755
		662893 2 608 901 757
		662916 2 608 901 759
		662930 2 608 901 761

EXPERT SDS Clean plus-8X for Chem Anchoring

EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when installing chemical anchors.
- ▶ Best choice for construction workers and installers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS plus-7X Drill Bit.



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter (D) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
SDS Clean plus-8X Hammer Drill Bit						
	12		1		662985	2 608 901 766
	14		1		663005	2 608 901 768
			1		663029	2 608 901 770
	20		1		634913	2 608 901 620
	16		1		663067	2 608 901 774
	18		1		663128	2 608 901 780
	16		1		663043	2 608 901 772

EXPERT SDS Clean plus-8X Set for Chem Anchoring

EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when installing chemical anchors.
- ▶ Best choice for installers and construction workers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS plus-7X Drill Bit.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
SDS Clean plus-8X Hammer Drill Bit with one Connector					
		1		634906	2 608 901 619
		1		662978	2 608 901 765
		1		663012	2 608 901 769
		1		663036	2 608 901 771
		1		663050	2 608 901 773
		1		663111	2 608 901 779

EXPERT SDS Clean max-8X Set for Chem Anchoring

EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when installing chemical anchors.
- ▶ Best choice for construction workers and installers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS max-8X Drill Bit.




PRODUCT PROPERTIES	ORDERING INFORMATION			
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...
SDS Clean plus-8X Hammer Drill Bit with one Connector				Part number
		1	663135	2 608 901 781
		1	663197	2 608 901 787
		1	663258	2 608 901 793
		1	663272	2 608 901 795
		1	663333	2 608 901 801
		1	663395	2 608 901 807
		1	663418	2 608 901 809

SDS PLUS-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades



SDS plus-9 Speed Clean

SDS plus-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS plus rotary hammer, e.g. Bosch GBH 2-28 DV Professional (0 611 267 201), and a dust class M dust extractor, e.g. Bosch GAS 35 M AFC Professional (0 601 9C3 100).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
15	250	380	P1e	1	1	954020	2 608 578 964
18	150	280	PC1b	1	1	976565	2 608 579 294
20	150	280	PC1b	1	1	976572	2 608 579 295
22	320	450	P1e	1	1	857383	2 608 576 289
24	320	450	P1e	1	1	857390	2 608 576 290



SDS PLUS-5X

Efficient drilling and resistant to rebar.

CENTRING TIP

Active and accurate centring in concrete thanks to the centering tip



NO JAMMING IN REBAR

Thanks to 4-cutter geometry. Tip does not break off




HIGH DRILLING SPEED

Thanks to 4-flute design which ensures fast dust removal and less wear




SDS plus-5X hammer drill bits



- ▶ Suitable for masonry, concrete and reinforced concrete
- ▶ Appropriate for all rotary hammers with SDS plus holder
- ▶ www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1										
4	50	110	-	-	-	P2e	1	5	227461	2 608 836 604
4	100	160	-	-	-	P2e	1	5	227478	2 608 836 605
5	50	110	-	-	-	P2e	1	10	223241	2 608 833 771
5	100	160	-	-	-	P2e	1	10	223258	2 608 833 772
5	150	210	-	-	-	P2e	1	5	223265	2 608 833 773
5	200	260	-	-	-	P2e	1	5	227485	2 608 836 606
5	250	310	-	-	-	P2e	1	5	227492	2 608 836 607
5	400	460	-	-	-	P2e	1	5	227508	2 608 836 608
5.5	50	110	-	-	-	P2e	1	10	223272	2 608 833 774
5.5	100	160	-	-	-	P2e	1	5	223289	2 608 833 775
5.5	150	210	-	-	-	P2e	1	1	223296	2 608 833 776
5.5	250	310	-	-	-	P2e	1	5	227522	2 608 836 610
5.5	400	460	-	-	-	P2e	1	5	227539	2 608 836 611
6	50	110	-	-	-	P2e	1	10	223302	2 608 833 777
6	100	160	-	-	-	P2e	1	10	223319	2 608 833 778
6	150	210	-	-	-	P2e	1	10	223326	2 608 833 779



SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
6	200	260	-	-	-	P2e	1	10	223333	2 608 833 780
6	250	310	-	-	-	P2e	1	5	227546	2 608 836 612
6	400	460	-	-	-	P2e	1	5	227553	2 608 836 613
6.5	50	110	-	-	-	P2e	1	10	223340	2 608 833 781
6.5	100	160	-	-	-	P2e	1	10	223357	2 608 833 782
6.5	150	210	-	-	-	P2e	1	5	223364	2 608 833 783
6.5	200	260	-	-	-	P2e	1	5	223371	2 608 833 784
6.5	250	310	-	-	-	P2e	1	5	227560	2 608 836 614
7	50	110	-	-	-	P2e	1	10	223388	2 608 833 785
7	100	160	-	-	-	P2e	1	10	223395	2 608 833 786
7	150	210	-	-	-	P2e	1	5	223401	2 608 833 787
7	200	260	-	-	-	P2e	1	5	227577	2 608 836 615
8	50	110	-	-	-	P2e	1	10	223418	2 608 833 788
8	100	160	-	-	-	P2e	1	10	223425	2 608 833 789
8	150	210	-	-	-	P2e	1	10	223432	2 608 833 790
8	200	260	-	-	-	P2e	1	10	223449	2 608 833 791
8	250	310	-	-	-	P2e	1	5	223456	2 608 833 792
8	300	360	-	-	-	P2e	1	5	223463	2 608 833 793
8	400	460	-	-	-	P2e	1	5	223470	2 608 833 794
8	550	610	-	-	-	P2e	1	1	227584	2 608 836 616
9	100	160	-	-	-	P2e	1	5	223487	2 608 833 795
9	150	210	-	-	-	P2e	1	5	223494	2 608 833 796
10	50	110	-	-	-	P2e	1	10	223500	2 608 833 797
10	100	160	-	-	-	P2e	1	10	223517	2 608 833 798
10	150	210	-	-	-	P2e	1	10	223524	2 608 833 799
10	200	260	-	-	-	P2e	1	10	223531	2 608 833 800
10	250	310	-	-	-	P2e	1	5	223548	2 608 833 801
10	300	360	-	-	-	P2e	1	5	223555	2 608 833 802
10	400	460	-	-	-	P2e	1	5	223562	2 608 833 803
10	550	610	-	-	-	P2e	1	1	227607	2 608 836 618
11	100	160	-	-	-	P2e	1	5	223579	2 608 833 804
11	150	210	-	-	-	P2e	1	1	223586	2 608 833 805
11	200	260	-	-	-	P2e	1	5	223593	2 608 833 806
12	100	160	-	-	-	P2e	1	10	223609	2 608 833 807
12	150	210	-	-	-	P2e	1	10	223616	2 608 833 808
12	200	260	-	-	-	P2e	1	10	223623	2 608 833 809
12	250	310	-	-	-	P2e	1	5	223630	2 608 833 810
12	300	360	-	-	-	P2e	1	5	223647	2 608 833 811
12	400	460	-	-	-	P2e	1	5	223654	2 608 833 812
12	550	610	-	-	-	P2e	1	1	227614	2 608 836 620
13	100	160	-	-	-	P2e	1	5	223661	2 608 833 813
13	150	210	-	-	-	P2e	1	1	223678	2 608 833 814
13	200	260	-	-	-	P2e	1	5	223685	2 608 833 815
14	100	160	-	-	-	P2e	1	10	223692	2 608 833 816
14	150	210	-	-	-	P2e	1	10	223708	2 608 833 817
14	200	260	-	-	-	P2e	1	10	223715	2 608 833 818
14	250	310	-	-	-	P2e	1	5	223722	2 608 833 819
14	300	360	-	-	-	P2e	1	5	223739	2 608 833 820
14	400	460	-	-	-	P2e	1	5	223746	2 608 833 821
14	550	610	-	-	-	P2e	1	1	227638	2 608 836 623
15	100	160	-	-	-	P2e	1	5	223753	2 608 833 822
15	200	260	-	-	-	P2e	1	5	223760	2 608 833 823
15	400	460	-	-	-	P2e	1	1	223777	2 608 833 824
16	150	210	-	-	-	P2e	1	10	223784	2 608 833 825
16	200	260	-	-	-	P2e	1	5	223791	2 608 833 826
16	250	310	-	-	-	P2e	1	5	223807	2 608 833 827

SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
16	300	360	-	-	-	P2e	1	5	223814	2 608 833 828
16	400	460	-	-	-	P2e	1	5	223821	2 608 833 829
16	550	610	-	-	-	P2e	1	1	227652	2 608 836 626
17	150	210	-	-	-	P2e	1	5	227669	2 608 836 628
17	250	310	-	-	-	P2e	1	5	227676	2 608 836 629
18	150	200	-	-	-	P2e	1	5	227690	2 608 836 631
18	250	300	-	-	-	P2e	1	1	227706	2 608 836 632
18	400	450	-	-	-	P2e	1	1	227713	2 608 836 633
18	550	600	-	-	-	P2e	1	1	227720	2 608 836 634
19	150	200	-	-	-	P2e	1	5	227737	2 608 836 636
19	250	300	-	-	-	P2e	1	1	227744	2 608 836 637
19	400	450	-	-	-	P2e	1	1	227751	2 608 836 638
20	150	200	-	-	-	P2e	1	5	227768	2 608 836 639
20	250	300	-	-	-	P2e	1	1	227775	2 608 836 640
20	400	450	-	-	-	P2e	1	1	227782	2 608 836 641
20	550	600	-	-	-	P2e	1	1	227799	2 608 836 642
22	200	250	-	-	-	P2e	1	5	227805	2 608 836 644
22	400	450	-	-	-	P2e	1	1	227812	2 608 836 645
22	550	600	-	-	-	P2e	1	1	227829	2 608 836 646
24	200	250	-	-	-	P2e	1	1	227836	2 608 836 647
24	400	450	-	-	-	P2e	1	1	227843	2 608 836 648
25	200	250	-	-	-	P2e	1	1	227850	2 608 836 649
25	400	450	-	-	-	P2e	1	1	227867	2 608 836 650
26	200	250	-	-	-	P2e	1	1	227874	2 608 836 651
26	400	450	-	-	-	P2e	1	1	227881	2 608 836 652

Pack of 10

5	50	110	-	-	-	P1h	10	1	223838	2 608 833 889
5	100	160	-	-	-	P1h	10	1	223845	2 608 833 890
6	50	110	-	-	-	P1h	10	1	223852	2 608 833 891
6	100	160	-	-	-	P1h	10	1	223869	2 608 833 892
6	150	210	-	-	-	P1h	10	1	223876	2 608 833 893
6.5	100	160	-	-	-	P1h	10	1	223883	2 608 833 894
6.5	150	210	-	-	-	P1h	10	1	223890	2 608 833 895
6.5	200	260	-	-	-	P1h	10	1	223906	2 608 833 896
7	100	160	-	-	-	P1h	10	1	223913	2 608 833 897
8	50	110	-	-	-	P1h	10	1	223920	2 608 833 898
8	100	160	-	-	-	P1h	10	1	223937	2 608 833 899
8	150	210	-	-	-	P1h	10	1	223944	2 608 833 900
8	200	260	-	-	-	P1h	10	1	223951	2 608 833 901
10	100	160	-	-	-	P1h	10	1	223968	2 608 833 902
10	150	210	-	-	-	P1h	10	1	223975	2 608 833 903
10	200	260	-	-	-	P1h	10	1	223982	2 608 833 904
12	100	160	-	-	-	P1h	10	1	223999	2 608 833 905
12	150	210	-	-	-	P1h	10	1	224002	2 608 833 906
12	200	260	-	-	-	P1h	10	1	224019	2 608 833 907
14	100	160	-	-	-	P1h	10	1	224026	2 608 833 908
16	150	210	-	-	-	P1h	10	1	224033	2 608 833 909



Hammer drill bit sets SDS plus-5X

SDS plus-5X

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
5-piece SDS plus-5X hammer drill bit set							
5	50	110	P1h	5	5	224040	2 608 833 910
6	50	110					
6	100	160					
8	100	160					
10	100	160					
5.5	50	110	P1a	5	1	941457	2 608 837 138
6	50	110					
7	100	160					
8	100	160					
10	100	160					
6	100	160	P1h	5	5	224057	2 608 833 911
6	100	160					
8	100	160					
8	100	160					
10	100	160					
3-piece SDS plus-5X hammer drill bit set							
6	100	160	P1h	3	10	224064	2 608 833 912
8	100	160					
10	100	160					




SDS plus-5 hammer drill bits



- Suitable for masonry, concrete and reinforced concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 1											
3.5	50	110	-	-	-	P1e	1	5	189057	2 608 597 773	
6.5	400	465	-	-	-	P1e	1	1	656726	2 608 587 830	
7	250	315	-	-	-	P1e	1	1	656771	2 608 587 835	
7	400	465	-	-	-	P1e	1	1	656788	2 608 587 836	
8.5	150	215	-	-	-	P1e	1	1	483391	2 608 585 605	
10	950	1,005	-	-	-	P1e	1	1	098502	2 608 597 122	
12	950	1,005	-	-	-	P1e	1	1	098519	2 608 597 123	
14	950	1,005	-	-	-	P1e	1	1	098526	2 608 597 124	
16	950	1,005	-	-	-	P1e	1	1	098533	2 608 597 125	
18	950	1,000	-	-	-	P1e	1	1	098540	2 608 597 126	
20	950	1,000	-	-	-	P1e	1	1	098557	2 608 597 127	
22	950	1,000	-	-	-	P1e	1	1	098564	2 608 597 128	
25	550	600	-	-	-	P1e	1	1	657525	2 608 587 910	
25	950	1,000	-	-	-	P1e	1	1	098571	2 608 597 129	
Pack of 1											
3.5	100	160	-	-	-	P1e	1	1	483308	2 608 585 596	
Pack of 10											
5.5	100	165	-	-	-	P1a	10	1	483490	2 608 585 615	



Hammer drill bit sets SDS plus-5




PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
5-piece Robust Line SDS plus-5 hammer drill bit set										
5.5	100	165	197.0 x 87.5 x 23	P1k	5	5	517102	2 607 019 929		
6	100	165								
7	100	165								
8	100	165								
10	100	165								

SDS plus-3 hammer drill bits



- Suitable for masonry and concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES			ORDERING INFORMATION					Part number
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...		
Pack of 1								
4	50	110	P2e	1	5	209313	2 608 831 000	
4	100	160	P2e	1	5	209320	2 608 831 001	
5	50	110	P2e	1	5	209337	2 608 831 002	
5	100	160	P2e	1	5	209344	2 608 831 003	
5	150	210	P2e	1	5	209351	2 608 831 004	
5.5	50	110	P2e	1	5	209368	2 608 831 005	
5.5	100	160	P2e	1	5	209375	2 608 831 006	
6	50	110	P2e	1	5	209382	2 608 831 007	
6	100	160	P2e	1	5	209399	2 608 831 008	
6	150	210	P2e	1	5	209405	2 608 831 009	
6	200	260	P2e	1	5	209412	2 608 831 010	
6.5	50	110	P2e	1	1	209429	2 608 831 011	
6.5	100	160	P2e	1	5	209436	2 608 831 012	
6.5	150	210	P2e	1	5	209443	2 608 831 013	
6.5	200	260	P2e	1	5	209450	2 608 831 014	
7	50	110	P2e	1	5	209467	2 608 831 015	
7	100	160	P2e	1	5	209474	2 608 831 016	
7	150	210	P2e	1	5	209481	2 608 831 017	
8	50	110	P2e	1	5	209498	2 608 831 018	
8	100	160	P2e	1	5	209504	2 608 831 019	
8	150	210	P2e	1	5	209511	2 608 831 020	
8	200	260	P2e	1	5	209528	2 608 831 021	
8	400	460	P2e	1	1	209535	2 608 831 022	
9	100	160	P2e	1	5	209542	2 608 831 023	
10	50	110	P2e	1	5	209559	2 608 831 024	
10	100	160	P2e	1	5	209566	2 608 831 025	
10	150	210	P2e	1	5	209573	2 608 831 026	
10	200	260	P2e	1	5	209580	2 608 831 027	
10	250	310	P2e	1	5	209597	2 608 831 028	
10	300	360	P2e	1	5	209603	2 608 831 029	
10	400	460	P2e	1	1	209610	2 608 831 030	
11	100	160	P2e	1	5	209627	2 608 831 031	
12	100	160	P2e	1	5	209634	2 608 831 032	
12	150	210	P2e	1	5	209641	2 608 831 033	
12	200	260	P2e	1	5	209658	2 608 831 034	
12	300	360	P2e	1	5	209665	2 608 831 035	
12	400	460	P2e	1	1	209672	2 608 831 036	
13	100	160	P2e	1	5	209689	2 608 831 037	
14	100	160	P2e	1	5	209696	2 608 831 038	
14	150	210	P2e	1	5	209702	2 608 831 039	
14	200	260	P2e	1	5	209719	2 608 831 040	
14	300	360	P2e	1	5	209726	2 608 831 041	
14	400	460	P2e	1	1	209733	2 608 831 042	
15	100	160	P2e	1	5	209740	2 608 831 043	
16	150	210	P2e	1	5	209757	2 608 831 044	
16	250	310	P2e	1	5	209764	2 608 831 045	
16	300	360	P2e	1	1	209771	2 608 831 046	
16	400	460	P2e	1	1	209788	2 608 831 047	
18	150	200	P2e	1	1	209795	2 608 831 048	
18	250	300	P2e	1	1	209801	2 608 831 049	
18	300	350	P2e	1	1	209818	2 608 831 050	



SDS plus-3 hammer drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
18	400	450	P2e	1	1	209825	2 608 831 051
20	150	200	P2e	1	1	209832	2 608 831 052
20	250	300	P2e	1	1	209849	2 608 831 053
20	300	350	P2e	1	1	209856	2 608 831 054
20	400	450	P2e	1	1	209863	2 608 831 055
22	200	250	P2e	1	1	209870	2 608 831 056
22	300	350	P2e	1	1	209887	2 608 831 057
22	400	450	P2e	1	1	209894	2 608 831 058
24	200	250	P2e	1	1	209900	2 608 831 059
24	400	450	P2e	1	1	209917	2 608 831 060
25	200	250	P2e	1	1	209924	2 608 831 061
25	300	350	P2e	1	1	209931	2 608 831 062
25	400	450	P2e	1	1	209948	2 608 831 063

Pack of 8

16	150	210	P1h	8	1	210180	2 608 831 126
----	-----	-----	-----	---	---	--------	---------------



Pack of 10

5	50	110	P1h	10	1	209955	2 608 831 103
5	100	160	P1h	10	1	209962	2 608 831 104
5.5	50	110	P1h	10	1	209979	2 608 831 105
5.5	100	160	P1h	10	1	209986	2 608 831 106
6	50	110	P1h	10	1	209993	2 608 831 107
6	100	160	P1h	10	1	210005	2 608 831 108
6	150	210	P1h	10	1	210012	2 608 831 109
6.5	100	160	P1h	10	1	210029	2 608 831 110
6.5	150	210	P1h	10	1	210036	2 608 831 111
6.5	200	260	P1h	10	1	210043	2 608 831 112
7	100	160	P1h	10	1	210050	2 608 831 113
7	150	210	P1h	10	1	210067	2 608 831 114
8	50	110	P1h	10	1	210074	2 608 831 115
8	100	160	P1h	10	1	210081	2 608 831 116
8	150	210	P1h	10	1	210098	2 608 831 117
8	200	260	P1h	10	1	210104	2 608 831 118
10	50	110	P1h	10	1	210111	2 608 831 119
10	100	160	P1h	10	1	210128	2 608 831 120
10	150	210	P1h	10	1	210135	2 608 831 121
12	100	160	P1h	10	1	210142	2 608 831 122
12	150	210	P1h	10	1	210159	2 608 831 123
12	200	260	P1h	10	1	210166	2 608 831 124
14	100	160	P1h	10	1	210173	2 608 831 125



Hammer drill bit sets SDS plus-3



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5	100	160	5x160 (1x)	P1k	8	1	509558	2 607 019 904
5.5	100	160	5.5x160 (2x)					
6	100	160	6x160 (1x)					
7	100	160	7x160 (2x)					
8	100	160	8x160 (1x)					
10	100	160	10x160 (1x)					



4-piece SDS plus-3 drill bit set

5.5	100	160	-	P1h	4	1	944267	2 608 578 738
7	100	160						
8	100	160						
10	100	160						

Hammer drill bit sets SDS plus-1

SDS plus-1



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	-	-	M0a	11	1	227911	2 608 578 765

SDS plus Pointed Chisel 250 mm
 SDS plus Flat Chisel 250 mm
 SDS plus-1 hammer drill bit 5X50X110mm
 SDS plus-1 hammer drill bit 6X50X110mm
 SDS plus-1 hammer drill bit 6X100X160mm
 SDS plus-1 hammer drill bit 7X50X110mm
 SDS plus-1 hammer drill bit 7X100X160mm
 SDS plus-1 hammer drill bit 8X50X110mm
 SDS plus-1 hammer drill bit 8X100X160mm
 SDS plus-1 hammer drill bit 10X100X160mm
 SDS plus-1 hammer drill bit 12X100X160mm


SDS plus-9 hammer drill bits Rebar Cutter

SDS plus-9
RebarCutter

- ▶ Suitable for rebar in concrete
- ▶ For non-impact use in rotary hammers with SDS plus holder.
- ▶ Only cut through rebar if approval has been issued by a stress analyst.
- ▶ Only use the Rebar Cutter without impact.

long
LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
16	120	300	10	P1h	1	1	576673	2 608 586 994
18	120	300	10	P1h	1	1	576680	2 608 586 995
20	120	300	10	P1h	1	1	576697	2 608 586 996
22	120	300	10	P1h	1	1	576703	2 608 586 997
25	120	300	10	P1h	1	1	576710	2 608 586 998
28	120	300	10	P1h	1	1	576727	2 608 586 999
32	120	300	10	P1h	1	1	576734	2 608 587 100



SDS plus-9 Core Cutters

SDS plus-9
CoreCutter

- ▶ Suitable for concrete, masonry, limestone
- ▶ For use with SDS plus or hex shank



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
25	50	72	4	P1e	1	1	605328	2 608 550 612
30	50	72	6	P1e	1	1	605335	2 608 550 613
35	50	72	6	P1e	1	1	605342	2 608 550 614
40	50	72	6	P1e	1	1	084642	2 608 550 074
50	50	72	6	P1e	1	1	084659	2 608 550 075
68	50	72	6	P1e	1	1	084666	2 608 550 076
82	50	72	6	P1e	1	1	084673	2 608 550 077

Core cutter sets

SDS plus-9
CoreCutter

- 3-piece core cutter set, SDS plus
- SDS plus shank and pilot drill bit



68	54	72	6	PC1b	3	1	046206	2 608 550 064
82	54	72	6	PC1b	3	1	046213	2 608 550 065

Accessories for core cutters

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter/width across flats mm	Total length mm	Shank		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex shank for core cutters with M16								
11	80	Hexagon		P1e	1	1	084680	2 608 550 078
11	220	Hexagon		P1e	1	1	096744	2 608 598 109
SDS plus shank for core cutters with M16								
-	105	SDS plus		P1e	1	1	046138	2 608 550 057
-	220	SDS plus		P1e	1	1	096751	2 608 598 110
Pilot drill bit for shank for hex adapter and SDS plus								
8	120	Cylindrical		PC1d	1	5	046114	2 608 596 157
SDS plus shank for core cutters with M16 one piece								
-	175	SDS plus		P1e	1	1	332224	2 608 598 046

Accessories for core cutters

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter/width across flats mm	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS plus shank for core cutters with M16, one piece							
-	340	SDS plus	P1e	1	1	332231	2 608 598 047


LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X Hammer Drill Bits

ASSORTMENT: Ø 12mm - 32mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS max-8X Hammer Drill Bits

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. for chemical anchor setting and/or rebar connections.
- ▶ Best for construction workers: long lasting and powerful.
- ▶ Lasts up to 3x longer than Bosch SDS max-4 Drill Bit.
- ▶ Fits all SDS max rotary hammer drills.



CARBIDE TECHNOLOGY UP TO **3x** LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
12	200	340	P1h	1	1	532752	2 608 900 201
12	400	540	P1h	1	1	532769	2 608 900 202
12	600	740	P1h	1	1	532776	2 608 900 203
12	800	940	P1h	1	1	532783	2 608 900 204
14	200	340	P1h	1	1	532813	2 608 900 207
14	400	540	P1h	1	1	532820	2 608 900 208

EXPERT SDS max-8X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	600	740	P1h	1	1	532837	2 608 900 209
14	800	940	P1h	1	1	532844	2 608 900 210
15	200	340	P1h	1	1	532868	2 608 900 212
16	200	340	P1h	1	1	532882	2 608 900 214
16	400	540	P1h	1	1	532899	2 608 900 215
16	600	740	P1h	1	1	532905	2 608 900 216
16	800	940	P1h	1	1	532912	2 608 900 217
18	200	340	P1h	1	1	532950	2 608 900 221
18	400	540	P1h	1	1	532967	2 608 900 222
18	600	740	P1h	1	1	532974	2 608 900 223
18	800	940	P1h	1	1	532981	2 608 900 224
20	200	320	P1h	1	1	533025	2 608 900 228
20	400	520	P1h	1	1	533032	2 608 900 229
20	600	720	P1h	1	1	533049	2 608 900 230
20	800	920	P1h	1	1	533056	2 608 900 231
22	200	320	P1h	1	1	533070	2 608 900 233
22	400	520	P1h	1	1	533087	2 608 900 234
22	600	720	P1h	1	1	533094	2 608 900 235
22	800	920	P1h	1	1	533100	2 608 900 236
24	200	320	P1h	1	1	533124	2 608 900 238
24	400	520	P1h	1	1	533131	2 608 900 239
25	200	320	P1h	1	1	533148	2 608 900 240
25	400	520	P1h	1	1	533155	2 608 900 241
25	600	720	P1h	1	1	533162	2 608 900 242
25	800	920	P1h	1	1	533179	2 608 900 243
26	200	320	P1h	1	1	533193	2 608 900 245
26	400	520	P1h	1	1	533209	2 608 900 246
28	200	320	P1h	1	1	533216	2 608 900 247
28	400	520	P1h	1	1	533223	2 608 900 248
28	600	720	P1h	1	1	533230	2 608 900 249
28	800	920	P1h	1	1	533247	2 608 900 250
30	200	320	P1h	1	1	533261	2 608 900 252
30	400	520	P1h	1	1	533278	2 608 900 253
32	200	320	P1h	1	1	533285	2 608 900 254
32	400	520	P1h	1	1	533292	2 608 900 255
32	600	720	P1h	1	1	533308	2 608 900 256
32	800	920	P1h	1	1	533315	2 608 900 257
Pack of 5							
12	200	340	POh	5	1	533346	2 608 900 260
16	200	340	POh	5	1	533353	2 608 900 261
16	400	540	POh	5	1	533360	2 608 900 262
18	200	340	POh	5	1	533377	2 608 900 263
18	400	540	POh	5	1	533384	2 608 900 264
20	200	320	POh	5	1	533391	2 608 900 265
20	400	520	POh	5	1	533407	2 608 900 266
22	400	520	POh	5	1	533414	2 608 900 267
24	400	520	POh	5	1	533421	2 608 900 268
25	400	520	POh	5	1	533438	2 608 900 269
32	400	520	POh	5	1	533445	2 608 900 270

EXPERT SDS Clean max-8X for Chem Anchoring


EXPERT

- ▶ Ideal for drilling in reinforced concrete, eg when installing chemical anchors.
- ▶ Best choice for construction workers and installers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS max-8X Drill Bit.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
SDS Clean max-8X Hammer Drill Bit							
20	400	650		1		663142	2 608 901 782
22	400	650		1		663203	2 608 901 788
24	400	650		1		663265	2 608 901 794
25	400	650		1		663289	2 608 901 796
28	400	650		1		663340	2 608 901 802
30	400	650		1		663401	2 608 901 808
32	400	650		1		663425	2 608 901 810

SDS max-7 hammer drill bits




long
LIFE

fast
DRILL




- ▶ Suitable for concrete and reinforced concrete, limestone, masonry
- ▶ For use in rotary hammers with SDS max holder
- ▶ Working lengths of 200, 400, 600, 800 and 1200 mm
- ▶ * 12 to 15 mm diameters are 2-cutters
- ▶ Re-closable packaging for professionals
- ▶ www.pgm.eu


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
35	400	520	P1h	1	1	565790	2 608 586 796
35	600	720	P1h	1	1	565806	2 608 586 797
35	800	920	P1h	1	1	565813	2 608 586 798
35	1,200	1,320	P1h	1	1	565820	2 608 586 799
38	400	520	P1h	1	1	565462	2 608 586 800
38	600	720	P1h	1	1	565837	2 608 586 801
40	400	520	P1h	1	1	565844	2 608 586 802
40	800	920	P1h	1	1	565868	2 608 586 804
40	1,200	1,320	P1h	1	1	565875	2 608 586 805
45	400	520	P1h	1	1	565882	2 608 586 806
52	400	520	P1h	1	1	565899	2 608 586 807
Pack of 1							
40	600	720	P1h	1	1	565851	2 608 586 803



SDS max-4 hammer drill bits



- ▶ Suitable for concrete and reinforced concrete, masonry
- ▶ Can be used in all rotary hammers with SDS max holder
- ▶ Price/performance optimised 4-cutter
- ▶ www.pgm.eu




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
12	200	340	P1e	1	1	833684	2 608 833 959
12	400	540	P2e	1	1	833691	2 608 833 960
14	200	340	P1e	1	1	833707	2 608 833 961
14	400	540	P1e	1	1	833714	2 608 833 962
16	200	340	P1e	1	1	564113	2 608 685 860
16	400	540	P1e	1	1	564120	2 608 685 861
18	200	340	P1e	1	1	564137	2 608 685 862
18	400	540	P1e	1	1	564144	2 608 685 863
20	200	320	P1e	1	1	564151	2 608 685 864
20	400	520	P1e	1	1	564168	2 608 685 865
22	200	320	P1e	1	1	564175	2 608 685 866
22	400	520	P1e	1	1	564182	2 608 685 867
24	200	320	P1e	1	1	833721	2 608 833 963
24	400	520	P1e	1	1	833738	2 608 833 964
25	200	320	P1e	1	1	564199	2 608 685 868
25	400	520	P1e	1	1	564205	2 608 685 869
28	200	320	P2e	1	1	564229	2 608 685 870
28	400	520	P1e	1	1	564236	2 608 685 871
30	200	320	P1e	1	1	564243	2 608 685 872
30	400	520	P1e	1	1	564250	2 608 685 873
32	200	320	P1e	1	1	564267	2 608 685 874
32	400	520	P1e	1	1	564274	2 608 685 875
35	400	520	P1e	1	1	564281	2 608 685 876
40	400	520	P1e	1	1	564298	2 608 685 877

SDS MAX-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades

SDS max-9 Speed Clean

SDS max-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS max rotary hammer, e.g. Bosch GBH 8-45 DV Professional (0 611 265 000), and a dust class M dust extractor, e.g. Bosch GAS 55 M AFC Professional (0 601 9C3 300).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 1	16	400	620	P1e	1	1	857420	2 608 576 293




SDS max-9 Natural Stone

- SDS max-9 NaturalStone**
- ▶ Suitable for natural stone
 - ▶ Fits all rotary hammers with SDS max holder
 - ▶ Re-closable packaging for professionals
 - ▶ www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1 "Ram X Design"							
28	400	520	P1h	1	1	560115	1 618 596 502
28	600	720	P1h	1	1	560122	1 618 596 503
28	800	920	P1h	1	1	560139	1 618 596 504
32	400	520	P1h	1	1	560146	1 618 596 505
32	800	920	P1h	1	1	560160	1 618 596 507



SDS max-9 Break Through


SDS max-9 BreakThrough

- ▶ **Suitable for** breakthroughs with diameters from 45 mm to 80 mm in concrete, masonry, limestone, e.g. for fixing cables and pipes outside
- ▶ One-piece tool, bell shaped head with asymmetrically positioned carbide pins and centre cutter
- ▶ Large-volume spiral flute, tapered shank
- ▶ **Note:** Always ensure you use hammer drills with suitable capacity for breakthrough drill bits to avoid overload. Observe the operating instructions of the rotary hammer.



**long
LIFE**

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
45	450	600	P1e	1	1	021951	1 618 596 455
45	850	1,000	P1e	1	1	021968	1 618 596 456
55	450	600	P1e	1	1	021975	1 618 596 457
55	850	1,000	P1e	1	1	021982	1 618 596 458
65	450	600	P1e	1	1	021999	1 618 596 459
65	850	1,000	P1e	1	1	022002	1 618 596 460
80	850	1,000	P1e	1	1	022026	1 618 596 462
Pack of 1							
80	450	600	P1e	1	1	022019	1 618 596 461



Accessories for SDS max core cutters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length mm	Adapter for machine side		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for two-piece max-9 Core Cutters							
200	SDS max		P1e	1	1	560030	2 608 580 527
460	SDS max		P1e	1	1	560047	2 608 580 528
Fixing set: pilot drill bit with fixing pin and rubber ring							
-	-		P1c	1	5	145664	F 00Y 145 203
Fixing set: fixing pin and rubber ring							
-	-		P0b	2	1	145671	F 00Y 145 204




SDS max-9 Core Cutters, one-piece

SDS max-9 CoreCutter

- Suitable for concrete, masonry and limestone
- One-piece design guarantees optimum power transfer of the machine
- Aggressive work progress and simultaneously very quiet during operation thanks to the asymmetric teeth arrangement
- Pilot drill bit included




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
45	80	160	6	C2h	1	1	145510	F 00Y 145 188
45	80	420	6	C2h	1	1	145527	F 00Y 145 189
50	80	160	6	C2h	1	1	145534	F 00Y 145 190
50	80	420	6	C2h	1	1	145541	F 00Y 145 191
55	80	160	6	C2h	1	1	145558	F 00Y 145 192
55	80	420	6	C2h	1	1	145565	F 00Y 145 193
68	80	160	6	C2h	1	1	145572	F 00Y 145 194
68	80	420	6	C2h	1	1	145589	F 00Y 145 195
82	80	160	8	C2h	1	1	145596	F 00Y 145 196
82	80	420	8	C2h	1	1	145602	F 00Y 145 197
90	80	160	8	C2h	1	1	145619	F 00Y 145 198
90	80	420	8	C2h	1	1	145626	F 00Y 145 199
100	80	300	11	C2h	1	1	145633	F 00Y 145 200
125	80	300	11	C2h	1	1	145640	F 00Y 145 201
150	80	300	13	C2h	1	1	145657	F 00Y 145 202



SDS max-9 Core Cutters, two-piece, with thread

SDS max-9 CoreCutter

- ▶ Suitable for concrete, masonry, limestone
- ▶ Pilot drill bit included



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
45	80	112	6	C2h	1	1	557733	2 608 580 518
50	80	111	6	C2h	1	1	557740	2 608 580 519
55	80	109	6	C2h	1	1	557757	2 608 580 520
82	80	102	8	C2h	1	1	557771	2 608 580 522
90	80	100	8	C2h	1	1	557788	2 608 580 523
100	80	96	11	C2h	1	1	557795	2 608 580 524
125	80	97	11	C2h	1	1	557801	2 608 580 525
150	80	92	13	C2h	1	1	557818	2 608 580 526

Grease for drill and chisel shank ends



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Grease for drill and chisel shank ends Ensures optimal function and increases longevity of drill and chisel bits	C2h	1	8	560465	2 608 002 021



IMPACT AND ROTARY DRILL BITS


Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.
































IMPACT AND ROTARY DRILL BITS

Drilling all kinds of materials.

						
	CYL-9 Multi Construction	HEX-9 Multi Construction	HEX-9 HardCeramic	CYL-5 for concrete	CYL-3 for concrete	CYL-9 SoftCeramic
	EXPERT	EXPERT	EXPERT			
Page number	113	109	115	103	105	117
Shank type						
Diameter mm	3.0 – 16.0	3.0 – 12.0	3.0 – 12.0	3.0 – 14.0	3.0 – 16.0	3.0 – 16.0
Total length mm	70 – 250	90 – 150	90	90 – 250	70 – 400	70 – 90
PGM certification			-			-
	 	 	 			


MATERIALS

Hard concrete	-	-	-		-	-
Soft concrete			-			-
Marble			-			-
Solid brick			-			-
Hollow brick			-			-
Wood			-	-	-	-
Soft tile				-	-	
Hard tile / roof tile	-	-		-	-	-
Stone tiles	-	-		-	-	-
Steel			-	-	-	-
Sheet metal			-	-	-	-


CYL-5 concrete drill bits

CYL-5

- Suitable for drilling holes in concrete, masonry, limestone, light natural and artificial stone
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: blue, polished




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	50	90	PC1d	1	5	690270	2 608 588 136
3.5	50	90	PC1d	1	5	690287	2 608 588 137
4	50	90	PC1d	1	5	690294	2 608 588 138
5	50	100	PC1d	1	5	690317	2 608 588 140
5	100	150	PC1d	1	5	690324	2 608 588 141
5.5	50	100	PC1d	1	5	690331	2 608 588 142
6	50	100	PC1d	1	5	690355	2 608 588 144
6	100	150	PC1d	1	5	690362	2 608 588 145
6	200	250	PC1d	1	1	690379	2 608 588 146
6.5	50	100	PC1d	1	5	690386	2 608 588 147
8	50	100	PC1d	1	5	690423	2 608 588 151
8	100	150	PC1d	1	5	690430	2 608 588 152
8	200	250	PC1d	1	1	690447	2 608 588 153
9	50	100	PC1d	1	5	691239	2 608 588 154
10	100	150	PC1d	1	5	690454	2 608 588 155
10	200	250	PC1d	1	1	690461	2 608 588 156
12	190	250	PC1d	1	1	690485	2 608 588 158
14	90	150	PC1d	1	5	690492	2 608 588 159
Pack of 1							
7	50	100	PC1d	1	5	690409	2 608 588 149
Pack of 1							
12	90	150	PC1d	1	5	690478	2 608 588 157



CYL-5 concrete drill bit sets

CYL-5



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece CYL-5 concrete drill bit set								
5	50	100	-	P1c	3	5	690546	2 608 588 164
6	50	100						
8	50	100						



CYL-5 concrete drill bit sets

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Robust Line CYL-5 concrete drill bit set								
4	50	90	156.5 x 69.5 x	P1k	5	1	690553	2 608 588 165
5	50	100	21.5					
6	50	100						
6	50	100						
8	50	100						



7-piece Robust Line CYL-5 concrete drill bit set								
4	50	90	197.0 x 87.5 x	P1k	7	1	690577	2 608 588 167
5	50	100	21.5					
5	50	100						
6	50	100						
6	50	100						
8	50	100						
10	100	150						




CYL-3 concrete drill bits

CYL-3

- ▶ Suitable for drilling holes in concrete, masonry, limestone, brick
- ▶ Heavy duty drill bit, suitable for all impact drills
- ▶ PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- ▶ Drill bit colour: silver-grey, sand-blasted



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	40	70	PC1d	1	5	186674	2 608 597 655
3.5	40	70	PC1d	1	1	462266	2 608 585 225
4	40	75	PC1d	1	5	186681	2 608 597 656
4.5	40	75	PC1d	1	5	186698	2 608 597 657
5	50	85	PC1d	1	5	186704	2 608 597 658
5	90	150	PC1d	1	5	186896	2 608 597 677
5.5	50	85	PC1d	1	5	186711	2 608 597 659
5.5	90	150	PC1d	1	5	186902	2 608 597 678
6	60	100	PC1d	1	5	186728	2 608 597 660
6	90	150	PC1d	1	5	186919	2 608 597 679
6	350	400	P1c	1	1	484428	2 608 585 634
6.5	90	150	PC1d	1	5	186926	2 608 597 680
6.5	350	400	P1c	1	1	187015	2 608 597 689
7	60	100	PC1d	1	5	186742	2 608 597 662
7	90	150	PC1d	1	5	186933	2 608 597 681
8	80	120	PC1d	1	5	186759	2 608 597 663
8	90	150	PC1d	1	5	212878	2 608 597 898
8	150	200	PC1d	1	5	186940	2 608 597 682
8	350	400	P1c	1	1	187022	2 608 597 690
9	80	120	PC1d	1	5	186766	2 608 597 664
10	80	120	PC1d	1	5	186773	2 608 597 665
10	90	150	PC1d	1	5	212885	2 608 597 899
10	150	200	PC1d	1	5	186957	2 608 597 683
10	250	300	P1c	1	5	186971	2 608 597 685
10	350	400	P1c	1	1	187039	2 608 597 691
11	90	150	PC1d	1	5	186780	2 608 597 666
12	90	150	PC1d	1	5	186797	2 608 597 667
12	150	200	PC1d	1	5	186964	2 608 597 684
12	250	300	P1c	1	5	186988	2 608 597 686
12	350	400	P1c	1	1	187046	2 608 597 692
13	90	150	PC1d	1	5	186803	2 608 597 668
14	90	150	PC1d	1	5	186810	2 608 597 669
14	250	300	P1c	1	1	187008	2 608 597 688
14	350	400	P1c	1	1	187053	2 608 597 693
15	100	160	P1c	1	1	186827	2 608 597 670
16	100	160	P1c	1	5	186834	2 608 597 671
16	350	400	P1c	1	1	187060	2 608 597 694
Pack of 1							
6.5	60	100	PC1d	1	5	186735	2 608 597 661
Pack of 3							
4	40	75	P1c	3	1	187169	2 608 597 704
5	50	85	P1c	3	5	187176	2 608 597 705
6	60	100	P1c	3	5	187183	2 608 597 706
Pack of 10							
6	60	100	C0f	10	1	187282	2 608 597 716
8	80	120	C0f	10	1	187312	2 608 597 719



CYL-3 concrete drill bits


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	80	120	Cof	10	1	187329	2 608 597 720

CYL-3 concrete drill bit sets

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece CYL-3 concrete drill bit set							
5	50	85	P1c	3	5	187213	2 608 597 709
6	60	100					
8	80	120					



7-piece CYL-3 concrete drill bit set							
4	40	75	P1k	7	1	601375	2 607 017 083
5	50	85					
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					
10	80	120					



5-piece CYL-3 concrete drill bit set							
4	40	75	P1k	5	1	601344	2 607 017 080
5	50	85					
6	60	100					
6	60	100					
8	80	120					
5	50	85	P1k	5	1	601351	2 607 017 081
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					



CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Robust Line CYL-3 concrete drill bit set							
5	50	85	P1k	5	1	446105	2 607 010 526
5.5	50	85					
6	60	100					
7	60	100					
8	80	120					

CYL-1 masonry drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece CYL-1 masonry drill bit set							
4	30	60	P1k	7	1	557368	2 607 017 035
5	40	75					
5.5	50	85					
6	50	85					
7	60	100					
8	60	100					
3	80	120					


HIGH PRECISION DRILLING MULTIPLE MATERIALS

EXPERT CYL-9/HEX-9 MultiConstruction Drill Bits

ASSORTMENT: Ø 3mm - 16mm

EXPERT

- 1 Accurate drilling is easy with Bosch Centering Geometry
- 2 Start holes accurately with a specially-designed centering tip
- 3 High-performance carbide tip manufactured by fine grinding
- 4 Optimised dust extraction channel for fast, efficient drilling



EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT



- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and 1/4" internal hex tool holders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
3	45	90	PC1d	1	5	538624	2 608 900 569
4	45	90	PC1d	1	5	538631	2 608 900 570
5	50	100	PC1d	1	5	538648	2 608 900 571
5.5	60	100	PC1d	1	5	538655	2 608 900 572

EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
5.5	90	150	PC1d	1	5	538662	2 608 900 573
6	60	100	PC1d	1	5	538679	2 608 900 574
6	90	150	PC1d	1	5	538686	2 608 900 575
6.5	60	100	PC1d	1	5	538709	2 608 900 577
7	50	100	PC1d	1	5	538723	2 608 900 579
7	90	150	PC1d	1	5	538730	2 608 900 580
8	50	100	PC1d	1	5	538747	2 608 900 581
10	90	150	PC1d	1	5	538754	2 608 900 582
12	90	150	PC1d	1	5	538761	2 608 900 583
3.5	45	90	PC1d	1	5	245373	2 608 902 346
4	90	150	PC1d	1	5	245380	2 608 902 347
5	90	150	PC1d	1	5	245397	2 608 902 348
6	200	250	PC1d	1	1	245441	2 608 902 353
6.5	90	150	PC1d	1	5	245403	2 608 902 349
6.5	200	250	PC1d	1	1	245458	2 608 902 354
7	200	250	PC1d	1	1	245465	2 608 902 355
8	90	150	PC1d	1	5	245410	2 608 902 350
8	200	250	PC1d	1	1	245472	2 608 902 356
8	350	400	PC1d	1	1	245533	2 608 902 362
9	90	150	PC1d	1	5	245427	2 608 902 351
10	200	250	PC1d	1	1	245489	2 608 902 357
10	350	400	PC1d	1	1	245540	2 608 902 363
11	90	150	PC1d	1	5	245434	2 608 902 352
12	200	250	PC1d	1	1	245496	2 608 902 358
12	350	400	PC1d	1	1	245557	2 608 902 364
14	150	200	PC1d	1	1	245502	2 608 902 359
14	200	250	PC1d	1	1	245519	2 608 902 360
16	150	200	PC1d	1	1	245526	2 608 902 361
16	350	400	PC1d	1	1	245564	2 608 902 365

EXPERT HEX-9 MultiConstruction Drill Bit Sets

EXPERT




- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and 1/4" internal hex tool holders.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
3-piece HEX-9 MultiConstruction drill bit set									
5	50	100	165.0 x 47.0 x 10	P1c	3	1	538778	2 608 900 584	
6	60	100							
8	50	100							
4	45	90	-	P1k	4	1	245595	2 608 902 368	
5	50	100							
6	60	100							
8	50	100							
5.5	60	100	-	P1a	4	1	245601	2 608 902 369	
6	60	100							
7	60	100							
8	50	100							
4	45	90	-	P1k	7	1	245618	2 608 902 370	
5	50	100							
6	60	100							
6	60	100							
8	50	100							
10	90	150							
12	90	150							
5	50	100	-	P1a	7	1	245625	2 608 902 371	
5.5	60	100							
6	60	100							
6	90	150							
7	90	150							
8	90	150							
10	90	150							
5-piece HEX-9 MultiConstruction drill bit set									
4	45	90	135.0 x 73.0 x 15	P1h	5	1	538785	2 608 900 585	
5	50	100							
6	60	100							
8	50	100							
5.5	60	100	135.0 x 73.0 x 15	P1h	5	1	538792	2 608 900 586	
6	60	100							
6	60	100							
7	60	100							
8	50	100							

HEX-9 MultiConstruction Drill Bit Sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece HEX-9 MultiConstruction multi-purpose drill bit set							
3	90	22.0 x 105.0 x	PC1a	8	1	881715	2 608 577 141
4	90	200					
5	100						
5	100						
6	100						
6	100						
8	100						
8	100						

EXPERT CYL-9 MultiConstruction Drill Bits

EXPERT



- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Cylindrical shank compatible with three-jaw drill chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION				Part number
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	
Pack of 1							
3	40	70	PC1d	1	5	538938	2 608 900 600
3.5	40	70	PC1d	1	1	538952	2 608 900 602
4	40	75	PC1d	1	5	538976	2 608 900 604
4	80	130	PC1d	1	5	538983	2 608 900 605
5	50	85	PC1d	1	5	538990	2 608 900 606
5	90	150	PC1d	1	5	539003	2 608 900 607
5.5	50	85	PC1d	1	5	539027	2 608 900 609
5.5	100	150	PC1d	1	5	539034	2 608 900 610
6	60	100	PC1d	1	5	539041	2 608 900 611
6	90	150	PC1d	1	5	539058	2 608 900 612
6	200	250	PC1d	1	1	596488	2 608 901 481
6.5	60	100	PC1d	1	5	539089	2 608 900 615
6.5	90	150	PC1d	1	5	539096	2 608 900 616
6.5	200	250	PC1d	1	1	596495	2 608 901 482
7	60	100	PC1d	1	5	539119	2 608 900 618
7	90	150	PC1d	1	5	539126	2 608 900 619
7	200	250	PC1d	1	1	596501	2 608 901 483
8	80	120	PC1d	1	5	539140	2 608 900 621
8	90	150	PC1d	1	5	539157	2 608 900 622
8	200	250	PC1d	1	1	596518	2 608 901 484
9	80	120	PC1d	1	5	539188	2 608 900 625
10	80	120	PC1d	1	5	539195	2 608 900 626
10	90	150	PC1d	1	5	539201	2 608 900 627
10	200	250	PC1d	1	1	596525	2 608 901 485
11	90	150	PC1d	1	5	539232	2 608 900 630
12	90	150	PC1d	1	5	539249	2 608 900 631
12	200	250	PC1d	1	1	596549	2 608 901 486
14	150	200	PC1d	1	1	596556	2 608 901 487
14	200	250	PC1d	1	1	596570	2 608 901 488
16	150	200	P1c	1	1	596594	2 608 901 489
Pack of 8							
10	80	120	P1h	8	1	539379	2 608 900 644
Pack of 10							
4	40	75	P1h	10	1	539300	2 608 900 637
5	50	85	P1h	10	1	539317	2 608 900 638
5.5	50	85	P1h	10	1	539324	2 608 900 639
6	60	100	P1h	10	1	539331	2 608 900 640
7	60	100	P1h	10	1	539355	2 608 900 642
8	80	120	P1h	10	1	539362	2 608 900 643

EXPERT CYL-9 MultiConstruction Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Cylindrical shank compatible with three-jaw drill chucks.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	156.5 x 69.5 x 23	P1k	4	1	539386	2 608 900 645
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	156.5 x 69.5 x 23	P1k	4	1	539393	2 608 900 646
6	60	100						
7	60	100						
8	80	120						
4-piece CYL-9 MultiConstruction drill bit set								
4	40	75	158.0 x 57.0 x 16	P1k	4	5	539423	2 608 900 649
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	158.0 x 57.0 x 16	P1k	4	1	539430	2 608 900 650
6	60	100						
7	60	100						
8	80	120						
7-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	197.0 x 87.5 x 23	P1k	7	1	539409	2 608 900 647
5	50	85						
6	60	100						
6	60	100						
8	80	120						
10	80	120						
12	90	150						
5	50	85	197.0 x 87.5 x 23	P1k	7	1	539416	2 608 900 648
5.5	50	100						
6	60	150						
6	90	150						
7	90	150						
8	90	150						
10	90	85						

LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits

ASSORTMENT: Ø 3mm - 12mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 High-performance carbide tip manufactured by fine grinding
- 3 Efficient drilling in hard materials with a multi-faceted design
- 4 Start holes accurately with a specially-designed centering tip



**CARBIDE
TECHNOLOGY**

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT



- ▶ Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- ▶ Best for interior fitters and roofers: long lasting and practical.
- ▶ Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1						
3	90	PC1d	1	1	232397	2 608 900 587
4	90	PC1d	1	1	232403	2 608 900 588
5	90	PC1d	1	1	232410	2 608 900 589
6	90	PC1d	1	1	232427	2 608 900 590

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
7	90	PC1d	1	1	232434	2 608 900 591	
8	90	PC1d	1	1	232441	2 608 900 592	
10	90	PC1d	1	1	232458	2 608 900 593	
12	90	PC1d	1	1	232465	2 608 900 594	
Pack of 5							
5.5	90	PC1d	1	1	238801	2 608 901 683	

EXPERT HEX-9 HardCeramic Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- ▶ Best for interior fitters and roofers: long lasting and practical.
- ▶ Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill Bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
3-piece HEX-9 HardCeramic tile drill bit set							
5	-	90	P1c	3	1	232472	2 608 900 595
6							
8							
5-piece HEX-9 Ceramic tile drill bit mixed set 2x CYL-3 Concrete drill bits 3x HEX-9 HardCeramic drill bits							
6	60	100	P1h	5	1	232489	2 608 900 596
6	60	100					
6		90					
6		90					
6		90					
5-piece HEX-9 HardCeramic tile drill bit set							
4	-	90	P1h	5	1	232496	2 608 900 597
5							
6							
8							
10							
5-piece HEX-9 HardCeramic roof tile drill bit set							
5	-	90	P1h	5	1	232502	2 608 900 598
5							
5							
5							
5							
5-piece HEX-9 HardCeramic roof tile drill bit set							
6	-	90	P1h	5	1	232519	2 608 900 599
6							
6							
6							
6							

CYL-9 SoftCeramic Tile Drill Bits

**long**
LIFE**fast**
DRILL

- ▶ **Suitable for** all soft density tiles and non-toughened glass
- ▶ Drill bit colour: white
- ▶ **Note:** Use with low speeds and without impact. No cooling required.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
3	70	PC1d	1	5	599184	2 608 587 157
4	70	PC1d	1	5	599191	2 608 587 158
5	70	PC1d	1	5	599207	2 608 587 159
5.5	70	PC1d	1	5	599214	2 608 587 160
6	80	PC1d	1	5	599221	2 608 587 161
6.5	80	PC1d	1	5	599238	2 608 587 162
7	80	PC1d	1	5	599245	2 608 587 163
8	80	PC1d	1	5	599252	2 608 587 164
12	90	PC1d	1	5	599276	2 608 587 166
14	90	PC1d	1	5	599283	2 608 587 167
16	90	PC1d	1	5	599290	2 608 587 168
Pack of 1						
10	90	PC1d	1	5	599269	2 608 587 165

CYL-9 SoftCeramic Tile Drill Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-9 SoftCeramic tile drill bit set						
4	70	P1k	5	1	599306	2 608 587 169
5	70					
6	80					
8	80					
10	90	P1k	5	1	599863	2 608 587 170
5.5	70					
6	80					
7	80					
8	80					
10	90					

CYL-9 Natural Stone Masonry Drill Bit


CYL-9 NaturalStone


- ▶ Suitable for drilling holes in natural stone, concrete and masonry
- ▶ Robust performance, impact-resistant, suitable for all drills
- ▶ PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings



PRODUCT PROPERTIES			ORDERING INFORMATION				
--------------------	--	--	----------------------	--	--	--	--

Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	90	150	PC1d	1	5	805261	2 608 589 550
7	60	100	PC1d	1	5	804202	2 608 589 539
8	80	120	PC1d	1	5	804288	2 608 589 547
Pack of 1							
6	60	100	PC1d	1	5	804271	2 608 589 546





PICK AND CLICK


Build your own screwdriver bit sets.

The best your tool can get. Bosch Professional Accessories.



SCREWDRIVER BITS FROM BOSCH

Equipped for any application.



Page number	125	134
Available bit types		
Length mm	25 - 150	25 - 152
Customizable sets	✓	-

SET CONTENTS


Insert bits	✓	✓
Power bits	✓	✓
Double ended bits	✓	✓
Twist drill bits with hex shank	✓	✓
Multi Construction drill bits with hex shank	✓	✓
Concrete drill bits with hex shank	✓	✓
Brad point drill bits with hex shank	-	✓
Nut setters	✓	✓
Universal holder	✓	✓

BIT TYPES

- Phillips®
- Pozidriv
- Internal Torx®
- Sec Torx®
- Internal hex
- Internal square
- Slotted

BUILD YOUR OWN SET

A system for individually customized sets.



ROBUST CASE
Rubber bumpers for tough environments

CUSTOMIZABLE PACKS
Allows you to buy the right bits for the job

EASY CLICK
Allows packs to be easily installed or removed from case

PICK & CLICK

Sets you compile yourself



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pick and Click Empty Case M Customisable with bit packs	P1k	1	5	851527	2 608 522 362
Pick and Click Empty Case L Customisable with bit packs	P1k	1	5	851534	2 608 522 363





Sets you compile yourself




PRODUCT PROPERTIES	ORDERING INFORMATION				
Pick and Click Storage Box Customizable with Bits, Screws or Dowels	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	PC1a	1	5	851541	2 608 522 364

Impact Control Screwdriver Bit Sets




PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Length mm					
36-Piece screwdriver bit and nutsetter set with double-ended bits, Universal Holder Quick Release and Standard Magnetic					
<ul style="list-style-type: none"> ◆ PH2 (2x) 60 ◆ PZ2 (2x) 60 ○ T20, T25, T30 50 ◆ PH1, PH2 (3x), PH3 50 ○ PZ2 (2x), PZ3 25 ○ T15, T20 (2x), T25 (2x), T30 (2x), T40 25 ◆ PH1-PH2 ◆ PH2-PH3 ◆ PH2-PZ2 (2x) ◆ SL1x5.5 ○ T15-T20 (2x) ○ T25-T30 Nutsetter 8/10/13 mm Universal Holder Quick Release Universal Holder Standard Magnetic 	PC1b	36	6	851558	2 608 522 365

Impact Control Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
31-Piece screwdriver bit set with double-ended bits and Universal Holder Quick Release						
PH2	60	PC1b	31	6	851565	2 608 522 366
PZ2	50					
T15, T20, T25, T30	50					
PH1, PH2 (2x), PH3	25					
PZ2 (2x), PZ3	25					
T15, T20 (2x), T25 (2x), T30 (2x), T40	60					
PH1-PH2	60					
PH2-PH3	60					
PH2-PZ2 (2x)	60					
SL1x5.5	60					
T15-T20 (2x)	60					
T25-T30	60					
Universal Holder Quick Release						
Storage Box						

Impact Control Mixed Sets



35-Piece drill and screwdriver bit set with HSS Twist drill bits and Universal Holder Quick Release						
HSS 2.0/3.0/4.0/5.0/6.0/7.0/8.0/10.0 mm	25	PC1b	35	6	881784	2 608 577 148
PH1, PH2 (4x), PH3	25					
PZ2 (2x), PZ3	25					
T15, T20 (3x), T25 (3x), T30 (2x), T40	60					
PH2	50					
PZ2	50					
T15, T20, T25, T30	50					
Universal Holder Quick Release						

Impact Control Mixed Sets




PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
35-Piece drill and screwdriver bit set with HEX-9 MultiConstruction drill bits and Universal Holder Quick Release						
HEX-9 MultiConstruction 3.0/4.0/5.0 (2x)/6.0 (2x)/8.0 (2x) mm	25	PC1b	35	6	881777	2 608 577 147
◆ PH1, PH2 (4x), PH3	25					
◆ PH1, PH2 (4x), PH3	25					
◆ PH1, PH2 (4x), PH3	60					
◆ PZ2 (2x), PZ3	50					
◆ PZ2 (2x), PZ3	50					
◆ PZ2 (2x), PZ3	50					
○ T15, T20 (3x), T25 (3x), T30 (2x), T40	50					
○ T15, T20 (3x), T25 (3x), T30 (2x), T40	50					
◆ PH2						
◆ PH2						
◆ PZ2						
◆ PZ2						
○ T15, T20, T25, T30						
○ T15, T20, T25, T30						
Universal Holder Quick Release						
Universal Holder Quick Release						

IMPACT CONTROL BITS

Highly robust – even withstand impact drivers.

EXTENDED TORSION ZONE

For high robustness



DOUBLE ENDED TIP DESIGN

For increased user value

LASER MARKING

For improved visibility of bit type

Impact Control Screwdriver Bit Packs

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 8 (Index)						
PH2 (8x)	50	PC1a	8	5	851206	2 608 522 330
PZ2 (8x)	50	PC1a	8	5	851213	2 608 522 331
PH1, PH2 (3x), PH3	50	PC1a	8	5	851183	2 608 522 328
PZ2 (2x), PZ3	50					
T15, T20 (2x), T25 (2x), T30 (2x), T40	50	PC1a	8	5	851190	2 608 522 329
H5 (4x), H6 (4x)	50	PC1a	8	5	851220	2 608 522 332
Universal Holder Magnetic	60	PC1a	8	5	851169	2 608 522 326
PH2 (2x)	50					
PZ2 (2x)	50					
T20, T25, T30	50					
Pack of 8 (Index)						
PZ3 (8x)	25	PC1a	8	5	912136	2 608 522 378

Impact Control



Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 8 (Index)						
PH2 (8x)	25	PC1a	8	5	851145	2 608 522 324
PZ2 (8x)	25	PC1a	8	5	851152	2 608 522 325
PH1, PH2 (3x), PH3 PZ2 (2x), PZ3	25 25	PC1a	8	5	851138	2 608 522 323
T30 (8x)	25	PC1a	8	5	912174	2 608 522 382
T15, T20 (2x), T25 (2x), T30 (2x), T40	25	PC1a	8	5	851121	2 608 522 322



Pack of 7 (Index)						
Universal Holder Quick Release	60 50 50 50	PC1a	7	5	851176	2 608 522 327
PH2						
PZ2						
T15, T20, T25, T30						

Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 5 (Index)						
○ Nutsetter 8/10/13 mm	50	PC1a	5	5	851404	2 608 522 350
⊕ PH2	50					
⊕ PZ2	50					
Pack of 3 (Index)						
⊕ PH1, PH2, PH3	50	PC1d	3	5	233165	2 608 522 491
Pack of 3 (Index)						
⊕ PH1, PH2, PH3	25	PC1d	3	5	233370	2 608 522 470
⊕ PZ1, PZ2, PZ3	25	PC1d	3	5	233363	2 608 522 471
⊕ T20, T25, T30	25	PC1d	3	5	233288	2 608 522 479

Impact Control Screwdriver Bit Packs

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
Pack of 2 (Index)							
PH1 (2x)	25	PC1d	2	5	233394	2 608 522 468	
PH2 (2x)	25	PC1d	2	5	920018	2 608 522 403	
PH3 (2x)	25	PC1d	2	5	233387	2 608 522 469	
PZ1 (2x)	25	PC1d	2	5	919982	2 608 522 400	
PZ2 (2x)	25	PC1d	2	5	919999	2 608 522 401	
PZ3 (2x)	25	PC1d	2	5	920001	2 608 522 402	
T10 (2x)	25	PC1d	2	5	233356	2 608 522 472	
T15 (2x)	25	PC1d	2	5	233349	2 608 522 473	
T25 (2x)	25	PC1d	2	5	233325	2 608 522 475	
T27 (2x)	25	PC1d	2	5	233318	2 608 522 476	
T30 (2x)	25	PC1d	2	5	233301	2 608 522 477	
T40 (2x)	25	PC1d	2	5	233295	2 608 522 478	
Pack of 2 (Index)							
T20 (2x)	25	PC1d	2	5	233332	2 608 522 474	
Pack of 1 (Index)							
PH1	50	PC1d	1	5	233271	2 608 522 480	
PH2	50	PC1d	1	5	233264	2 608 522 481	
PH3	50	PC1d	1	5	233257	2 608 522 482	
PZ2	50	PC1d	1	5	233240	2 608 522 483	
PZ3	50	PC1d	1	5	233233	2 608 522 484	
T10	50	PC1d	1	5	233226	2 608 522 485	
T15	50	PC1d	1	5	233219	2 608 522 486	
T20	50	PC1d	1	5	233202	2 608 522 487	
T25	50	PC1d	1	5	233196	2 608 522 488	
T30	50	PC1d	1	5	233189	2 608 522 489	
T40	50	PC1d	1	5	233172	2 608 522 490	



Impact Control Screwdriver Bit Displays



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Display							
PH2	25	P1a	25	10	980227	2 607 002 803	
PZ2	25	P1a	25	10	980234	2 607 002 804	
T20	25	P1a	25	10	980241	2 607 002 805	
T25	25	P1a	25	10	980258	2 607 002 806	
T30	25	P1a	25	10	980265	2 607 002 807	
T40	25	P1a	25	10	980272	2 607 002 808	

Impact Control Double-Ended Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 8 (Index)							
8 double-ended Screwdriver Bits							
◆ PH2-PZ2 (8x)	65	PC1a	8	5	851237	2 608 522 333	
◆ PH2-T20 (8x)	65	PC1a	8	5	851251	2 608 522 335	
◆ PH2-PH2 (8x)	65	PC1a	8	5	851275	2 608 522 337	
◆ PZ2-PZ2 (8x)	65	PC1a	8	5	851282	2 608 522 338	
○ T20-T20 (8x)	65	PC1a	8	5	851299	2 608 522 339	
○ T25-T25 (8x)	65	PC1a	8	5	851305	2 608 522 340	
○ T30-T30 (8x)	65	PC1a	8	5	851312	2 608 522 341	
○ T15-T20 (8x)	65	PC1a	8	5	851336	2 608 522 343	
◆ PH1-PH2	65	PC1a	8	5	851343	2 608 522 344	
◆ PH2-PH3							
◆ PH2-PZ2 (2x)							
◆ SL1x5.5							
○ T15-T20 (2x)							
○ T25-T30							
◆ PH2 (2x)	110	PC1a	8	5	851367	2 608 522 346	
◆ PZ2 (2x)							
○ T15, T20, T25, T30							
◆ PH2 (4x)	110	PC1a	8	5	851381	2 608 522 348	
◆ PZ2 (4x)							
○ T20 (4x)	110	PC1a	8	5	851398	2 608 522 349	
○ T25 (4x)							


Impact Control Double-Ended Bit Packs

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 8 (Index)						
8 double-ended Screwdriver Bits						
⊕ T15-T15 (8x)	65	PC1a	8	5	851329	2 608 522 342
Pack of 9 (Index)						
8 double-ended Screwdriver Bits and Magnetic Sleeve						
⊕ PH2-PZ2 (8x)	65	PC1a	9	5	851244	2 608 522 334
⊕ PH2-T20 (8x)	65	PC1a	9	5	851268	2 608 522 336
⊕ PH1-PH2	65	PC1a	9	5	851350	2 608 522 345
⊕ PH2-PH3						
⊕ PH2-PZ2 (2x)						
⊕ SL1x5.5						
⊕ T15-T20 (2x)						
⊕ T25-T30						
⊕ PH2 (2x)	110	PC1a	9	5	851374	2 608 522 347
⊕ PZ2 (2x)						
⊕ T15, T20, T25, T30						
Pack of 3 (Index)						
3 double-ended Screwdriver Bits						
⊕ PH2-PH2	150	PC1a	3	5	851480	2 608 522 358
⊕ T20-T20	150	PC1a	3	5	851503	2 608 522 360
⊕ T25-T25	150	PC1a	3	5	851510	2 608 522 361
Pack of 3 (Index)						
3 double-ended Screwdriver Bits						
⊕ PZ2-PZ2	150	PC1a	3	5	851497	2 608 522 359

PICK
CLICK



Impact Control Mixed Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pick and Click MultiConstruction Drill and Screwdriver Bit Pack						
PH2	50	PC1a	8	5	881746	2 608 577 144
PZ2	50					
T20, T25, T30	50					
HEX-9 MultiConstruction 5.0/6.0/8.0 mm						

Impact Control Nutsetters



PRODUCT PROPERTIES				ORDERING INFORMATION				
Length mm	Width across flat mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
Nutsetter with permanent magnet								
50	8	PC1a	1	5	851411	2 608 522 351		
50	10	PC1a	1	5	851428	2 608 522 352		
50	13	PC1a	1	5	851435	2 608 522 353		

Impact Control Sockets



PRODUCT PROPERTIES					ORDERING INFORMATION				
Width across flat mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Internal square drive 1/2", ISO 1174-1									
10	25	17.6	M 6	40	P1e	1	1	025768	1 608 552 012
11	25	18.9	M 7	40	P1e	1	1	088060	1 608 552 013
13	25	21.4	M 8	40	P1e	1	1	025775	1 608 552 015
17	30	26.6	M 10	40	P1e	1	1	025782	1 608 552 019
19	30	29.1	M 12	40	P1e	1	1	025799	1 608 552 021
21	19.5	27.8	-	77	P1e	1	1	813952	2 608 522 308
22	30	32.9	M 14	40	P1e	1	1	025805	1 608 555 024
24	30	35.4	M 16	45	P1e	1	1	088084	1 608 555 053
27	30	39.3	M 18	50	P1e	1	1	025812	1 608 555 059
30	30	43	M 20	50	P1e	1	1	088091	1 608 555 065

Socket Sets



PRODUCT PROPERTIES				ORDERING INFORMATION				
Width across flat mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
3-piece socket set								
17 19 21	85	1/2	M0a	3	1	704168	2 608 551 102	









Socket Sets



PRODUCT PROPERTIES				ORDERING INFORMATION				
Width across flat mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
9-piece socket set								
6 7 8 9 10 11 12 13 14	25	1/4	C0d	9	1	704113	2 608 551 096	
6 7 8 9 10 11 12 13 14	50	1/4	C0d	9	1	704120	2 608 551 097	
7 8 10 12 13 15 16 17 19	30	3/8	C0d	9	1	704137	2 608 551 098	
7 8 10 12 13 15 16 17 19	63	3/8	C0d	9	1	704144	2 608 551 099	
10 11 13 17 19 21 22 24 27	38	1/2	C0d	9	1	701075	2 608 551 100	
10 11 13 17 19 21 22 24 27	77	1/2	C0d	9	1	704151	2 608 551 101	









Extra Hard for Phillips cross head screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Drive ISO 1173 C6.3, 1/4" external hex shank							
	PH0	25	PC1d	3	5	300322	2 607 001 506
	PH1	25	PC1d	3	5	300346	2 607 001 508
	PH2	25	PC1d	3	5	300377	2 607 001 511
	PH3	25	PC1d	3	5	300414	2 607 001 515
	PH4	32	PC1d	3	5	300445	2 607 001 518
Display							
	PH2	25	P1a	25	10	980166	2 607 002 797
Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter bit drive end, suitable for countersinking screws							
	PH2R	25	POb	25	1	354462	2 607 002 519
Drive ISO 1173 C6.3, 1/4" external hex shank							
	PH1	51	PC1d	3	5	300469	2 607 001 520
	PH2	51	PC1d	3	5	300483	2 607 001 522
	PH3	51	PC1d	3	5	300506	2 607 001 524
Drive ISO 1173 E6.3, 1/4" external hex shank							
	PH1	49	PC1d	3	5	300520	2 607 001 526
	PH2	49	PC1d	3	5	300544	2 607 001 528
	PH3	49	PC1d	3	5	300575	2 607 001 531
	PH2	49	P1b	25	1	354301	2 607 002 503
Drive ISO 1173 E6.3, 1/4" external hex shank							
	PH1	89	PC1d	3	5	300599	2 607 001 533
	PH2	89	PC1d	3	5	300612	2 607 001 535
	PH3	89	PC1d	3	5	300636	2 607 001 537
Drive ISO 1173 E6.3, 1/4" hex shank with spring ring for screw gun MA55							
	PH2	145	PC1d	1	5	632850	2 608 522 068
Drive ISO 1173 E6.3, 1/4" hex shank							
	PH1	152	PC1d	1	5	300650	2 607 001 539
	PH2	152	PC1d	1	5	300667	2 607 001 540
	PH3	152	PC1d	1	5	300681	2 607 001 542

Extra Hard for Pozidriv cross head screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Drive ISO 1173 C6.3, 1/4" external hex shank							
PZ1	25	PC1d	3	5	300803	2 607 001 554	
PZ2	25	PC1d	3	5	300841	2 607 001 558	
PZ3	25	PC1d	3	5	300889	2 607 001 562	
PZ4	32	PC1d	3	5	300926	2 607 001 566	
 Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter							
PZ2R	25	P1b	25	1	354448	2 607 002 517	
 Drive ISO 1173 C6.3, 1/4" external hex shank							
PZ1	51	PC1d	3	5	300957	2 607 001 569	
PZ2	51	PC1d	3	5	300971	2 607 001 571	
PZ3	51	PC1d	3	5	300995	2 607 001 573	
 Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ1	49	PC1d	3	5	301015	2 607 001 575	
PZ2	49	PC1d	3	5	301039	2 607 001 577	
PZ3	49	PC1d	3	5	301053	2 607 001 579	
PZ2	49	P1b	25	1	354332	2 607 002 506	
PZ3	49	P1b	25	1	354349	2 607 002 507	
 Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ1	89	PC1d	3	5	301077	2 607 001 581	
PZ2	89	PC1d	3	5	301091	2 607 001 583	
PZ3	89	PC1d	3	5	301114	2 607 001 585	
 Drive ISO 1173 E6.3, 1/4" external hex shank with spring ring for screw gun MA55							
PZ2	145	PC1d	1	5	632867	2 608 522 069	
 Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ1	152	PC1d	1	5	301138	2 607 001 587	
PZ2	152	PC1d	1	5	301145	2 607 001 588	
PZ3	152	PC1d	1	5	301169	2 607 001 590	
 Display							
PZ2	25	P1a	25	10	980173	2 607 002 798	



Extra Hard for internal Torx® screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	



Drive ISO 1173 C6.3, 1/4" external hex shank						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	25	PC1d	3	5	301275	2 607 001 601
T10	25	PC1d	3	5	301305	2 607 001 604
T15	25	PC1d	3	5	301336	2 607 001 607
T20	25	PC1d	3	5	301374	2 607 001 611
T25	25	PC1d	3	5	301411	2 607 001 615
T27	25	PC1d	3	5	301459	2 607 001 619
T30	25	PC1d	3	5	301480	2 607 001 622
T40	25	PC1d	3	5	301510	2 607 001 625



Drive ISO 1173 C6.3, 1/4" external hex shank						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T25	25	P1k	25	25	798174	2 608 522 271



Drive ISO 1173 E6.3, 1/4" external hex shank						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	49	PC1d	1	5	301541	2 607 001 628
T9	49	PC1d	1	5	301565	2 607 001 630
T10	49	PC1d	1	5	301596	2 607 001 632
T15	49	PC1d	1	5	301602	2 607 001 634
T20	49	PC1d	1	5	301626	2 607 001 636
T25	49	PC1d	1	5	301640	2 607 001 638
T27	49	PC1d	1	5	301664	2 607 001 640
T30	49	PC1d	1	5	301688	2 607 001 642
T40	49	PC1d	1	5	301701	2 607 001 644



Drive ISO 1173 E6.3, 1/4" external hex shank						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	89	PC1d	1	5	301725	2 607 001 646
T10	89	PC1d	1	5	301749	2 607 001 648
T15	89	PC1d	1	5	301763	2 607 001 650
T20	89	PC1d	1	5	301787	2 607 001 652
T25	89	PC1d	1	5	301800	2 607 001 654
T27	89	PC1d	1	5	301824	2 607 001 656
T30	89	PC1d	1	5	301848	2 607 001 658
T40	89	PC1d	1	5	301862	2 607 001 660



Drive ISO 1173 E6.3, 1/4" external hex shank						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T8	152	PC1d	1	5	301886	2 607 001 662
T10	152	PC1d	1	5	301909	2 607 001 664
T15	152	PC1d	1	5	301923	2 607 001 666
T20	152	PC1d	1	5	301947	2 607 001 668
T25	152	PC1d	1	5	301961	2 607 001 670
T27	152	PC1d	1	5	301985	2 607 001 672
T30	152	PC1d	1	5	302005	2 607 001 674
T40	152	PC1d	1	5	302029	2 607 001 676

Extra Hard for internal Torx® screws



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Display							
T20	25	P1a	25	10	980180	2 607 002 799	
T25	25	P1a	25	10	980197	2 607 002 800	
T30	25	P1a	25	10	980203	2 607 002 801	
T40	25	P1a	25	10	980210	2 607 002 802	

Extra Hard for internal hex screws



Drive ISO 1173 C6.3, 1/4" external hex shank



HEX1.5	25	PC1d	3	5	302418	2 607 001 716
HEX2	25	PC1d	3	5	302432	2 607 001 718
HEX2.5	25	PC1d	3	5	302456	2 607 001 720
HEX3	25	PC1d	3	5	302470	2 607 001 722
HEX4	25	PC1d	3	5	302494	2 607 001 724
HEX5	25	PC1d	3	5	302517	2 607 001 726
HEX6	25	PC1d	3	5	302531	2 607 001 728
HEX8	25	P1c	3	10	302555	2 607 001 730



Drive ISO 1173 E6.3, 1/4" external hex shank

HEX3	49	PC1d	3	5	302579	2 607 001 732
HEX4	49	PC1d	3	5	302586	2 607 001 733
HEX5	49	PC1d	3	5	302593	2 607 001 734
HEX6	49	PC1d	3	5	302609	2 607 001 735

Extra Hard for internal square screws



Drive ISO 1173 C6.3, 1/4" external hex shank



R1	25	PC1d	3	5	447256	2 608 521 108
R2	25	PC1d	3	5	447263	2 608 521 109
R3	25	P1b	25	1	447300	2 608 521 113



Drive ISO 1173 E6.3, 1/4" external hex shank

R1	49	PC1d	3	5	447317	2 608 521 114
R2	49	PC1d	3	5	447324	2 608 521 115
R3	49	PC1d	3	5	447331	2 608 521 116

Extra Hard for slotted screws



Drive ISO 1173 C6.3, 1/4" external hex shank



S0.5x4.0	25	PC1d	3	5	299794	2 607 001 457
S0.6x4.5	25	PC1d	3	5	299817	2 607 001 459
S0.8x5.5	25	PC1d	3	5	299862	2 607 001 461
S1.0x5.5	25	PC1d	3	5	299893	2 607 001 464
S1.2x6.5	25	PC1d	3	5	299916	2 607 001 466

Extra Hard for slotted screws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S1.2x8.0	25	PC1d	3	5	299930	2 607 001 468
S1.6x8.0	25	PC1d	3	5	299978	2 607 001 471



Drive ISO 1173 E6.3, 1/4" external hex shank

S0.5x3.0	49	PC1d	3	5	299992	2 607 001 473
S0.5x4.0	49	PC1d	3	5	300018	2 607 001 475
S0.6x4.5	49	PC1d	3	5	300032	2 607 001 477
S0.8x5.5	49	PC1d	3	5	300056	2 607 001 479
S1.0x5.5	49	PC1d	3	5	300070	2 607 001 481
S1.2x6.5	49	PC1d	3	5	300094	2 607 001 483
S1.2x8.0	49	PC1d	3	5	300117	2 607 001 485
S1.6x8.0	49	PC1d	3	5	300131	2 607 001 487

Extra Hard 3-piece Screwdriver Bit Packs

► Slotted screw = S; Phillips = PH; Pozidriv = PZ; Torx® = T

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
3-piece screwdriver bit pack, Extra Hard version (PH)							
PH1, PH2, PH3	25	PC1d	3	5	302777	2 607 001 752	
PH1, PH2, PH3	89	PC1d	3	5	302821	2 607 001 757	
PH1, PH2, PH3	152	PC1d	3	5	302838	2 607 001 758	
3-piece screwdriver bit pack, Extra Hard version (PZ)							
PZ1, PZ2, PZ3	25	PC1d	3	5	302784	2 607 001 753	
PZ1, PZ2, PZ3	89	PC1d	3	5	302869	2 607 001 761	
PZ1, PZ2, PZ3	152	PC1d	3	5	302876	2 607 001 762	
3-piece screwdriver bit pack, Extra Hard version (S)							
S0.6x4.5, S0.8x5.5, S1.2x8.0	25	PC1d	3	5	302753	2 607 001 750	
3-piece screwdriver bit pack, Extra Hard version (Torx®)							
T8, T10, T15	89	PC1d	3	5	302845	2 607 001 759	
T8, T10, T15	152	PC1d	3	5	302883	2 607 001 763	
3-piece screwdriver bit pack, Extra Hard version (mixed)							
PH2	89	PC1d	3	5	302920	2 607 001 767	
PZ2							
T25							



Extra Hard 5-piece Screwdriver Bit Packs

► Torx® = T

5-piece screwdriver bit pack, Extra Hard version (Torx®)						
T10, T15, T20, T25, T30	25	PC1d	5	5	302937	2 607 001 768







Extra Hard Double-Ended Bit Packs

► Slotted screw = S, Phillips = PH, Pozidriv = PZ



PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
PH2	PH2	45	PC1d	1	5	302654	2 607 001 740	
PH2	PZ2	45	PC1d	1	5	302685	2 607 001 743	
PZ1	PZ1	45	PC1d	1	5	302661	2 607 001 741	
PZ2	PZ2	45	PC1d	1	5	302678	2 607 001 742	
S0.6x4.0	S0.6x4.0	45	PC1d	1	5	302616	2 607 001 736	
S1.0x6.0	S1.0x6.0	45	PC1d	1	10	302623	2 607 001 737	
PH2	S1.0x5.5	45	PC1d	1	5	302630	2 607 001 738	
PZ1, PZ2, PZ3	PZ1, PZ2, PZ3	60	PC1d	3	5	302746	2 607 001 749	
S0.6x4.5, S0.8x5.5, S1.2x6.5	PH1, PH2, PH3	60	PC1d	3	5	302715	2 607 001 746	
S1.2x6.5, S0.6x4.5, S0.8x5.5	PZ1, PZ2, PZ3	60	PC1d	3	5	302722	2 607 001 747	

Extra Hard Robust Line Screwdriver Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>8-piece Robust Line screwdriver bit set Sx, Extra Hard version Bit length 49 mm, ISO 1173 E6.3, without universal holder</p> <p>◆ PH1 (2x), PH2 (4x), PH3 (2x)</p>	49	P1k	8	5	401395	2 607 002 556	
 <p>8+1-piece Robust Line screwdriver bit set S, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>◆ PH1 (2x), PH2 (4x), PH3 (2x) + QC UH</p>	25	P1k	9	5	401432	2 607 002 560	
 <p>12+1-piece Robust Line screwdriver bit set M, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>◆ PH1, PH2, PH3</p> <p>○ PZ1, PZ2, PZ3</p> <p>⊕ T10, T15, T20, T25, T30, T40 + QC UH</p>	25	P1k	13	5	401463	2 607 002 563	
 <p>18+1-piece Robust Line screwdriver bit set L, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>◆ PH1, PH2 (3x), PH3</p> <p>○ PZ1, PZ2 (3x), PZ3</p> <p>⊕ T8, T10, T15, T20, T25, T27, T30, T40 + QC UH</p>	25	P1k	19	5	401500	2 607 002 567	

Extra Hard 11+1-piece Screwdriver Bit Sets



<p>11+1-piece screwdriver bit set, Extra Hard Bits, length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>◆ PH1, PH2, PH3</p> <p>○ PZ1, PZ2, PZ3</p> <p>⊕ T10, T15, T20, T25, T30</p>	25	C0a	12	12	704281	2 608 522 129
--	----	-----	----	----	--------	---------------

Extra Hard 25-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
25-piece screwdriver bit set, with magnetic universal holder						
PH1, PH2 (2x), PH3	25	P1k	25	5	557382	2 607 017 037
PZ1, PZ2 (2x), PZ3	25					
T10, T15, T20 (2x), T25, T27, T30, T40	49					
PH2	49					
PZ2	49					
T10, T15, T20, T25, T30, T40 + UH	49					

Extra Hard 32-piece Screwdriver Bit Sets



32-piece screwdriver bit set with quick-change universal holder						
PH1, PH2 (2x), PH3	25	P1k	32	10	761734	2 607 017 319
PZ1, PZ2 (2x), PZ3						
HEX 3/4/5/6						
T10, T15, T20 (2x), T25, T27, T30, T40						
S 3/4/5/6						
Th 10/15/20/25/27/30/40						

Extra Hard 37-piece Screwdriver Bit Sets



PH1, PH2, PH3	75	M0a	37	1	761987	2 607 017 320
PZ1, PZ2, PZ3						
SL6						
Th 10/15/20/25/27/30/40						
HEX 3/4/5/6						
TW1, TW2, TW3, TW4						
SP6, SP8, SP10						

Extra Hard 43-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
43-piece screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
<ul style="list-style-type: none"> ◆ PH1, PH2 (2x), PH3 ◆ PZ1, PZ2 (2x), PZ3 ◆ SL3, SL4, SL5, SL6 ○ H3, H4, H5, H6 ⊕ T10, T15, T20 (2x), T25, T27, T30, T40 ⊕ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40 ◆ PH2 ○ PZ2 ◆ SL6 ○ T15, T20, T25 <p>Nutsetter with permanent magnet for hex screws 6 mm, 8 mm, 10 mm</p>	25 25 25 25 25 75 75 75 75 48-50 	PC1b	43	6	669702	2 607 017 164

Extra Hard Mixed Sets







35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
<ul style="list-style-type: none"> ◆ PH1, PH2, PH3 ◆ PZ1, PZ2, PZ3 ◆ S 3/4/5/6 ○ HEX 3/4/5/6 ⊕ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40 <p>Nutsetter 8/10/13 mm</p> <p>CYL-3 3.0/4.0/5.0/5.5/6.0/8.0 mm</p> <p>Double blade PH2/PZ2</p> <p>Double blade Th20/Th25</p>	25 25 25 25 50 70; 75; 85; 85; 100 ;150 60 60	PC1a	35	6	771474	2 607 017 326



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
<ul style="list-style-type: none"> ◆ PH1, PH2, PH3 ◆ PZ1, PZ2, PZ3 ◆ S 3/4/5/6 ○ HEX 3/4/5/6 ⊕ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40 <p>Nutsetter 6/8/10 mm</p> <p>HSS 2.0/3.0/4.0/5.0/6.0/8.0 mm</p> <p>Double blade PH2/PZ2</p> <p>Double blade Th20/Th25</p>	25 25 25 25 50 67; 72; 87; 97; 102; 112 60 60	PC1a	35	6	771481	2 607 017 327

Extra Hard Mixed Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
 <ul style="list-style-type: none"> ◆ PH1, PH2, PH3 ◆ PZ1, PZ2, PZ3 ◆ S 3/4/5/6 ○ H3, H4, H5, H6 ● T10, T15, T20 (2x), T25, T27, T30, T40 Nutsetter 8/10/13 mm HSS-G 2.5/3.0/3.5/4.0/5.0/6.0 mm Double blade PH2/PZ2 Double blade Th20/Th25 	25 25 25 25 50 70; 74; 83; 88; 99; 105 60 60	PC1a	35	6	771498	2 607 017 328
20-piece drill and screwdriver bit set, with HSS drill bits and spanner						
 <ul style="list-style-type: none"> ◆ PH2 (2x) ◆ PZ2 ◆ S5 ○ HEX4, HEX5 ○ T15, T20, T25 HSS 2.0/2.5/3.0/3.5 mm Tool holder Sleeve with countersink Shank Wrench 	25 25 25 25 25 16; 20; 24; 30 85 27 39 107	PC1b	20	6	792820	2 607 002 786
11-piece screwdriver bit set with metal flexible extension (200mm)						
 <ul style="list-style-type: none"> ◆ PH1, PH2, PH3 ◆ PZ2 ○ HEX4, HEX5 ○ T20, T25 ◆ SL0.6x4.5, SL0.8x5.5 	25 25 25 25 25 25 25 25	PC1a	11	1	909518	2 608 522 376
11-piece screwdriver bit set with plastic flexible extension (300mm)						
 <ul style="list-style-type: none"> ◆ PZ1, PZ2, PZ3 ◆ PZ2 ○ HEX4, HEX5 ◆ T20, T25 ◆ SL0.6x4.5, SL0.8x5.5 	25 25 25 25 25 25 25 25	PC1a	11	1	909525	2 608 522 377

Extra Hard Nutsetters for Hex Screws

PRODUCT PROPERTIES					ORDERING INFORMATION				
Length mm	Width across flat mm	Width across flat inches	Diameter (D1) mm	For thread	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nutsetter with permanent magnet									
50	6	-	-	M 3.5	PC1a	1	5	081474	2 608 550 069
50	7	-	-	M 4	PC1a	1	5	081481	2 608 550 070
50	8	-	-	M 5	PC1a	1	5	084987	2 608 550 080
50	10	-	-	M 6	PC1a	1	5	084994	2 608 550 081
50	12	-	-	M 7	PC1a	1	5	103251	2 608 550 090
50	13	-	-	M 8	PC1a	1	5	081498	2 608 550 071
50	17	-	-	M 10	PC1a	1	5	081504	2 608 550 072
50	-	1/4	-	-	PC1a	1	5	081511	2 608 550 073
50	-	3/8	-	-	PC1a	1	5	085007	2 608 550 082



Nutsetter with permanent magnet
In conjunction with depth stops 3 600 552 506 and 3 600 552 507
GSR 6-25 TE Professional

65	6	-	10	M 3.5	PC1a	1	5	044530	2 608 550 040
65	7	-	11.6	M 4	PC1a	1	5	044547	2 608 550 041



Nutsetter with permanent magnet
In conjunction with depth stop 2 607 002 586
GSR 6-25 TE (0 601 441 3..) Professional

65	5.5	-	11	M 3	PC1a	1	1	409926	2 608 550 557
65	6	-	11	M 3.5	PC1a	1	5	409933	2 608 550 558
65	7	-	12	M 4	PC1a	1	5	409940	2 608 550 559
65	8	-	13	M 5	PC1a	1	5	409957	2 608 550 560
65	10	-	14	M 6	PC1a	1	5	409964	2 608 550 561
65	-	1/4	12	-	PC1a	1	5	409971	2 608 550 562
65	-	5/16	13	-	PC1a	1	5	409988	2 608 550 563
65	-	3/8	14	-	PC1a	1	5	409995	2 608 550 564

Extra Hard Nutsetter Sets for Hex Screws

PRODUCT PROPERTIES				ORDERING INFORMATION				
Length mm	Width across flat mm	Shank inch		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece nutsetter pack								
Nutsetter with permanent magnet								
50	8	1/4		PC1a	3	5	700955	2 608 551 078
	10							
	13							



Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width across flat mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece nutsetter set							
Nutsetter with permanent magnet							
50	6 7 8 10 12 13	1/4	C0a	6	10	700962	2 608 551 079

Universal holders with 1/4" external hex shank

► Universal holders with 1/4" external hex shank manufactured to ISO 1173 E6.3



PRODUCT PROPERTIES			ORDERING INFORMATION				
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Universal Holder with quick-change chuck and permanent magnet							
1/4	60	-	PC1a	1	5	851107	2 608 522 320



Universal Holder with permanent magnet							
1/4	60	-	PC1a	1	5	851114	2 608 522 321



Universal Holder with one-click function and permanent magnet							
1/4	60	14	PC1a	1	1	818049	2 608 522 318
			P0b	10	1	818056	2 608 522 319



Universal holder with permanent magnet, without spring ring							
1/4	55	10	PC1a	1	1	818025	2 608 522 316
			P0b	10	1	818032	2 608 522 317



Universal holder with permanent magnet and spring ring In conjunction with depth stop T9 (2 607 002 586) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3 GSR 6-25 TE (0 601 441 3..) Professional							
1/4	57	11	PC1a	1	5	409896	2 607 002 584



Universal holder with permanent magnet and spring ring In conjunction with depth stop T8 (2 607 002 585) or depth stop T4 (2 607 000 156) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3 GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3..); GSR 18.0 V-EC TE (0 601 9C8 0.); GTB 12V-11 (0 601 9E4 0..) Professional							
1/4	75	11	PC1a	1	5	039000	2 607 000 157

Universal holders with SDS plus shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1/4	78	11	PC1a	1	5	043373	2 607 000 206



Universal holder

with permanent magnet and spring ring

GBH; GBH 24 VFR; GBH 24 VR; GBH 36.0 V-EC Compact; GBH 36.0 V-LI; GBH 36.0 VF-LI; GBH F Professional; PBH 2 R; PBH 160 R; PBH 200 RE

Adapter for Screwdriver Bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
--------------------	--	--	----------------------	--	--	--	--

Length mm	Shank	External square drive end, inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for sockets SDS plus shank							
-	SDS plus	1/2	U0	1	1	080026	2 608 598 037



Adapter for sockets
1/4" external hex shank drive, ISO 1173 C6.3

50	1/4" external hex	1/4	PC1a	1	5	704236	2 608 551 109
50	1/4" external hex	1/2	PC1a	1	5	704212	2 608 551 107
50	1/4" external hex	3/8	PC1a	1	5	704229	2 608 551 108



Adapter for screwdriver bits
1/2" internal square drive

50	1/2" internal square	1/2	PC1a	1	5	704243	2 608 551 110
----	----------------------	-----	------	---	---	--------	----------------------



Magnetic Sleeve provides firm hold of screws to screwdriver bit
Suitable for Impact Control double-ended bits

-	-	-	PC1a	1	5	851442	2 608 522 354
---	---	---	------	---	---	--------	----------------------



Depth stops for Bosch drill/drivers

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Depth stop with sealing ring

In conjunction with universal holder 2 607 000 157

GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional

	P0b	1	1	409902	2 607 002 585
--	-----	---	---	--------	----------------------



Depth stop without sealing ring

In conjunction with nutsetter 2 608 550 557 - 2 608 550 563.

In conjunction with universal holder 2 607 002 584.

GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional

	P0b	1	1	409919	2 607 002 586
--	-----	---	---	--------	----------------------

SDS CHISELS

Remove material more effectively.


The best your tool can get. Bosch Professional Accessories.



CHISEL WITH SDS PLUS SHANK

The right chisel for any application.

152
3



Page number	154	154	155	155
Total length mm	250	140 / 250	250	140 / 250
Cutting edge mm	-	-	20	20


MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓

POINTED CHISEL WITH SDS-PLUS SHANK

High demolition power.

154
3



Pointed Chisels with SDS plus Shank



► For use via SDS plus chisel attachment or directly in SDS plus hammers with rotation stop.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
250	P1e	1	1	370936	2 608 390 576	
	C0a	5	1	293136	2 607 019 051	
140	P1e	1	1	608398	2 608 690 176	
	250	P1e	1	506489	2 608 690 145	
	U0	10	1	462792	2 608 690 132	
250	P1e	1	1	006347	1 618 600 005	



Pointed chisel, Long Life with 30% longer lifetime and 15% higher material removal rate
SDS plus pointed chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming



Pointed chisel
SDS plus pointed chisel provides standard chiselling in concrete and brick for various renovation and restoration jobs



Pointed chisel for rotary hammers without rotation stop
SDS plus pointed chisel without Rotation stop for standard chiselling in concrete and brick

Flat Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Flat chisel, Long Life with 30% longer lifetime and 15% higher material removal rate SDS plus flat chisel is ideal for various applications in concrete with less jamming and more progress							
250	20	P1e	1	1	308908	2 609 390 394	
		C0a	5	1	293143	2 607 019 052	
Flat chisel SDS plus flat chisel provides standard chiselling for various renovation and restoration jobs							
140	20	P1e	1	1	608404	2 608 690 177	
250	20	P1e	1	1	506472	2 608 690 144	
		U0	10	1	462785	2 608 690 131	

Spade Chisels with SDS plus Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate The SDS plus spade chisel delivers a high material removal rate in masonry and mortar						
250	40	P1e	1	1	425940	2 608 690 101
250	60	P1e	1	1	425957	2 608 690 102
Spade chisel SDS plus spade chisel offers standard chiselling for various renovation and restoration jobs						
140	40	P1e	1	1	608411	2 608 690 178
250	40	P1e	1	1	506496	2 608 690 146
		U0	5	1	462808	2 608 690 133

Tile Chisels with SDS plus Shank



Tile chisel, angled, self-sharpening, Long Life with 30% higher material removal rate SDS plus tile chisel delivers clean and fast removal of wall and floor tiles						
260	40	P1e	1	1	328012	2 608 690 091

Hollow Gouging Chisels with SDS plus Shank



Hollow gouging chisel Hollow gouging capabilities allow chiselling through concrete and brick						
250	22	P1e	1	1	015844	1 618 601 004

Winged Gouging Chisels with SDS plus Shank



Winged gouging chisel/Gouging chisel SDS plus winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick						
250	22	P1e	1	1	086738	2 608 690 007

Pointing Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pointing chisel, carbide-tipped SDS plus carbide-tipped pointing chisel provides easy mortar removal with a very long lifetime						
130	32	P1e	1	1	045803	1 608 690 014
200	32	P1e	1	1	045810	1 608 690 015

Wood Chisels with SDS plus Shank



Wood chisel SDS plus wood chisel delivers fast chiselling in soft wood						
175	20	P1e	1	1	086721	2 608 690 006

Mortar Raking Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Mortar Raking Chisel For removing mortar between bricks						
200	6.5	P2e	1	1	790505	2 608 690 200
200	9.5	P2e	1	1	790512	2 608 690 201

Rod Drivers with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Rod driver, 13 mm diameter SDS plus rod driver is ideal for easily driving nails into wood or the ground with a power tool						
58		P1e	1	1	086769	2 608 690 010

Chisel Attachment MV 200 SDS plus



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
MV 200 chisel attachment for Bosch hammers with SDS plus holder, without Vario-Lock system		P1e	1	1	081276	2 607 018 296

Chisel Sets with SDS plus shank




PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS plus Chisel Set, 3-Piece, offers flat, pointed and tile chisels for various applications in several materials						
1 pointed chisel 250 mm, Long Life (2 609 390 576)						
1 tile chisel 260 mm, self-sharpening (2 608 690 091)						
1 flat chisel 250 mm, Long Life (2 609 390 394)						
250	0	P1c	3	1	334488	2 607 019 159
260	40					
250	20					
SDS plus Stubby Chisel Set, 3-Piece: standard chiselling for various renovation/restoration jobs in concrete and brick						
Pointed chisel 140 mm						
Flat chisel 140x20 mm						
Spade chisel 140x40 mm						
140	20	P1e	3	1	610681	2 608 690 180
140	40					
140						

CHISEL WITH SDS MAX SHANK

The right chisel for any application.

158
3



	163	163	163	163
Page number	163	163	163	163
Total length mm	400	280 / 300 / 400 / 600	400	280 / 300 / 400 / 600
Cutting edge mm	-	-	25	25

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓



Toothed chisel Excavation chisel Asphalt cutter Earth rod driver Tamping plate Steel teeth bush hammer head Carbide teeth bush hammer head Toolholder head

165	165	165	166	166	166	166	166
300	400	400	260	-	-	-	220
32	110	90	13 / 16.5	-	-	-	-
-	-	-	-	120 x 120 / 150 x 150	60 x 60	50 x 50	-
-	-	-	-	-	-	-	-
-	-	-	-	-	✓	✓	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	✓	-	-	✓	-	-	-
-	-	✓	-	-	✓	✓	-
-	-	-	✓	-	-	-	-
✓	-	-	-	-	-	-	-

Chisels for heavy rotary and demolition hammers

162
3

EXPERT SDS Clean for Pointed Chiselling set

EXPERT



- ▶ Ideal for breaking up concrete when carrying out heavy-duty demolition jobs.
- ▶ Best choice for demolition workers: Dust Reduction.
- ▶ Up to 25x better dust reduction compared to SDS max chisels without the adapter.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Extendable GDE Clean max Flat Chisel Adapter	P1e	1	1	590233	2 608 901 476

EXPERT SDS Clean for Flat Chiselling set

EXPERT



- ▶ Ideal for breaking up concrete when carrying out heavy-duty demolition jobs.
- ▶ Best choice for demolition workers: Dust Reduction.
- ▶ Up to 25x better dust reduction compared to SDS max chisels without the adapter.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Extendable GDE Clean max Pointed Chisel Adapter	P1e	1	1	590240	2 608 901 477

Pointed Chisels RTec Speed with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
RTec Speed pointed chisel, self-sharpening with 30% higher material removal rate SDS max RTec Speed pointed chisel is ideal for precision jobs in concrete						
400	25	P1e	1	1	533621	2 608 690 167
		COa	10	1	533638	2 608 690 168



Pointed Chisels with SDS max Shank



Pointed chisel
SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
280	25	P1e	1	1	047272	1 618 600 023
		U0	10	1	462778	2 608 690 130
300	25	P1e	1	1	038942	1 618 600 015
		U0	10	1	462754	2 608 690 128
400	25	P1e	1	1	506458	2 608 690 142
		U0	10	1	462754	2 608 690 128
600	25	P1e	1	1	022118	1 618 600 012
		U0	5	1	462761	2 608 690 129



Pointed chisel SDS max
SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
600	25	COa	10	1	855457	2 608 690 236

Flat Chisels RTec Sharp with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
RTec Sharp flat chisel, self-sharpening, Long Life with 100% higher material removal rate SDS max RTec Sharp flat chisel is ideal for various applications in concrete						
400	25	P1e	1	1	460385	2 608 690 124
		COa	10	1	530200	2 608 690 166



Flat Chisels with SDS max Shank



Flat chisel
SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
280	25	P1e	1	1	047296	1 618 600 210
		U0	10	1	462747	2 608 690 127
300	25	P1e	1	1	038966	1 618 600 204
		U0	10	1	462723	2 608 690 125
400	25	P1e	1	1	506441	2 608 690 141
		U0	10	1	462723	2 608 690 125
600	25	P1e	1	1	022132	1 618 600 203
		U0	5	1	462730	2 608 690 126



Flat chisel SDS max
SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick

Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	25	COa	10	1	855464	2 608 690 237

Flat Chisels with SDS max Shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
600	25	C0a	10	1	855471	2 608 690 238

Spade Chisels with SDS max Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate
 The SDS max spade chisel delivers a high material removal rate in masonry and mortar



350	50	P1e	1	1	397315	2 608 690 097
		C0a	5	1	402996	2 608 690 099
400	80	P1e	1	1	670135	2 608 690 198
400	115	P1e	1	1	670142	2 608 690 199



Spade chisel
 SDS max spade chisel offers standard chiselling for various demolition applications in concrete and brick

300	80	P1e	1	1	033398	1 618 601 008
350	115	P1e	1	1	022156	1 618 601 007
400	50	P1e	1	1	506465	2 608 690 143
		U0	5	1	605786	2 608 587 184

Tile Chisels with SDS max Shank



Tile chisel, self-sharpening, Long Life with 30% higher material removal rate
 SDS max tile chisel is ideal for the clean removal of wall and floor tiles



300	50	P1e	1	1	397322	2 608 690 098
		C0a	5	1	403009	2 608 690 100



Tile chisel
 SDS max tile chisel is equipped for the standard removal of wall and floor tiles

300	80	P1e	1	1	052979	1 618 601 019
-----	----	-----	---	---	--------	---------------

Hollow Gouging Chisel with SDS max Shank



Hollow gouging chisel
 SDS max hollow gouging chisel is ideal for easily cutting narrow channels in concrete



300	26	P1e	1	1	022163	1 618 601 101
-----	----	-----	---	---	--------	---------------

Gouging Chisels with SDS max Shank



Gouging chisel
 SDS max gouging chisel is ideal for easily cutting narrow channels in brick



300	32	P1e	1	1	022170	1 618 601 102
-----	----	-----	---	---	--------	---------------

Winged Gouging Chisel with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
380	35	P1e	1	1	069380	2 608 690 000



Winged gouging chisel

SDS max winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick

Pointing Chisels, Carbide-tipped with SDS max Shank



Pointing chisel, carbide-tipped

SDS max carbide-tipped pointed chisel offers easy mortar removal with a very long lifetime

280	38	P1e	1	1	058414	2 607 990 010
-----	----	-----	---	---	--------	---------------



Toothed Chisels with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	32	6.5	P1e	1	1	022194	1 618 601 302



Toothed chisel

SDS max toothed chisel provides easy removal of mortar and plaster

Excavation Chisels with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	110	P1e	1	1	049283	1 618 601 017



Excavation chisel

SDS max excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible

Asphalt Cutters with SDS max Shank



Asphalt cutter

SDS max asphalt cutter is ideal for the targeted breaking up of road surfaces to restore asphalt covering

400	90	P1e	1	1	079761	2 608 690 003
-----	----	-----	---	---	--------	---------------



Earth Rod Drivers with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Earth rod driver						
The SDS max earth rod driver is intended for use in soil and the ground						
260	13	P1e	1	1	079778	2 608 690 004
260	16.5	P1e	1	1	079785	2 608 690 005



Toolholders for Tamping Plates and Bush Hammer Heads with SDS max Shank




PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Toolholder for tamping plate and bush hammer head with SDS max shank						
220		P1e	1	1	022200	1 618 609 003



Tamping Plates



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tamping plate for toolholder 1 618 609 003						
120 x 120		PC1c	1	1	029339	1 618 633 101
150 x 150		PC1c	1	1	029346	1 618 633 102



Bush Hammer Heads



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Number of teeth	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Carbide Teeth Bush Hammer Head for toolholder 1 618 609 003						
The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt						
50 x 50	5 x 5	C0a	1	1	608428	2 608 690 179




Bush Hammer Heads




PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Number of teeth	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Steel Teeth Bush hammer head for toolholder 1 618 609 003						
The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt						
60 x 60	7 x 7	PC1c	1	1	029032	1 618 623 206
60 x 60	5 x 5	PC1c	1	1	029025	1 618 623 205

Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm)

Flat Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Flat chisel for various demolition applications in concrete and brick					
400	22	P0b	1	1	029070	1 618 630 003

Spade Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)

	Spade chisel offers standard chiselling for various demolition applications in concrete and brick					
400	50	P0b	1	1	029117	1 618 630 007

Chisels with 19 mm Hex Shank

Pointed Chisels with 19 mm hex shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pointed chisel delivers standard chiselling for various demolition applications in concrete and brick						
300		P0b	1	1	029049	1 618 630 000
400		P0b	1	1	029056	1 618 630 001

Flat Chisels with 19 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flat chisel provides standard chiselling for various demolition applications in concrete and brick						
300	25	P0b	1	1	029193	1 618 630 200
400	25	P0b	1	1	029209	1 618 630 201

Spade Chisels with 19 mm Hex Shank



Spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
450	60	P0b	1	1	029247	1 618 631 001

Chisels with 22 mm Hex Shank

170
3

Pointed Chisels with 22 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
400		U0	1	1	670036	2 608 690 188	



Self-sharpening pointed chisel
Pointed chisel delivers a constantly high material removal rate and an efficient work flow

Flat Chisels with 22 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
400	30	U0	1	1	670050	2 608 690 190	



Self-sharpening flat chisel
SDS hex flat chisel is ideal for various applications in concrete with less jamming and more progress

Spade Chisels with 22 mm Hex Shank



► **Appropriate for** HILTI TE-S system

Self-sharpening spade chisel
The spade chisel delivers a high material removal rate in masonry and mortar



400	80	U0	1	1	670081	2 608 690 193
400	115	U0	1	1	670098	2 608 690 194

Excavation Chisels with 22 mm Hex Shank



Excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible



400	125	U0	1	1	670104	2 608 690 195
-----	-----	----	---	---	--------	---------------

Earth Rod Drivers with 22 mm Hex Shank




Earth rod driver is ideal for driving earth rods for lightning conductors or tent anchors



300	25	U0	1	1	670111	2 608 690 196
-----	----	----	---	---	--------	---------------

Tamping Plates



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Tamping plate for toolholder 1 618 609 003						
120 x 120	PC1c	1	1	029339	1 618 633 101	
150 x 150	PC1c	1	1	029346	1 618 633 102	

Chisels with 28 mm Hex Shank

172
3

Pointed Chisels with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate							
400		U0	1	1	425995	2 608 690 106	
Pointed chisel has a pointed tip for precise adjustment work in concrete							
400		U0	1	1	029407	1 618 660 000	
520		U0	1	1	042543	1 618 600 019	



Flat Chisels with 28 mm Hex Shank




PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
400	35	U0	1	1	426015	2 608 690 108	
520	35	U0	1	1	042550	1 618 600 206	



Spade Chisels with 28 mm Hex Shank



Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
400	80	U0	1	1	029414	1 618 661 000



Spade chisel, rounded Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
400	135	U0	1	1	029421	1 618 662 000

Asphalt Cutters with 28 mm Hex Shank



Asphalt cutter is ideal for the targeted breaking up of road surfaces						
500	125	U0	1	1	042574	1 618 601 011



Earth Rod Drivers with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300		U0	1	1	042604	1 618 609 005

Earth rod driver
for hammering in rods and rings up to 1" (25.4 mm) head diameter.

Transport Carts



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		U0	1	1	042642	1 610 795 007

Transport cart for USH/GSH 27
USH/GSH 27 Professional

Chisels with 30 mm Hex Shank

174
3

Pointed Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate							
400		U0	1	1	426046	2 608 690 111	



Flat Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
400	35	U0	1	1	426053	2 608 690 112	



Spade Chisels with 30 mm Hex Shank



Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
450	75	U0	1	1	426060	2 608 690 113



Spade chisel, rounded Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
400	135	U0	1	1	426039	2 608 690 110

Asphalt Cutters with 30 mm Hex Shank



Asphalt cutter is ideal for the targeted breaking up of road surfaces						
450	125	U0	1	1	426077	2 608 690 114



Grease for Drill and Chisel Shank Ends



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Grease for drill and chisel shank ends	Ensures optimal function and increases longevity of drill and chisel bits				
	C2h	1	8	560465	2 608 002 021



DIAMOND ACCESSORIES

Cut, grind, and drill in the toughest materials.

The best your tool can get. Bosch Professional Accessories.

4

177



DIAMOND CUTTING DISCS CERAMIC

For angle grinders.

178
4

Hard Ceramic

Best for Ceramic Extraclean
Turbo

Standard for Ceramic

EXPERT

Page number	185	187	188
Diameter mm	76 - 125	115 - 125	110 - 230
Cutting width mm	1.4 - 1.9	1.4 - 1.8	1.6
Bore diameter	10.0 / 22.23	22.23	22.23
X-LOCK	✓	✓	✓

MATERIALS

Hard Ceramic (Porcelain tiles)	✓	-	-
Drywall board, fiber cement board	✓	✓	✓
Ceramic tiles	✓	✓	✓
Polystyrene, cardboard	✓	✓	✓

DIAMOND CUTTING DISCS STONE

For angle grinders.



Best for Stone

Standard for Stone

Page number	189	189
Diameter mm	115 - 300	115 - 300
Cutting width mm	2.2 - 2.8	1.6 - 3.1
Bore diameter	22.23	22.23

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For angle grinders.

180
4



	Multi Material Discs EXPERT	Best for Universal Turbo	Standard for Universal
Page number	190	192	195
Diameter mm	115 – 300	115 – 230	115 – 300
Cutting width mm	2.2 – 2.8	2.2 – 2.5	2.0 – 3.3
Bore diameter	22.23	22.23	22.23
X-LOCK	✓	-	✓

MATERIALS

Building site material	✓	✓	✓
Concrete	✓	✓	✓
Reinforced concrete	✓	-	✓
Brick	✓	✓	✓
Sand-, limestone	✓	✓	✓
Rooftile	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products



Standard for Universal Turbo



Eco for Universal



Eco for Universal Turbo

194	192	193
115 - 300	115 - 230	115 - 230
2.0 - 3.0	2.0 - 3.3	2.0 - 3.0
22.23	22.23	22.23
-	-	-
✓	✓	✓
✓	✓	✓
-	✓	-
✓	✓	✓
✓	✓	✓
✓	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For angle grinders.

182
4



Best for Concrete



Standard for Concrete

Page number	196	196
Diameter mm	115 - 300	115 - 300
Cutting width mm	2.2 - 2.8	1.6 - 3.1
Bore diameter	22.23	22.23

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

* Only cut through reinforcement if approval has been given by a structural engineer.

DIAMOND CUTTING DISCS MARBLE

For angle grinders.



Best for Marble



Standard for Marble

Page number	197	197
Diameter mm	115 – 230	115 / 230
Cutting width mm	2.2	2.2 / 2.8
Bore diameter	22.23	22.23

MATERIALS

Marble	✓	✓
Limestone	✓	✓
Perspex	✓	✓

DIAMOND CUTTING DISCS ABRASIVE

For angle grinders.

184
4



Best for Abrasives



Standard for Abrasives

Page number	198	198
Diameter mm	115 - 230	115 - 230
Cutting width mm	2.2 - 2.4	1.6 / 2.3
Bore diameter	22.23	22.23

MATERIALS

Limestone / sandstone	✓	✓
Brick	✓	✓
Fresh concrete	✓	✓
Porous concrete	✓	✓
Rooftile	✓	✓


HIGH PRECISION CUTTING TILES

EXPERT HardCeramic X-LOCK Discs

ASSORTMENT: Ø 85 mm – 125 mm


EXPERT

- 1 Clean, high quality cutting with Bosch Diamond Technology
- 2 Efficient thin blade cuts smoothly and stays cool
- 3 Chip-free cut with purpose-designed Continuous Rim
- 4 Reinforced centre reduces vibration for cleaner cut



EXPERT HardCeramic X-LOCK Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	●	C1a	1	1	539911	2 608 900 656
115	22.23	1.4	10	●	C1a	1	1	539928	2 608 900 657
125	22.23	1.4	10	●	C1a	1	1	539935	2 608 900 658

EXPERT HardCeramic Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



UP TO
2x




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	C1a	1	1	539881	2 608 900 653
115	22.23	1.4	10	C1a	1	1	539898	2 608 900 654
125	22.23	1.4	10	C1a	1	1	539904	2 608 900 655

EXPERT HardCeramic 76 mm Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- ▶ With 10 mm bore for mini grinder.



UP TO
2x




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
76	10.00	1.5	10	PC1b	1	1	539874	2 608 900 652

BEST FOR CERAMIC EXTRACLEAN TURBO

Focus on cutting speed.

4 187



FAST CUT

Sintered cutting rim

REDUCED CHIPPING

Turbo design

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Diamond cutting discs Best for Ceramic Extraclean Turbo

best **Ceramic** extraclean

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinders.
- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	933292	2 608 615 131
125	22.23	1.4	7	C1c	1	1	933308	2 608 615 132



Diamond cutting discs Best for Ceramic Extraclean Turbo

best Ceramic extraclean

- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	518086	2 608 602 478
125	22.23	1.4	7	C1c	1	1	518093	2 608 602 479



X-LOCK Diamond cutting discs Standard for Ceramic

standard Ceramic

- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.



Pack of 1								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
110	22.23	1.6	7.5	C1c	1	1	933346	2 608 615 136
115	22.23	1.6	7	C1c	1	1	933353	2 608 615 137
125	22.23	1.6	7	C1c	1	1	933360	2 608 615 138



Diamond cutting discs Standard for Ceramic

standard Ceramic

- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.



Pack of 1								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
110	22.23	1.6	7.5	C1c	1	1	576390	2 608 602 535
115	22.23	1.6	7	C1c	1	1	441292	2 608 602 201
125	22.23	1.6	7	C1c	1	1	441308	2 608 602 202
150	22.23	1.6	7	C1c	1	1	441315	2 608 602 203
180	22.23	1.6	7	C1c	1	1	441322	2 608 602 204
230	22.23	1.9	7	C1c	1	1	441339	2 608 602 205



Pack of 10								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.6	7	C0a	10	1	665735	2 608 603 231
125	22.23	1.6	7	C0a	10	1	665742	2 608 603 232

Diamond cutting discs Best for Stone

best ^{for} Stone



long LIFE fast CUT



- ▶ For extremely hard stone such as granite.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height enables a long lifetime, even in the most demanding materials (valid for 230 mm and 300 mm diameter discs).
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581479	2 608 602 641
125	22.23	2.2	12	C1c	1	1	581486	2 608 602 642
150	22.23	2.4	12	C1c	1	1	581493	2 608 602 643
180	22.23	2.4	12	C1c	1	1	581509	2 608 602 644
230	22.23	2.4	15	C1c	1	1	581516	2 608 602 645

Diamond cutting discs Standard for Stone

standard ^{for} Stone



- ▶ For hard materials such as granite, natural stone.
- ▶ Sintered diamond cutting segments.



Pack of 1								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.6	10	C1c	1	1	581035	2 608 602 597
125	22.23	1.6	10	C1c	1	1	581042	2 608 602 598
150	22.23	2	10	C1c	1	1	581059	2 608 602 599
180	22.23	2	10	C1c	1	1	581066	2 608 602 600
230	22.23	2.3	10	C1c	1	1	581073	2 608 602 601
300	22.23	3.1	10	C1a	1	1	586412	2 608 602 698
Pack of 10								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	22.23	2	10	C0a	10	1	665797	2 608 603 237
230	22.23	2.3	10	C0a	10	1	665803	2 608 603 238

LONG LIFE CUTTING CONSTRUCTION MATERIALS

EXPERT MultiMaterial Discs

ASSORTMENT: Ø 115mm - 450mm


EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Low Friction Segments designed to minimise wear on sides
- 3 Segments laser-welded to steel body for the strongest connection



EXPERT MultiMaterial X-LOCK Diamond Cutting Discs

EXPERT




- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.4	12	●	C1a	1	1	540047	2 608 900 669
125	22.23	2.4	12	●	C1a	1	1	540054	2 608 900 670

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.2	12	C1b	1	1	539942	2 608 900 659
125	22.23	2.2	12	C1b	1	1	539959	2 608 900 660
150	22.23	2.4	12	C1b	1	1	539966	2 608 900 661
180	22.23	2.4	12	C1b	1	1	539973	2 608 900 662
230	22.23	2.4	15	C1b	1	1	539980	2 608 900 663
300	22.23	2.8	15	C1d	1	1	539997	2 608 900 664

EXPERT MultiMaterial X-LOCK Turbo Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting various materials, such as concrete, bricks, soft stone, and roof tiles, eg when cutting stone paving slabs and masonry materials.
- ▶ Ideal for construction workers: durable and precise.
- ▶ Lasts up to 2x longer than Bosch Eco for Universal Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.




PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	2.4	12	●	PC1b	1	1	631530	2 608 901 597
115	22.23	2.4	12	●	PC1b	1	1	631523	2 608 901 596

EXPERT MultiMaterial Turbo Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting various materials, such as concrete, bricks, soft stone, and roof tiles, eg when cutting stone paving slabs and masonry materials.
- ▶ Ideal for construction workers: durable and precise.
- ▶ Lasts up to 2x longer than Bosch Eco for Universal Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
230	22.23	2.4	15	PC1b	1	1	631547	2 608 901 598

Diamond cutting discs Best for Universal Turbo

best **Universal**

- ▶ Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.
- ▶ Our best Turbo diamond cutting disc.
- ▶ Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581776	2 608 602 671



ECO for Universal Segmented diamond cutting discs

eco **Universal**

- ▶ The affordable diamond cutting disc that is a problem solver in all building materials.
- ▶ The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



Pack of 1								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 857048	Part number
115	22.23	2	7	C1a	1	10	857048	2 608 615 027
125	22.23	2	7	C1a	1	10	857055	2 608 615 028
150	22.23	2.1	7	C1a	1	10	857062	2 608 615 029
180	22.23	2.2	7	C1a	1	10	857079	2 608 615 030
230	22.23	2.6	7	C1a	1	10	857086	2 608 615 031
pack of 10								
115	22.23	2	7	C1a	1	1	857178	2 608 615 040



ECO for Universal Segmented diamond cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	2	7	C1a	1	1	857185	2 608 615 041
150	22.23	2.1	7	C1a	1	1	857192	2 608 615 042
180	22.23	2.2	7	C1a	1	1	857208	2 608 615 043
230	22.23	2.6	7	C1a	1	1	857215	2 608 615 044

ECO for Universal Turbo diamond cutting discs

eco  **Universal**

► The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



Pack of 1

115	22.23	2	7	C1a	1	10	857130	2 608 615 036
125	22.23	2.4	7	C1a	1	10	857147	2 608 615 037
180	22.23	2.6	7	C1a	1	10	857154	2 608 615 038
230	22.23	3	7	C1a	1	10	857161	2 608 615 039

pack of 10

115	22.23	2	7	C1a	1	1	857222	2 608 615 045
125	22.23	2.4	7	C1a	1	1	857239	2 608 615 046
180	22.23	2.6	7	C1a	1	1	857246	2 608 615 047
230	22.23	3	7	C1a	1	1	857253	2 608 615 048

Diamond cutting discs Standard for Universal

standard  **Universal**

► The diamond cutting disc that is a problem solver in all building materials.
 ► Sintered diamond cutting segments.




Pack of 1

115	22.23	2	10	C1c	1	1	869676	2 608 615 057
125	22.23	2	10	C1c	1	1	869690	2 608 615 059
150	22.23	2.4	10	C1c	1	1	869713	2 608 615 061
180	22.23	2.4	10	C1c	1	1	869737	2 608 615 063
230	22.23	2.6	10	C1c	1	1	869751	2 608 615 065
300	22.23	3.3	10	C1a	1	1	869775	2 608 615 067

Pack of 10

115	22.23	2	10	C0a	10	1	869683	2 608 615 058
125	22.23	2	10	C0a	10	1	869706	2 608 615 060
150	22.23	2.4	10	C0a	10	1	869720	2 608 615 062
180	22.23	2.4	10	C0a	10	1	869744	2 608 615 064
230	22.23	2.6	10	C0a	10	1	869768	2 608 615 066

Diamond cutting discs Standard for Universal Turbo

standard  **Universal** ▶ The solution in all building materials with clean cut edges.
 ▶ Sintered cutting rim.




194
4



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	510004	2 608 602 393
125	22.23	2	10	C1c	1	1	510011	2 608 602 394
150	22.23	2.5	10	C1c	1	1	510028	2 608 602 395
180	22.23	2.5	10	C1c	1	1	510035	2 608 602 396
230	22.23	2.5	10	C1c	1	1	510042	2 608 602 397
Pack of 10								
115	22.23	2	10	C0a	10	1	665902	2 608 603 249
125	22.23	2	10	C0a	10	1	665919	2 608 603 250
180	22.23	2.5	10	C0a	10	1	665926	2 608 603 251
230	22.23	2.5	10	C0a	10	1	665933	2 608 603 252

STANDARD FOR UNIVERSAL

Focus on cutting speed.



OUTSTANDING LIFETIME AND SPEED

10 mm segment height with homogenous diamond distribution

HIGH SPEED

Unique segment design allows low friction between segment and material

HIGH PERFORMANCE

In reinforced concrete and masonry thanks to optimized diamond quality and grit size.

X-LOCK	✓
M14/∅ 22,23	✓

X-LOCK Standard for Universal diamond cutting discs

standard **Universal**

X-LOCK	✓
M14/∅ 22,23	✓

- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	933827	2 608 615 165
125	22.23	2	10	C1c	1	1	933834	2 608 615 166



Diamond cutting discs Best for Concrete

best  Concrete




long
LIFE



- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ Laser-welded diamond cutting segments.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581578	2 608 602 651
125	22.23	2.2	12	C1c	1	1	581585	2 608 602 652
150	22.23	2.4	12	C1c	1	1	581592	2 608 602 653
180	22.23	2.4	12	C1c	1	1	581608	2 608 602 654
230	22.23	2.4	15	C1c	1	1	581615	2 608 602 655
300	22.23	2.8	15	C1a	1	1	581622	2 608 602 656



Diamond cutting discs Standard for Concrete

standard  Concrete



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Sintered diamond cutting segments.

Pack of 1								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.6	10	C1c	1	1	441247	2 608 602 196
125	22.23	1.6	10	C1c	1	1	441254	2 608 602 197
150	22.23	2	10	C1c	1	1	441261	2 608 602 198
230	22.23	2.3	10	C1c	1	1	441285	2 608 602 200
300	22.23	3.1	10	C1a	1	1	576468	2 608 602 542

Pack of 10								
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.6	10	C0a	10	1	665711	2 608 603 239
125	22.23	1.6	10	C0a	10	1	665810	2 608 603 240
150	22.23	2	10	C0a	10	1	665827	2 608 603 241
180	22.23	2	10	C0a	10	1	665834	2 608 603 242
230	22.23	2.3	10	C0a	10	1	665841	2 608 603 243



Diamond cutting discs Best for Marble

best  **Marble**


- ▶ Perfectly clean cut edges without material break out in marble, limestone and perspex thanks to electroplated cutting rim.
- ▶ For the highest demands on speed and cut quality.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	3	C1c	1	1	581950	2 608 602 689
125	22.23	2.2	3	C1c	1	1	581967	2 608 602 690
150	22.23	2.2	3	C1c	1	1	581974	2 608 602 691
180	22.23	2.2	3	C1c	1	1	581981	2 608 602 692
230	22.23	2.2	3	C1c	1	1	581998	2 608 602 693

Diamond cutting discs Standard for Marble

standard  **Marble**


- ▶ The affordable solution for marble, limestone and perspex with clean cut edges.
- ▶ Electroplated cutting rim.



115	22.23	2.2	3	C1c	1	1	484336	2 608 602 282
230	22.23	2.8	3	C1c	1	1	484343	2 608 602 283

Diamond cutting discs Best for Abrasive

best  **Abrasive**
 

- ▶ For all softer and abrasive materials such as brick, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as long lifetime with up to 15 mm segment height.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Laser-welded diamond segments.

long
LIFE

fast
CUT



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581851	2 608 602 679
125	22.23	2.2	12	C1c	1	1	581868	2 608 602 680
230	22.23	2.4	15	C1c	1	1	581899	2 608 602 683



Diamond cutting discs Standard for Abrasive

standard  **Abrasive**
 

- ▶ The affordable solution for soft and abrasive materials.
- ▶ Sintered diamond cutting segments.



115	22.23	1.6	10	C1c	1	1	581219	2 608 602 615
125	22.23	1.6	10	C1c	1	1	581226	2 608 602 616
150	22.23	2	10	C1c	1	1	581233	2 608 602 617
180	22.23	2	10	C1c	1	1	581240	2 608 602 618
230	22.23	2.3	10	C1c	1	1	581257	2 608 602 619




DIAMOND CUTTING DISCS CERAMIC

For tile cutting machines and table saws.



Best for Ceramic



Standard for Ceramic

Page number	205	205
Diameter mm	180 - 350	180 - 350
Cutting width mm	2.2 - 3.0	1.6 - 2.0
Bore diameter	25.40 / 30.00	25.40 / 30.00


MATERIALS

Ceramic tiles	✓	✓
---------------	---	---


DIAMOND CUTTING DISCS STONE

For table saws and petrol saws.

200
4



Best for Stone



Standard for Stone

Page number	206	206
Diameter mm	300 - 450	300 - 450
Cutting width mm	2.8 - 3.8	3.1 - 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For table saws and petrol saws.



Best for Concrete



Standard for Concrete

Page number	207	207
Diameter mm	300 - 450	300 - 500
Cutting width mm	2.8 - 3.6	2.8 - 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For table saws and petrol saws.

202
4



	Multi Material Discs EXPERT	Standard for Universal	Standard for Universal Turbo	Eco for Universal
Page number	208	209	209	209
Diameter mm	300 – 450	300 – 450	300 – 350	300 – 350
Cutting width mm	2.8 – 3.3	3.3 – 3.6	3.0	3.0
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40

MATERIALS

Building site material	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	✓	✓	-	✓
Brick	✓	✓	✓	✓
Sand-, limestone, Rooftile	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS MARBLE

For table saws and petrol saws.



Best for Marble

Page number	210
Diameter mm	300 / 350
Cutting width mm	2.6
Bore diameter	25.40

MATERIALS


Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE AND ASPHALT

For table saws and petrol saws.

204

4



Best for Abrasives



Standard for Abrasives



Standard for Asphalt

Page number	211	211	211
Diameter mm	300 - 450	300 - 450	300 - 400
Cutting width mm	2.8 - 3.6	2.8 - 3.2	2.8 - 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	-	-	✓
Bitumen	-	-	✓
Limestone / sandstone	✓	✓	-
Brick	✓	✓	-
Fresh concrete	✓	✓	✓
Porous concrete	✓	✓	-
Rooftile	✓	✓	-

Diamond cutting discs Best for Ceramic

best **Ceramic**



- ▶ The right disc for the highest demands on lifetime with 10 mm segment height.
- ▶ Good cutting quality without rough edges, even in extra-hard fine stone slabs and marble.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	25.40	2.2	10	C1c	1	1	581417	2 608 602 635
200	25.40	2.2	10	C1c	1	1	581424	2 608 602 636
230	25.40	2.4	10	C1c	1	1	581431	2 608 602 637
250	30.00/25.40*	2.4	10	C1a	1	1	581448	2 608 602 638
300	30.00/25.40*	2.8	10	C1a	1	1	581455	2 608 602 639
350	30.00/25.40*	3	10	C1a	1	1	581462	2 608 602 640

Diamond cutting discs Standard for Ceramic

standard **Ceramic**



- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



180	25.40	1.6	7	C1c	1	1	576406	2 608 602 536
200	25.40	1.6	7	C1c	1	1	576413	2 608 602 537
230	25.40	1.6	7	C1c	1	1	576420	2 608 602 538
250	30.00/25.40*	1.6	7	C1c	1	1	576437	2 608 602 539
300	30.00/25.40*	2	7	C1a	1	1	576444	2 608 602 540
350	30.00/25.40*	2	7	C1a	1	1	576451	2 608 602 541

Diamond cutting discs Best for Stone


best ^{10x} Stone



long
LIFE

- ▶ For extremely hard stone such as granite.
- ▶ Laser-welded diamond cutting segments.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Up to 15 mm segment height enables a long lifetime, even in the most demanding materials.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581530	2 608 602 647
350	20.00/25.40*	3.2	15	C1a	1	1	581547	2 608 602 648
400	20.00/25.40*	3.2	12	C0a	1	1	581554	2 608 602 649
450	25.40	3.8	12	C0a	1	1	581561	2 608 602 650




Diamond cutting discs Standard for Stone

standard ^{10x} Stone




- ▶ For hard materials such as granite, natural stone.
- ▶ Laser-welded diamond cutting segments for large diameters.
- ▶ The affordable diamond cutting disc that is a problem solver in hard materials.
- ▶ Sintered diamond cutting segments.
- ▶ * with reduction ring

300	20.00/25.40*	3.1	10	C1a	1	1	581080	2 608 602 602
350	20.00/25.40*	3.1	10	C1a	1	1	581097	2 608 602 603
400	20.00/25.40*	3.2	10	C0a	1	1	581103	2 608 602 604
450	25.40	3.6	10	C0a	1	1	581110	2 608 602 605



Diamond cutting discs Best for Concrete

best **Concrete**




- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581639	2 608 602 657
350	20.00/25.40*	3.2	15	C1a	1	1	581646	2 608 602 658
400	20.00/25.40*	3.2	12	C0a	1	1	581653	2 608 602 659
450	25.40	3.6	12	C0a	1	1	581660	2 608 602 660

Diamond cutting discs Standard for Concrete

standard **Concrete**



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.




350	20.00/25.40*	2.8	10	C1a	1	1	576482	2 608 602 544
400	20.00/25.40*	3.2	10	C1a	1	1	576499	2 608 602 545
450	25.40	3.6	10	C1a	1	1	576505	2 608 602 546

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 3x longer than Bosch 2608615034 Multi Material Diamond Disc.
- ▶ With 25.4 mm bore, fits 20 mm bores with reduction rings.



208
4

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
300	20.00+25.40*	3	15	C1d	1	1	540009	2 608 900 665
350	20.00/25.40*	3.3	15	C1d	1	1	540016	2 608 900 666
400	20.00/25.40*	3.3	12	C1d	1	1	540023	2 608 900 667
450	25.40	3.3	12	C1d	1	1	540030	2 608 900 668

Diamond cutting discs Standard for Universal

standard **Universal**
  

- ▶ The diamond cutting disc that is a problem solver in all building materials.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
300	20.00	3.3	10	C1a	1	1	869782	2 608 615 068
350	20.00	3.3	10	C1a	1	1	869805	2 608 615 070
350	25.40	3.3	10	C1a	1	1	869812	2 608 615 071
450	25.40	3.6	10	C1a	1	1	869843	2 608 615 074



Diamond cutting discs Standard for Universal Turbo

standard **Universal**
  

- ▶ The solution in all building materials with clean cut edges.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



300	20.00/25.40*	3	10	C1a	1	1	580922	2 608 602 586
350	20.00/25.40*	3	10	C1a	1	1	580939	2 608 602 587



Diamond cutting discs Eco for Universal

eco **Universal**

- ▶ The affordable diamond cutting disc that is a problem solver in all building materials.
- ▶ The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



Pack of 1								
300	20.00	3.2	8	C1a	1	1	857093	2 608 615 032
300	25.40	3.2	8	C1a	1	1	857109	2 608 615 033
350	20.00	3.2	8	C1a	1	1	857116	2 608 615 034
350	25.40	3.2	8	C1a	1	1	857123	2 608 615 035



Diamond cutting discs Best for Marble

best  **Marble**
  

- ▶ Perfectly clean cut edges without material breaks in marble, limestone and perspex thanks to electroplated cutting rim.
- ▶ For the highest demands on speed and cut quality.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
350	25.40*	2.6	5	C1a	1	1	586900 3 165 140...	2 608 602 702



210
4

Diamond cutting discs Best for Abrasive


best **Abrasive**



long
LIFE **fast**
CUT

- ▶ For all softer and abrasive materials such as fresh concrete, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as long lifetime with up to 15 mm segment height.
- ▶ Laser-welded diamond segments.
- ▶ Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	20.00/25.40*	3.2	12	C1a	1	1	581936	2 608 602 687
450	25.40	3.6	12	C1a	1	1	581943	2 608 602 688



Diamond cutting discs Standard for Abrasive

standard **Abrasive**



- ▶ The affordable solution for soft and abrasive materials.
- ▶ Sintered diamond cutting segments.
- ▶ * With reduction ring.
- ▶ ** Laser-welded diamond cutting segments for large diameters.

300	20.00/25.40*	2.8	10	C1a	1	1	581264	2 608 602 620
350	20.00/25.40*	2.8	10	C1a	1	1	581271	2 608 602 621
400**	20.00/25.40*	3.2	12	C0a	1	1	581288	2 608 602 622
450**	25.40	3.6	12	C0a	1	1	581295	2 608 602 623



Diamond cutting discs Standard for Asphalt

standard **Asphalt**



- ▶ Ideal for asphalt and occasional work in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

300	20.00/25.40*	2.8	10	C1a	1	1	581301	2 608 602 624
350	20.00/25.40*	3.2	10	C1a	1	1	581318	2 608 602 625
400	20.00/25.40*	3.6	10	C0a	1	1	581325	2 608 602 626



DIAMOND CUTTING DISCS CONCRETE

For joint cutters.

212
4



Best for Concrete



Standard for Concrete

Page number	213	213
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 –3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Pavement / garden slabs	✓	✓

* Only cut through reinforcement if approval has been given by a structural engineer.

Diamond cutting discs Best for Concrete

best  Concrete




- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581639	2 608 602 657
350	20.00/25.40*	3.2	15	C1a	1	1	581646	2 608 602 658
400	20.00/25.40*	3.2	12	C0a	1	1	581653	2 608 602 659
450	25.40	3.6	12	C0a	1	1	581660	2 608 602 660

Diamond cutting discs Standard for Concrete

standard  Concrete



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.



350	20.00/25.40*	2.8	10	C1a	1	1	576482	2 608 602 544
400	20.00/25.40*	3.2	10	C1a	1	1	576499	2 608 602 545
450	25.40	3.6	10	C1a	1	1	576505	2 608 602 546

DIAMOND CUTTING DISCS ASPHALT

For joint cutters.

214
4




Standard for Asphalt

Page number	215
Diameter mm	300 - 450
Cutting width mm	2.8 - 3.6
Bore diameter	20.00 / 25.40

MATERIALS

Asphalt	✓
Fresh concrete	✓
Bitumen	✓

Diamond cutting discs Standard for Asphalt

- standard  **Asphalt**
- ▶ Ideal for asphalt and occasional work in concrete.
 - ▶ Laser-welded diamond cutting segments.
 - ▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
300	20.00/25.40*	2.8	10	C1a	1	1	581301	2 608 602 624	
350	20.00/25.40*	3.2	10	C1a	1	1	581318	2 608 602 625	
400	20.00/25.40*	3.6	10	C0a	1	1	581325	2 608 602 626	
450	25.40	3.2	10	C0a	1	1	581332	2 608 602 627	

DIAMOND GRINDING WHEELS

Especially suitable for concrete grinders.

216
4



Best for Concrete

Expert for Concrete

Standard for Concrete

Best for Universal

Expert for Abrasive

Page number	222	222	223	224	220
Diameter mm	125	125	125 – 180	125	125

MATERIALS

Concrete	✓	✓	✓	✓	✓
Build materials	-	-	-	✓	-
Brick	-	-	-	✓	✓
Natural stone	-	-	-	✓	-
Abrasive materials	-	-	-	-	✓
Thermo-plastic protective coatings	-	-	-	-	-

DIAMOND GRINDING WHEELS

Especially suitable for concrete grinders.

218
4



Expert Concrete

Best for Concrete

Expert for Concrete

EXPERT

Page number	222	222	222
Diameter mm	125	125	115 - 125

MATERIALS

Concrete	✓	✓	✓
Build materials	-	-	-
Brick	-	-	-
Natural stone	-	-	-
Abrasive materials	-	-	-
Thermo-plastic protective coatings	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Standard for Concrete



Best for Universal



Expert for Abrasive

223

125 - 180

224

125

220

125

✓

-

-

-

-

-

✓

✓

✓

✓

-

-

✓

-

✓

-

✓

-

Abrasive materials

Diamond grinding head Expert for Abrasive

expert  Abrasive

- ▶ **Suitable for** large-area removal of abrasive materials such as lime plaster, hard finish plaster (floor subsurface), sandstone or very abrasive concrete – Not suitable for grinding hard materials
- ▶ Segments brazed
- ▶ Two rows of segments for even grinding
- ▶ Maximum unbalance of 50 g/mm for vibration-free working



220
4

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	4.5	C1a	1	1	578844	2 608 602 553

HIGH SPEED GRINDING CONCRETE

EXPERT Concrete Grinding Heads

4

221

ASSORTMENT: \varnothing 125 mm

EXPERT

- 1 Very fast grinding with Bosch Diamond Technology
- 2 L-shaped segments are designed to remove material fast
- 3 Waste material efficiently extracted through Large Dust Slots



EXPERT Concrete Diamond Grinding Heads

EXPERT



- ▶ Ideal for grinding concrete surfaces; to grind out irregularities in concrete walls, floors and ceilings; and to smooth the way for the next phase of construction.
- ▶ Best for construction workers: maximum speed and efficiency.
- ▶ Up to 2x faster than Bosch 2608301573 Concrete Grinding Head.
- ▶ With 22.23 mm bore for concrete grinders and angle grinders with locking nut.



PRODUCT PROPERTIES

ORDERING INFORMATION

Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
C1a	1	1	539867	2 608 900 651
C1a	1	1	593166	2 608 901 478
C1a	1	1	593173	2 608 901 479

Diamond grinding head Best for Concrete

best **for Concrete**




- ▶ Suitable for grinding of thick concrete layers cup wheel with outstanding lifetime
- ▶ This cup wheel provides very high lifetime with 18 segments
- ▶ Smooth grinding by increasing the surface area contact
- ▶ The low unbalance ensures vibration-free work and protects the lifetime of the concrete grinder
- ▶ Less gouging (swirl mark) than the single row cup wheels

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	4.5	C1a	1	1	772150	2 608 201 228



Diamond grinding head Expert for Concrete

expert **for Concrete**



- ▶ Suitable for grinding down thick concrete layers
- ▶ Segments brazed
- ▶ Two rows of segments for even grinding
- ▶ Maximum unbalance of 50 g/mm for vibration-free working

125	22.23	5	C1a	1	1	993470	2 608 601 762
-----	-------	---	-----	---	---	--------	---------------



high
SPEED

125	22.23	5	C1a	1	1	993487	2 608 601 763
-----	-------	---	-----	---	---	--------	---------------



222
4

Diamond grinding head Standard for Concrete

standard  **Concrete**



- ▶ Suitable for grinding down thick concrete layers
- ▶ Segments sintered
- ▶ One segment row
- ▶ Maximum unbalance of 50 g*mm for vibration-free working



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	5	C1a	1	1	871433	2 608 601 573
180	22.23	5	C1a	1	1	871457	2 608 601 575

Universal

Diamond grinding head Best for Universal Turbo

best  **Universal**
  

- ▶ **Suitable for** fine surfaces on granite (hard and soft), building materials, artificial stone, concrete and for working on edges without breakage
- ▶ The continuous turbo grinding ring produces fine grinding results for finishing work on natural stone such as granite and building materials such as concrete
- ▶ Maximum unbalance of 50 g/mm for vibration-free working



224
4



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
125	22.23	5	C1a	1	1	772181	2 608 201 231

DIAMOND CORE CUTTERS AND CORE EDGE SINKERS

For universal use.



Diamond dry drill bits

Diamond hole saws

Diamond cutters

Page number	226	229	232
Shank	13 mm or Hex	Power-Change	M 14
Water cooling	-	✓	-
Diameter mm	6.0 – 14.0	19.0 – 83.0	14.0 – 83.0
Drilling depth mm	33	39	30 – 35
X-LOCK	-	-	✓

MATERIALS

Tiles, porcelain	✓	✓	✓
Stoneware	✓	✓	✓
Marble	✓	✓	✓
Concrete	-	-	-
Reinforced concrete	-	-	-
Limestone	-	-	-
Brick	-	-	-


Diamond dry drill bits

Diamond drill bits Easy Dry

best  Ceramic

- ▶ Suitable for soft wall tiles through to very hard floor tiles such as fine stoneware.
- ▶ For use in cordless screwdrivers and drills with **13 mm chuck**.
- ▶ **Note:** drill without impact. Optimum speed: 1500 rpm.

long
LIFE



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	15/64	33	P1p	1	1	577915	2 608 587 139
7	9/32	33	P1p	1	1	577922	2 608 587 140
8	5/16	33	P1p	1	1	577939	2 608 587 141
10	25/64	33	P1p	1	1	577946	2 608 587 142
12	15/32	33	P1p	1	1	577953	2 608 587 143
14	9/16	33	P1p	1	1	577960	2 608 587 144



Expert for Ceramic Diamond Drill Bits

- ▶ Reliable, efficient and popular with tilers who need to drill in tiles
- ▶ For drilling in hard and soft ceramic tiles, e.g. when attaching kitchen or bathroom fixings
- ▶ Popular with tilers: long-lasting

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
6	66	C1b	1	1	232953	2 608 599 049



Expert for Ceramic Diamond Drill Bits

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
8	66	C1b	1	1	232960	2 608 599 050
10	66	C1b	1	1	232977	2 608 599 051
12	66	C1b	1	1	232984	2 608 599 052



Expert for Ceramic Diamond Drill Bit Set

- ▶ Reliable, efficient and popular with tilers who need to drill in tiles
- ▶ For drilling in hard and soft ceramic tiles, e.g. when attaching kitchen or bathroom fixings
- ▶ Popular with tilers: long-lasting

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 3						
6	66	C1a	3	1	232946	2 607 011 626
6	66					
8	66					



Robust Line diamond drill bit set Easy Dry

best  Ceramic

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece diamond cutter set									
6	15/64	33	A	156.5 x 69.5 x 23	P1k	3	1	577977	2 608 587 145
8	5/16								
10	25/64								



228
4

Diamond wet drill bits and holesaws

Diamond holesaws Diamond for Hard Ceramics



- ▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- ▶ **Note:** drill without impact. Always work with water cooling. Only work with cordless drills.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19	3/4	39	PC1b	1	1	488990	2 608 580 301
20	25/32	39	PC1b	1	1	489003	2 608 580 302
22	7/8	39	PC1b	1	1	489010	2 608 580 303
25	1	39	PC1b	1	1	489027	2 608 580 304
29	1 1/8	39	PC1b	1	1	489034	2 608 580 305
32	1 1/4	39	PC1b	1	1	489041	2 608 580 306
35	1 1/2	39	PC1b	1	1	489058	2 608 580 307
38	1 1/2	39	PC1b	1	1	489065	2 608 580 308
41	1 3/4	39	PC1b	1	1	515160	2 608 580 394
44	1 3/4	39	PC1b	1	1	489072	2 608 580 309
51	2	39	PC1b	1	1	489089	2 608 580 310
54	2 1/4	39	PC1b	1	1	489096	2 608 580 311
57	2 1/4	39	PC1b	1	1	489102	2 608 580 312
60	2 1/2	39	PC1b	1	1	489119	2 608 580 313
64	2 1/2	39	PC1b	1	1	489126	2 608 580 314
65	2 1/2	39	PC1b	1	1	489133	2 608 580 315
67	2 3/4	39	PC1b	1	1	489157	2 608 580 316
68	2 3/4	39	PC1b	1	1	489164	2 608 580 317
70	2 3/4	39	PC1b	1	1	489171	2 608 580 318
76	3	39	PC1b	1	1	489188	2 608 580 319
79	3 1/4	39	PC1b	1	1	489195	2 608 580 320
83	3 1/4	39	PC1b	1	1	489201	2 608 580 321

Diamond cutters Dry Speed

best  Ceramic

- ▶ Suitable for soft wall tiles through to very hard floor tiles and natural stone.
- ▶ For use on angle grinders.



230
4



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	577656	2 608 587 113
16	5/8	30	P1h	1	1	577663	2 608 587 114
20	25/32	35	P1h	1	1	577670	2 608 587 115
22	7/8	35	P1h	1	1	577687	2 608 587 116
25	1	35	P1h	1	1	577694	2 608 587 117
27	1 1/16	35	P1h	1	1	577700	2 608 587 118
30	1 3/16	35	P1h	1	1	577717	2 608 587 119
32	1 1/4	35	P1h	1	1	577724	2 608 587 120
35	1 3/8	35	P1h	1	1	577731	2 608 587 121
38	1 1/2	35	P1h	1	1	577748	2 608 587 122
40	1 9/16	35	P1h	1	1	577755	2 608 587 123
45	1 49/64	35	P1h	1	1	577762	2 608 587 124
51	2	35	P1h	1	1	577779	2 608 587 125
55	2 11/64	35	P1h	1	1	577786	2 608 587 126
57	2 1/4	35	P1h	1	1	577793	2 608 587 127
60	2 3/8	35	P1h	1	1	577809	2 608 587 128
65	2 9/16	35	P1h	1	1	577816	2 608 587 129
67	2 5/8	35	P1h	1	1	577823	2 608 587 130
68	2 11/16	35	P1h	1	1	577830	2 608 587 131
70	2 3/4	35	P1h	1	1	577847	2 608 587 132
75	2 61/64	35	P1h	1	1	577854	2 608 587 133
80	3 5/32	35	P1h	1	1	577861	2 608 587 134
83	3 1/4	35	P1h	1	1	577878	2 608 587 135

Milling Cutter

20	7/8	35	P1p	1	1	879026	2 608 599 011
----	-----	----	-----	---	---	--------	---------------

Diamond cutter set Dry Speed

best of Ceramic





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece Diamond DrySpeed Set							
68	-	33	C0a	5	1	888660	2 608 576 669
51							
35							
25							
20							

X-LOCK Diamond cutters Dry Speed

best  Ceramic

- ▶ Changing diamond cutters is fast and convenient thanks to the keyless X-LOCK system.
- ▶ **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- ▶ For use on X-LOCK angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	933636	2 608 599 027
20	25/32	35	P1h	1	1	933650	2 608 599 029
22	7/8	35	P1h	1	1	933667	2 608 599 030
25	1	35	P1h	1	1	933674	2 608 599 031
27	1 1/16	35	P1h	1	1	933681	2 608 599 032
30	1 3/16	35	P1h	1	1	933698	2 608 599 033
32	1 1/4	35	P1h	1	1	933704	2 608 599 034
35	1 3/8	35	P1h	1	1	933711	2 608 599 035
38	1 1/2	35	P1h	1	1	933728	2 608 599 036
40	1 9/16	35	P1h	1	1	925501	2 608 599 014
45	1 49/64	35	P1h	1	1	925518	2 608 599 015
51	2	35	P1h	1	1	925525	2 608 599 016
55	2 11/64	35	P1h	1	1	925532	2 608 599 017
57	2 1/4	35	P1h	1	1	925549	2 608 599 018
60	2 3/8	35	P1h	1	1	925556	2 608 599 019
65	2 9/16	35	P1h	1	1	925563	2 608 599 020
67	2 5/8	35	P1h	1	1	925570	2 608 599 021
70	2 3/4	35	P1h	1	1	925594	2 608 599 023
75	2 61/64	35	P1h	1	1	925600	2 608 599 024
80	3 5/32	35	P1h	1	1	925617	2 608 599 025
83	3 1/4	35	P1h	1	1	925624	2 608 599 026
16	5/8	30	P1h	1	1	933643	2 608 599 028

Milling Cutter

20	7/8	35	P1h	1	1	933742	2 608 599 038
----	-----	----	-----	---	---	--------	---------------

68	2 11/16	35	P1h	1	1	925587	2 608 599 022
----	---------	----	-----	---	---	--------	---------------



X-LOCK Diamond cutter set Dry Speed





best Ceramic



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond cutter set including 20mm milling cutter						
68	33	M0a	5	1	933735	2 608 599 037
51	33					
35	33					
25	33					
20	33					







5-piece diamond dry core cutter set G 1/2" Standard for Universal

- standard  **Universal**    ▶ Universal segment for limestone, brick and sandstone.
▶ High cutting performance and long life in masonry.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond dry core cutter set G 1/2"								
including:								
1 x ejector drift								
1 x hex adapter – G 1/2"								
1 x SDS plus adapter – G 1/2"								
1 x hex extension – G 1/2" (240 mm)								
1 x SDS plus extension – G 1/2" (240 mm)								
1 x 200 mm pilot drill bit								
38	150	4	7	P2k	5	1	625081	2 608 587 007
52								
65								
117								
127								


G 1/2" Best for Universal diamond dry core cutter

- best  **Universal**    ▶ Universal segment for limestone, brick and sandstone.
▶ **Note:** Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.
▶ Very high cutting performance and long life in masonry.



Diamond dry core cutter G 1/2"								
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
28	350	3	7	C1a	1	1	623773	2 608 587 314
32	350	3	7	C1a	1	1	623780	2 608 587 315
38	150	3	7	C1a	1	1	623797	2 608 587 316
42	150	3	7	C1a	1	1	623803	2 608 587 317
48	150	3	7	C1a	1	1	623810	2 608 587 318
52	150	4	7	C1a	1	1	623827	2 608 587 319
60	150	4	7	C1a	1	1	623834	2 608 587 320
68	150	4	7	C1a	1	1	623858	2 608 587 322
72	150	4	7	C1a	1	1	623865	2 608 587 323
78	150	5	7	C1a	1	1	623872	2 608 587 324
82	150	5	7	C1a	1	1	623889	2 608 587 325
92	150	5	7	C1a	1	1	623896	2 608 587 326
107	150	6	7	C1a	1	1	623919	2 608 587 328
117	150	6	7	C1a	1	1	623926	2 608 587 329
127	150	6	7	C1a	1	1	623933	2 608 587 330
132	150	6	7	C1a	1	1	623940	2 608 587 331
142	150	7	7	C1a	1	1	623957	2 608 587 332
152	150	7	7	C1a	1	1	623964	2 608 587 333
202	150	9	7	C1a	1	1	623988	2 608 587 335


G 1/2" Standard for Universal diamond dry core cutter

- standard  **Universal**
- ▶ Universal segment for limestone, brick and sandstone.
 - ▶ High cutting performance and long life in masonry.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Diamond dry core cutter G 1/2"								
28	350	3	7	C1a	1	1	623995	2 608 587 336
38	150	3	7	C1a	1	1	624008	2 608 587 337
48	150	3	7	C1a	1	1	624015	2 608 587 338
52	150	4	7	C1a	1	1	624022	2 608 587 339
65	150	4	7	C1a	1	1	624039	2 608 587 340
107	150	6	7	C1a	1	1	624046	2 608 587 341
117	150	6	7	C1a	1	1	624053	2 608 587 342
127	150	6	7	C1a	1	1	624060	2 608 587 343

Accessories for diamond core edge sinkers with Power-Change adapter

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
 <p>Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips</p>								
7.15	120	PC1d	1	1	375924	2 608 584 777		

Accessories for Diamond Socket Core Cutters with M16 Shank

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Diameter/width across flats mm	Adapter for machine side	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>Hex shank for core cutters with M16</p>										
-	11	-	80	Hexagon	P1e	1	1	084680	2 608 550 078	
-	11	-	220	Hexagon	P1e	1	1	096744	2 608 598 109	
 <p>SDS plus shank for core cutters with M16</p>										
-	-	-	105	SDS plus	P1e	1	1	046138	2 608 550 057	
-	-	-	220	SDS plus	P1e	1	1	096751	2 608 598 110	

Accessories for Bosch diamond drilling systems

Drilling crosses for 1 1/4" UNC and SDS-DI dry core cutters and SDS-DI core edge sinkers



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter/key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
32	C0a	1	1	110013	2 608 597 475		
42	C0a	1	1	110020	2 608 597 476		
52	C0a	1	1	110037	2 608 597 477		
62	C0a	1	1	220057	2 608 597 904		
68	C0a	1	1	110044	2 608 597 478		
87	C0a	1	1	110051	2 608 597 479		
102	C0a	1	1	110068	2 608 597 480		
112	C0a	1	1	110075	2 608 597 481		
122	C0a	1	1	220064	2 608 597 905		
132	C0a	1	1	110082	2 608 597 482		

Adapter for diamond core cutters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Adapter for machine side	Adapter for core side	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1 1/4" UNC	G 1/2"	-	P1h	1	1	116169	2 608 598 043
SDS plus	G 1/2"	115	C1a	1	1	230445	2 608 598 123
Hexagonal	G 1/2"	88	C1a	1	1	230438	2 608 598 122

Extensions for diamond core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
300	P1h	1	1	116176	2 608 598 044	

Extension for core cutters with G 1/2" fitting as of diameter 32 mm

Extensions for diamond core cutters

238
4



PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	300	P1h	1	1	116183	2 608 598 045

Extension for core cutters with 1 1/4" UNC fitting as of diameter 45 mm

Vacuum set, flushing head and dust extraction head



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		C0a	1	1	230629	2 609 390 380

Dust extraction outlet
Suitable for diamond dry core cutters with G 1/2" BSP connection

Pilot drill bit



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	200	C1a	1	1	230551	2 608 597 921

Pilot drill bit for short diamond dry core cutters

DISCS FOR CUTTING, GRINDING AND BRUSHING

Change them faster with X-Lock.

The best your tool can get. Bosch Professional Accessories.

5

239





CARBIDE MULTI WHEEL

Make your angle grinder more versatile.



Carbide Multi Wheel

EXPERT

Page number	241
Diameter mm	115 – 125
Thickness mm	1
Fitting tool	Angle grinder
X-LOCK	✓
	 

MATERIALS

Softwood / hardwood	✓
Construction timber	✓
Plywood/Chipboard	✓
MDF/Laminate board	✓
Wood with nails	✓
Plastic	✓
Plaster	✓
Copper pipe	✓


LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

ASSORTMENT: \varnothing 76 – 125 mm

EXPERT

- 1 Exceptional durability is built in with Bosch Carbide Technology
- 2 Advanced steel body keeps constant speed and depth
- 3 Extra strong laser bonding of carbide grit and steel body



5

241

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	PC1d	1	1	567501	2 608 901 192
		C1a	10	1	567525	2 608 901 194
125	22.23	PC1d	1	1	567518	2 608 901 193
		C1a	10	1	567532	2 608 901 195

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	PC1d	1	1	567464	2 608 901 188
125	22.23	PC1d	1	1	567471	2 608 901 189

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 10 mm bore for mini grinder.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
For cordless angle grinders with 10 mm fitting						
76	10.00	PC1a	1	1	567549	2 608 901 196

EXPERT Carbide Multi Wheel Cutting Discs for Large Angle Grinders

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	C1b	1	1	639055	2 608 901 681
230	22.23	C1b	1	1	639062	2 608 901 682

DIAMOND METAL WHEEL

The new way of cutting metal.

244
5



Diamond for metal wheel

EXPERT

UP TO 100x* LONG LIFE

DIAMOND TECHNOLOGY

Page number	245
Diameter mm	105 - 355
Fitting tool	Angle grinder, marble cutter, chop saw, petrol saw
X-LOCK	✓

MATERIALS

Cast iron	✓
Steel profiles	✓
Stainless steel	✓
Brass, bronze	✓
Copper	✓
Fiber glass	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING METAL

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs

ASSORTMENT: \varnothing 105 – 355 mm

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Advanced steel body keeps constant speed and depth
- 3 Does not shatter, no chemical smell, no expiry date



5

245

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs 115 mm

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 100x longer than Bosch 2608603169 Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	●	C1b	1	1	536811	2 608 900 532

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs 125 mm

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 100x longer than Bosch 2608603171 Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	●	C1b	1	1	536828	2 608 900 533

EXPERT Diamond Metal Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 50x longer than Bosch 2608607414 Cutting Disc.
- ▶ With 20 mm bore for marble cutter.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
105	20/16	PC1a	1	1	536804	2 608 900 531

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 30x longer than Bosch 2610065817 Bonded Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	C1b	1	1	536842	2 608 900 535
230	22.23	C1b	1	1	536859	2 608 900 536

5

247

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT




- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 30x longer than Bosch 2610065819 Cutting Disc.
- ▶ With 25.4 mm bore.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
355	25.40	C1b	1	1	536866	2 608 900 537

EXPERT Diamond Pipe Cut Wheel X-LOCK

EXPERT



- ▶ Ideal for cutting pipes with a chamfered finish, including cast iron, composite, hard plastic pipes, non-ferrous metal including copper, brass and fibre glass. Don't use it to cut aluminium and concrete or stone.
- ▶ Best for plumbers and construction workers: long lasting and efficient.
- ▶ Chamfers pipes while cutting and lasts longer than standard cutting discs.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	2.8	3.2	C1c	1	1	584546	2 608 901 391

EXPERT Diamond Pipe Cut Wheel

EXPERT



- ▶ Ideal for cutting pipes with a chamfered finish, including cast iron, composite, hard plastic pipes, non-ferrous metal including copper, brass and fibre glass. Don't use it to cut aluminium and concrete or stone.
- ▶ Best for plumbers and construction workers: long lasting and efficient.
- ▶ Chamfers pipes while cutting and lasts longer than standard cutting discs.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
230	22.23	3.1	3.2	C1c	1	1	584553	2 608 901 392

248
5

CUTTING DISCS

For angle grinders and petrol saws.








3-in-1 disc

Expert for Inox

Standard for Inox

Expert for Metal

Standard for Metal

Page number	251	252	254	257	258
Diameter mm	115 / 125	115 - 230	115 - 230	115 - 400	115 - 230
Thickness mm	2.5	1.0 - 3.0	1.0 - 1.9	1.0 - 3.5	1.6 - 3.1
Disc types					
Grit	60	30 - 60	36 - 60	30 - 60	30 / 60
Fitting tool	Angle grinder	Angle grinder	Angle grinder	Angle grinder, cut-off saw	Angle grinder
X-LOCK	-	-	✓	✓	-

MATERIALS

Non-alloyed and alloyed structural steel	✓	✓	✓	✓	✓
Square-edged steel profiles	✓	✓	✓	✓	✓
Tool steel	✓	✓	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	✓	-	-
Square-edged stainless steel profiles	✓	✓	✓	-	-
Cast iron	-	✓	-	✓	✓

DISC TYPES



Straight





With depressed centre



Standard for Stone



Multi construction

Page number	260	261
Diameter mm	115-230	115-230
Thickness mm	2.5-3.0	1.0-1.9
Disc types		
Grit	30	46/60
Fitting tool	Angle grinder	Angle grinder
X-LOCK	-	✓

MATERIALS

Non-alloyed and alloyed steel	-	✓
Stainless and acid-resistant steel	-	✓
Rail	-	-
Aluminium alloy	-	✓
Brass, bronze	-	✓
Cast iron	-	✓
Copper	-	✓
Slate	✓	✓
Tiles	✓	✓
Brick	✓	✓
Concrete	✓	-
Marble	✓	✓
Limestone	✓	-
Plastics	-	✓

3-in-1 disc



- ▶ Cutting, grinding and finishing with one disc
- ▶ **Suitable for** metal and Inox
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
With depressed centre								
A 46 S BF	115	22.23	2.5	U0	1	25	505253	2 608 602 388
A 46 S BF	125	22.23	2.5	U0	1	25	505260	2 608 602 389



THE MASTERS IN INOX AND METAL

Perfect for cutting.

252
5

FAST AND PRECISION CUTTING

Thanks to the 1 mm disc thickness

HIGH DISC STABILITY

Because of the precision manufactured glass fibre net



PERFECT SURFACE QUALITY AFTER CUTTING

Due to high quality abrasive grains and functional fillers

XLOCK	✓
M14/∅ 22,23	✓

X-LOCK Expert for INOX+Metal cutting discs

expert **Inox+Metal**

Rapido

- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for both stainless steel and metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s
- ▶ Fe/S/Cl < 0.1%

XLOCK	✓
M14/∅ 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido , fast and clean cuts without burr formation or blue discolouration								
AS 60 T INOX BF	115	22.23	1	U0	1	25	947534	2 608 619 263
AS 60 T INOX BF	125	22.23	1	U0	1	25	947541	2 608 619 264



X-LOCK Expert for INOX cutting discs

expert  **Inox**

X-LOCK	✓
M14/Ø 22,23	✓

- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 T INOX BF	115	22.23	1.6	U0	1	25	947503	2 608 619 260
AS 46 T INOX BF	125	22.23	1.6	U0	1	25	947558	2 608 619 265



5

253

Expert for INOX cutting discs

Rapido

fast CUT

- ▶ Cutting discs for INOX for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 60 T INOX BF	115	22.23	1	U0	1	25	220927	2 608 600 545
AS 60 T INOX BF	125	22.23	1	U0	1	25	219624	2 608 600 549
AS 46 T INOX BF	180	22.23	1.6	U0	1	25	706988	2 608 603 406



Rapido

fast CUT

With depressed centre

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 46 T INOX BF	180	22.23	1.6	U0	1	25	262842	2 608 600 710
AS 46 T INOX BF	230	22.23	1.9	U0	1	25	262859	2 608 600 711



Straight

AS 46 T INOX BF	115	22.23	1.6	U0	1	25	116367	2 608 600 215
------------------------	-----	-------	-----	----	---	----	--------	----------------------

Expert for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Straight									
AS 46 T INOX BF	125	22.23	1.6	U0	1	25	116411	2 608 600 220	

X-LOCK Standard for INOX cutting discs

standard **Inox**

Rapido

- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

XLOCK	✓
M14/ø 22,23	✓



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22.23	1	U0	1	25	947510	2 608 619 261
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1	U0	1	25	947527	2 608 619 262



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22.23	1	M1a	10	10	947565	2 608 619 266



Straight								
10 Rapido discs in a reclosable tin								
WA 60 T BF	125	22.23	1	M1a	10	10	947572	2 608 619 267



Standard for INOX cutting discs

- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number

Rapido



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

WA 60 T BF	115	22.23	1	U0	1	25	658287	2 608 603 169
WA 60 T BF	125	22.23	1	U0	1	25	658300	2 608 603 171



Rapido



Straight

10 Rapido discs in a reclosable tin

WA 60 T BF	115	22.23	1	M1a	10	10	668866	2 608 603 254
WA 60 T BF	125	22.23	1	M1a	10	10	668873	2 608 603 255



Straight

WA 60 T BF	115	22.23	1.6	U0	1	25	658294	2 608 603 170
WA 60 T BF	125	22.23	1.6	U0	1	25	658317	2 608 603 172
WA 36T BF	230	22.23	1.9	U0	1	25	631400	2 608 619 773
WA 36T BF	180	22.23	1.6	U0	1	25	631387	2 608 619 771



Standard for INOX cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Straight								
WA 46 T BF	150	22.23	1.6	U0	1	50	826594	2 608 601 513
With depressed centre								
WA 36 R BF	230	22.23	1.9	U0	1	25	826600	2 608 601 514
With depressed centre								
WA 36T BF	180	22.23	1.6	U0	1	25	631394	2 608 619 772



+30%
LONGER
LIFE

Cutting discs – Metal

X-LOCK Expert for Metal cutting discs

expert  Metal

X-LOCK	✓
M14/∅ 22,23	✓

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 S BF	115	22.23	1.6	U0	1	25	947428	2 608 619 252
A 30 S BF	115	22.23	2.5	U0	1	25	947435	2 608 619 253
AS 46 S BF	125	22.23	1.6	U0	1	25	947442	2 608 619 254
A 30 S BF	125	22.23	2.5	U0	1	25	947459	2 608 619 255



With depressed centre

A 30 S BF	115	22.23	2.5	U0	1	25	947466	2 608 619 256
A 30 S BF	125	22.23	2.5	U0	1	25	947473	2 608 619 257



Expert for Metal cutting discs

expert  Metal

- ▶ Cutting discs for metal for high requirements
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



Straight								
A 30 R BF	100	16.00	2.5	U0	1	25	049375	2 608 600 091
A 30 S BF	115	22.23	2.5	U0	1	25	149402	2 608 600 318
AS 30 S BF	115	22.23	3	U0	1	25	706872	2 608 603 395
A 30 S BF	125	22.23	2.5	U0	1	25	181846	2 608 600 394
A 30 S BF	180	22.23	3	U0	1	25	149433	2 608 600 321
A 30 S BF	230	22.23	3	U0	1	25	149495	2 608 600 324
A 30 R BF	300	22.23	3.2	U0	1	10	252829	2 608 600 649



Straight

Appropriate for chop saws / stationary pendulum action cutters/grinders

Maximum drive power of 3 bhp/2.4 kW

Reinforced with 2 outer fabrics

A 36 R BF	355	25.40	2.8	U0	1	10	218658	2 608 600 543
------------------	-----	-------	-----	----	---	----	--------	----------------------

Expert for Metal cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Appropriate for petrol-driven freehand cutting machines								
A 24 R BF	300	20.00	3.5	U0	1	10	262071	2 608 600 706
With depressed centre								
A 30 S BF	115	22.23	2.5	U0	1	25	031196	2 608 600 005
AS 30 S BF	115	22.23	3	U0	1	25	706933	2 608 603 401
A 30 S BF	125	22.23	2.5	U0	1	25	116428	2 608 600 221
A 30 S BF	180	22.23	3	U0	1	25	149389	2 608 600 316
A 30 S BF	230	22.23	3	U0	1	25	116473	2 608 600 226

Standard for Metal cutting discs

standard Metal

- ▶ Cutting discs for metal with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



Straight								
A 60 T BF	115	22.23	1	U0	1	50	631349	2 608 619 767
A 30 S BF	115	22.23	2.5	U0	1	25	658614	2 608 603 164
A 60 T BF	125	22.23	1	U0	1	50	631356	2 608 619 768
A 30 S BF	125	22.23	2.5	U0	1	25	658256	2 608 603 166
A 30 S BF	180	22.23	3	U0	1	40	658263	2 608 603 167
A 46 S BF	230	22.23	1.9	U0	1	25	631370	2 608 619 770
A 30 S BF	230	22.23	3	U0	1	25	658270	2 608 603 168
A 30 S BF	150	22.23	2.5	U0	1	25	631417	2 608 619 774

+30%
LONGER
LIFE

With depressed centre								
A 30 S BF	230	22.23	2.5	U0	1	25	631431	2 608 619 776



Straight								
Appropriate for chop saws/stationary pendulum cut-off grinders								
Maximum drive power 3 hp/2.4 kW								
Reinforced with 2 outer fabrics								
A 30 S BF	355	25.40	3.1	U0	1	20	601429	2 608 602 759
With depressed centre								
A 30 S BF	115	22.23	2.5	U0	1	25	658560	2 608 603 159
A 30 S BF	125	22.23	2.5	U0	1	25	658577	2 608 603 160
A 30 S BF	180	22.23	3	U0	1	20	658584	2 608 603 161
A 30 S BF	230	22.23	3	U0	1	25	658591	2 608 603 162



X-LOCK Standard for Metal cutting disc

standard  Metal

XLOCK	✓
M14/ø 22,23	✓

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for metal with good performance at an attractive price
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)




PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Straight									
A 30 S BF	115	22.23	2.5	●	U0	1	25	236203	2 608 619 780
A 30 S BF	125	22.23	2.5	●	U0	1	25	236227	2 608 619 782
Depressed centre									
A 30 S BF	125	22.23	2.5	●	U0	1	25	236234	2 608 619 783
A 30 S BF	115	22.23	2.5	●	U0	1	25	236210	2 608 619 781



Cutting discs – Stone

Standard for Stone cutting discs

- standard  Stone
- ▶ Cutting discs for stone with good performance at an attractive price
 - ▶ **Appropriate** for hand-held angle grinders
 - ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
C 30 S BF	115	22.23	3	U0	1	25	658362	2 608 603 177
C 30 S BF	125	22.23	3	U0	1	25	658621	2 608 603 178
C 30 S BF	180	22.23	3	U0	1	25	658638	2 608 603 179
C 30 S BF	230	22.23	3	U0	1	25	658379	2 608 603 180
With depressed centre								
C 30 S BF	115	22.23	2.5	U0	1	25	658324	2 608 603 173
C 30 S BF	125	22.23	2.5	U0	1	25	658331	2 608 603 174
C 30 S BF	180	22.23	3	U0	1	20	658348	2 608 603 175
C 30 S BF	230	22.23	3	U0	1	25	658355	2 608 603 176



Cutting discs – Multi Material

X-LOCK Multi Material cutting discs

Rapido MultiConstruction

X-LOCK	✓
M14/∅ 22,23	✓



- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for multi materials
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metal, stone, soft tile, marble and plastic

ACS 60 V BF	115	22.23	1	U0	1	25	947589	2 608 619 268
ACS 60 V BF	125	22.23	1	U0	1	25	947596	2 608 619 269
ACS 46 V BF	125	22.23	1.6	U0	1	25	947602	2 608 619 270



5

261

Multi Material cutting discs

Rapido MultiConstruction



- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%
- ▶ The thin Rapido disc offers many advantages: fast and clean cutting with little exertion of force, very accurate, less noise and dust, and no blue discolouration or burr formation

Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metals, stone, soft tiles, marble and plastics

ACS 60 V BF	115	22.23	1	U0	1	25	505208	2 608 602 384
ACS 60 V BF	125	22.23	1	U0	1	25	505215	2 608 602 385
ACS 46 V BF	125	22.23	1.6	U0	1	25	505192	2 608 602 383

GRINDING DISCS

For angle grinders.



Semi-flexible



Expert for Inox



Expert for Metal



Standard for Metal

Page number	263	264	265	265
Diameter mm	115 / 125	115 - 230	100 - 230	115 - 230
Thickness mm	3.0	6.0	4.0 - 8.0	6.0
Grit	46	30	30	24
X-LOCK	-	-	✓	-

MATERIALS

Non-alloyed and alloyed steel	✓	✓	✓	✓
Welded seams	✓	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	-	-
Aluminium alloy	✓	-	-	-
Cast iron	-	✓	✓	✓

Semi-flexible grinding discs - Vibration Control



- ▶ For light grinding work. Thanks to the flexibility of the disc, it is ideally suited to working on curved surfaces. Other advantages of the disc: less vibration and noise development, cool grinding (less heat discolouration). No backing pad required.
- ▶ **Suitable** for use in INOX , metal and aluminium.
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 46 BF	115	22.23	3	U0	1	10	448826	2 608 602 217
WA 46 BF	125	22.23	3	U0	1	10	448833	2 608 602 218



Grinding discs – INOX

Expert for INOX grinding discs

expert  **Inox**

- ▶ Grinding discs for INOX for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
AS 30 S INOX BF	115	22.23	6	U0	1	10	218610	2 608 600 539
AS 30 S INOX BF	125	22.23	6	U0	1	10	523042	2 608 602 488
AS 30 S INOX BF	150	22.23	6	U0	1	10	523059	2 608 602 489



Grinding discs – Metal

Standard for Metal grinding discs

standard 

- ▶ Grinding discs for metal with good performance at an attractive price
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

+30%
LONGER
LIFE



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 24 P BF	115	22.23	6	U0	1	10	658386	2 608 603 181
A 24 P BF	125	22.23	6	U0	1	10	658393	2 608 603 182
A 24 R BF	150	22.23	6	U0	1	10	631448	2 608 619 777
A 24 P BF	180	22.23	6	U0	1	10	658409	2 608 603 183
A 24 R BF	180	22.23	8	U0	1	10	631455	2 608 619 778
A 24 P BF	230	22.23	6	U0	1	10	658416	2 608 603 184

5

265

X-LOCK Expert for Metal grinding discs

expert 

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK grinding discs also fit on standard angle grinders.
- ▶ Grinding discs for metal for high requirements
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

X-LOCK	✓
M14/∅ 22,23	✓



A 30 T BF	115	22.23	6	U0	1	10	947480	2 608 619 258
A 30 T BF	125	22.23	6	U0	1	10	947497	2 608 619 259



Expert for Metal grinding discs

expert 

- ▶ Grinding discs for metal for high requirements
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



A 24 S BF	100	16.00	6	U0	1	25	049344	2 608 600 017
A 30 T BF	115	22.23	6	U0	1	10	116398	2 608 600 218
A 30 T BF	125	22.23	6	U0	1	10	116442	2 608 600 223
A 30 T BF	180	22.23	6	U0	1	10	149372	2 608 600 315
A 30 T BF	230	22.23	6	U0	1	10	116497	2 608 600 228

Accessories for Bosch GWS 12V-76 V-EC Professional cordless angle grinder

Expert for Inox cutting discs for GWS 12V-76 Professional

expert **for** **Inox**

- ▶ **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
For cordless angle grinders with 10mm fitting								
A 60 R INOX BF	76	10.00	1	C1a	5	1	830560	2 608 601 520



Expert for Inox grinding discs for GWS 12V-76 Professional

expert **for** **Inox**

- ▶ **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



Pack of 2								
For cordless angle grinders with 10mm fitting								
A 30 Q INOX BF	76	10.00	4	C1a	2	1	913775	2 608 601 705



Cup wheels and grinding rings for wet and angle grinders

Conical cup wheels – Metal, cast iron

- ▶ Aluminium oxide cup wheel with synthetic resin bond
- ▶ **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- ▶ Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004



PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Min. diameter mm	Max. diameter mm	Height mm	Grit (s)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 24 P6 B1215	90	110	55	24	U0	1	1	026345	1 608 600 232
A 36 P6 B1215	90	110	55	36	U0	1	1	026352	1 608 600 233

5

267

Conical cup wheels – Stone, concrete with synthetic resin bond



- ▶ Silicon carbide cup wheel with synthetic resin bond
- ▶ **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- ▶ Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004

C 54 L5 BRT	90	110	55	54	U0	1	1	002882	1 608 600 241
----------------	----	-----	----	----	----	---	---	--------	---------------

Grinding wheels for Bosch straight grinders

Grinding wheels for straight grinders - Aluminium oxide

- ▶ **Suitable for** coarse grinding work on steel or cast iron
- ▶ Synthetic resin bond, aluminium oxide, two-sided conical


PRODUCT PROPERTIES						ORDERING INFORMATION				
Specification	Disc diameter mm	Thickness (b1) mm	Thickness (b2) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GG5 6 S Professional										
A 24 Q6 B1175	125	26	32	20	24	U0	1	1	057301	1 608 600 069










268
5

WIRE BRUSHES

For angle grinders and drills.



Page number	270	272	273	274	275	277	282
Wire types							
Wire thickness mm	0.30	0.30 – 0.50	0.30	0.20 – 0.50	0.20 – 0.35	0.20	1.00 / 1.10
X-LOCK	✓	✓	✓	-	-	-	-

BRUSH TYPES

Pencil brush Ø mm	-	-	-	10 – 25	10 – 25	-	-
Cup brush Ø mm	75 – 101	65 – 100	70 / 75	50 – 70	50 / 60	50	50 / 75
Tapered brush Ø mm	100 / 115	100 / 115	-	-	-	-	-
Wire wheel Ø mm	115	115	-	30 – 100	30 – 100	75 / 80	75 / 100

TOOLS

Angle grinder	M14 / M10	M14 / M10	M14 / M10	-	-	-	-
Drill	-	-	-	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm

MATERIALS

Metal	✓	✓	✓	✓	✓	✓	✓
Inox	-	✓	-	-	✓	-	-
Non-ferrous metals	-	-	✓	-	-	✓	-
Wood	-	-	✓	-	-	✓	✓
Paint	-	-	✓	-	-	✓	✓
PVC	-	-	-	-	-	-	✓

WIRE TYPES



Crimped wires



Knotted wires

BRUSHES – SOLUTIONS FOR ALL APPLICATIONS

Appropriate for angle grinders and drills.

270
5

THE RIGHT BRUSH FOR AN OPTIMUM WORK RESULT WITH DIFFERENT TOOLS

X-LOCK and M14 for angle grinders, Ø 6mm shank for drills



THE OPTIMUM SOLUTION FOR LIGHT AND HEAVY DUTY APPLICATIONS


Knotted and crimped wire with different thickness



FOR USE ON DIFFERENT MATERIALS

Steel, stainless steel, non-ferrous metal, wood, paint, PVC

X-LOCK Steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
75	0.35	12,500	-	125	C1a	1	1	954129	2 608 620 726
75	0.5	12,500	-	125	C1a	1	1	954136	2 608 620 727

heavy **for Metal**



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for X-LOCK angle grinders



X-LOCK Steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

clean  Metal**Wire cup brush – crimped wire**

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	-	125	C1a	1	1	954112	2 608 620 725
----	-----	--------	---	-----	-----	---	---	--------	---------------


heavy  Metal**Wire wheel – knotted wire**

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	12	-	C1a	1	1	954174	2 608 620 731
-----	-----	--------	----	---	-----	---	---	--------	---------------

clean  Metal**Wire wheel – crimped wire**

Ideal for removing annealing colour on welded seams.


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

115	0.3	12,500	-	-	C1a	1	1	954181	2 608 620 732
-----	-----	--------	---	---	-----	---	---	--------	---------------



X-LOCK Stainless steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number

heavy **Inox**



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for X-LOCK angle grinders

75	0.5	12,500	125	C1a	1	1	954150	2 608 620 729
----	-----	--------	-----	-----	---	---	--------	----------------------



clean **Inox**



Wire cup brush – crimped wire, stainless


Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	125	C1a	1	1	954143	2 608 620 728
----	-----	--------	-----	-----	---	---	--------	----------------------



heavy **Inox**




Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.


Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.


Appropriate for X-LOCK angle grinders

115	0.5	12,500	-	C1a	1	1	954198	2 608 620 733
-----	-----	--------	---	-----	---	---	--------	----------------------



X-LOCK Brass brushes

clean  **Metal** ▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.



PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number

Wire cup brush – crimped wire, brass-coated

Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

Advantage: corrosion protection provided by brass-coated wire.



75	0.3	12,500	115	C1a	1	1	954167	2 608 620 730
----	-----	--------	-----	-----	---	---	--------	----------------------

Wire brushes for angle grinders and straight grinders with thread M10 / M14



Steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	

274
5

heavy Metal



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.35	12,500	-	14	125	C1a	1	1	631792	2 608 622 099
75	0.5	12,500	-	14	125	C1a	1	1	026628	1 608 622 029
90	0.5	8,500	-	14	150	C1a	1	1	003124	1 608 614 001
90	0.8	8,500	-	14	150	C1a	1	1	026567	1 608 614 000
100	0.5	8,500	-	14	180	C1a	1	1	036016	2 608 622 010
100	0.8	8,500	-	14	180	C1a	1	1	026574	1 608 614 002

clean Metal



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

70	0.3	12,500	-	14	125	C1a	1	1	631785	2 608 622 098
100	0.5	8,500	-	14	180	C1a	1	1	026611	1 608 614 011

heavy Metal



Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	12	14	-	C1a	1	1	087254	2 608 622 059
-----	-----	--------	----	----	---	-----	---	---	--------	---------------



clean Metal



Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.3	11,000	-	14	-	C1a	1	1	631808	2 608 622 100
-----	-----	--------	---	----	---	-----	---	---	--------	---------------



Steel brushes

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy  Metal**Bevel Brush – knotted wire**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.5	12,500	12	14	-	C1a	1	1	036023	2 608 622 011
115	0.5	12,500	-	14	-	C1a	1	1	087247	2 608 622 058

clean  Metal**Bevel brush – crimped wire**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.3	12,500	-	14	-	C1a	1	1	087230	2 608 622 057
115	0.3	12,500	-	14	-	C1a	1	1	631815	2 608 622 101



Stainless steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy  Inox**Wire cup brush – knotted wire, stainless**

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.35	12,500	14	125		C1a	1	1	631846	2 608 622 104
75	0.5	12,500	14	125		C1a	1	1	087261	2 608 622 060
100	0.35	8,500	14	180		C1a	1	1	631853	2 608 622 105



Stainless steel brushes

clean **for** **Inox**



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.3	12,500	14	115	C1a	1	1	087278	2 608 622 061
75	0.3	12,500	14	125	C1a	1	1	631822	2 608 622 102



Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

100	0.3	8,500	14	180	C1a	1	1	631839	2 608 622 103
-----	-----	-------	----	-----	-----	---	---	--------	---------------

heavy **for** **Inox**



Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	14	-	C1a	1	1	631860	2 608 622 106
-----	-----	--------	----	---	-----	---	---	--------	---------------



clean **for** **Inox**



Wire wheel – crimped wire, stainless

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.3	8,500	14	-	C1a	1	1	631877	2 608 622 107
-----	-----	-------	----	---	-----	---	---	--------	---------------



heavy **for** **Inox**



Bevel brush – knotted wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.35	12,500	14	-	C1a	1	1	631891	2 608 622 109
-----	------	--------	----	---	-----	---	---	--------	---------------



Stainless steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

clean **for** **Inox****Bevel Brush – crimped wire, stainless****Ideal for** working on hard-to-reach areas (due to the conical shape of the brush).**Suitable for** light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.**Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional

100	0.35	12,500	14	-	C1a	1	1	631884	2 608 622 108
-----	------	--------	----	---	-----	---	---	--------	----------------------



Brass brushes

clean **for** **Metal****Wire cup brush – crimped wire, brass-coated****Suitable for** light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.**Appropriate for** angle grinders with M10 or M14 thread and GGS 6 S Professional**Advantage:** corrosion protection provided by brass-coated wire.

70	0.3	12,500	14	115	C1a	1	1	003131	1 608 614 020
----	-----	--------	----	-----	-----	---	---	--------	----------------------




Wire brushes for drills (6 mm shank)



Steel brushes

278
5


PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on small to medium metal surfaces, such as removing heavy rust, underseal, paint or varnish.


65	0.5	4,500	-	C1d	1	1	082099	2 608 622 050
----	-----	-------	---	-----	---	---	--------	----------------------



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

50	0.2	4,500	-	C1d	1	1	049832	2 608 622 022
50	0.3	4,500	-	C1d	1	1	035972	2 608 622 006
70	0.2	4,500	-	C1d	1	1	004527	1 609 200 271
70	0.3	4,500	-	C1d	1	1	004510	1 609 200 270



Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work on small metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

75	0.5	4,500	13	C1d	1	1	631938	2 608 622 113
----	-----	-------	----	-----	---	---	--------	----------------------



Steel brushes

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

**Wire wheel – crimped wire**

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

30	0.2	4,500	6	C1d	1	1	631907	2 608 622 110
50	0.3	4,500	8	C1d	1	1	631921	2 608 622 112
75	0.2	4,500	10	C1d	1	1	041119	1 608 622 015
75	0.3	4,500	8	C1d	1	1	035989	2 608 622 007
100	0.2	4,500	10	C1d	1	1	004558	1 609 200 274
100	0.3	4,500	10	C1d	1	1	004541	1 609 200 273

5

279

**End brush – knotted wire**

Ideal for working on very hard-to-reach areas.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1d	1	1	631952	2 608 622 115
----	------	-------	---	-----	---	---	--------	---------------

End Brush – knotted wire

Ideal for working on very hard-to-reach areas.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles, such as removing heavy rust, removing paint or varnish.

19	0.35	4,500	-	C1d	1	1	631969	2 608 622 116
----	------	-------	---	-----	---	---	--------	---------------

End Brush – crimped wire

Ideal for working on very hard-to-reach areas.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

15	0.2	4,500	-	C1d	1	1	631945	2 608 622 114
----	-----	-------	---	-----	---	---	--------	---------------

End brush – crimped wire

Ideal for working on very hard-to-reach areas.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

25	0.3	4,500	-	C1d	1	1	004503	1 609 200 269
----	-----	-------	---	-----	---	---	--------	---------------



Stainless steel brushes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

50	0.3	4,500	-	C1d	1	1	631976	2 608 622 117
----	-----	-------	---	-----	---	---	--------	---------------



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

60	0.3	4,500	-	C1d	1	1	631983	2 608 622 118
----	-----	-------	---	-----	---	---	--------	---------------



Wire wheel – knotted wire

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

70	0.35	4,500	14	C1d	1	1	632058	2 608 622 125
----	------	-------	----	-----	---	---	--------	---------------



Wire wheel – crimped wire

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

70	0.3	4,500	10	C1d	1	1	632010	2 608 622 121
100	0.3	4,500	10	C1d	1	1	632041	2 608 622 124



End Brush – knotted wire

Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1d	1	1	632089	2 608 622 128
----	------	-------	---	-----	---	---	--------	---------------



End brush – knotted wire

Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, removing paint or varnish.

19	0.35	4,500	-	C1d	1	1	632096	2 608 622 129
----	------	-------	---	-----	---	---	--------	---------------



Stainless steel brushes

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

**End Brush – crimped wire**

Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping.

15	0.2	4,500	-	C1d	1	1	632065	2 608 622 126
----	-----	-------	---	-----	---	---	--------	---------------

End brush – crimped wire

Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping.

25	0.3	4,500	-	C1d	1	1	632072	2 608 622 127
----	-----	-------	---	-----	---	---	--------	---------------



Brass brushes

**Wire cup brush – crimped wire, brass-coated**

Suitable for light to medium duty cleaning work on small to medium metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping, working on wood.

Advantage: corrosion protection provided by brass-coated wire.

50	0.2	4,500	-	C1d	1	1	035996	2 608 622 008
----	-----	-------	---	-----	---	---	--------	---------------

**Wire wheel – crimped wire, brass-coated**

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on metal or non-ferrous metal, such as removing rust, roughing, matt sanding, paint stripping, working on wood.

Advantage: corrosion protection provided by brass-coated wire.

75	0.2	4,500	10	C1d	1	1	036009	2 608 622 009
----	-----	-------	----	-----	---	---	--------	---------------

**Wire wheel – crimped wire, brass-coated**

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on metal or non-ferrous metal, such as removing rust, roughing, matt sanding, paint stripping, working on wood.

Advantage: corrosion protection provided by brass-coated wire.


75	0.2	4,500	16	C1d	1	1	082136	2 608 622 054
----	-----	-------	----	-----	---	---	--------	---------------

Brass brushes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire wheel – crimped wire, brass-coated								
Ideal for texturing wood.								
80	0.2	4,500	35	C1d	1	1	632102	2 608 622 130

Nylon bristle with aluminium oxide



Wire cup brush – Nylon bristle with aluminium oxide coated abrasive K80

Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.

Adapts perfectly to the contours of the workpiece, without severely altering the surface.

Works at constant material removal rate because abrasive grains are continuously released.

50	1	4,500	-	C1d	1	1	082112	2 608 622 052
75	1	4,500	-	C1d	1	1	082105	2 608 622 051



Wire wheel – Nylon bristle with aluminium oxide coated abrasive K80

Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on small surfaces, in grooves or on edges, texturing wood and removing annealing colour from welded seams on stainless steel.

Adapts perfectly to the contours of the workpiece, without severely altering the surface.

Works at constant material removal rate because abrasive grains are continuously released.

75	1	4,500	8	C1d	1	1	082150	2 608 622 056
100	1	4,500	8	C1d	1	1	082143	2 608 622 055

Grinding stones for straight grinders and drills

Mounted Point – Aluminium oxide, for straight grinders and drills

- ▶ **Appropriate** for all straight grinders with collets and for drills
- ▶ For non-hardened and hardened steel
- ▶ Shapes of stones: round (a), half-round (b), cylindrical (c), disc-shaped (d), tapered (e)

PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece mounted point set								
6 (a)	60	25	24	C1d	5	1	004565	1 609 200 286
6 (b)	60	15	30					
6 (c)	60	15	30					
6 (d)	60	25	25					
6 (e)	60	20	25					
Mounted Point Cylindrical, hard								
6	60	20	26	P0b	1	1	047814	2 608 620 012
Mounted Point Cylindrical, medium-hard								
6	60	25	20	P0b	1	1	047777	1 608 620 055
Mounted Point Conical, medium-hard								
6	60	20	25	P0b	1	1	047838	2 608 620 014





CIRCULAR SAW BLADES

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.



CIRCULAR SAW BLADES FOR A VARIETY OF WOODWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Wood Expert for Wood Expert for Wood Standard for Wood Optiline Wood Speedline Wood

Page number	290	299	295	326	321	324
Optimized for cordless saws	-		-		-	-
Diameter mm	165 – 500	120 – 305	120 – 450	85 – 305	85 – 400	130 – 400

TOOLS

Hand-held / Plunge	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	✓	✓	-
Table	✓	✓	✓	✓	✓	✓
Panel-sizing	✓	-	✓	-	-	-
Hand dry cutters	-	✓	-	✓	-	-

MATERIALS

Hardwood and softwood	✓	✓	✓	✓	✓	✓
Timber and composites for construction	-	-	-	-	-	-
Wooden panel composites	✓	✓	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓	✓
Fiberboards	✓	✓	✓	✓	✓	-
Laminate flooring	✓	✓	✓	✓	✓	-



Expert for Construct Wood

Construct Wood

Best for Laminated Panel

Expert for Laminated Panel

Expert for Laminated Panel

Best for Laminate



302

329

292

305

303

293

-

-

-



-

-

160 - 235

150 - 700

80 - 350

160 - 254

140 - 350

216 - 305



-



-

-

-

-

-

-



-



-

-

-



-



-

-

-

-

-

-

-



-

-

-

-



-



-

-



-

-

-

-

-



-

-

-

-

-

-

-

-




Tool reference list



CIRCULAR SAW BLADES FOR UNIVERSAL AND SPECIAL APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Multi Material Expert for Multi Material Standard for Multi Material Standard for Multi Material Expert for High Pressure Laminate Expert for Sandwich Panel Expert for Fiber Cement Expert for Fiber Cement

Page number	294	316	335	337	306	317	319	318
Optimized for cordless saws	—	—	—		—	—		—
Diameter mm	165 – 305	210 – 305	130 – 350	85	140 – 305	160 – 450	160 – 305	140 – 305

TOOLS

Hand-held / Plunge	✓	-	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	-	✓	-	✓	✓
Table	-	-	✓	-	✓	-	-	-

MATERIALS

Hardwood and softwood	✓	✓	✓	✓	-	-	-	-
Wooden panel composites	✓	✓	✓	✓	-	-	-	-
Fiberboards	✓	✓	✓	✓	-	-	-	-
Laminate flooring	✓	✓	✓	✓	-	-	-	-
High pressure laminate panels, Trespa®	✓	✓	-	-	✓	-	-	-
Sandwich panels	-	-	-	-	-	✓	-	-
Porous concrete	-	-	-	-	-	-	✓	✓
Fiber cement, Eternit®	-	-	-	-	-	-	✓	✓
Plasterboard	-	-	-	-	-	-	✓	✓
Corian®	-	-	-	-	✓	-	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	✓	-	-	-	-
Plastics, Epoxy	✓	✓	✓	✓	-	-	-	-

CIRCULAR SAW BLADES FOR METALWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Expert for Aluminium

Expert for Aluminium

Standard for Aluminium

Expert for Steel

Standard for Steel

Expert for Stainless Steel

Expert for Stainless Steel

Page number	311	308	331	313	334	314	315
Optimized for cordless saws		-		-			-
Diameter mm	120 – 305	140 – 315	136 – 305	160 – 355	136 – 173	136 – 160	185 – 355

TOOLS

Hand-held / Plunge	✓	✓	✓	-	-	-	-
Mitre	✓	✓	✓	-	-	-	-
Table	✓	✓	✓	-	-	-	-
Hand dry cutters	✓	-	✓	✓	✓	✓	✓
Mitre dry cutters	-	-	-	✓	-	-	✓

MATERIALS

Steel*	-	-	-	✓	✓	✓	✓
Stainless steel, Inox	-	-	-	-	-	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	-	-	-	-
Plastics, Epoxy	✓	✓	✓	-	-	-	-
Hardwood and softwood	✓	✓	✓	-	-	-	-
Panel composites	✓	✓	✓	-	-	-	-
Fiberboards	✓	✓	✓	-	-	-	-
Laminate boards	✓	✓	✓	-	-	-	-


* Not for Inox

Top Precision Best for Wood

Circular saw blades for plunge and hand-held circular saws





- ▶ For precise, clean and quiet cuts in all types of wood with plunge and hand-held circular saws.



TOP Precision best for **Wood**



ATB




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	48	ATB	11,500	5	15	C1a	1	1	636858	2 608 642 384
165	20	1.8/1.3	20	ATB	11,500	15	15	C1a	1	1	636865	2 608 642 385
165	20	1.8/1.3	32	ATB	11,500	10	15	C1a	1	1	636872	2 608 642 386

Circular saw blades for mitre saws and sliding mitre saws





- ▶ For precise, clean and quiet cuts in all types of wood.



TOP Precision best for **Wood**





ATB






216	30	2.3/1.8	48	ATB	8,800	-5	15	C1c	1	1	574419	2 608 642 101
305	30	2.3/1.8	72	ATB	6,200	-5	15	C1c	1	1	574433	2 608 642 103

Circular saw blades for horizontal/vertical panel sizing and table saws




TOP Precision best Wood



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	30	3.2/2.2	72	ATB	6,300	7/42 9/46.4 10/60	10	15	C1c	1	1	574563	2 608 642 116





Top Precision Best for Laminated Panel

Circular saw blades for horizontal/vertical panel sizing and table saws



- ▶ For perfect cuts in abrasive panel materials coated on one or two sides.
DH: Scoring blade not required when used on panel sizing saws.

TOP Precision best **TOP Laminated Panel** abrasive



292
6


PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
250	30	3.2/2.2	48	DH	7,600	7/42 9/46.4 10/60	10	15	C1c	1	1	574440	2 608 642 104

Best for Laminate

Circular saw blades for mitre saws and sliding mitre saws





- ▶ A durable blade for all types of laminate flooring.



best  **Laminate**



HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2.5/1.8	60	HLTCG	8,800	5	15	C1c	1	1	579568	2 608 642 133
254	30	2.5/1.8	84	HLTCG	7,500	5	15	C1c	1	1	579575	2 608 642 135
305	30	2.5/1.8	96	HLTCG	6,200	5	18	C1c	1	1	579582	2 608 642 137

Top Precision Best for Multi Material

Circular saw blades for plunge and hand-held circular saws




- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood with plunge and hand-held circular saws.




TOP Precision best **MultiMaterial**



HLTCG



0,4 × 45° / 0,6 × 50°




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	56	HLTCG	11,500	-5	15	C1a	1	1	636889	2 608 642 387
165	20	1.8/1.3	48	HLTCG	11,500	0	17	C1a	1	1	636896	2 608 642 388

Circular saw blades for mitre saws and sliding mitre saws




- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.




TOP Precision best **MultiMaterial**



TCG



0,7 × 45°




305	30	2.3/1.8	96	HLTCG	6,200	-5	15	C1c	1	1	574396	2 608 642 099
-----	----	---------	----	-------	-------	----	----	-----	---	---	--------	---------------

Expert for Wood


Circular saw blades for plunge and hand-held circular saws





► For effortlessly clean cross and rip cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**



ATB



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	2.6/1.6	24	ATB	11,500	2/6/32.5	15	15	C1a	1	1	795883	2 608 644 022
165	20	2.6/1.6	36	ATB	11,500	2/6/32.5	10	15	C1a	1	1	795890	2 608 644 023
165	20	2.6/1.6	48	ATB	11,500	2/6/32.5	5	15	C1a	1	1	795906	2 608 644 024
180	30	2.6/1.6	24	ATB	10,600	2/7/42	15	15	C1a	1	1	795982	2 608 644 032
184	16	2.6/1.6	40	ATB	10,300	2/6/32.5	10	15	C1a	1	1	796026	2 608 644 036
184	16	2.6/1.6	56	ATB	10,300	2/6/32.5	5	15	C1a	1	1	796033	2 608 644 037
190	30	2.6/1.6	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796132	2 608 644 047
190	30	2.6/1.6	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796149	2 608 644 048
190	30	2.6/1.6	48	ATB	10,000	2/7/42	10	15	C1a	1	1	796156	2 608 644 049
190	30	2.6/1.6	56	ATB	10,000	2/7/42	5	15	C1a	1	1	796163	2 608 644 050
235	30	2.8/1.8	36	ATB	8,100	2/7/42	15	15	C1a	1	1	796309	2 608 644 064
235	30	2.8/1.8	48	ATB	8,100	2/7/42	10	15	C1a	1	1	796316	2 608 644 065
235	30	2.8/1.8	56	ATB	8,100	2/7/42	10	15	C1a	1	1	796323	2 608 644 066

EXPERT FOR WOOD FOR MITRE SAWS

Perfect cuts in wood and wood based materials.

296
6



LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production




DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating



Circular saw blades for mitre saws and sliding mitre saws



► For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**



PRODUCT PROPERTIES										ORDERING INFORMATION			
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.4/1.8	48	ATB	9,000	2/7/42	-5	15	C1a	1	1	648219	2 608 642 496
216	30	2.4/1.8	48	ATB	8,800	2/7/42	-5	15	C1a	1	1	648226	2 608 642 497
216	30	2.4/1.8	40	ATB	8,800	2/7/42	-5	15	C1a	1	1	796453	2 608 644 079
250	30	2.4/1.8	60	ATB	7,600	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	648233	2 608 642 498


Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	40	ATB	7,600	2/9.5/46.5 2/9/46 2/10/60 2/7/42	-5	15	C1a	1	1	796460	2 608 644 080
254	30	2.4/1.8	60	ATB	7,500	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-5	15	C1a	1	1	650120	2 608 642 530
300	30	2.4/1.8	72	ATB	6,300	4/12/64 2/9/55	-5	15	C1a	1	1	648240	2 608 642 499
305	30	2.4/1.8	72	ATB	6,200	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-5	15	C1a	1	1	650137	2 608 642 531

Circular saw blades for table saws





► For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for a long lifetime.



expert **for Wood**





ATB







190	30	2/1.3	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796491	2 608 644 083
190	30	2/1.3	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796507	2 608 644 084
190	30	2/1.3	48	ATB	10,000	2/7/42	5	15	C1a	1	1	796514	2 608 644 085
250	30	2.5/1.8	80	ATB	7,600	2/7/42 2/9.5/46.5 2/9/46 2/10/60	5	15	C1a	1	1	648257	2 608 642 500
300	30	2.5/1.8	100	ATB	6,300	2/7/42 2/9.5/46.5 2/9/46 2/10/60	5	15	C1a	1	1	648264	2 608 642 501

Circular saw blades for horizontal/vertical panel sizing and table saws

▶ Long life and constantly high cut quality in all types of wood.




expert **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	22	ATB	7,600	2/7/42 2/9/46.4 2/10/60	20	15	C1a	1	1	648271	2 608 642 502
250	30	3.2/2.2	40	ATB	7,600	2/7/42 2/9/46.4 2/10/60	15	15	C1a	1	1	648301	2 608 642 505
250	30	3.2/2.2	60	ATB	7,600	2/10/60 2/7/42 2/9/46.4	10	15	C1a	1	1	648318	2 608 642 506
250	30	3.2/2.2	80	ATB	7,600	2/7/42 2/9/46.4 2/10/60	5	18	C1a	1	1	648325	2 608 642 507
300	30	3.2/2.2	26	ATB	6,300	2/7/42 2/9/46.4 2/10/60	20	15	C1a	1	1	648288	2 608 642 503
300	30	3.2/2.2	48	ATB	6,300	2/7/42 2/9/46.4 2/10/60	15	15	C1a	1	1	648332	2 608 642 508
300	30	3.2/2.2	60	ATB	6,300	2/7/42 2/9/46.4 2/10/60	10	15	C1a	1	1	648349	2 608 642 509
300	30	3.2/2.2	72	ATB	6,300	2/7/42 2/9/46.4 2/10/60	10	15	C1a	1	1	648356	2 608 642 510
300	30	3.2/2.2	96	ATB	6,300	2/7/42 2/9/46.4 2/10/60	5	18	C1a	1	1	648363	2 608 642 511
350	30	3.5/2.5	54	ATB	5,400	2/7/42 2/9/46.4 2/10/60	15	15	C1a	1	1	648370	2 608 642 512



Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.



expert **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
120	20	-	1.7/1.2	24	ATB	12,500	20	12	PC1b	1	1	957274	2 608 644 497
136	20	15.875	1.5/1	24	ATB	10,000	20	12	PC1b	1	1	957281	2 608 644 498
140	20	12.7 10	1.8/1.3	24	ATB	10,000	15	15	PC1b	1	1	957298	2 608 644 499
140	20	12.7 11	1.8/1.3	42	ATB	10,000	5	15	PC1b	1	1	957304	2 608 644 500
160	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957328	2 608 644 502
160	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957335	2 608 644 503
160	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957342	2 608 644 504
160	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957359	2 608 644 505
165	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957366	2 608 644 506
165	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957373	2 608 644 507
165	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957380	2 608 644 508
165	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957397	2 608 644 509
184	20	16	1.6/1	24	ATB	8,000	25	10	PC1b	1	1	957403	2 608 644 510
190	30	20	1.5/1	18	ATB	8,000	25	10	PC1b	1	1	957427	2 608 644 512
190	30	20	1.5/1	24	ATB	8,000	25	10	PC1b	1	1	957434	2 608 644 513
190	30	20	1.5/1	48	ATB	8,000	15	13	PC1b	1	1	957441	2 608 644 514
190	30	20	1.5/1	60	ATB	8,000	10	15	PC1b	1	1	957458	2 608 644 515
184	20	16	1.6/1	48	ATB	8,000	10	15	PC1b	1	1	957410	2 608 644 511



Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.




expert **for Wood**




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	1.7/1.2	24	ATB	7,000	5	15	PC1b	1	1	957489	2 608 644 518
216	30	1.7/1.2	48	ATB	7,000	5	15	PC1b	1	1	957496	2 608 644 519
250	30	2.1/1.6	24	ATB	6,000	5	15	PC1b	1	1	957526	2 608 644 522
250	30	2.1/1.6	48	ATB	6,000	5	15	PC1b	1	1	957533	2 608 644 523
254	30	2.1/1.6	24	ATB	6,000	5	15	PC1a	1	1	610962	2 608 644 685
254	30	2.1/1.6	48	ATB	6,000	5	15	PC1a	1	1	610979	2 608 644 686
305	30	2.2/1.6	42	ATB	5,000	5	15	PC1b	1	1	957571	2 608 644 527
305	30	2.2/1.6	60	ATB	5,000	5	15	PC1b	1	1	957588	2 608 644 528
305	30	2.2/1.6	96	ATB	5,000	5	15	PC1b	1	1	957595	2 608 644 529

300
6



Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.



expert **for Wood**




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957465	2 608 644 516
210	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957472	2 608 644 517
216	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957502	2 608 644 520
216	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957519	2 608 644 521
254	30	2.1/1.6	24	ATB	6,000	25	10	PC1b	1	1	957540	2 608 644 524
254	30	2.1/1.6	40	ATB	6,000	20	12	PC1b	1	1	957557	2 608 644 525
254	30	2.1/1.6	60	ATB	6,000	15	13	PC1b	1	1	957564	2 608 644 526

Expert for Construct Wood

Circular saw blades for plunge and hand-held circular saws





- ▶ The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues. Also suitable for cutting formwork boards, raw chipboard, acoustic panels, lightweight building panels and aerated concrete. Microteq teeth for long lifetime.



expert **for ConstructWood**



ATB+Pyramid




302
6

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	2/1.3	24	ATB+ Pyramid	11,500	2/6/32.5	18	13	C1a	1	1	797030	2 608 644 137
190	30	2/1.3	24	ATB+ Pyramid	10,000	2/7/42	18	13	C1a	1	1	797054	2 608 644 139

Expert for Laminated Panel


Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.




expert LaminatedPanel



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957816	2 608 644 551
216	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957823	2 608 644 552
254	30	2.6/1.8	78	ATB	6,000	-5	15	PC1b	1	1	957830	2 608 644 553



Circular saw blades for plunge and hand-held circular saws



- ▶ For effortlessly clean cuts in panel materials (laminated on one or two sides), abrasive panels, and fine-coated or veneered panels. Also suitable for cutting raw chipboard, acoustic panels and lightweight building panels. Microteq teeth for long lifetime.




expert LaminatedPanel






PRODUCT PROPERTIES							ORDERING INFORMATION						
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	42	ATB	13,600	2/6/32.5	-5	15	C1a	1	1	796927	2 608 644 126
160	20	2.2/1.6	48	ATB	11,900	2/6/32.5	-5	15	C1a	1	1	796934	2 608 644 127
190	20	2.6/1.6	60	ATB	10,000	2/6/32.5	-5	15	C1a	1	1	796958	2 608 644 129
190	30	2.6/1.6	60	ATB	10,000	2/7/42	-5	15	C1a	1	1	796965	2 608 644 130
165	20	2.6/1.6	48	ATB	11,500	2/6/32.5	-5	15	C1a	1	1	796941	2 608 644 128

Circular saw blades for horizontal/vertical panel sizing and table saws




▶ Long life and constantly high cut quality in panels coated on one or two sides. DH: Scoring blade not required when used on panel sizing saws.

expert **LaminatedPanel**





PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	48	DH	7,600	2/7/42 2/9/46.4 2/10/60	10	15	C1a	1	1	648394	2 608 642 514
303	30	3.2/2.2	60	DH	6,300	2/7/42 2/9/46.4 2/10/60	10	15	C1a	1	1	648400	2 608 642 515

Circular saw blades for horizontal/vertical panel sizing and table saws



expert **LaminatedPanel**



250	30	3.2/2.2	80	HLTCG	7,600	2/7/42 2/9/46.4 2/10/60	5	18	C1a	1	1	648417	2 608 642 516
300	30	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9/46.4 2/10/60	5	18	C1a	1	1	648424	2 608 642 517
350	30	3.5/2.5	108	HLTCG	5,400	2/7/42 2/9/46.4 2/10/60	5	18	C1a	1	1	648431	2 608 642 518



Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.



expert **for LaminatedPanel**



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm		Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957786	2 608 644 548	
165	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957793	2 608 644 549	
190	30	20	2.1/1.4	60	ATB	8,000	-5	15	PC1b	1	1	957809	2 608 644 550	

Expert for High Pressure Laminate

Circular saw blades for plunge and hand-held circular saws





► For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for long lifetime.



expert  **HighPressureLaminate**



HLTCG



PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	-	1.8/1.3	42	HLTCG	13,600	2/6/32.5	0	17	C1a	1	1	796972	2 608 644 131
160	20	-	2.2/1.6	48	HLTCG	11,900	2/6/32.5	0	17	C1a	1	1	796989	2 608 644 132
165	20	-	2.6/1.6	48	HLTCG	11,500	2/6/32.5	0	17	C1a	1	1	796996	2 608 644 133
190	30	-	2.6/1.6	56	HLTCG	10,000	2/7/42	0	17	C1a	1	1	797016	2 608 644 135
210	30	0	2.8/1.8	60	HLTCG	9,000	2/7/42	0	17	C1b	1	1	881043	2 608 644 354
230	30	0	2.8/1.8	64	HLTCG	8,300	2/7/42	0	17	C1b	1	1	881067	2 608 644 356
235	30	0	2.8/1.8	64	HLTCG	8,100	2/7/42	0	17	C1b	1	1	881180	2 608 644 357
190	20	-	2.6/1.6	56	HLTCG	10,000	2/6/32.5	0	17	C1a	1	1	797009	2 608 644 134

Circular saw blades for mitre saws and sliding mitre saws





► For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for a long lifetime.



expert  **HighPressureLaminate**



HLTCG



216	30	0	2.8/1.8	64	HLTCG	8,800	2/7/42	-3	15	C1b	1	1	881050	2 608 644 355
250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-3	15	C1b	1	1	881081	2 608 644 358
254	30	0	2.8/1.8	80	HLTCG	7,500	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-3	15	C1b	1	1	881104	2 608 644 360

Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
260	30	0	2.8/1.8	80	HLTCG	7,300	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-3	15	C1b	1	1	881111	2 608 644 361
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-3	15	C1b	1	1	881128	2 608 644 362
305	30	0	3.2/2.2	96	HLTCG	6,200	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-3	15	C1b	1	1	881142	2 608 644 364

6

307



Circular saw blades for table saws



- For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for long lifetime.

expert  **HighPressureLaminate**

HLTCG




250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9.5/46.5 2/9/46 2/10/60	10	15	C1a	1	1	881098	2 608 644 359
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9.5/46.5 2/9/46 2/10/60	10	15	C1b	1	1	881135	2 608 644 363

Expert for Aluminium

Circular saw blades for plunge and hand-held circular saws





- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert **Aluminium**



HLTCG




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	42	HLTCG	13,600	2/6/32.5	-5	15	C1a	1	1	796583	2 608 644 092
150	20	2.6/1.6	42	HLTCG	12,700	2/6/32.5	-5	15	C1a	1	1	796590	2 608 644 093
160	20	2.2/1.6	52	HLTCG	11,900	2/6/32.5	-5	15	C1a	1	1	796606	2 608 644 094
165	20	2.6/1.6	52	HLTCG	11,500	2/6/32.5	-5	15	C1a	1	1	796613	2 608 644 095
165	30	2.6/1.6	52	HLTCG	11,500	2/7/42	-5	15	C1a	1	1	796620	2 608 644 096
180	30	2.6/1.6	56	HLTCG	10,600	2/7/42	-5	15	C1a	1	1	796637	2 608 644 097
184	16	2.6/1.6	48	HLTCG	10,300	2/6/32.5	-5	15	C1a	1	1	796644	2 608 644 098
184	20	2.6/1.6	56	HLTCG	10,300	2/6/32.5	-5	15	C1a	1	1	796651	2 608 644 099
190	30	2.6/1.6	56	HLTCG	10,000	2/7/42	-5	15	C1a	1	1	796682	2 608 644 102
200	30	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796699	2 608 644 103
200	32	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796705	2 608 644 104
210	30	2.8/1.8	72	HLTCG	9,000	2/7/42	-5	15	C1a	1	1	796712	2 608 644 105
230	30	2.8/1.8	64	HLTCG	8,300	2/7/42	-5	15	C1a	1	1	796729	2 608 644 106
240	30	2.8/1.8	80	HLTCG	7,900	2/7/42	-5	15	C1a	1	1	796743	2 608 644 108
190	20	2.6/1.6	56	HLTCG	10,000	2/6/32.5	-5	15	C1a	1	1	796675	2 608 644 101


Circular saw blades for mitre saws and sliding mitre saws





- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert **Aluminium**




HLTCG




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.6/1.8	54	HLTCG	9,000	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796750	2 608 644 109
216	30	2.6/1.8	64	HLTCG	8,800	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796767	2 608 644 110
254	30	2.8/2	80	HLTCG	7,500	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796781	2 608 644 112
260	30	2.8/2	80	HLTCG	7,300	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796798	2 608 644 113
305	30	2.8/2	96	HLTCG	6,200	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796811	2 608 644 115
315	30	2.8/2.2	96	HLTCG	6,000	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796828	2 608 644 116



Circular saw blades for table saws



- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal, such as aluminium.



expert **Aluminium**




310
6

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
190	Star	2.6/1.8	58	HLTCG	10,000	-	-5	15	C1a	1	1	796835	2 608 644 117
225	30	2.6/1.8	68	HLTCG	8,400	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796842	2 608 644 118
250	30	2.8/2	68	HLTCG	7,600	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	796859	2 608 644 119

Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **for Aluminium**



HLTCG




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
120	20	-	1.8/1.2	42	HLTCG	12,500	0	15	PC1b	1	1	957649	2 608 644 534
136	20	15.875	1.6/1	48	HLTCG	10,000	0	15	PC1b	1	1	957656	2 608 644 535
150	20	15.875 10	1.8/1.3	48	HLTCG	10,000	0	15	PC1b	1	1	957670	2 608 644 537
160	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957687	2 608 644 538
165	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957694	2 608 644 539
190	30	20	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957717	2 608 644 541
140	20	12.7 10	1.8/1.3	48	HLTCG	10,000	-5	15	PC1b	1	1	957663	2 608 644 536
184	20	16	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957700	2 608 644 540

Circular saw blades for cordless mitre and sliding mitre saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **Aluminium**



HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957731	2 608 644 543
250	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957755	2 608 644 545
254	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1a	1	1	610986	2 608 644 687
305	30	2.4/1.8	96	HLTCG	5,000	0	15	PC1b	1	1	957779	2 608 644 547

Circular saw blades for cordless table saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **Aluminium**



HLTCG



210	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957724	2 608 644 542
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957748	2 608 644 544
254	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957762	2 608 644 546

Expert for Steel

Circular saw blades for hand dry cutters





- ▶ Clean and safe cuts through mild steel.
- ▶ Long lifetime.



expert **for Steel**



MTCG



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	2/1.6	30	HLTCG	3,200	0	12	C1a	1	1	737678	2 608 643 054
184	20	2/1.6	48	HLTCG	3,000	0	12	C1a	1	1	737685	2 608 643 055
190	20	2/1.6	40	HLTCG	2,600	0	12	C1a	1	1	737692	2 608 643 056
210	30	2/1.6	48	HLTCG	2,300	0	12	C1a	1	1	737708	2 608 643 057
230	25.4	2/1.6	48	HLTCG	2,100	0	12	C1a	1	1	737715	2 608 643 058

6

313

Circular saw blades for mitre dry cutters





- ▶ Clean and safe cuts through mild steel.
- ▶ Long lifetime.



expert **for Steel**



MTCG



254	25.4	2.6/2.2	60	HLTCG	1,900	0	12	C1a	1	1	737722	2 608 643 059
305	25.4	2.6/2.2	60	HLTCG	1,800	0	12	C1a	1	1	737739	2 608 643 060
305	25.4	2.6/2.2	80	HLTCG	1,800	0	12	C1a	1	1	737746	2 608 643 061
355	25.4	2.6/2.2	80	HLTCG	1,600	0	12	C1a	1	1	737753	2 608 643 062
355	25.4	2.6/2.2	90	HLTCG	1,600	0	12	C1a	1	1	737760	2 608 643 063

Expert for Stainless Steel

Circular saw blades for cordless hand dry cutters




- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Clean and save cuts in stainless steel materials.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for outstanding wear resistance.
- ▶ Long lifetime.



expert **FOR** StainlessSteel



HLTCG



314
6

PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
136	20	15.875	1.5/1.2	30	HLTCG	5,600	0	12	PC1b	1	1	957601	2 608 644 530	
140	20	-	1.5/1.2	30	HLTCG	5,400	0	12	PC1b	1	1	957618	2 608 644 531	
150	20	15.875	1.6/1.3	32	HLTCG	5,000	0	12	PC1b	1	1	957625	2 608 644 532	
160	20	15.875	1.6/1.3	40	HLTCG	4,700	0	12	PC1b	1	1	957632	2 608 644 533	

Circular saw blades for Hand Dry Cutters




- ▶ Circular saw blade developed for sawing stainless steel. Not suitable for high-alloy steel.
- ▶ Clean and safe cuts in stainless steel materials.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for outstanding wear resistance.
- ▶ Long lifetime.



expert **to** **StainlessSteel**



HLTCG



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
185	20	1.9/1.6	36	HLTCG	4,100	0	10	C1a	1	1	839914	2 608 644 289
192	20	1.9/1.6	38	HLTCG	3,900	0	10	C1a	1	1	839921	2 608 644 288
230	25.4	1.9/1.6	46	HLTCG	3,300	0	10	C1a	1	1	839938	2 608 644 287

6

315

Circular saw blades for Mitre Dry Cutters




- ▶ Clean and safe cuts in stainless steel material.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for outstanding wear resistance.
- ▶ Long lifetime.



expert **to** **StainlessSteel**



HLTCG




255	25.4	2.5/2.2	50	HLTCG	2,900	0	10	C1a	1	1	839945	2 608 644 286
305	25.4	2.5/2.2	80	HLTCG	2,500	0	10	C1a	1	1	839969	2 608 644 284
305	25.4	2.5/2.2	60	HLTCG	2,500	0	10	C1a	1	1	839952	2 608 644 285
355	25.4	2.5/2.2	90	HLTCG	2,100	0	10	C1a	1	1	839983	2 608 644 282
355	25.4	2.5/2.2	70	HLTCG	2,100	0	10	C1a	1	1	839976	2 608 644 283

Expert for Multi Material



Circular saw blades for mitre saws and sliding mitre saws



- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.




expert **MultiMaterial**



316
6

PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	2.4/1.8	54	TCG	9,000	-5	15	C1a	1	1	648172	2 608 642 492
216	30	2.4/1.8	64	TCG	8,800	-5	15	C1a	1	1	648189	2 608 642 493
250	30	2.4/1.8	80	TCG	7,600	-5	15	C1a	1	1	648196	2 608 642 494
254	30	2.4/1.8	80	TCG	7,500	-5	15	C1a	1	1	650106	2 608 642 528
300	30	2.4/1.8	96	TCG	6,300	-5	15	C1a	1	1	648202	2 608 642 495
305	30	2.4/1.8	96	TCG	6,200	-5	15	C1a	1	1	650113	2 608 642 529



Circular saw blades for plunge and hand-held circular saws



► For clean cuts in sandwich panels with sheet steel (laminated on one or two sides). Microteq teeth for long lifetime.



expert **to** SandwichPanel




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	2/1.6	30	HLTCG	11,900	2/6/32.5	0	12	C1b	1	1	881159	2 608 644 365
165	20	2/1.6	30	HLTCG	11,500	2/6/32.5	0	12	C1a	1	1	881166	2 608 644 366
190	30	2/1.6	36	HLTCG	10,000	2/7/42	0	12	C1b	1	1	881074	2 608 644 367
210	30	2.4/2	36	HLTCG	9,000	2/7/42	0	12	C1a	1	1	797085	2 608 644 142
230	30	2.2/1.8	48	HLTCG	8,300	2/7/42	0	12	C1b	1	1	881173	2 608 644 368
235	30	2.2/1.8	50	HLTCG	8,100	2/7/42	0	12	C1a	1	1	797092	2 608 644 143
240	30	2.6/1.6	48	HLTCG	7,900	2/7/42	0	12	C1a	1	1	797108	2 608 644 144
270	30	2.4/2	60	HLTCG	7,000	2/7/42	0	12	C1a	1	1	797115	2 608 644 145
330	30	2.6/2.2	54	HLTCG	5,700	2/7/42	0	12	C1a	1	1	797122	2 608 644 146
350	30	2.9/2.5	60	HLTCG	5,400	2/7/42	0	12	C1a	1	1	799539	2 608 644 165
355	30	2.6/2.2	80	HLTCG	5,300	2/7/42	0	12	C1a	1	1	797139	2 608 644 147
450	30	3.4/3	86	HLTCG	4,200	2/7/42	0	12	C1a	1	1	797146	2 608 644 148

Expert for Fibre Cement



Circular saw blades for plunge and hand-held circular saws



- For cuts in fibre cement and plasterboard. Suitable for Eternit®. Polycrystalline diamond teeth for very long lifetime.



expert **for FiberCement**



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	20	1.8/1.3	4	TCG	13,600	2/6/32.5	10	10	C1a	1	1	796866	2 608 644 120
160	20	2.2/1.6	4	TCG	11,900	2/6/32.5	10	10	C1a	1	1	796873	2 608 644 121
165	20	2.2/1.6	4	TCG	11,500	2/6/32.5	10	10	C1a	1	1	796880	2 608 644 122
170	30	2.2/1.6	4	TCG	11,200	2/7/42	10	10	C1a	1	1	796897	2 608 644 123
184	30	2.2/1.6	4	TCG	10,300	2/7/42	10	10	C1b	1	1	880947	2 608 644 344
190	20	2.2/1.6	4	TCG	10,000	2/6/32.5	10	10	C1a	1	1	796903	2 608 644 124
190	30	2.2/1.6	4	TCG	10,000	2/7/42	10	10	C1a	1	1	796910	2 608 644 125
210	30	2.2/1.6	6	TCG	9,000	2/7/42	10	10	C1b	1	1	880954	2 608 644 345
230	30	2.2/1.6	6	TCG	8,300	2/7/42	10	10	C1b	1	1	880978	2 608 644 347
235	30	2.2/1.6	6	TCG	8,100	2/7/42	10	10	C1b	1	1	880985	2 608 644 348



Circular saw blades for mitre saws and sliding mitre saws



- For cuts in fibre cement and plasterboard. Suitable for Eternit®. Polycrystalline diamond teeth for very long lifetime.



expert **for FiberCement**



216	30	2.2/1.6	6	TCG	8,800	2/7/42	10	10	C1b	1	1	880961	2 608 644 346
250	30	2.4/1.8	6	TCG	7,600	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	10	10	C1b	1	1	880992	2 608 644 349
254	30	2.4/1.8	6	TCG	7,500	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	10	10	C1b	1	1	881005	2 608 644 350



Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
260	30	2.4/1.8	6	TCG	7,300	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	10	10	C1b	1	1	881012	2 608 644 351
300	30	2.4/1.8	8	TCG	6,300	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	10	10	C1a	1	1	881029	2 608 644 352
305	30	2.4/1.8	8	TCG	6,200	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	10	10	C1b	1	1	881036	2 608 644 353

Circular saw blades for cordless plunge and hand-held circular saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Very long lifetime due to polycrystalline diamond (PCD) teeth.

expert **FiberCement**



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957847	2 608 644 554
165	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957854	2 608 644 555
190	30	20	1.8/1.2	4	TCG	8,000	10	10	PC1b	1	1	957861	2 608 644 556

Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Very long lifetime due to polycrystalline diamond (PCD) teeth.

expert **for FiberCement**



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	2/1.4	6	TCG	7,000	10	10	PC1b	1	1	957878	2 608 644 557
250	30	2.2/1.6	6	TCG	6,000	10	10	PC1b	1	1	957885	2 608 644 558
305	30	2.2/1.6	8	TCG	5,000	10	10	PC1b	1	1	957892	2 608 644 559


320
6

Optiline Wood



Optiline Wood for hand-held circular saws



► The precise blade for quality cuts in all types of wood.



ATB




PRODUCT PROPERTIES											ORDERING INFORMATION			
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	-	15	13	C1a	1	1	754279	2 608 643 071
130	20	16	2.4/1.4	20	ATB	11,500	-	15	15	C1a	1	1	193764	2 608 640 582
130	20	16	2.4/1.4	30	ATB	11,500	-	15	15	C1a	1	1	193771	2 608 640 583
130	20	16	2.4/1.4	12	ATB	11,500	-	15	15	C1a	1	1	373494	2 608 641 167
140	20	12.75	2.4/1.4	20	ATB	10,500	-	15	15	C1a	1	1	193801	2 608 640 586
140	20	12.75	2.4/1.4	12	ATB	10,500	-	15	15	C1a	1	1	373500	2 608 641 168
150	20	16	2.4/1.4	24	ATB	10,000	7/42	15	15	C1a	1	1	193863	2 608 640 592
150	20	16	2.4/1.4	36	ATB	10,000	7/42	17	13	C1a	1	1	193870	2 608 640 593
150	20	16	2.4/1.4	12	ATB	10,000	7/42	15	15	C1a	1	1	373517	2 608 641 169
160	20	16	2.6/1.6	24	ATB	9,500	6/32	15	15	C1a	1	1	193900	2 608 640 596
160	20	16	2.6/1.6	36	ATB	9,500	6/32	15	15	C1a	1	1	193917	2 608 640 597
160	20	16	2.6/1.6	48	ATB	9,500	6/32	15	15	C1a	1	1	195072	2 608 640 732
160	20	16	1.8/1.2	12	ATB	9,500	6/32	15	15	C1a	1	1	373524	2 608 641 170
160	20	16	1.8/1.2	24	ATB	9,500	6/32	15	15	C1a	1	1	373531	2 608 641 171
160	20	16	1.8/1.2	48	ATB	9,500	6/32	15	15	C1a	1	1	373548	2 608 641 172
160	20	16	2.6/1.6	12	ATB	9,500	6/32	15	15	C1a	1	1	373555	2 608 641 173
180	30	20	2.6/1.6	24	ATB	8,500	-	15	15	C1a	1	1	194020	2 608 640 608
184	16	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	263429	2 608 640 817
184	16	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	263436	2 608 640 818
184	16	-	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	373630	2 608 641 181
184	30	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	194044	2 608 640 610
184	30	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194051	2 608 640 611
190	20	16	2.6/1.6	24	ATB	8,000	-	15	15	C1a	1	1	194068	2 608 640 612
190	20	16	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	194082	2 608 640 614
190	30	-	2.6/1.6	36	ATB	8,000	7/42	15	15	C1a	1	1	194105	2 608 640 616
190	30	-	2.6/1.6	48	ATB	8,000	7/42	15	15	C1a	1	1	194112	2 608 640 617
190	30	-	2/1.3	24	ATB	8,000	7/42	15	15	C1a	1	1	373678	2 608 641 185
190	30	-	2/1.3	48	ATB	8,000	7/42	15	15	C1a	1	1	373685	2 608 641 186
190	30	-	2.6/1.6	60	ATB	8,000	7/42	15	15	C1a	1	1	373708	2 608 641 188
190	20	16	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194075	2 608 640 613
190	30	-	2.6/1.6	24	ATB	8,000	7/42	15	15	C1a	1	1	194099	2 608 640 615
190	30	-	2/1.3	16	ATB	8,000	7/42	15	15	C1a	1	1	373661	2 608 641 184
200	30	-	2.8/1.8	24	ATB	7,500	7/42	17	10	C1a	1	1	194129	2 608 640 618
200	30	-	2.8/1.8	48	ATB	7,500	7/42	15	15	C1a	1	1	194143	2 608 640 620
210	30	-	2.8/1.8	36	ATB	7,000	-	15	15	C1a	1	1	194167	2 608 640 622
210	30	-	2.8/1.8	48	ATB	7,500	-	15	15	C1a	1	1	194174	2 608 640 623
210	30	-	2.8/1.8	60	ATB	7,500	-	15	15	C1a	1	1	373722	2 608 641 190




Optiline Wood for hand-held circular saws

PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
230	30	-	2.8/1.8	24	ATB	6,500	7/42	15	15	C1a	1	1	194211	2 608 640 627
230	30	-	2.8/1.8	36	ATB	6,500	7/42	15	15	C1a	1	1	195157	2 608 640 628
230	30	-	2.8/1.8	48	ATB	6,500	7/42	15	15	C1a	1	1	194228	2 608 640 629
235	30	25	2.8/1.8	24	ATB	6,500	-	15	15	C1a	1	1	194990	2 608 640 725
235	30	25	2.8/1.8	48	ATB	6,500	-	15	15	C1a	1	1	195010	2 608 640 727
235	30	25	2.8/1.8	60	ATB	6,500	-	15	15	C1a	1	1	373746	2 608 641 192
250	30	-	3.2/2.2	40	ATB	6,000	7/42	15	15	C1a	1	1	195027	2 608 640 728
250	30	-	3.2/2.2	60	ATB	6,000	7/42	15	15	C1a	1	1	195034	2 608 640 729
165	20	16	1.7/1.2	36	ATB	9,000	-	15	15	C1a	1	1	660273	2 608 642 602
180	30	20	2.6/1.6	36	ATB	8,500	-	15	15	C1a	1	1	194037	2 608 640 609
190	30	-	2.6/1.6	12	ATB	8,000	7/42	15	15	C1a	1	1	373692	2 608 641 187
210	30	-	2.8/1.8	24	ATB	7,500	-	15	15	C1a	1	1	194150	2 608 640 621

Optiline Wood for mitre saws



ATB






210	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314398	2 608 640 430
216	30	-	2/1.4	24	ATB	7,000	-	-5	15	C1a	1	1	314404	2 608 640 431
216	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314411	2 608 640 432
216	30	-	2/1.4	60	ATB	7,000	-	-5	15	C1a	1	1	314428	2 608 640 433
216	30	-	2.8/1.8	48	ATB	7,000	-	-5	15	C1a	1	1	194327	2 608 640 641
216	30	-	2.8/1.8	60	ATB	7,000	-	-5	15	C1a	1	1	194334	2 608 640 642
250	30	-	3.2/2.2	40	ATB	6,000	7/42	-5	18	C1a	1	1	194341	2 608 640 643
250	30	-	3.2/2.2	60	ATB	6,000	7/42	-5	18	C1a	1	1	194358	2 608 640 644
250	30	-	3.2/2.2	80	ATB	6,000	7/42	-5	18	C1a	1	1	194365	2 608 640 645
254	30	-	2/1.4	24	ATB	6,000	-	-5	15	C1a	1	1	314435	2 608 640 434
254	30	-	2/1.4	40	ATB	6,000	-	-5	15	C1a	1	1	314442	2 608 640 435
254	30	-	2/1.4	60	ATB	6,000	-	-5	15	C1a	1	1	314459	2 608 640 436
254	30	-	2.5/1.8	80	ATB	6,000	-	-5	15	C1a	1	1	314466	2 608 640 437
254	30	-	3.2/2.2	60	ATB	6,000	-	5	15	C1a	1	1	455534	2 608 641 765
260	30	-	3.2/2.2	48	ATB	6,000	-	-5	18	C1a	1	1	373845	2 608 641 202
305	30	-	2.5/1.8	40	ATB	5,000	-	-5	15	C1a	1	1	317382	2 608 640 440
305	30	-	2.5/1.8	60	ATB	5,000	-	-5	15	C1a	1	1	317399	2 608 640 441
305	30	-	2.5/1.8	96	ATB	5,000	-	-5	15	C1a	1	1	317405	2 608 640 442
305	30	-	3.2/2.2	60	ATB	5,000	7/42 10/60	5	15	C1a	1	1	455565	2 608 641 768
305	30	-	3.2/2.2	80	ATB	5,000	-	5	15	C1a	1	1	455572	2 608 641 769

Optiline Wood for table saws



► The precise blade for quality cuts in all types of wood.





PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	-	2.6/1.6	34	ATB	7,000	15	15	C1b	1	1	964609	2 608 838 409
216	30	-	2.6/1.6	22	ATB	7,000	20	10	C1b	1	1	964616	2 608 838 410
216	30	-	2.6/1.6	54	ATB	7,000	10	15	C1b	1	1	964623	2 608 838 411
250	30	-	3.2/2.2	80	ATB	6,000	10	15	C1a	1	1	194501	2 608 640 660
250	30	-	3.2/2.2	60	ATB	6,000	10	15	C1a	1	1	194532	2 608 640 665
254	30	-	2.8/1.8	40	ATB	6,000	18	12	C1a	1	1	317412	2 608 640 443
254	30	-	2.8/1.8	60	ATB	6,000	19	10	C1a	1	1	317429	2 608 640 444
254	30	-	2.8/1.8	24	ATB	6,000	20	10	C1b	1	1	964630	2 608 838 412
300	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194600	2 608 640 672
305	30	-	3.2/2.2	72	ATB	5,000	10	15	C1a	1	1	455596	2 608 641 771
315	30	-	3.2/2.2	60	ATB	5,000	10	15	C1a	1	1	194440	2 608 640 651
315	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194617	2 608 640 673
350	30	-	3.5/2.5	54	ATB	4,500	10	15	C1a	1	1	194624	2 608 640 674
400	30	-	3.5/2.5	60	ATB	4,000	10	15	C1a	1	1	194631	2 608 640 675
250	30	-	3.2/2.2	40	ATB	6,000	10	15	C1a	1	1	194587	2 608 640 670

Speedline Wood

Speedline Wood for hand-held circular saws







► The fast blade for rip and cross cuts in all types of wood.



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	16	-	2/1.4	9	ATB/FT	11,500	16	15	C1a	1	1	239851	2 608 640 774
130	16	-	2/1.4	18	ATB/FT	11,500	16	15	C1a	1	1	239868	2 608 640 775
150	20	-	2/1.4	18	ATB/FT	10,000	16	15	C1a	1	1	239929	2 608 640 781
160	16	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239950	2 608 640 784
160	16	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239967	2 608 640 785
160	20	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239974	2 608 640 786
160	20	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239981	2 608 640 787
165	20	16	1.7/1.2	12	ATB/FT	9,000	15	15	C1a	1	1	660259	2 608 642 600
184	16	-	2.2/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240062	2 608 640 795
190	20	16	2.4/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240109	2 608 640 799
190	30	-	2.4/1.8	12	ATB/FT	8,000	17	15	C1a	1	1	240116	2 608 640 800
190	30	-	2.4/1.8	24	ATB/FT	8,000	16	15	C1a	1	1	240123	2 608 640 801
210	30	-	2.4/1.8	30	ATB/FT	7,000	16	15	C1a	1	1	240147	2 608 640 803
230	30	-	2.4/1.8	18	ATB/FT	6,500	16	15	C1a	1	1	240154	2 608 640 804
230	30	-	2.4/1.8	30	ATB/FT	6,500	16	15	C1a	1	1	240161	2 608 640 805
235	30	25	2.4/1.8	30	ATB/FT	6,000	16	15	C1a	1	1	240185	2 608 640 807
165	20	16	1.7/1.2	24	ATB/FT	9,000	15	15	C1a	1	1	660266	2 608 642 601

Speedline Wood for table saws




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	3.2/2.2	24	ATB	6,000	7/42	20	10	C1a	1	1	194655	2 608 640 680
300	30	3.2/2.2	28	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194662	2 608 640 681
315	30	3.2/2.2	28	ATB	5,000	7/42	20	10	C1a	1	1	194679	2 608 640 682
350	30	3.5/2.5	32	ATB	4,500	10/60	20	10	C1a	1	1	194686	2 608 640 683
400	30	3.5/2.5	36	ATB	4,000	10/60	20	10	C1a	1	1	194693	2 608 640 684

Standard for Wood


Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.




standard **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	15	13	PC1a	1	1	958134	2 608 837 666
136	15.875	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958141	2 608 837 667
136	20	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958158	2 608 837 668
140	10	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958165	2 608 837 669
140	12.7	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958172	2 608 837 670
140	20	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958189	2 608 837 671
140	20	-	1.5/1	42	ATB	10,500	10	15	PC1a	1	1	958196	2 608 837 672
150	10	-	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958202	2 608 837 673
160	20	15.875	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958226	2 608 837 675
160	20	15.875	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958233	2 608 837 676
160	20	15.875	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958240	2 608 837 677
160	20	15.875	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958257	2 608 837 678
165	15.875	-	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958271	2 608 837 680
165	15.875	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958288	2 608 837 681
165	15.875	-	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958295	2 608 837 682
165	15.875	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958301	2 608 837 683
165	20	16	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958318	2 608 837 684
165	20	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958325	2 608 837 685
165	20	16	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958332	2 608 837 686
165	20	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958349	2 608 837 687
165	30	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958363	2 608 837 689
173	20	-	1.5/1	24	ATB	8,500	25	10	PC1a	1	1	958370	2 608 837 690
184	16	-	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958387	2 608 837 697
184	16	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958400	2 608 837 698
184	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958448	2 608 837 702
184	20	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958455	2 608 837 703
190	30	20	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958486	2 608 837 706
190	30	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958493	2 608 837 708
190	30	20	1.6/1.1	48	ATB	7,900	15	13	PC1a	1	1	958509	2 608 837 710
150	20	16	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958219	2 608 837 674
165	30	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958356	2 608 837 688
165	10	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958264	2 608 837 679
184	16	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958417	2 608 837 699
190	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958462	2 608 837 704
190	30	20	1.6/1.1	60	ATB	7,900	10	15	PC1a	1	1	958516	2 608 837 711

Circular saw blades for cordless table saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.



standard **Wood**



ATB




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958530	2 608 837 713
210	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958547	2 608 837 714
216	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958578	2 608 837 724
216	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958585	2 608 837 726
254	30	2.2/1.6	24	ATB	6,000	25	10	PC1a	1	1	958615	2 608 837 733
254	30	2.2/1.6	40	ATB	6,000	20	12	PC1a	1	1	958622	2 608 837 734
254	30	2.2/1.6	60	ATB	6,000	15	13	PC1a	1	1	958639	2 608 837 736



Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.



standard Wood




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
184	16	1.6/1	24	ATB	7,900	-	5	15	PC1a	1	1	958424	2 608 837 700
184	16	1.6/1	48	ATB	7,900	-	5	15	PC1a	1	1	958431	2 608 837 701
190	20	1.6/1.1	48	ATB	7,900	-	5	15	PC1a	1	1	958479	2 608 837 705
216	30	1.7/1.2	24	ATB	7,000	-	5	15	PC1a	1	1	958554	2 608 837 721
216	30	1.7/1.2	48	ATB	7,000	-	5	15	PC1a	1	1	958561	2 608 837 723
250	30	2.2/1.6	24	ATB	6,000	-	5	15	PC1a	1	1	958592	2 608 837 727
250	30	2.2/1.6	48	ATB	6,000	-	5	15	PC1a	1	1	958608	2 608 837 728
305	30	2.2/1.6	40	ATB	5,000	-	5	15	PC1a	1	1	958646	2 608 837 741
305	30	2.2/1.6	60	ATB	5,000	-	5	15	PC1a	1	1	958653	2 608 837 742
305	30	2.2/1.6	96	ATB	5,000	-	5	15	PC1a	1	1	958660	2 608 837 744
254	30	2.2/1.6	24	ATB	6,000	no	5	15	PC1a	1	1	634241	2 608 842 237
254	30	2.2/1.6	48	ATB	6,000	no	5	15	PC1a	1	1	634234	2 608 842 239

Standard for Construct Wood



Circular saw blades for hand-held circular saws (nail-proof)



- ▶ The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues.






CONSTRUCT
WOOD






PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
150	20	16	2.4/1.4	12	HB	10,000	12	10	C1a	1	1	373814	2 608 641 199
160	20	16	2.6/1.6	12	HB	9,500	12	10	C1a	1	1	194235	2 608 640 630
180	30	20	2.6/1.6	12	HB	8,500	13	12	C1a	1	1	194259	2 608 640 632
184	16	-	2.6/1.6	12	HB	8,000	13	12	C1a	1	1	373821	2 608 641 200
190	20	16	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	373838	2 608 641 201
190	30	-	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	194266	2 608 640 633
210	30	-	2.8/1.8	14	HB	7,500	12	10	C1a	1	1	194273	2 608 640 634
230	30	-	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194280	2 608 640 635
235	30	25	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194297	2 608 640 636

Circular saw blades for table saws (standard)



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	30	2.8/1.8	20	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194792	2 608 640 700
315	30	3.2/2.2	20	ATB	5,000	7/42	20	10	C1a	1	1	194808	2 608 640 701
350	30	3.2/2.2	24	ATB	4,500	10/60	18	12	C1a	1	1	194815	2 608 640 702
400	30	3.2/2.2	28	ATB	4,000	10/60	17	13	C1a	1	1	194822	2 608 640 703
450	30	3.8/2.8	32	ATB	3,500	10/60	16	14	C1a	1	1	194839	2 608 640 704
500	30	3.8/2.8	36	ATB	3,000	-	15	10	C1a	1	1	194846	2 608 640 705
600	30	4/3	40	ATB	2,500	-	15	10	C1a	1	1	236843	2 608 640 761
700	30	4.2/3.2	46	ATB	2,000	-	15	10	C1a	1	1	236850	2 608 640 762

Circular saw blades for table saws (nail-proof)




250	30	3.2/2.2	20	HB	6,000	7/42	20	10	C1a	1	1	455626	2 608 641 774
300	30	3.2/2.2	20	HB	5,000	7/42 10/60	17	10	C1a	1	1	194730	2 608 640 690
315	30	3.2/2.2	20	HB	5,000	7/42	18	10	C1a	1	1	194747	2 608 640 691
350	30	3.5/2.5	24	HB	4,500	10/60	16	10	C1a	1	1	194754	2 608 640 692
400	30	3.5/2.5	28	HB	4,000	10/60	15	10	C1a	1	1	194761	2 608 640 693
450	30	3.8/2.8	32	HB	3,500	10/60	14	10	C1a	1	1	194778	2 608 640 694
500	30	3.8/2.8	36	HB	3,000	10/60	14	10	C1a	1	1	195294	2 608 640 695

Standard for Aluminium



Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.




standard **for Aluminium**




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	15.875	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958752	2 608 837 753
136	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958769	2 608 837 754
140	10	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958837	2 608 837 761
140	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958776	2 608 837 755
150	10	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958844	2 608 837 762
150	20	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958783	2 608 837 756
160	20	15.875	1.8/1.3	52	HLTCG	9,500	0	15	PC1a	1	1	958790	2 608 837 757
165	20	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958851	2 608 837 763
165	30	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958868	2 608 837 764
173	20	-	1.8/1.3	60	HLTCG	8,500	0	15	PC1a	1	1	958813	2 608 837 759
184	16	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958875	2 608 837 766
184	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958899	2 608 837 768
190	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958905	2 608 837 769
190	30	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958929	2 608 837 771
165	15.875	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958806	2 608 837 758



Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.




standard **Aluminium**




PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	16	2/1.5	56	HLTCG	7,900	-	0	15	PC1a	1	1	958882	2 608 837 767
190	20	2/1.5	56	HLTCG	7,900	-	0	15	PC1a	1	1	958912	2 608 837 770
216	30	2.2/1.6	64	HLTCG	7,000	-	0	15	PC1a	1	1	958950	2 608 837 776
250	30	2.4/1.8	68	HLTCG	6,000	-	0	15	PC1a	1	1	958974	2 608 837 778
254	30	2.4/1.8	68	HLTCG	6,000	no	0	15	PC1a	1	1	634258	2 608 842 242
305	30	2.4/1.8	96	HLTCG	5,000	-	0	15	PC1a	1	1	958998	2 608 837 782



Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **Aluminium**



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	1.9/1.3	54	HLTCG	7,000	0	15	PC1a	1	1	958943	2 608 837 773
254	30	2.4/1.8	68	HLTCG	6,000	0	15	PC1a	1	1	958981	2 608 837 780


Standard for Steel

Circular saw blades for cordless hand dry cutters



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.

standard **for Steel**






PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	15.875	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958677	2 608 837 745
136	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958684	2 608 837 746
140	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958691	2 608 837 747
150	20	1.6/1.2	32	HB	5,000	6	10	PC1a	1	1	958707	2 608 837 748
160	20	1.6/1.2	36	HB	4,600	6	10	PC1a	1	1	958714	2 608 837 749
173	20	1.6/1.2	36	HB	4,100	6	10	PC1a	1	1	958721	2 608 837 750

Standard for Multi Material

Circular saw blades for hand-held circular saws



- ▶ The perfect blade for powerful cuts with clean cut edges in all different kinds of materials.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.






PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	20	16	2/1.4	42	HLTCG	11,500	-5	15	C1a	1	1	373777	2 608 641 195
150	20	16	2/1.4	42	HLTCG	10,000	-5	15	C1a	1	1	192910	2 608 640 501
160	20	16	2.4/1.8	42	HLTCG	9,500	-5	15	C1a	1	1	192934	2 608 640 503
180	30	20	2.4/1.8	48	HLTCG	8,500	-5	15	C1a	1	1	192972	2 608 640 507
184	16	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	263405	2 608 640 815
184	30	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	192965	2 608 640 506
190	20	16	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192989	2 608 640 508
190	30	-	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192996	2 608 640 509
200	30	-	2.4/1.8	54	HLTCG	7,500	-5	15	C1a	1	1	193009	2 608 640 510
210	30	-	2.4/1.8	54	HLTCG	7,000	-5	15	C1a	1	1	193016	2 608 640 511
230	30	-	2.4/1.8	64	HLTCG	6,500	-5	15	C1a	1	1	193030	2 608 640 513

Circular saw blades for mitre saws and table saws




► Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.




PRODUCT PROPERTIES											ORDERING INFORMATION			
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
210	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317436	2 608 640 445
216	30	-	2.5/1.8	60	HLTCG	7,000	-	-5	15	C1a	1	1	317443	2 608 640 446
216	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317450	2 608 640 447
250	30	-	3.2/2.5	80	HLTCG	6,000	7/42	-5	18	C1a	1	1	193061	2 608 640 516
254	30	-	3.2/2.5	60	HLTCG	6,000	-	-5	15	C1a	1	1	317474	2 608 640 449
254	30	-	3.2/2.5	96	HLTCG	6,000	-	-5	15	C1a	1	1	317498	2 608 640 451
260	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	18	C1a	1	1	373869	2 608 641 204
300	30	-	3.2/2.5	96	HLTCG	5,000	7/42 10/60	-5	18	C1a	1	1	193085	2 608 640 518
305	30	-	3.2/2.5	80	HLTCG	5,000	-	-5	15	C1a	1	1	317504	2 608 640 452
305	30	-	3.2/2.5	96	HLTCG	5,000	-	-5	15	C1a	1	1	317511	2 608 640 453
350	30	-	3.2/2.5	96	HLTCG	4,500	-	-5	18	C1a	1	1	236935	2 608 640 770
254	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	15	C1a	1	1	317481	2 608 640 450

Circular saw blades for cordless hand-held circular saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **MultiMaterial**



HLTCG



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	1.5/1	30	HLTCG	18,000	0	15	PC1a	1	1	958745	2 608 837 752

Accessories for Circular Saws

Reducing Rings for Circular Saw Blades

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Reduction rings for circular saw blades							
Base blade thickness of 1.0 mm up to max. 1.3 mm							
20	12.75	0.8	P1b	1	1	433518	2 600 100 185
20	16	0.8	P1b	1	1	433532	2 600 100 187
Reduction rings for circular saw blades							
Base blade thickness of 1.0 mm up to max. 1.3 mm							
20	15.875	0.8	P1b	1	1	433525	2 600 100 186
Reduction rings for circular saw blades							
Base blade thickness of 1.25 mm up to max. 1.4 mm							
20	16	1	P1b	1	1	433549	2 600 100 188
Reduction rings for circular saw blades							
Base blade thickness of 1.4 mm up to max. 1.7 mm							
16	12.75	1.2	P1b	1	1	433587	2 600 100 192
20	10	1.2	P1b	1	1	433594	2 600 100 193
20	12.75	1.2	P1b	1	1	433600	2 600 100 194
20	13	1.2	P1b	1	1	433617	2 600 100 195
20	16	1.2	P1b	1	1	433631	2 600 100 197
25	15.875	1.2	P1b	1	1	433679	2 600 100 201
25	16	1.2	P1b	1	1	433686	2 600 100 202
25	20	1.2	P1b	1	1	433693	2 600 100 203
25.4	20	1.2	P1b	1	1	433730	2 600 100 207
30	20	1.2	P1b	1	1	433747	2 600 100 208
30	24	1.2	P1b	1	1	433754	2 600 100 209
30	25	1.2	P1b	1	1	433761	2 600 100 210
30	25.4	1.2	P1b	1	1	433778	2 600 100 211
Reduction rings for circular saw blades							
Base blade thickness of 1.7 mm up to max. 2.2 mm							
20	16	1.5	P1b	1	1	433785	2 600 100 212
25	16	1.5	P1b	1	1	433808	2 600 100 214
25	20	1.5	P1b	1	1	433815	2 600 100 215
25.4	20	1.5	P1b	1	1	433853	2 600 100 219
30	20	1.5	P1b	1	1	433860	2 600 100 220
30	25	1.5	P1b	1	1	433877	2 600 100 221
30	25.4	1.5	P1b	1	1	433884	2 600 100 222
35	30	1.5	P1b	1	1	433914	2 600 100 225
Reduction rings for circular saw blades							
Base blade thickness of 2.2 mm up to max. 3.0 mm							
25.4	16	1.8	P1b	1	1	433938	2 600 100 227
25.4	20	1.8	P1b	1	1	433945	2 600 100 228
30	20	1.8	P1b	1	1	433969	2 600 100 230
30	25	1.8	P1b	1	1	433976	2 600 100 231
30	25.4	1.8	P1b	1	1	433983	2 600 100 232





7 339

ROUTER BITS AND PLANER KNIVES

Get that perfect finishing cut.

The best your tool can get. Bosch Professional Accessories.





Standard for Wood Straight bits

Straight bits, one flute, carbide



- ▶ For routing small grooves for chipboard tongue joints, for decorative grooves in surfaces or grooves in rubber seal profiles
- ▶ **Suitable for** solid wood and panel materials





PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	3.2	1/8	7.7	19/64	51	2 1/64	P2p	1	1	360975	2 608 628 427
-	1/4	4.8	3/16	12.4	31/64	51	2 1/64	P2p	1	1	360982	2 608 628 428

Straight bits, two flutes, carbide



- ▶ **Suitable for** solid wood and panel materials such as chipboard or MDF boards, plastics or abrasive materials such as Corian




-	1/4	6.4	1/4	15.7	5/8	48	1 57/64	P2p	1	1	358729	2 608 628 411
-	1/4	7.9	5/16	19.6	49/64	51	2 1/64	P2p	1	1	360999	2 608 628 429
-	1/4	9.5	3/8	19.6	49/64	51	2 1/64	P2p	1	1	358736	2 608 628 412
-	1/4	12.7	1/2	19.6	49/64	51	2 1/64	P2p	1	1	358743	2 608 628 413
-	1/4	19	3/4	19.6	49/64	51	2 1/64	P2p	1	1	358750	2 608 628 414

Standard for Wood Laminate trim bits

Laminate trim bits with ball bearing pilot, two flutes, carbide

► Suitable for solid wood and abrasive board materials.





PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	6.4	1/4	16.7	41/64	54	2 1/8	P2p	1	1	361057	2 608 628 635
-	1/4	9.5	3/8	13.7	17/32	56	2 13/64	P2p	1	1	361064	2 608 628 636
-	1/4	12.7	1/2	12.7	1/2	56	2 13/64	P2p	1	1	361071	2 608 628 637

Standard for Wood Rabbeting bits

Rabbeting bits with ball bearing pilot, two flutes, carbide

► Suitable for solid wood and panel materials





PRODUCT PROPERTIES											ORDERING INFORMATION			
Shank mm	Shank Inch	Width (B) mm	Width (B) Inch	Working length (L) mm	Working length (L) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	6.4	1/4	12.4	31/64	25.4	1	54	2 1/8	P1p	1	1	358781	2 608 628 417

Standard for Wood Cove bits

Cove bits with ball bearing pilot, two flutes, carbide



- ▶ Cove bits with ball bearing pilot for easy guiding directly on the workpiece without a template
- ▶ **Suitable for** soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION			
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	6.3	1/4	25.4	1	12.7	1/2	54	2 1/8	P1p	1	1	358811	2 608 628 420

Standard for Wood Rounding over bits

Rounding over bits with ball bearing pilot, two flutes, carbide



► Suitable for solid woods such as spruce, beech, oak, alder and abrasive materials.





PRODUCT PROPERTIES								ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	6.3	1/4	25.4	1	13.2	33/64	P1p	1	1	358828	2 608 628 421
-	1/4	9.5	3/8	31.8	1 1/4	16.2	41/64	P1p	1	1	358835	2 608 628 422
-	1/4	12.7	1/2	38.1	1 1/2	18.6	47/64	P1p	1	1	358842	2 608 628 423

Standard for Wood Chamfer bits

Chamfer bits with ball bearing pilot, two flutes, carbide



► Suitable for solid wood and panel materials





PRODUCT PROPERTIES												ORDERING INFORMATION			
Shank mm	Shank Inch	Angle degrees	Working length (L) mm	Working length (L) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	45	14.7	37/64	11.1	7/16	34.9	1 3/8	56	2 13/64	P1p	1	1	358774	2 608 628 416

Standard for Wood Edge forming bits

Edge forming bit B with ball bearing pilot, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION					
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	4	5/32	8	5/16	28.6	1 1/8	12.4	31/64	54	2 1/8	P1p	1	1	358804	2 608 628 419

Edge forming bits E, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION			
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	6.3	1/4	25.4	1	14	35/64	46	1 13/16	P1p	1	1	358859	2 608 628 424

Standard for Wood Core box bits

Core box bits, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/4	3.2	1/8	9.5	1/4	9.2	23/64	40	1 37/64	P2p	1	1	358866	2 608 628 425
-	1/4	4.7	3/16	9.5	3/8	9.2	23/64	40	1 37/64	P2p	1	1	361026	2 608 628 632
-	1/4	6.3	1/4	12.7	1/2	9.2	23/64	40	1 37/64	P2p	1	1	358798	2 608 628 418
-	1/4	8	5/16	15.9	5/8	12.3	31/64	45	1 49/64	P2p	1	1	361033	2 608 628 633
-	1/4	12.7	1/2	25.4	1	15.6	39/64	49	1 59/64	P1p	1	1	361040	2 608 628 634

Standard for Wood V-groove bits

V-groove bits, two flutes, carbide

► Suitable for solid wood



PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Angle degrees	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
-	1/4	90	6.3	1/4	9.2	23/64	45	1 49/64	P2p	1	1	361002	2 608 628 630	
-	1/4	90	12.7	1/2	12.4	31/64	45	1 49/64	P2p	1	1	358767	2 608 628 415	
-	1/4	90	9.5	3/8	12.4	31/64	45	1 49/64	P2p	1	1	361019	2 608 628 631	

ROUTER BIT SETS

Fine cuts for a wide variety of applications.



6 pcs Straight Router Bit Set



6 pcs Trim and Edging Router Bit Set



15 pcs Mixed Router Bit Set




30 pcs Mixed Router Bit Set

Page number	350	351	352	354
SHANK				
6 mm; 8 mm; 1/4 inch	✓	✓	✓	✓
MATERIALS				
Hardwood	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Wooden composites	✓	✓	✓	✓
SET CONTENT				
Straight bit 1-cutter	-	-	-	✓
Straight bit 2-cutter	✓	-	✓	✓
Straight bit 3-cutter	✓	-	✓	✓
Rounding over bit	-	✓	✓	✓
Chamfer bit	-	✓	✓	✓
Flush trim bit	-	✓	✓	✓
Flush pattern bit	-	✓	✓	✓
Dovetail bit	-	-	✓	✓
V-groove bit	-	-	✓	✓
Slotting cutter	-	-	✓	✓
Rebating cutter	-	-	✓	✓
Roman ogee bit	-	-	✓	✓
Cove bit	-	-	✓	✓
Pilot panel bit	-	-	-	✓
Core box bit	-	-	-	✓
Classical moulding bit	-	-	-	✓
Hinge mortising bit	-	-	-	✓

Mixed Router Bit Sets

6-piece Straight Router Bit Sets


► **Set contents:** Straight bit 2-cutters (1), Straight bit 3-cutters (2)



PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank mm	Type, router bit	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.									
6	1	6	20	54	P1k	6	1	957960	2 607 017 465
	1	8	20	50					
	1	10	30	60					
	2	12	30	60					
	2	16	30	60					
	2	20	30	60					

6-piece Straight Router Bit Sets


► **Set contents:** Straight bit 2-cutters (1), Straight bit 3-cutters (2)



PRODUCT PROPERTIES					ORDERING INFORMATION				
Shank inch	Type, router bit	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.									
1/4	1	1/4	25/32	2 1/8	P1k	6	1	957984	2 607 017 467
	1	5/16	25/32	1 31/32					
	1	3/8	1	2 11/64					
	2	1/2	1 3/16	2 23/64					
	2	5/8	1 3/16	2 23/64					
	2	3/4	1 3/16	2 23/64					

6-piece Trim and Edging Router Bit Sets


► **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank mm	Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.											
6	1	3	-	19	13	51	P1k	6	1	957991	2 607 017 468
	1	6	-	25	16	55					
	2	-	25	25	25	54					
	2	-	45	35	25	56					
	3	-	-	13	10	65					
	4	-	-	16	13	65					

6-piece Trim and Edging Router Bit Sets


► **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank inch	Type, router bit	Radius (R1) inch	Angle degrees	Diameter (D) inch	Working length (G) inch	Total length (G) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.											
1/4	1	1/8	-	3/4	3/8	2 1/64	P1k	6	1	958011	2 607 017 470
	1	1/4	-	1	1/2	2 11/64					
	2	-	25	1	1/2	2 1/8					
	2	-	45	1 3/8	5/8	2 13/64					
	3	-	-	1/2	1	2 9/16					
	4	-	-	5/8	1	2 9/16					

15-piece Mixed Application Router Bit Sets

- **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank mm	Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter.											
6	1	-	-	13	25	65	P1k	15	1	958028	2 607 017 471
	2	-	-	16	25	49					
	3	-	12	13	12	56					
	4	-	45	35	16	54					
	4	-	25	25	13	50					
	5	-	60	16	18	50					
	6	-	-	32	4	54					
	7	-	-	32	13	52					
	8	4	-	27	12	54					
	9	10	-	29	12	51					
	10	3	-	19	10	55					
	10	6	-	25	13	50					
11	-	-	8	20	60						
11	-	-	10	30	60						
12	-	-	16	30	65						
Set with 8mm shank diameter bits.											
8	1	-	-	35	25	65	P1k	15	1	958035	2 607 017 472
	2	-	-	25	25	65					
	3	-	12	16	12	49					
	4	-	45	32	16	56					
	4	-	25	32	13	54					
	5	-	60	27	18	50					
	6	-	-	29	4	50					
	7	-	-	19	13	54					
	8	4	-	25	12	52					
	9	10	-	8	12	54					
	10	3	-	10	10	51					
	10	6	-	16	13	55					
11	-	-	13	20	50						
11	-	-	16	30	60						
12	-	-	13	30	60						

352
7

15-piece Mixed Application Router Bit Sets


- **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank inch	Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.											
1/4	1	-	60	1/2	1	2 9/16	P1k	15	1	958042	2 607 017 473
	2	-	-	5/8	1	2 9/16					
	3	-	-	9/16	1/2	1 59/64					
	4	-	-	1 3/8	5/8	2 13/64					
	4	-	-	1	1/2	2 1/8					
	5	-	-	5/8	11/16	1 31/32					
	6	-	-	1 1/4	5/32	1 31/32					
	7	-	-	1 1/4	1/2	2 1/8					
	8	5/32	-	1 1/16	1/2	2 3/64					
	9	3/8	-	1 1/8	1/2	2 1/8					
	10	1/8	-	3/4	3/8	2 1/64					
	10	1/4	-	1	1/2	2 11/64					
	11	-	12	1/4	25/32	2 1/8					
	11	-	45	1/2	1 3/16	2 23/64					
	12	-	25	5/8	1 3/16	2 23/64					

30-piece Mixed Application Router Bit Sets


- **Set contents:** Straight bit 1 cutter (1), Straight bit 2 cutters (2), Straight bit 3 cutters (3), Rounding over bits (4), Flush trim bits (5), Flush pattern bit (6), Pilot panel bit (7), Slotting cutter (8), Rebating bit (9), Chamfer bits (10), V-groove bits (11), Dovetail bit (12), Roman ogee bit (13), Core box bits (14), Cove bits (15), Classical moulding bit (16), Hinge mortising bit (17)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank mm	Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 6mm shank diameter bits.											
6	1	-	-	13	15	50	P1k	30	1	958059	2 607 017 474
	2	-	-	27	20	54					
	2	-	-	12	20	50					
	2	-	-	20	30	60					
	3	-	-	22	30	60					
	3	-	-	29	30	60					
	3	-	-	32	30	60					
	4	3	-	12	10	51					
	4	6	-	4	13	55					
	4	8	-	6	13	55					
	4	10	-	8	16	58					
	4	12	-	10	19	60					
	5	-	-	12	25	65					
	5	-	-	16	13	52					
	6	-	-	20	25	65					
	7	-	-	19	19	60					
	8	-	-	25	4	50					
	9	-	-	29	13	54					
	10	-	45	32	16	56					
	10	-	25	38	13	54					
	11	-	60	13	18	50					
	11	-	90	13	16	48					
	12	-	12	16	12	49					
	13	4	-	8	12	52					
	14	6	-	32	10	43					
	14	10	-	32	13	45					
	15	6	-	35	12	54					
	15	10	-	25	12	54					
	16	5	-	16	14	54					
	17	-	-	16	13	42					

30-piece Mixed Application Router Bit Sets

- **Set contents:** Straight bit 1 cutter (1), Straight bit 2 cutters (2), Straight bit 3 cutters (3), Rounding over bits (4), Flush trim bits (5), Flush pattern bit (6), Pilot panel bit (7), Slotting cutter (8), Rebating bit (9), Chamfer bits (10), V-groove bits (11), Dovetail bit (12), Roman ogee bit (13), Core box bits (14), Cove bits (15), Classical moulding bit (16), Hinge mortising bit (17)





PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank inch	Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 1/4" shank diameter bits.											
1/4	1	-	-	5/32	19/32	1 31/32	P1k	30	1	958073	2 607 017 476
	2	-	-	1/4	25/32	2 1/8					
	2	-	-	5/16	25/32	1 31/32					
	2	1/8	-	3/8	1	2 11/64					
	3	1/4	-	1/2	1 3/16	2 23/64					
	3	5/16	-	5/8	1 3/16	2 23/64					
	3	3/8	-	3/4	1 3/16	2 23/64					
	4	1/2	-	3/4	3/8	2 1/64					
	4	-	-	1	1/2	2 11/64					
	4	-	-	1 1/8	9/16	2 11/64					
	4	-	-	1 1/4	5/8	2 9/32					
	4	-	-	1 1/2	3/4	2 23/64					
	5	-	-	1/2	1	2 9/16					
	5	-	-	1/2	1/2	2 3/64					
	6	-	-	5/8	1	2 9/16					
	7	-	-	5/16	3/4	2 23/64					
	8	-	-	1 1/4	5/32	1 31/32					
	9	-	-	1 1/4	1/2	2 1/8					
	10	-	45	1 3/8	5/8	2 13/64					
	10	5/32	25	1	1/2	2 1/8					
	11	1/4	60	5/8	11/16	1 31/32					
	11	3/8	90	5/8	5/8	1 57/64					
	12	1/4	12	9/16	1/2	1 59/64					
	13	3/8	-	1 1/16	1/2	2 3/64					
	14	3/16	-	1/2	3/8	1 11/16					
	14	-	-	3/4	1/2	1 49/64					
	15	-	-	7/8	1/2	2 1/8					
	15	-	-	1 1/8	1/2	2 1/8					
	16	-	-	1 1/4	9/16	2 1/8					
	17	-	-	1/2	1/2	1 21/32					

Accessories for Biscuit Joiners

Blade cutters for Bosch biscuit joiners

- ▶ For cutting grooves, biscuit joints and flat dowels in wood.
- ▶ Easy production of country style look with the versatile Bosch universal router and the appropriate Bosch straight bit.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore size mm	Number of teeth	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Blade cutter for Universal Router GUF 4-22 A, Wall Chaser PSF 22 A, only together with backing flange 3 605 700 155 also for Biscuit Joiner GFF 22 A GOF 900 A; GOF 900 ACE; GOF 1200 A; GOF 1300 ACE Professional; POF 800 ACE; POF 1100; POF 1300</p>								
105	20	22	2.8	C1a	1	1	012560	3 608 641 002
 <p>Blade cutter GFF 22 A Professional</p>								
105	22	8	4	C1a	1	1	184359	3 608 641 013

UNIVERSAL PLANER KNIVES

Fit for use on all common handheld planers.



Woodrazor Carbide
Reversible
Planer Knife



Standard for Wood
Carbide Reversible Planer
Knife

Page number	358	358
-------------	-----	-----

MEASUREMENT

82.4 × 5.5 × 1.1 mm	✓	✓
56.0 × 5.5 × 1.1 mm	✓	✓
82.0 × 29.0 × 3.0 mm	-	-

MATERIALS

Hardwood	✓	✓
Softwood	✓	✓
Wooden composites	✓	✓

Universal planer knives for hand-held planers

Carbide reversible planer knives

► **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Planer blade straight, tungsten carbide, 40° length x width: 82.4 mm x 5.5 mm							
82.4	5.5	1.1	PC1d	2	5	010450	2 607 000 096
			P1k	10	1	117685	2 607 001 292



358
7



Planer blade
Sharp, straight, tungsten carbide, 40°
Sharp planing blade, ideal for Bosch Woodrazor System.
length x width: 82.4 mm x 5.5 mm

82.4	5.5	1.1	PC1d	2	1	200639	2 608 635 350
------	-----	-----	------	---	---	--------	---------------



Planer blade for GHO 12V-20
Straight, tungsten carbide, 40°
length x width: 56 mm x 5.5 mm

56	5.5	1.1	PC1d	2	1	934084	2 608 000 672
----	-----	-----	------	---	---	--------	---------------



JIGSAW BLADES


Cut every material effectively.

The best your tool can get. Bosch Professional Accessories.



JIGSAW BLADES FOR WOOD

The classics.



	Hardwood Fast	Hardwood 2-Side Clean	Laminate Clean	Wood 2-Side Clean	Clean for Hardwood	Speed for Hardwood
	EXPERT	EXPERT	EXPERT	EXPERT		
Page number	367	368	370	373	371	371
Available blade types	1	2	1	3	5	2
T-Shank	✓	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	✓	-

360
8

MATERIALS

Softwood	-	-	-	✓	-	-
Plywood	-	-	-	✓	-	-
Hardwood, chipboard, MDF	✓	✓	-	-	✓	✓
Laminated boards, kitchen worktops	-	✓	-	-	✓	-
Laminate, vinyl flooring	-	-	✓	-	-	-
WPC (wood plastic composites)	✓	-	-	-	-	-
Construction wood	✓	-	-	-	-	✓

*Bosch EXPERT products vs. Bosch standard products



Special for Laminate

Progressor for Wood

Precision for Wood

Clean for Wood

Speed for Wood

Basic for Wood

372

375

374

375

376

377

1

1

5

5

4

3

✓

✓

✓

✓

✓

✓

-

✓

-

✓

✓

✓

-

✓

✓

✓

✓

✓

-

✓

✓

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

✓

-

JIGSAW BLADES FOR METAL

Make the cut you need.



	Stainless Steel	Basic for Inox	Progressor for Metal	Speed for Metal
	EXPERT			
Page number	378	379	379	380
Available blade types	2	2	1	5
T-Shank	✓	✓	✓	✓
U-Shank	-	-	-	-

MATERIALS

Sheet metal	-	-	✓	✓
Perforated sheet metal	-	-	✓	✓
Aluminium, non-ferrous metals	-	-	✓	-
Stainless steel sheets	✓	✓	-	-
Profiles, pipes (closed)	-	-	-	✓
Profiles (open)	-	-	-	✓
Metal sandwich	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Flexible for Metal

Basic for Metal

Special for Alu

Flexible for Metal-Sandwich

Precision for Metal-Sandwich

381

381

382

383

383

5

6

2

1

1



-



-

-



-

-

-



-

-

-

-

-

-



-

-

-

-

-

-

-



-

-

-



-

-

-

-

-

-

-



JIGSAW BLADES FOR WOOD AND METAL

Nails? No problem.



	Multi Material	Progressor for Wood and Metal
	EXPERT	
Page number	384	385
Available blade types	1	1
T-Shank	✓	✓
U-Shank	-	-

364
8









MATERIALS

Construction timber with hardened screws and nails	✓	-
Construction timber with nails	✓	✓
Profiles, pipes, thickwalled	✓	✓
Aluminium, non-ferrous metals	✓	✓
Glass fibre reinforced plastic/epoxy	✓	✓

*Bosch EXPERT products vs. Bosch standard products

JIGSAW BLADES FOR PLASTICS

For the most advanced materials.

	 EXPERT	 EXPERT				
	Plastic Composites clean	Carbon Fiber clean	Clean for PVC	Clean for PP	Clean for PMMA	Clean for PC
	EXPERT	EXPERT				
Page number	386	387	388	388	388	388
Available blade types	1	1	2	1	1	1
T-Shank	✓	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	-	-
						

MATERIALS

PP, PE	-	-	-	✓	-	-
PVC, PA, PS	-	-	✓	-	-	-
PMMA	-	-	-	-	✓	-
PC	-	-	-	-	-	✓
WPC (wood plastic composites)	✓	-	-	-	-	-
CFRP (carbon fiber reinforced polymer)	-	✓	-	-	-	-
GFRP (glass fiber reinforced polymer)	✓	✓	-	-	-	-
Solid surface composites (Corian, Varicor)	✓	-	-	-	-	-

JIGSAW BLADES FOR SPECIAL APPLICATIONS

Unusual jigsaw jobs.



	Fiber Plaster	Soft Tile clean	Special for Ceramics	Special for Soft-Materials	Precision for Soft-Materials
	EXPERT	EXPERT			
Page number	390	392	393	393	393
Available blade types	2	1	1	2	1
T-Shank	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	-
	 	 			

MATERIALS

Drywall board, fiber cement board	✓	-	-	-	-
Porous concrete	✓	-	-	-	-
Ceramic tiles	-	✓	✓	-	-
Polystyrene, cardboard	-	-	-	✓	✓
Rubber	-	-	-	✓	-
Fiber insulation materials	-	-	-	✓	✓


LONG LIFE CUTTING HARDWOOD AND ABRASIVE WOODWORKING MATERIALS

EXPERT 'Hardwood Fast' Blades

ASSORTMENT: T 144 DHM

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Fast cutting with tapered blade body
- 4 Sharp Carbide teeth produced by 'top bevel' grinding


**CARBIDE
TECHNOLOGY**


8

367

EXPERT Hardwood Fast T144DHM Jigsaw Blades

EXPERT

- ▶ Ideal for fast, straight cuts in hard wood or abrasive materials, for example when installing patio decking; for WPC terrace installation; and cutting plaster or cement fibre boards.
- ▶ Best for joiners: long lasting and efficient.
- ▶ Lasts up to 45x longer than Bosch T144D Jigsaw Blade.
- ▶ Fits all T-shank jigsaws.


**CARBIDE
TECHNOLOGY**
**UP TO
45x
LONG LIFE**

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 053 423...	Part number
100	3.5-5.0	5-7	5	50	C1b	3	1	537658	2 608 900 541
					P1h	10	1	247817	2 608 901 816

HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BF

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding



368
8

EXPERT Hardwood 2-side clean T308BF Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free straight cuts in plastic-coated board materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537672	2 608 900 543
					C1b	5	10	537689	2 608 900 544
					P1h	25	1	537696	2 608 900 545
					C0a	100	1	537702	2 608 900 546


HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BFP

EXPERT

- 1 Cuts tear-free on both sides with 2-side clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding
- 4 Thicker blade offers added stability for a precise cut



8

369

EXPERT Hardwood 2-side clean T308BFP Jigsaw Blades

EXPERT

- ▶ Ideal for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537719	2 608 900 547
					C1b	5	10	537726	2 608 900 548
					P1h	25	1	549682	2 608 901 181

LONG LIFE CLEAN CUTTING LAMINATE

EXPERT 'Laminate Clean' Blades

ASSORTMENT: T 128 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength
- 3 Fine teeth cut thinner material with ease
- 4 Cuts clean on both sides with counter-directed teeth




370
8

EXPERT Laminate Clean T128BHM Jigsaw Blades

EXPERT



- ▶ Ideal for cutting laminate floorboards to length during shop fitting or other commercial installations; cutting fibre reinforced vinyl flooring boards; cutting HPL (high pressure laminate) such as cladding for houses.
- ▶ Best for shopfitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch T101B blade in tough materials.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	1.8	14	2	15	C1b	3	1	537665	2 608 900 542

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 101 AOF



BIM, pointed teeth, ground teeth and taper ground
Hardwood, laminated panels/HPL (1.5-15 mm), plywood, especially for curve cuts, no tears

83	1.4	C1b	3	10	264341	2 608 636 225
		C1b	5	10	091848	2 608 634 233




T 101 AIF



BIM, pointed teeth, ground teeth and taper ground
Hardwood, laminates, laminated panels/HPL (2-30 mm), no tearing

100	1.7	C1b	5	10	096355	2 608 634 897
-----	-----	-----	---	----	--------	---------------




T 101 BF



BIM, ground teeth and taper ground
Hardwood, laminates, laminated panels/HPL (3-30 mm)

100	2.7	C1b	5	10	091855	2 608 634 234
		P1a	25	1	127714	2 608 634 988




T 101 BRF



BIM, ground teeth and taper ground
Hardwood, laminates, laminated panels (3-30 mm), kitchen worktops (<45 mm), clean surface

100	2.5	C1b	5	10	091862	2 608 634 235
		P1a	25	1	127721	2 608 634 989



T 301 CDF




BIM, ground teeth and taper ground
Hardwood and softwood (4-65 mm), laminated panels/HPL

117	3.0	C1b	5	10	264389	2 608 636 229
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood



T 144 DF




BIM, side set, ground
Hardwood and softwood (5-50 mm), all types of panels, including laminates

100	4.0-5.2	C1b	5	10	009430	2 608 634 567
		P1a	25	1	127738	2 608 634 990

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood


PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
T 344 DF						
BIM, side set, ground Thick hardwood and softwood (5-100 mm), all types of panels, including laminates						
152	4.0	C1b	5	10	091947	2 608 634 243





Jigsaw blades - Special for Laminate

Precise, clean cuts on both sides

special Laminate

T 101 BIF						
BIM, ground teeth and taper ground Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)						
83	1.7	C1b	5	10	393416	2 608 636 431



T 101 AOF						
BIM, ground teeth and taper ground Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)						
83	1.4	C1b	3	10	393423	2 608 636 432



HIGH PRECISION TEAR-FREE CUTTING WOOD

EXPERT 'Wood 2-Side Clean' Blades

ASSORTMENT: T 308 B, T 308 BO, T 308 BP

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean Geometry
- 2 Extra sharp teeth produced by precision grinding



8

373

EXPERT Wood 2-side clean T308B Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free straight cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537740	2 608 900 550
					C1b	5	10	537757	2 608 900 551
					P1h	25	1	537764	2 608 900 552
					C0a	100	1	537771	2 608 900 553

EXPERT Wood 2-side clean T308BO Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free curved cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537788	2 608 900 554
					C1b	5	10	537795	2 608 900 555
					P1h	25	1	537801	2 608 900 556

EXPERT Wood 2-side clean T308BP Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free accurate angle cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537818	2 608 900 557
					C1b	5	10	537825	2 608 900 558

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number


T 144 DP



HCS, side set, ground

Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen worktops (<50 mm)

100	4.0	C1b	3	10	264143	2 608 633 A31
		C1b	5	10	264181	2 608 633 A35
		P1a	25	1	264228	2 608 633 A39




fast CUT

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision  Wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
100	4.0	C1a	100	1	264259	2 608 633 A42	




T 344 DP



HCS, side set, ground

Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards

152	4.0	C1b	5	10	264198	2 608 633 A36
-----	-----	-----	---	----	--------	---------------




T 1044 DP



HCS, side set, ground

Thick construction timber, softwood (5-150 mm), chipboards, wood core plywood, fibre boards

250	4.0	C1c	3	5	623605	2 608 667 394
-----	-----	-----	---	---	--------	---------------



T 301 BCP




HCS, ground teeth and taper ground

Softwood, chipboards, wood core plywood, fibre boards (3-65 mm), doors, kitchen worktops (<50 mm)

117	2.5	C1b	5	10	264204	2 608 633 A37
		P1a	25	1	264235	2 608 633 A40

Jigsaw blades - Progressor for Wood

Universal, clean through thin and thick

progressor  Wood

T 234 X




HCS, ground teeth and taper ground

Softwood (3-65 mm), chipboards, wood core plywood, fibre boards

117	2-3	C1b	3	10	169493	2 608 633 523
		C1b	5	10	169509	2 608 633 528
		P1a	25	1	169516	2 608 633 524
		C1a	100	1	264242	2 608 633 A41

Jigsaw blades - Clean for Wood

Clean cut

clean  Wood

T 101 AO



HCS, pointed teeth, ground teeth and taper ground

Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts


83	1.4	C1b	3	10	006972	2 608 630 559
		C1b	5	10	006798	2 608 630 031

Jigsaw blades - Clean for Wood

Clean cut

clean  Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 101 B



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm)

100	2.7	C1b	3	10	006958	2 608 630 557
		C1b	5	10	006781	2 608 630 030
		P1a	25	1	127660	2 608 633 622
		C1a	100	1	067430	2 608 637 876




T 101 BR



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), laminated panels, clean surface

100	2.5	C1b	3	10	091374	2 608 633 779
		C1b	5	10	012454	2 608 630 014
		P1a	25	1	127677	2 608 633 623




T 101 D



HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)

100	4.0-5.2	C1b	3	10	006965	2 608 630 558
		P1a	25	1	148726	2 608 633 577
		C1a	100	1	067447	2 608 637 877




T 101 D



HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)

100	4.0-5.2	C1b	5	10	006804	2 608 630 032
-----	---------	-----	---	----	--------	---------------



T 301 CD




HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)

117	3.0	C1b	3	10	016315	2 608 637 591
		C1b	5	10	016308	2 608 637 590

Jigsaw blades - Speed for Wood

Fast cut

speed  Wood



T 144 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards


100	4.0-5.2	C1b	3	10	006989	2 608 630 560
		C1b	5	10	006842	2 608 630 040
		P1a	25	1	127691	2 608 633 625
		C1a	100	1	067478	2 608 637 880

Jigsaw blades - Speed for Wood

Fast cut

speed 

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 244 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts

100	4.0-5.2	C1b	3	10	007221	2 608 630 879
		C1b	5	10	006859	2 608 630 058
		P1a	25	1	127707	2 608 633 626
		C1a	100	1	067485	2 608 637 881




T 344 D



HCS, side set, ground
Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards

152	4.0	C1b	3	10	070942	2 608 637 944
		C1b	5	10	264174	2 608 633 A34



T 744 D



HCS, side set, ground
Softwood/boards, thick construction timber, sandwich materials

180	4.0	C1c	3	5	348591	2 608 663 314
-----	-----	-----	---	---	--------	---------------

Jigsaw blades - Basic for Wood

Good and cost-effective

basic 




T 119 BO



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboard, wood core plywood, fibre boards, especially for curve cuts

83	2.0	C1b	5	10	006941	2 608 630 310
		C1a	100	1	067461	2 608 637 879




T 119 B



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards

92	1.9-2.3	C1b	3	10	007245	2 608 630 878
		C1b	5	10	006835	2 608 630 037



T 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut

100	3.0	C1b	3	10	007139	2 608 630 808
		C1b	5	10	006811	2 608 630 033
		P1a	25	1	264211	2 608 633 A38
		C1a	100	1	067454	2 608 637 878

LONG LIFE CUTTING STAINLESS STEEL SHEET

EXPERT 'Stainless Steel' Blades

ASSORTMENT: T 118 AHM, T 118 EHM

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength



378
8

EXPERT Stainless Steel T118AHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch T118G Jigsaw Blade in tough materials.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.1	23	1.5	3	C1b	3	1	537856	2 608 900 561

EXPERT Stainless Steel T118EHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch T118G Jigsaw Blade in tough materials.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.4	18	2	5	C1b	3	1	537863	2 608 900 562

Jigsaw blades - Basic for Inox

Good and cost-effective

basic **Inox**

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 118 GFS



BIM, wavy set, milled
Sawing in Inox / stainless steel

83	0.8	C1b	3	10	451864	2 608 636 498
		C1b	5	10	451840	2 608 636 496



T 118 EFS




BIM, wavy set, milled
Sawing in Inox / stainless steel

83	1.4	C1b	3	10	451871	2 608 636 499
		C1b	5	10	451857	2 608 636 497

Jigsaw blades - Progressor for Metal

Universal. Fast in thin and thick material.

PROGRESSOR **Metal**



T 123 XF



BIM, side set, milled
Thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm)


100	1.2-2.6	C1b	3	10	128049	2 608 638 472
		C1b	5	10	128056	2 608 638 473
		P1a	25	1	128063	2 608 638 474
		C1a	100	1	264488	2 608 638 700

Jigsaw blades - Speed for Metal

Fast, breakproof and durable

speed 

PRODUCT PROPERTIES ORDERING INFORMATION




T 121 GF



BIM, wavy set, milled
Very thin metal plate, perforated metal plates (0.5 - 1.5 mm)

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
92	0.8	C1b	3	10	596824	2 608 636 695 ⁱ
		C1b	5	10	596831	2 608 636 696 ⁱ
		P1a	25	1	596848	2 608 636 697 ⁱ




BIM, wavy set, milled




Thin sheet metals, perforated sheet metals (1-3 mm)

T 121 AF

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
92	1.2	C1b	3	10	596855	2 608 636 698 ⁱ




T 121 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm)

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
92	1.2	C1b	5	10	596862	2 608 636 699 ⁱ
		P1a	25	1	596947	2 608 636 700 ⁱ




T 121 BF



BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
92	2.0	C1b	3	10	596954	2 608 636 701 ⁱ
		C1b	5	10	596961	2 608 636 702 ⁱ
		P1a	25	1	596978	2 608 636 703 ⁱ




T 321 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), thin-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
132	1.2	C1b	3	10	596985	2 608 636 704
		C1b	5	10	596992	2 608 636 705



T 321 BF



BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), thick-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
132	2.0	C1b	3	10	597005	2 608 636 706
		C1b	5	10	597012	2 608 636 707


ⁱ = 03.2025

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible  Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




long
LIFE

T 118 EOF

BIM, wavy set, milled

Thin sheet metals, perforated sheet metals (1.5-4 mm), especially for curve cuts

83	1.5	C1b	5	10	091893	2 608 634 237
----	-----	-----	---	----	--------	---------------




long
LIFE

T 118 AF

BIM, wavy set, milled

Thin sheet metals, perforated sheet metals (1-3 mm)

92	1.1-1.5	C1b	3	10	035309	2 608 634 694
		C1b	5	10	007627	2 608 634 505
		P1a	25	1	127745	2 608 634 991




long
LIFE

T 118 BF

BIM, wavy set, milled

Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)

92	1.9-2.3	C1b	5	10	007603	2 608 634 503
		P1a	25	1	127752	2 608 634 992




long
LIFE

T 318 AF

BIM, wavy set, milled

Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.1	C1b	5	10	091923	2 608 634 241
-----	-----	-----	---	----	--------	---------------



long
LIFE

T 318 BF


BIM, side set, milled

Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.8	C1b	5	10	091930	2 608 634 242
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Basic for Metal

Good and cost-effective

basic  Metal**T 118 G**

HSS, wavy set, milled

Very thin metal plate (0.5 - 1.5 mm)


92	0.7	C1b	3	10	007566	2 608 631 674
		C1b	5	10	007283	2 608 631 012

Jigsaw blades - Basic for Metal

Good and cost-effective

basic  Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 218 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm), especially for curve cuts

92	1.1-1.5	C1b	3	10	007542	2 608 631 672
		C1b	5	10	007337	2 608 631 032
		C1a	100	1	279482	2 608 631 706




T 118 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm)

92	1.1-1.5	C1b	3	10	007399	2 608 631 507
		C1b	5	10	007290	2 608 631 013
		P1a	25	1	127769	2 608 638 470
		C1a	100	1	067492	2 608 631 964




T 118 B



HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm)

92	1.9-2.3	C1b	3	10	007559	2 608 631 673
		C1b	5	10	007306	2 608 631 014
		P1a	25	1	127776	2 608 638 471
		C1a	100	1	067508	2 608 631 965




T 318 A



HSS, wavy set, milled
Thin sheet metals (1-3 mm), pipes + profiles, including aluminium (diameter <65 mm)

132	1.2	C1b	5	10	007375	2 608 631 319
		C1a	100	1	279499	2 608 631 808



T 318 B



HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm), pipes + profiles, including aluminium (diameter <65 mm), cutting at accurate angles

132	2.0	C1b	5	10	007382	2 608 631 404
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal

special  Alu



T 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)

100	3.0	C1b	3	10	007405	2 608 631 508
		C1b	5	10	007313	2 608 631 017



Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal

special  Alu

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
100	3.0	C1a	100	1	067515	2 608 631 966	



T 227 D



HSS, side set, milled

Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts

100	3.0	C1b	3	10	007535	2 608 631 671
		C1a	100	1	279475	2 608 638 382



T 227 D




HSS, side set, milled

Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts

100	3.0	C1b	5	10	007320	2 608 631 030
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Flexible for Metal-Sandwich

Breakproof and durable

flexible  MetalSandwich

T 718 BF




BIM, side set, milled

Sandwich materials (<120 mm)

180	2.0	C1b	3	5	309042	2 608 636 335
-----	-----	-----	---	---	--------	---------------

Jigsaw blades - Precision for Metal-Sandwich

precision  MetalSandwich

T 1018 AFP



BIM, wavy set, milled

Sandwich materials (<160 mm)

250	1.1	C1c	3	5	704892	2 608 636 793
-----	-----	-----	---	---	--------	---------------


LONG LIFE CUTTING MULTIPLE BUILDING MATERIALS

EXPERT 'Multi Material' Blades

ASSORTMENT: T 367 XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Side set teeth to cut thicker materials effectively



CARBIDE TECHNOLOGY

384
8

EXPERT Multi Material T367XHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight rough cuts in wooden panels with metal borders used in concrete formwork sheathing; cuts in wood with embedded steel components like hardened screws and nails.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch T345XF Blade.
- ▶ Fits all T-shank jigsaws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 053 423...	Part number
132	3.5-5.0	5-7	C1b	3	1	537849	2 608 900 560
			P1h	10	1	247831	2 608 901 818

Jigsaw blades - Progressor for Wood and Metal

Universal, fast through thick and thin

progressor WoodMetal

PRODUCT PROPERTIES		ORDERING INFORMATION			
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
					Part number



T 345 XF



BIM, side set, milled

Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)

132	2.4-5.0	C1b	3	10	128018	2 608 634 993
		C1b	5	10	128025	2 608 634 994
		P1a	25	1	128032	2 608 634 995
		C1a	100	1	266208	2 608 634 486

LONG LIFE CLEAN CUTTING SOLID SURFACE AND WPC

EXPERT 'Plastic Composites Clean' Blades

ASSORTMENT: T 301 CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength




386
8

EXPERT Plastic Composites Clean T301CHM Jigsaw Blades

EXPERT



- ▶ Ideal for straight cuts in solid surface panels, required for building solid surface kitchens and bathrooms; straight cuts in Wood-Plastic Composite (WPC) boards during patio installation.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Carbide Technology For Long-life performance.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	3.3	8	6	65	C1b	3	1	537900	2 608 900 566

LONG LIFE CLEAN CUTTING CARBON FIBER

EXPERT 'Carbon Fiber Clean' Blades

ASSORTMENT: T 108 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength



CARBIDE
TECHNOLOGY

8

387

EXPERT Carbon Fiber Clean T108BHM Jigsaw Blades

EXPERT

- ▶ Ideal for making straight cuts into carbon fibre boards and profiles, such as trimming structural components in advanced modern vehicles; jigsaw cutting in the aerospace and boatbuilding industries.
- ▶ Best for boatbuilders: long lasting and quality finish.
- ▶ Carbide Technology For Long-life performance.
- ▶ Fits all T-shank jigsaws.



CARBIDE
TECHNOLOGY


LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	2.2	12	2	20	C1b	3	1	537894	2 608 900 565

Jigsaw blades - Clean for PP

clean  PP

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



T 102 D



HCS, ground teeth and taper ground
Clean cuts in PP and PE sheets, profiles, bars.

100	4.0	C1b	3	10	691475	2 608 667 443
		C1b	5	10	691482	2 608 667 444

Jigsaw blades - Clean for PVC

clean  PVC



T 102 H



HCS, ground teeth and taper ground
Clean cuts in PVC, PA, PS sheets, profiles, bars.

100	2.3	C1b	3	10	691499	2 608 667 445
		C1b	5	10	691505	2 608 667 446



T 302 H



HCS, ground teeth and taper ground
Clean cuts in PVC, PA, PS pipes and profiles.

132	2.3	C1b	3	10	691512	2 608 667 447
		C1b	5	10	691529	2 608 667 448

Jigsaw blades - Clean for PMMA

clean  PMMA



T 102 BF




BIM, side set, flank ground teeth
Clean cuts in PMMA sheets.

92	1.8	C1b	3	10	691581	2 608 636 780
		C1b	5	10	691598	2 608 636 781

Jigsaw blades - Clean for PC

clean  PC



T 101 A




HSS, ground teeth and taper ground
Perspex, polycarbonate (2-20 mm)

100	2.0	C1b	3	10	007528	2 608 631 670
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Clean for PC

clean  PC

PRODUCT PROPERTIES		ORDERING INFORMATION												
Total length [mm]	100	Tooth spacing [mm]	2.0	Packaging type	C1b	Pack quantity	5	Minimum order quantity	10	Barcode	007276	3 165 140...	Part number	2 608 631 010



T 101 A



HSS, ground teeth and taper ground
 Perspex, polycarbonate (2-20 mm)


LONG LIFE CUTTING ABRASIVE CONSTRUCTION MATERIALS

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: T 141 HM, T 341 HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Side set teeth to cut thicker materials effectively
- 3 Large, constant tooth pitch to handle thick, tough materials




390
8

EXPERT Fiber Plaster T141HM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Carbide Technology For Long-life performance.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 053 423...	Part number
100	4.3	6	5	20	C1b	3	1	537870	2 608 900 563
					P1h	10	1	247824	2 608 901 817

EXPERT Fibre Plaster T341HM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Carbide Technology For Long-life performance.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
132	4.3	6	C1b	3	1	537887	2 608 900 564

HIGH PRECISION CLEAN CUTTING SOFT TILES

EXPERT 'Soft Tile clean' Blade

ASSORTMENT: T 150 RD

EXPERT

1 Clean, high quality cutting with Bosch Diamond Technology


2 Fine Diamond Grit for extra clean finish



392
8

EXPERT Soft Tile Clean T150RD Jigsaw Blades

EXPERT



- ▶ Ideal for straight clean cuts in soft wall tiles, for example when making small cut-outs before fixing the tile to the wall during bathroom or kitchen tiling.
- ▶ Best for kitchen fitters: precise and quality finish.
- ▶ Diamond Technology for precise and clean cuts.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	GRIT 50	GRIT 50	5	10	C1b	3	1	537917	2 608 900 567

Jigsaw blades - Special for Ceramics

Ceramic materials

special Ceramics

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	




T 130 RF




Carbide Technology, with grit of 30
Soft ceramic wall tiles, cast iron (5-15 mm), coarse cut

83	C1b	3	1	035286	2 608 633 104
----	-----	---	---	--------	---------------



T 150 RF



Carbide Technology, with grit of 50
Soft ceramic wall tiles, cast iron (5-10 mm), fine cut

83	C1b	3	1	035293	2 608 633 105
----	-----	---	---	--------	---------------

Jigsaw blades - Special for Soft Material

Soft materials

special Soft-Material



T 113 A



HCS, ground blade
Cardboard, polystyrene, carpet, leather, rubber (<50 mm)

100	C1b	3	5	035323	2 608 635 177
-----	-----	---	---	--------	---------------



T 313 AW




HCS, blade with serrated edge
Cardboard, polystyrene, carpet, leather, rubber (<100 mm)

152	C1b	3	5	045926	2 608 635 187
-----	-----	---	---	--------	---------------

Jigsaw blades - Precision for Soft Material

precision SoftMaterial

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



T 1013 AWP



HCS, blade with serrated edge
Specially for fibre insulation materials (<160 mm)

250	12.0	C1c	3	5	623629	2 608 667 396
-----	------	-----	---	---	--------	---------------


Jigsaw Blades for Wood

Jigsaw blades - Progressor for Wood

Universal. Clean in thin and thick material



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
U 234 X						
HCS, ground teeth and taper ground Softwood (2-65 mm), chipboards, wood core plywood, fibre boards						
108	2-3	C1b	3	10	169530	2 608 633 525




Jigsaw blades - Clean for Wood


Clean cut



U 1 AO						
HCS, pointed teeth, ground teeth and taper ground Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts						
70	1.4	C1b	3	10	038553	2 608 637 724



U 101 B						
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), plastics (3-30 mm)						
100	2.7	C1b	3	10	006996	2 608 630 565



U 101 D						
HCS, ground teeth and taper ground Softwood (10-45 mm), chipboards, wood core plywood, fibre boards						
100	4.0-5.2	C1b	3	10	038546	2 608 637 723




Jigsaw blades - Speed for Wood

Fast cut



U 144 D						
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards						
100	4.0-5.2	C1b	3	10	007023	2 608 630 568



Jigsaw blades - Basic for Wood

Good and cost-effective



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



U 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboards, wood core plywood, fibre boards

92	3.0	C1b	3	10	007009	2 608 630 566
----	-----	-----	---	----	--------	---------------



U 111 D



HCS, side set, milled
Softwood (5-65 mm), chipboards, wood core plywood, fibre boards










92	4.0	C1b	3	10	014083	2 608 637 559
----	-----	-----	---	----	--------	---------------

Jigsaw Blades for Metal

Jigsaw blades - Basic for Metal

Good and cost-effective


basic  Metal


PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
 							
<p>U 118 G</p> <p>HSS, wavy set, milled Very thin metal plate (0.5 - 1.5 mm)</p>							
70	0.7	C1b	3	10	014069	2 608 631 770	
 							
<p>U 118 A</p> <p>HSS, wavy set, milled Thin sheet metals (1-3 mm)</p>							
80	1.1-1.5	C1b	3	10	007412	2 608 631 511	
 							
<p>U 118 B</p> <p>HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm)</p>							
80	1.9-2.3	C1b	3	10	014076	2 608 631 771	

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal


special  Alu



						
<p>U 127 D</p> <p>HSS, side set, milled Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)</p>						
92	3.0	C1b	3	10	007429	2 608 631 512

EXPERT Wood 2-side clean Jigsaw Blade Sets

EXPERT




- ▶ Ideal for making tear-free cuts; T308BO for making tear-free curved cuts; T308BP for making tear-free accurate angle cuts. All cut solid wood up to 50 mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Set with T 308 B and T 308 BO for cleaner cuts.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set							
EXPERT 'Wood 2-side clean' T 308 B EXPERT 'Wood 2-side clean' T 308 BO			PC1a	3	10	537832	2 608 900 559

EXPERT Hardwood 2-side clean Jigsaw Blade Sets

EXPERT



- ▶ Ideal for making tear-free cuts. T308BF for making tear-free straight cuts in plastic-coated board materials; T308BFP for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Set with T 308 BF and T 308 BFP for cleaner cuts.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set							
EXPERT 'Hardwood 2-side clean' T 308 BF EXPERT 'Hardwood 2-side clean' T 308 BFP			PC1a	3	10	537733	2 608 900 549

Jigsaw blade sets Tough Box (single lug shank)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
30-piece jigsaw blade set Wood and Metal						
T 119 BO Basic for Wood T 111 C Basic for Wood T 118 A Basic for Metal		P1k	30	1	846493	2 607 010 903



Jigsaw blade sets Tough Box (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
30-piece jigsaw blade set Wood Precision					
T 144 DP Precision for Wood T 301 BCP Precision for Wood T 308 BP Precision for Wood	P1k	30	1	846516	2 607 010 905 ⁱ



40-piece jigsaw blade set Wood and Metal					
T 244 D Speed for Wood T 144 D Speed for Wood T 101 B Clean for Wood T 121 AF Speed for Metal	P1k	40	1	846509	2 607 010 904



ⁱ = 03.2025

Robust Line 10-piece jigsaw blade sets (single lug shank)

10-piece Robust Line jigsaw blade set Wood Expert					
T 101 AO Clean for Wood T 101 B Clean for Wood T 101 BR Clean for Wood T 101 AOF Clean for Hard Wood T 101 BF Clean for Hard Wood T 101 BRF Clean for Hard Wood T 244 D Speed for Wood T 144 D Speed for Wood T 144 DF Speed for Hard Wood T 144 DP Precision for Wood	P1k	10	1	446242	2 607 010 540 ⁱ



10-piece Robust Line jigsaw blade set Metal Expert					
T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal T 118 EOF Flexible for Metal T 118 AF Flexible for Metal T 118 BF Flexible for Metal T 118 GFS Basic for Inox T 227 D Special for Alu T 127 D Special for Alu T 123 X Progressor for Metal	P1k	10	1	446259	2 607 010 541 ⁱ



10-piece Robust Line jigsaw blade set Wood and Metal					
T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 101 AOF Clean for Hard Wood T 101 BF Clean for Hard Wood T 118 EOF Flexible for Metal T 118 AF Flexible for Metal T 118 BF Flexible for Metal T 123 X Progressor for Metal	P1k	10	1	446266	2 607 010 542 ⁱ



ⁱ = 03.2025

Robust Line 10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece Robust Line jigsaw blade set Top Expert					
T 130 RIFF Special for Ceramics T 118 AHM Special for Inox T 141 HM Special for Fibre and Plaster T 101 A Special for Acrylic T 113 A Special for Soft Material T 101 BF Clean for Hard Wood T 101 BIF Special for Laminate T 118 AF Flexible for Metal T 227 D Special for Alu T 123 X Progressor for Metal	P1k	10	1	475990	2 607 010 574 ⁱ



i = 03.2025

Robust Line 6-piece jigsaw blade sets (single lug shank)

6-piece Robust Line jigsaw blade set Progressor					
T 123 X Progressor for Metal T 234 X Progressor for Wood T 345 XF Progressor for Wood and Metal	P1k	6	1	446150	2 607 010 531
6-piece Robust Line jigsaw blade set Wood Expert					
T 301 BCP Precision for Wood T 234 X Progressor for Wood T 308 B Extra-Clean for Wood T 308 BF Extra-Clean for Hard Wood	P1k	6	1	475976	2 607 010 572
6-piece Robust Line jigsaw blade set Metal Profile					
T 318 AF Flexible for Metal T 318 BF Flexible for Metal T 345 XF Progressor for Wood and Metal	P1k	6	1	475983	2 607 010 573




8 399

15-piece jigsaw blade sets (single lug shank)

The perfect selection for all Wood working applications					
T 144 DP Precision for Wood T 101 BF Clean for Hard Wood T 144 DHM EXPERT Hardwood fast	P1h	15	1	997744	2 607 011 436
The perfect selection for common Wood and occasional Metal applications					
T 101 BF Clean for Hard Wood T 144 DP Precision for Wood T 121 BF Speed for Metal T 144 DHM EXPERT Hardwood fast	P1h	15	1	997751	2 607 011 437



15-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
The perfect selection for different materials and material thicknesses					
T 144 DP Precision for Wood T 101 BF Clean for Hard Wood T 121 BF Speed for Metal T 345 XF Progressor for Wood and Metal T 367 XHM EXPERT Multi Material	P1h	15	1	997768	2 607 011 438

10-piece jigsaw blade sets (single lug shank)



10-piece jigsaw blade set Basic for Wood					
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood	P1k	10	1	579353	2 607 010 629





10-piece jigsaw blade set Basic for Metal and Wood					
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 218 A Basic for Metal T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal	P1k	10	1	579360	2 607 010 630





10-piece jigsaw blade set Basic for Metal					
T 218 A Basic for Metal T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal	P1k	10	1	579377	2 607 010 631

10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>10-piece jigsaw blade set Wood and Metal</p> <ul style="list-style-type: none"> T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 118 A Basic for Metal T 118 B Basic for Metal T 127 D Special for Alu 	PC1a	10	5	913416	2 607 011 170	
 <p>10-piece jigsaw blade set Allrounder</p> <ul style="list-style-type: none"> T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 101 BF Clean for Hard Wood T 118 A Basic for Metal T 118 B Basic for Metal T 127 D Special for Alu T 118 GFS Basic for Inox T 102 H Clean for PVC 	PC1a	10	5	913423	2 607 011 171	

5-piece jigsaw blade sets (single lug shank)

 <p>5-piece jigsaw blade set Allrounder</p> <ul style="list-style-type: none"> T 144 D Speed for Wood T 101 B Clean for Wood T 102 H Clean for PVC T 113 A Special for Soft Material T 121 AF Speed for Metal 	PC1a	5	10	839532	2 608 667 856
 <p>5-piece jigsaw blade set Wood and Plastics</p> <ul style="list-style-type: none"> T 101 AO Clean for Wood T 101 B Clean for Wood T 101 D Clean for Wood T 102 H Clean for PVC T 102 D Clean for PP 	PC1a	5	10	839556	2 608 667 858

5-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece jigsaw blade set Wood and Metal Basic						
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 118 A Basic for Metal T 118 B Basic for Metal		PC1a	5	10	839549	2 608 667 857

3-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece jigsaw blade set Universal, fast through thick and thin. For wood, plastic and metal						
T 123 XF Progressor for Metal T 234 X Progressor for Wood T 345 XF Progressor for Wood and Metal	-	PC1a	3	10	198868	2 607 010 515



3-piece jigsaw blade set Precise, clean cuts in laminate						
T 101 BIF Special for Laminate T 101 AOF Special for Laminate	15	C1b	3	10	393393	2 608 636 429

Robust Line 6-piece jigsaw blade set (universal shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
6-piece Robust Line jigsaw blade set Progressor						
U 123 X Progressor for Metal	P1k	6	1	446167	2 607 010 532	
U 234 X Progressor for Wood						
U 345 XF Progressor for Wood and Metal						

5-piece jigsaw blade set (universal shank)



5-piece jigsaw blade set					
U 111 C Basic for Wood	PC1a	5	10	839525	2 608 667 855
U 111 D Basic for Wood					
U 118 A Basic for Metal					

3-piece jigsaw blade sets (universal shank)



3-piece jigsaw blade set					
Universal, fast through thick and thin.					
For wood, plastic and metal					
U 123 XF Progressor for Metal	C1b	3	10	198875	2 607 010 516
U 234 X Progressor for Wood					
U 345 XF Progressor for Wood and Metal					

3-piece jigsaw blade sets (universal shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
3-piece jigsaw blade set Precise, clean cuts in laminate				3 165 140...		
U 1 BIF Special for Laminate U 1 AOF Special for Laminate	C1b	3	10	393409	2 608 636 430	

5-piece jigsaw blade sets (Makita shank)



5-piece jigsaw blade set Wood					
MA 111 C Basic for Wood MA 101 BC Clean for Wood	PC1a	5	10	839518	2 608 667 854

5-piece jigsaw blade set (double lug shank)



5-piece jigsaw blade set					
T 44 D Speed for Wood T 1 B Clean for Wood T 18 A Basic for Metal	PC1a	5	10	839501	2 608 667 853

Accessories for jigsaws

Anti-splinter guard for jigsaws

- ▶ The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip**: it is best to saw with the grain or diagonal to the grain.

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Anti-splinter guard GST 14.4 V; GST 18.0 V; GST 75 BE; GST 80 Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; UniversalSaw 18V-100	C1d	5	5	006651	2 607 010 079



Anti-splinter guard GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional	P1d	5	5	516297	2 601 016 096
---	-----	---	---	--------	----------------------



Universal Cutting Oil

- ▶ Universal cutting oil in a spray can increases the lifetime of the tool by up to +30%, whilst also increasing the cutting speed.

Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal	P0h	1	1	271240	2 607 001 409
--	-----	---	---	--------	----------------------



Saw blades for the Bosch Foam Rubber Cutter GSG 300 Professional

Saw blade set for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
Material thickness [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	2-piece saw blade set					
200		C0h	2	1	029834	2 607 018 011
300		C0h	2	1	029841	2 607 018 012

Saw blade guides for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Saw blade guide for saw blade 2 607 018 010					
		C0a	1	1	030540	2 608 135 020
	Saw blade guide for saw blade 2 607 018 011					
		C0a	1	1	030557	2 608 135 021
	Saw blade guide for saw blade 2 607 018 012					
		C0a	1	1	030564	2 608 135 022
	Saw blade guide for saw blade 2 607 018 013					
		C0a	1	1	030571	2 608 135 023
	Sole plate GSG 300 Professional					
		P1d	1	1	052153	2 608 000 908

RECIPROCATING SAW BLADES

Cut tough materials with ease.

The best your tool can get. Bosch Professional Accessories.



9

407



BLADES FOR METAL

For reciprocating saw.



Thick Tough Metal

Medium-Thick Tough Metal

Thin Tough Metal

Vehicle Rescue

EXPERT

EXPERT

EXPERT

EXPERT

Page number	415	418	420	422
Available blade types	4	3	3	2

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel	✓	✓	✓	✓
Cuts Hardened Steel	✓	✓	✓	✓
Cuts Stainless Steel	✓	✓	✓	✓
Cuts Cement Cast Iron Pipes	-	-	-	-
Ideal for non-cement Cast Iron Pipes	✓	✓	-	-
Ideal for Rescue & Car Dismantling	-	-	-	✓
Ideal for regular strength 'mild' steel	-	-	-	-
Ideal for precise cuts in pipes & profiles	✓	✓	-	-
Ideal for thin and thick metal	-	-	-	-
Sufficient for non-ferrous metal	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Cement Cast Iron

Heavy for Metal

Progressor for Metal

Flexible for Metal

Basic for Metal

EXPERT

424

427

429

429

431

1

12

1

10

2



-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

✓

✓

✓

-

✓

-

-

-

-

-

✓

-

-

-

-

-

✓

✓

BLADES FOR MULTI-MATERIAL

For reciprocating saw.



	Wood with Metal Demolition	Window Demolition	Hard Nail Pallets	Wood with Metal
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	432	434	435	436
Available blade types	3	1	1	1

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts Hardened Steel Nails**	✓	✓	✓	✓
Cuts Stainless Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts non-cement Cast Iron Pipes	✓	-	✓	-
Ideal for Demolition	✓	✓	-	-
Ideal for Pallet Repair	-	-	✓	-
Ideal for regular strength 'mild' steel**	-	-	-	-
Ideal for thin and thick material	-	-	-	-
Sufficient for non-ferrous metal**	-	-	-	-

* Bosch EXPERT products vs. Bosch standard products

** embedded in wood



Multi Material

Heavy for Wood and Metal

Special for Pallet Repair

Progressor for Wood and Metal

Flexible for Wood and Metal

EXPERT

437

439

440

441

441

3

7

4

1

7



CARBIDE TECHNOLOGY

✓

-

-

-

-

✓

-

-

-

-

✓

-

-

-

-

✓

-

-

-

-

-

✓

-

-

-

-

-

✓

-

-

-

✓

✓

✓

✓

-

-

-

✓

-

-

-







-

✓

✓

BLADES FOR MINERAL MATERIAL

For reciprocating saw.

			
	Hollow Brick	Aerated Concrete	Fiber Plaster
	EXPERT	EXPERT	EXPERT
Page number	443	445	447
Available blade types	3	3	1
	 CARBIDE TECHNOLOGY	 CARBIDE TECHNOLOGY	 CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts hollow brick blocks	✓	-	-
Cuts Aerated Concrete blocks	-	✓	-
Cuts Fiber Cement board	-	-	✓
Cuts Concrete Backerboard	-	-	✓
Cuts Drywall board	-	-	✓
Cuts thick dense Fiber Insulation	-	-	-
Ideal for clean cuts in thin Fiber Insulation	-	-	-
Ideal for clean cuts in Soft Material	-	-	-
Ideal for frozen material	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Special for Plaster



Precision for Fiber Insulation



Clean for Fiber Insulation



Special for Ice

448

448

449

449

2

3

1

1

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

✓

-

-

-

✓

✓

-

-

-

✓

-

-






-

-

✓

BLADES FOR WOOD

For reciprocating saw.

				
	Tough Wood	Top for Wood	Progressor for Wood	Basic for Wood
	EXPERT			
Page number	450	451	452	452
Available blade types	2	3	1	3
				

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts Thick Tough Wood	✓	-	-	-
Cuts Thick Pressure Treated Lumber	✓	-	-	-
Cuts Thick Moist Wood	✓	-	-	-
Cuts Tough WPC Composites	✓	-	-	-
Sufficient for dry softwood	-	✓	✓	✓
Ideal for Wooden Roots and Soil Work	✓	-	-	-
Ideal for clean cuts in softwood	-	-	✓	-
Ideal for thin and thick material	-	-	✓	-
Ideal for firewood	✓	-	-	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT 'Thick Tough Metal' Blades

ASSORTMENT: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Extra coating makes Carbide even tougher



9
415

EXPERT Thick Tough Metal S555CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
3	8	100 x 25 x 1.25	CT	4	12	50	C1c	1	1	534541	2 608 900 364

EXPERT Thick Tough Metal S955CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
3	8	150 x 25 x 1.25	CT	4	12	100	C1c	1	1	534558	2 608 900 365
							C1c	3	1	534565	2 608 900 366
							P1h	10	1	534572	2 608 900 367

EXPERT Thick Tough Metal S1155CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
3	8	225 x 25 x 1.25	CT	4	12	175	C1c	1	1	534589	2 608 900 368
							C1c	3	1	534596	2 608 900 369
							P1h	10	1	534602	2 608 900 370

EXPERT Thick Tough Metal S1255CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
3	8	300 x 25 x 1.25	CT	4	12	250	C1c	1	1	534619	2 608 900 371
							P1h	10	1	534626	2 608 900 372

LONG LIFE CUTTING MEDIUM-THICK TOUGH METAL

EXPERT 'Medium-Thick Tough Metal' Blades

ASSORTMENT: S955HMM, S1155HMM, S1255HMM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Wide body for precise, straight cuts
- 3 Fine teeth cut thinner material with ease



CARBIDE TECHNOLOGY

418
9

EXPERT Medium-Thick Tough Metal S955HMM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	150 x 25 x 1	CT	3	8	100	C1c	1	1	534633	2 608 900 373

EXPERT Medium-Thick Tough Metal S1155HMM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	225 x 25 x 1.1	CT	3	8	175	C1c	1	1	534640	2 608 900 374
							C1c	3	1	534657	2 608 900 375
							P1h	10	1	534664	2 608 900 376

EXPERT Medium-Thick Tough Metal S1255HMM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	300 x 25 x 1.25	CT	3	8	250	C1c	1	1	534671	2 608 900 377

LONG LIFE CUTTING THIN TOUGH METAL

EXPERT 'Thin Tough Metal' Blades

ASSORTMENT: S522EHM, S922EHM, S1022EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra-fine teeth cut very thin material with ease



CARBIDE TECHNOLOGY

420
9

EXPERT Thin Tough Metal S522EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel sheet
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES						ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	115 x 19 x 1	CT	1.5	4	C1c	1	1	534497	2 608 900 359

EXPERT Thin Tough Metal S922EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel pipes and profiles.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	150 x 19 x 1	CT	1.5	4	100	C1c	1	1	534503	2 608 900 360
							C1c	3	1	534510	2 608 900 361
							P1h	10	1	534527	2 608 900 362

EXPERT Thin Tough Metal S1022EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel pipes and profiles.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	200 x 19 x 1	CT	1.5	4	150	C1c	1	1	534534	2 608 900 363

LONG LIFE CUTTING MODERN AUTOMOTIVE STEEL

EXPERT 'Vehicle Rescue' Blades

ASSORTMENT: S957CHM, S1157CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 First tooth designed to allow plunge cut
- 4 Tapered tip reaches deeper into tight spaces



**CARBIDE
TECHNOLOGY**

422
9

EXPERT Vehicle Rescue S957CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- ▶ Best for firefighters and rescue workers: long lasting and reliable.
- ▶ Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY** UP TO 50x LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 20 x 1.35	CT	4	12	100	C1c	1	1	534688	2 608 900 378
							P1h	10	1	534695	2 608 900 379

EXPERT Vehicle Rescue S1157CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- ▶ Best for firefighters and rescue workers: long lasting and reliable.
- ▶ Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 20 x 1.35	CT	4	12	175	C1c	1	1	534701	2 608 900 380
							C1c	3	1	534718	2 608 900 381
							P1h	10	1	534725	2 608 900 382

LONG LIFE CUTTING CEMENT CAST IRON PIPES

EXPERT 'Cement Cast Iron' Blades

ASSORTMENT: S1750RD

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Thick gauge blade offers extra robustness and stability



424
9

EXPERT Cement Cast Iron S1750RD Reciprocating Saw Blades

EXPERT



- ▶ Ideal for straight cut-offs to cement cast iron pipes such as ductus ZMA or ductus ZMU, during municipal water repair works; also cuts non-cement cast iron pipes.
- ▶ Best for utilities workers: long lasting and specialised.
- ▶ Diamond Technology for Long Life Cutting Cement Cast Iron Pipes.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES						ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GRIT 50	GRIT 50	250 x 19 x 1.25	DIA	2	6	200	C1c	1	1	534732	2 608 900 383

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 925 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<100 mm).

1.8+	10+12+	150 x	BIM	2	10	100	C1f	5	5	744799	2 608 658 009 ⁱ
2.1+2.5	14	22 x				1.35					




S 1025 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<150 mm).

1.8+	10+12+	200 x	BIM	2	10	150	C1f	5	5	744805	2 608 658 010 ⁱ
2.1+2.5	14	22 x				1.35					




S 1125 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<175 mm).

1.8+	10+12+	225 x	BIM	2	10	175	C1c	5	5	744812	2 608 658 011 ⁱ
2.1+2.5	14	22 x				1.35					




S 1225 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry
For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<250 mm).

1.8+	10+12+	300 x	BIM	2	10	250	C1c	5	5	744836	2 608 658 013 ⁱ
2.1+2.5	14	22 x				1.35					




S 927 BEF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x	BIM	2	6	100	C1c	5	5	507158	2 608 657 523 ⁱ
		25 x 1.1					P1h	25	1	695398	2 608 657 936 ⁱ



S 1127 BEF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.


1.4+1.8	14+18	225 x	BIM	2	6	175	C1c	5	5	507165	2 608 657 524 ⁱ
		25 x 1.1					P1h	25	1	695367	2 608 657 933 ⁱ

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 1227 BEF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	2	6	250	C1c	5	5	836562	2 608 658 147 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------




S 930 CF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	507196	2 608 657 527
							P1h	25	1	695381	2 608 657 935




S 1130 CF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	P1h	25	1	695350	2 608 657 932
---------	------	----------------	-----	---	----	-----	-----	----	---	--------	---------------




S 936 CHF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	507172	2 608 657 525 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------




S 1136 CHF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	507189	2 608 657 526 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------



S 1130 CF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	507202	2 608 657 528
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	---------------

ⁱ = 03.2025

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 926 BEF



BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	3	8	100	C1c	5	5	451888	2 608 657 394 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------




S 1126 BEF



BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	3	8	175	C1c	5	5	451895	2 608 657 395 ⁱ
							P1a	25	1	515221	2 608 657 554 ⁱ




S 1226 BEF



BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	3	8	250	C1c	5	5	451901	2 608 657 396 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------



S 926 CHF



BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	451918	2 608 657 397 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------



S 1126 CHF



BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	451925	2 608 657 398 ⁱ
2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	100	P1a	25	1	515238	2 608 657 555 ⁱ



S 1226 CHF



BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<250 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	300 x 25 x 1.1	BIM	4	12	250	C1c	5	5	451932	2 608 657 406 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



S 925 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	150 x 19 x 1.25	BIM	2.5	10	100	C1c	5	5	451949	2 608 657 407
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------



S 1025 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<150 mm). Ideal for demolition work in metal. Effortless, fine cut

1.8-2.6	10-14	200 x 19 x 1.25	BIM	2.5	10	150	C1c	5	5	235570	2 608 656 265
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------



S 1125 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	225 x 19 x 1.25	BIM	2.5	10	175	C1c	5	5	451956	2 608 657 408
							P1h	25	1	515245	2 608 657 556




S 1225 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	300 x 19 x 1.25	BIM	2.5	10	250	C1c	5	1	451963	2 608 657 409
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------




S 920 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	019262	2 608 654 820 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------



S 1120 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	235471	2 608 656 255 ⁱ
							P1a	25	1	515252	2 608 657 557 ⁱ

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number

S 1120 CF




BIM, patented 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C0a	100	1	283663	2 608 656 571 ⁱ
---------	------	----------------	-----	---	----	-----	-----	-----	---	--------	-----------------------------------

ⁱ = 03.2025



Reciprocating saw blades - Progressor for Metal - BIM

Universal, fast



S 123 XF



BIM, side set, milled

Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	2	5	169554	2 608 654 401
							C0a	100	1	184816	2 608 654 416

S 123 XF



BIM, side set, milled

Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	5	5	169561	2 608 654 402
---------	------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------



Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant



S 522 AF



BIM, wavy set, milled

Especially optimised for use in compact saws.

Thin sheet metals (0.7-3 mm), effortless, fine cut

1	24	100 x 19 x 0.9	BIM	0.7	3	-	C1c	5	5	093460	2 608 656 010
---	----	----------------	-----	-----	---	---	-----	---	---	--------	----------------------


S 922 AF



BIM, wavy set, milled

Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <100 mm), effortless, fine cut

1.1	24	150 x 19 x 0.9	BIM	0.7	2	100	C1c	2	5	093385	2 608 656 036
							C1c	5	5	093491	2 608 656 013




Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible  Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



S 1122 AF



BIM, wavy set, milled

Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <175 mm), effortless, fine cut, flexible flush cut

1.1	24	225 x 19 x 0.9	BIM	0.7	2	175	C1c	5	5	093545	2 608 656 018
-----	----	----------------	-----	-----	---	-----	-----	---	---	--------	---------------



S 522 EF



BIM, side set, milled

Especially optimised for use in compact saws.

Thin sheet metals (1.5-4 mm)

1.4	18	100 x 19 x 0.9	BIM	1.5	4	-	C1c	2	5	612050	2 608 657 721
							C1c	5	5	093484	2 608 656 012



S 922 EF



BIM, side set, milled

Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)

1.4	18	150 x 19 x 0.9	BIM	1.5	4	100	C1c	2	5	093408	2 608 656 038
							C1c	5	5	093514	2 608 656 015
							P1h	25	1	515191	2 608 657 551
							C0a	100	1	206112	2 608 656 028




S 1122 EF



BIM, side set, milled

Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut

1.4	18	225 x 19 x 0.9	BIM	1.5	4	175	C1c	2	5	093446	2 608 656 042
							C1c	5	5	093569	2 608 656 020
							P1h	25	1	515207	2 608 657 553



S 422 BF



BIM, side set, milled

Especially optimised for use in compact saws.

Medium-thick sheet metals (1.5-6 mm), especially for curve cuts

1.8	14	100 x 16 x 0.9	BIM	1.5	6	-	C1c	2	5	235600	2 608 656 268 ⁱ
							C1c	5	5	235457	2 608 656 253 ⁱ



S 522 BF



BIM, side set, milled

Especially optimised for use in compact saws.

Thick sheet metals (2.5-8 mm), quick cut


2	14	100 x 19 x 0.9	BIM	2.5	8	-	C1c	2	5	235846	2 608 656 269
							C1c	5	5	093477	2 608 656 011

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible 

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



S 922 BF



BIM, side set, milled

Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <100 mm), quick cut

2	14	150 x 19 x 0.9	BIM	2.5	8	100	C1c	2	5	093392	2 608 656 037
							C1c	5	5	093507	2 608 656 014
							P1h	25	1	515184	2 608 657 550
							C0a	100	1	206105	2 608 656 027



S 1122 BF



BIM, side set, milled

Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut

2	14	225 x 19 x 0.9	BIM	2.5	8	175	C1c	2	5	093439	2 608 656 041
							C1c	5	5	093552	2 608 656 019
							P1h	25	1	515214	2 608 657 552
							C0a	100	1	206150	2 608 656 032

i = 03.2025

Reciprocating saw blades - Basic for Metal - BIM

Good and cost-effective

basic 



S 918 AF



BIM, wavy set, milled

Thin sheet metals (1-3 mm), fine, closed pipes/profiles (diameter <100 mm)

1	24	150 x 16 x 0.9	BIM	1	3	100	C1c	2	5	235839	2 608 651 944
							C1c	5	5	016117	2 608 651 780



S 918 BF



BIM, side set, milled

Medium-thick sheet metals (2-8 mm), closed pipes/profiles (diameter <100 mm)

1.8	14	150 x 16 x 0.9	BIM	2	8	100	C1c	2	5	035354	2 608 651 821
							C1c	5	5	016124	2 608 651 781

LONG LIFE CUTTING METAL EMBEDDED WOOD

EXPERT 'Wood with Metal Demolition' Blades

ASSORTMENT: S967XHM, S1167XHM, S1267XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Reinforced teeth withstand the extreme abuse of demolition work
- 3 Progressive tooth pitch to cut material of every thickness
- 4 Tapered tip reaches deeper into tight spaces
- 5 Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY

432
9

EXPERT Wood with Metal Demolition S967XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	150 x 25 x 1.25	CT	100	C1c	1	1	534862	2 608 900 396
					P1h	10	1	534879	2 608 900 397

EXPERT Wood with Metal Demolition S1167XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	225 x 25 x 1.25	CT	175	C1c	1	1	534886	2 608 900 398
					C1c	3	1	534893	2 608 900 399
					P1h	10	1	534909	2 608 900 400

EXPERT Wood with Metal Demolition S1267XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	300 x 25 x 1.25	CT	250	C1c	1	1	534916	2 608 900 401
					P1h	10	1	534923	2 608 900 402


LONG LIFE CUTTING WINDOW STOCKS OF ANY MATERIAL

EXPERT 'Window Demolition' Blades

ASSORTMENT: S956DHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Side set teeth to cut thicker materials effectively
- 4 First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

434
9

EXPERT Window Demolition S956DHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting out windows; can cut through a window fixing screw so window parts can be removed; can cut through composite window stocks of any kind; and it can also cut through doors and hinges.
- ▶ Best for window fitters: long lasting and powerful.
- ▶ Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4	6	150 x 25 x 1.25	CT	100	C1c	1	1	534756	2 608 900 385
					P1h	10	1	534763	2 608 900 386

LONG LIFE CUTTING HARD NAILS PALLETS

EXPERT 'Hard Nail Pallets' Blades

ASSORTMENT: S1122CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Highly flexible body can be bent for flush cuts
- 3 Reverse tip prevents jamming and kickback
- 4 Reinforced shank transition for longer shank life



**CARBIDE
TECHNOLOGY**

9

435

EXPERT Hard Nail Pallets S1122CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for pallet repair - replacing broken parts of a pallet.
- ▶ Best for pallet repair workers: long lasting and specialised.
- ▶ Lasts up to 50x longer than Bosch S1122HF blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY** UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 19 x 1	CT	175	C1c	1	1	534770	2 608 900 387
					P1h	10	1	534787	2 608 900 388


LONG LIFE CURVE CUTTING WOOD WITH EMBEDDED METAL

EXPERT 'Wood with Metal' Blades

ASSORTMENT: S715LHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Narrow blade is perfect for curved cuts



CARBIDE TECHNOLOGY

436
9

EXPERT Wood with Metal S715LHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for curved cuts in wood with metal, such as those required for chimney pipe or ventilation pipe outlets through a roof; curved cuts in plaster board during renovation work.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	5	190 x 12 x 1.5	CT	140	C1c	1	1	534749	2 608 900 384

LONG LIFE CUTTING TOUGH BUILDING MATERIALS

EXPERT 'Multi Material' Blades

ASSORTMENT: S956XHM, S1156XHM, S1256XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Tapered tip reaches deeper into tight spaces
- 4 Thick gauge blade offers extra robustness and stability
- 5 Wide body for precise, straight cuts



CARBIDE TECHNOLOGY

9 437

EXPERT Multi Material S956XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	150 x 25 x 1.25	CT	100	C1c	1	1	534794	2 608 900 389
					P1h	10	1	534800	2 608 900 390

EXPERT Multi Material S1156XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	225 x 25 x 1.25	CT	175	C1c	1	1	534817	2 608 900 391
					C1c	3	1	534824	2 608 900 392
					P1h	10	1	534831	2 608 900 393

EXPERT Multi Material S1256XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	300 x 25 x 1.25	CT	250	C1c	1	1	534848	2 608 900 394
					P1h	10	1	534855	2 608 900 395

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 511 DF



BIM, side set, milled
 Especially optimised for use in compact saws.
 Wood with nails/metal, wood, chipboard, plastic pipes and profiles, glass fibre plastic / epoxy resin.

4	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612067	2 608 657 722
					C1c	5	5	612074	2 608 657 723




S 611 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts

4.3	6	150 x 22 x 1.25	BIM	100	C1c	2	5	235860	2 608 656 271
4.3	6	150 x 19 x 1.25	BIM	100	C1c	5	5	235501	2 608 656 258
4.3	6	150 x 22 x 1.25	BIM	100	P1h	25	1	515290	2 608 657 561
					C0a	100	1	235518	2 608 656 259




S 711 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), especially for curve cuts

4.3	6	150 x 12 x 1.25	BIM	100	C1c	2	5	235877	2 608 656 272
					C1c	5	5	235525	2 608 656 260




S 1111 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm), glass fibre reinforced plastic/epoxy (<50 mm)

4.3	6	225 x 19 x 1.25	BIM	175	C1c	2	5	235884	2 608 656 273
					C1c	5	5	235532	2 608 656 261




S 1411 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)

4.3	6	300 x 19 x 1.25	BIM	250	C1c	2	5	036139	2 608 654 834
					C1c	5	5	016285	2 608 654 763
					U0	100	1	283625	2 608 656 567



S 610 VF



BIM, special vario-pitched teeth for wood
 Wood with nails/metal, wood, chipboard (<100 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<100 mm), for rescue/demolition work

3.2-5.1	5-8	150 x 22 x 1.6	BIM	100	C1c	5	5	543347	2 608 657 608
---------	-----	----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 1110 VF



BIM, special vario-pitched teeth for wood
 Wood with nails/metal, wood, chipboard (<175 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<175 mm), for rescue/demolition work

3.2-5.1	5-8	225 x 22 x 1.6	BIM	175	C1c	5	5	543354	2 608 657 610
					P1h	25	1	543361	2 608 657 611



S 1210 VF




BIM, special vario-pitched teeth for wood
 Wood with nails/metal, wood, chipboard (<250 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<250 mm), for rescue/demolition work

3.2-5.1	5-8	300 x 22 x 1.6	BIM	250	C1c	5	5	543378	2 608 657 612
---------	-----	----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Special for Pallet Repair - BIM

special PalletRepair

440 9




S 722 VFR



BIM, vario-pitched teeth
 Pallets, cutting depth up to 125 mm, high flexibility

1.8-2.6	10/14	190 x 19 x 0.9	BIM	125	C1f	5	5	749282	2 608 658 027
					C0a	100	1	749299	2 608 658 028




S 725 VFR



BIM, vario-pitched teeth
 Pallets, cutting depth up to 125 mm, low vibration

1.8-2.6	10-14	190 x 19 x 1.25	BIM	125	C1f	5	5	749343	2 608 658 033
					C0a	100	1	749350	2 608 658 034




S 1122 VFR



BIM, vario-pitched teeth
 Pallets, cutting depth up to 165 mm, high flexibility

1.8-2.6	10-14	225 x 19 x 0.9	BIM	165	C1f	5	5	749312	2 608 658 030 ⁱ
					C0a	100	1	749329	2 608 658 031 ⁱ



S 1125 VFR



BIM, vario-pitched teeth
 Pallets, cutting depth up to 165 mm, exceptional stability and lifetime

1.8-2.6	10-14	225 x 19 x 1.25	BIM	165	C1f	5	5	749367	2 608 658 036 ⁱ
					C0a	100	1	749374	2 608 658 037 ⁱ


ⁱ = 03.2025

Reciprocating saw blades - Progressor for Wood and Metal - BIM

Universal, fast



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




Wood with nails/metal, chipboard (<150 mm), sheet

S 3456 XF

BIM, side set, milled




2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	2	5	169592	2 608 654 405
---------	------	-----------------	-----	-----	-----	---	---	--------	---------------



S 3456 XF

BIM, side set, milled

Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)



2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	5	5	169608	2 608 654 406
					C0a	100	1	184830	2 608 654 418

Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 922 HF

BIM, side set, milled

For pallet repair, wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm)



2.5	10	150 x 19 x 0.9	BIM	-	-	100	C1c	2	5	093415	2 608 656 039
							C1c	5	5	093521	2 608 656 016



S 1022 HF

BIM, side set, milled

For pallet repair, wood with nails/metal (<150 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut




2.5	10	200 x 19 x 0.9	BIM	-	-	150	C0a	100	1	293426	2 608 656 636
-----	----	----------------	-----	---	---	-----	-----	-----	---	--------	---------------

Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant

flexible WoodMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



long LIFE

S 1122 HF



BIM, side set, milled

For pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut

2.5	10	225 x 19 x 0.9	BIM	-	-	175	C1c	2	5	235853	2 608 656 270
							C1c	5	5	093576	2 608 656 021
							P1h	25	1	515283	2 608 657 560
							C0a	100	1	206174	2 608 656 034



long LIFE

S 922 VF



BIM, vario-pitched teeth

Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<100 mm)

1.8-2.6	10-14	150 x 19 x 0.9	BIM	3	10	100	C1c	2	5	093422	2 608 656 040
							C1c	5	5	093538	2 608 656 017
							P1a	25	1	515269	2 608 657 558



comfort CUT long LIFE

S 1122 VF



BIM, vario-pitched teeth

Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut

1.8-2.6	10-14	225 x 19 x 0.9	BIM	-	-	175	C1c	5	5	079365	2 608 654 981
							P1h	25	1	515276	2 608 657 559



comfort CUT long LIFE

S 1222 VF



BIM, vario-pitched teeth

Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut

1.8-2.6	10-14	300 x 19 x 0.9	BIM	-	-	250	C1c	2	5	093453	2 608 656 043
							C1c	5	5	093583	2 608 656 022


LONG LIFE CUTTING HOLLOW BRICK

EXPERT 'Hollow Brick' Blades

ASSORTMENT: S1543HM, S1243HM, S2243HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

9
443

EXPERT Hollow Brick S1243HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Hollow Brick.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	300 x 50 x 1.5	CT	250	C1c	1	1	535074	2 608 900 417

EXPERT Hollow Brick S1543HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Hollow Brick.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	240 x 23 x 1.5	CT	190	C1c	1	1	535043	2 608 900 414
					C1c	3	1	535050	2 608 900 415
					P1h	10	1	535067	2 608 900 416

EXPERT Hollow Brick S2243HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Hollow Brick.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	455 x 50 x 1.5	CT	405	C1c	1	1	535081	2 608 900 418


LONG LIFE CUTTING AERATED CONCRETE

EXPERT 'Aerated Concrete' Blades

ASSORTMENT: S1141HM, S1241HM, S2041HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

9
445

EXPERT Aerated Concrete S1141HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Aerated Concrete.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	225 x 19 x 1.25	CT	175	C1c	1	1	534985	2 608 900 408
					P1h	10	1	534992	2 608 900 409

EXPERT Aerated Concrete S1241HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Aerated Concrete.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	300 x 22 x 1.5	CT	250	C1c	1	1	535005	2 608 900 410
					C1c	3	1	535012	2 608 900 411
					P1h	10	1	535029	2 608 900 412

EXPERT Aerated Concrete S2041HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Aerated Concrete.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	400 x 22 x 1.5	CT	350	C1c	1	1	535036	2 608 900 413

LONG LIFE CUTTING FIBRE PLASTER MATERIAL

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: S641HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY


9 447

EXPERT Fiber Plaster S641HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cut-outs in drywall, Gypsum fibreboard, concrete backer board or similar materials; working in drywall construction environments such as kitchen or bathroom renovation.
- ▶ Best for construction workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than Bosch S628DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE


PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4.3	6	150 x 19 x 1.25	CT	100	C1c	1	1	534978	2 608 900 407

Reciprocating saw blades - Special for Plaster - BIM

Plasterboard

special  Plaster

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 528 DF



BIM, side set, milled
Especially optimised for use in compact saws.
Plasterboard, Gypsum fibreboard (<50 mm), especially for plunge cuts, tear-free cuts

4.3	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612081	2 608 657 724
					C1c	5	5	612098	2 608 657 725



S 628 DF




BIM, side set, milled
Plasterboard, Gypsum fibreboard (<100 mm), especially for plunge cuts, tear-free cuts

4.2	6	150 x 19 x 1.25	BIM	100	C1c	2	5	235891	2 608 656 274
					C1c	5	5	235556	2 608 656 263

Reciprocating saw blades - Precision for Fibre Insulation - HCS

Precise, clean cut

clean  FiberInsulation




S 1113 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 175mm material thickness.

-	-	225 x 22 x 1.5	HCS	175	C1f	2	5	746168	2 608 635 527 ⁱ
---	---	----------------	-----	-----	-----	---	---	--------	----------------------------




S 1213 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 230mm material thickness.

5	5	300 x 22 x 1.5	HCS	230	C1f	2	5	746175	2 608 635 528
---	---	----------------	-----	-----	-----	---	---	--------	---------------



S 2013 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 320mm material thickness.

5	5	400 x 45 x 1.5	HCS	320	C1c	1	5	746182	2 608 635 529
---	---	----------------	-----	-----	-----	---	---	--------	---------------

ⁱ = 03.2025

Reciprocating saw blades - Clean for Fibre Insulation - HCS

Precise, clean cut

clean 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



S 713 AW



HCS, blade with serrated edge
 Especially optimised for use in compact saws.
 Specially for fibre insulation materials, polystyrene, cardboard, carpet, leather.

12	2	150 x 19 x 1	HCS	100	C1c	2	5	688178	2 608 635 521
----	---	--------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Special for Ice - Inox

Frozen materials

special 



S 1211 K



Stainless steel (Inox), side set, milled
 Frozen materials (<250 mm)

8.5	3	300 x 19 x 1.25	HAS	250	C1c	5	5	017817	2 608 652 900
-----	---	-----------------	-----	-----	-----	---	---	--------	---------------

LONG LIFE CUTTING TOUGH WOOD

EXPERT 'Tough Wood' Blades

ASSORTMENT: S1142KHM, S1242KHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability
- 4 Wide body for precise, straight cuts
- 5 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

450
9

EXPERT Tough Wood S1142KHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- ▶ Best for gardeners and landscapers: long lasting and efficient.
- ▶ Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	225 x 25 x 1.25	CT	175	C1c	1	1	534930	2 608 900 403
					C1c	3	1	534947	2 608 900 404
					P1h	10	1	534954	2 608 900 405

EXPERT Tough Wood S1242KHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- ▶ Best for gardeners and landscapers: long lasting and efficient.
- ▶ Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	300 x 25 x 1.25	CT	250	C1c	1	1	534961	2 608 900 406

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 644 D



HCS, side set, ground

Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts

4	6	150 x 19 x 1.25	HCS	100	C1c	2	5	007689	2 608 650 614
					C1c	5	5	016025	2 608 650 673
					P1h	25	1	515320	2 608 650 464
					C0a	100	1	205689	2 608 650 551




S 1531 L



HCS, side set, ground

Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

5	5	240 x 19 x 1.5	HCS	190	C1c	2	5	007672	2 608 650 613
					C1c	5	5	016056	2 608 650 676
					C0a	100	1	205733	2 608 650 698



HCS, side set, ground



Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

S 1531 L


5	5	240 x 19 x 1.5	HCS	190	P1h	25	1	515337	2 608 650 465
---	---	----------------	-----	-----	-----	----	---	--------	---------------

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 1542 K



HCS, side set, ground
Firewood, damp wood (diameter <190 mm)

8.5	3	240 x 19 x 1.5	HCS	190	C1c	2	5	016773	2 608 650 681
-----	---	----------------	-----	-----	-----	---	---	--------	---------------



HCS, side set, ground



Firewood, damp wood (diameter <190 mm)

S 1542 K

8.5	3	240 x 19 x 1.5	HCS	190	C1c	5	5	016087	2 608 650 682
-----	---	----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Progressor for Wood - HCS

Universal use, including plywood and plastic

progressor 



S 2345 X




HCS, side set, ground
Construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm). Effortless, fine cut.

2.4-4.0	6-10	200 x 19 x 1.25	HCS	150	C1c	2	5	169578	2 608 654 403
					C1c	5	5	169585	2 608 654 404
					P1h	25	1	515313	2 608 650 463

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

basic 



S 617 K



HCS, side set, ground
Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm), especially for curve cuts/plunge cuts

8.5	3	150 x 19 x 1.25	HCS	100	C1c	2	5	007702	2 608 650 616
					C1c	5	5	016063	2 608 650 677



S 1111 K



HCS, side set, ground
Coarse wood, free of nails (<175 mm), firewood (diameter <175 mm)

8.5	3	225 x 19 x 1.25	HCS	175	C1c	2	5	007719	2 608 650 617
					C1c	5	5	016070	2 608 650 678

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

basic Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



S 1617 K





HCS, side set, ground

Coarse wood, free of nails (<250 mm), pruning green wood (diameter <250 mm)



8.5	3	300 x 19 x 1.25	HCS	250	C1c	5	5	016278	2 608 650 679
-----	---	-----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating Saw Blade Sets

Reciprocating saw blades Tough Box Sets

Set contents	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>15-piece reciprocating saw blade set Wood and Metal Basic</p>	<p>S 918 AF Basic for Metal S 918 BF Basic for Metal S 617 K Basic for Wood</p>				
	P1k	15	1	846479	2 607 010 901
 <p>20-piece reciprocating saw blade set Wood and Metal</p>	<p>S 922 EF Flexible for Metal S 922 BF Flexible for Metal S 922 HF Flexible for Wood and Metal S 644 D Top for Wood</p>				
	P1k	20	1	846486	2 607 010 902

Reciprocating saw blades Blister Sets

 <p>6-piece reciprocating saw blade set Wood and Metal</p>	<p>S 922 EF Flexible for Metal S 922 BF Flexible for Metal S 1122 EF Flexible for Metal S 1122 BF Flexible for Metal S 1122 VF Flexible for Wood and Metal</p>				
	PC1b	6	1	846523	2 607 010 906
 <p>6-piece reciprocating saw blade set Demolition</p>	<p>S 925 VF Heavy for Metal S 610 VF Heavy for Wood and Metal S 1110 VF Heavy for Wood and Metal S 1125 VF Heavy for Metal S 1120 CF Heavy for Metal</p>				
	PC1b	6	1	846530	2 607 010 907ⁱ

ⁱ = 03.2025

Reciprocating saw blades Blister Sets



PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
12-piece reciprocating saw blade set Demolition						
S 925 VF Heavy for Metal S 610 VF Heavy for Wood and Metal S 1110 VF Heavy for Wood and Metal S 1125 VF Heavy for Metal S 1120 CF Heavy for Metal	PC1b	12	1	846547	2 607 010 908 ⁱ	

ⁱ = 03.2025

3-piece sawing handle set



PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pocket saw Sawing handle with S 922 EF and S 922 VF reciprocating saw blades						
Saw handle S 922 EF Flexible for Metal S 922 VF Flexible for Wood and Metal	PC1a	1	12	633758	2 608 000 495	

Saw blades for Bosch Multisaw PFZ 500 E




M-shank

Saw blades - Top for Wood for Bosch Multisaw PFZ 500 E


Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




M 1131 L



HCS, side set, ground, very sharp teeth
Coarse wood, firewood, green wood, branches, gardening work

5	5	235 x 36 x 0.9	HCS	150	C1c	1	1	451611	2 608 650 414
---	---	----------------	-----	-----	-----	---	---	--------	---------------



M 1142 H



HCS, ground
Especially optimised for clean cuts in wood, construction timber, panels and plastics.


2.3	11	235 x 36 x 0.9	HCS	150	C1c	1	1	413428	2 608 650 065
-----	----	----------------	-----	-----	-----	---	---	--------	---------------

Saw blades - Progressor for Wood and Metal for Bosch Multisaw PFZ 500 E


universal, fast

PROGRESSOR WoodMetal

PRODUCT PROPERTIES				ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



M 3456 XF



BIM, side set, milled
Wood with nails/metal, wooden boards/chipboards (10-150 mm), sheet metals, pipes, profiles (5-18 mm), plastics: Pipes, profiles (diameter 10-150 mm)

2.2-4.6	6-12	235 x 36 x 0.9	150	C1c	1	1	413435	2 608 656 931
---------	------	----------------	-----	-----	---	---	--------	---------------

Saw blades - Flexible for Metal for Bosch Multisaw PFZ 500 E

flexible, break-resistant

flexible 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




M 1122 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	413442	2 608 656 932
-----	----	----------------	-----	-----	-----	---	---	--------	---------------



M 722 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	425063	2 608 656 973
-----	----	----------------	-----	-----	-----	---	---	--------	---------------

Saw blade set for Bosch Multisaw PFZ 500 E


PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece saw blade set					
M 1142 H Top for Wood M 3456 XF Progressor for Wood and Metal M 1122 EF Flexible for Metal	C1c	3	1	413459	2 608 656 934



Saw blades for the Bosch tandem all purpose saw


Saw blade set for Bosch tandem all purpose saw for wood

For wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	2-piece HCS saw blade set TF 350 M for wood GFZ 14-35 A; GFZ 16-35 AC Professional	408	C1c	2	1	076005

Saw blade set for Bosch tandem all purpose saw for aerated concrete

For aerated concrete

	2-piece carbide saw blade set TF 350 NHM For aerated concrete (Ytong, Siporex) GFZ 14-35 A; GFZ 16-35 AC Professional					
	408	C1c	2	1	076029	2 608 632 123

Accessories for Bosch Power Tenon Saw GFS 350 E Professional

Flush cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional



- ▶ **Suitable for** flush cutting. For cuts up to 40 mm deep
- ▶ Fine teeth, can be used on left and right
- ▶ SDS fitting for tool-free saw blade changes
- ▶ Flush cutting saw blades made of HCS and HAS (with hardened teeth)

PRODUCT PROPERTIES			ORDERING INFORMATION				
Material	Length of teeth mm	Tooth pitch mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flush cutting saw blade FS 200 AB							
Suitable for soft and hard wood.							
HCS	200	1.25	C1c	1	1	182669	2 608 661 200 ⁱ
Flush cutting saw blade FS 200 ABU							
Suitable for wood combination materials.							
HAS	200	1.25	C1c	1	1	182676	2 608 661 201 ⁱ

ⁱ = 07.2024

Cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional



- ▶ **Suitable for** cut-off sawing, can be used on left and right
- ▶ SDS fitting for tool-free saw blade changes
- ▶ Cutting saw blades made of HAS (with hardened teeth)

Cutting saw blade FS 180 AT							
fine, suitable for soft and hard wood							
HCS	145	1.25	C1c	1	1	182683	2 608 661 202 ⁱ
Cutting saw blade FS 180 ATU							
fine, suitable for wood combination materials							
HAS	145	1.25	C1c	1	1	182690	2 608 661 203 ⁱ
Cutting saw blade FS 180 DTU							
coarse, suitable for wood combination materials and plastics							
HAS	145	3	C1c	1	1	182713	2 608 661 205 ⁱ

ⁱ = 07.2024

Accessories for the Bosch Band Saws

Band saw blade for GCB 18 V-LI, GCB 18V-63 Professional



PRODUCT PROPERTIES			ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
CB 281418 BIM band saw blade							
GCB 18.0 V-LI; GCB 18V-63 Professional							
1.4-1.8	14-18	733	C2a	2	1	644907	2 608 649 000
CB 2824 BIM band saw blade							
GCB 18.0 V-LI; GCB 18V-63 Professional							
1.1	24	733	C2a	2	1	644914	2 608 649 001



HOLE SAWS

Cut holes through every material.

The best your tool can get. Bosch Professional Accessories.



HOLE SAWS FOR POWER CHANGE PLUS SYSTEM

The complete range.



	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	464	470	479	476	481	483
Carbide Technology	✓	✓	✓	-	-	-
Diameter mm	20 - 152	19 - 159	20 - 68	14 - 210	16 - 152	19 - 83
Max. cutting depth mm	60	60	5	44	20	39
Compatible pilot drill types	HSS-G / HSS-Co / Carbide	HSS-G / Carbide	HSS-Co	HSS-G / HSS-Co	HSS-Co	AutoStart
Pilot drill length mm	105	105	55	85	65	-










MATERIALS

Wood	✓	✓	-	✓	-	-
Metal	✓	-	✓	✓	✓	-
Plastic	✓	✓	-	✓	-	-
Others	✓	✓	-	✓	-	✓
















*Bosch EXPERT products vs. Bosch standard products

ACCESSORIES FOR POWER CHANGE HOLESAWS

Power Change Plus: the Bosch Quick Change system.

						
	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	464	470	479	476	481	483
Pilot drill length mm	105	105	55	85	65	-
						

POWER CHANGE PLUS ADAPTERS

8.7mm 2 608 594 264						
11mm 2 608 594 265						
SDS Plus 2 608 594 266						

PILOT DRILL BIT

Wood/Plastic	2 608 900 528	2 608 900 528	-	2 608 594 254	-	-
Metal	2 608 900 530	-	2 608 900 503	2 608 594 255	2 608 594 257	-
Brick	2 608 900 529	2 608 900 529	-	-	-	-
Soft Tile	2 608 900 529	2 608 900 529	-	-	-	-
Tile	-	-	-	-	-	2 608 580 529

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING HOLES IN MULTI MATERIAL

EXPERT Tough Material Hole Saws

ASSORTMENT: \varnothing 20 – 152 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Special slot design for better view and plug ejection



CARBIDE TECHNOLOGY

EXPERT Tough Material Hole Saws

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than Bosch 2608580419 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY UP TO 50* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION					Part number
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
20	60	PC1b	1	1	535654	2 608 900 419	
22	60	PC1b	1	1	535661	2 608 900 420	
25	60	PC1b	1	1	535678	2 608 900 421	

464 10

EXPERT Tough Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	60	PC1b	1	1	535685	2 608 900 422
35	60	PC1b	1	1	535692	2 608 900 423
38	60	PC1b	1	1	535708	2 608 900 424
40	60	PC1b	1	1	535715	2 608 900 425
44	60	PC1b	1	1	535722	2 608 900 426
51	60	PC1b	1	1	535739	2 608 900 427
54	60	PC1b	1	1	535746	2 608 900 428
60	60	PC1b	1	1	535753	2 608 900 429
64	60	PC1b	1	1	535760	2 608 900 430
65	60	PC1b	1	1	535777	2 608 900 431
67	60	PC1b	1	1	535784	2 608 900 432
68	60	PC1b	1	1	535791	2 608 900 433
70	60	PC1b	1	1	535807	2 608 900 434
73	60	PC1b	1	1	535814	2 608 900 435
76	60	PC1b	1	1	535821	2 608 900 436
80	60	PC1b	1	1	535838	2 608 900 437
83	60	PC1b	1	1	535845	2 608 900 438
102	60	PC1b	1	1	535852	2 608 900 439
105	60	PC1b	1	1	535869	2 608 900 440
111	60	PC1b	1	1	535876	2 608 900 441
114	60	PC1b	1	1	535883	2 608 900 442
127	60	PC1b	1	1	535890	2 608 900 443
152	60	C1a	1	1	535906	2 608 900 444

EXPERT Tough Material Hole Saw Starter Kits

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Long Life Hole Saw and Super Fast Arbor.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x adapter nut 14-30 mm, 1 x adapter nut 32-210 mm						
51	60	PC1b	1	1	535951	2 608 900 449
68	60	PC1b	1	1	535968	2 608 900 450

EXPERT Tough Material Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
9-piece Universal Set Tough Material						
6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm						
22	60	M0a	6	1	535913	2 608 900 445
25						
35						
51						
60						
68						
22	60	M0a	6	1	535920	2 608 900 446
25						
35						
40						
51						
68						
14-piece Universal Set Tough Material						
11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm						
20	60	M0a	11	1	535937	2 608 900 447
22						
25						
32						
35						
40						
44						
51						
60						
64						
76						
20	60	M0a	11	1	535944	2 608 900 448
22						
25						
32						
35						
40						
44						
51						
60						
68						
76						

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
7.15	105	PC1b	2	1	536736	2 608 900 527

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	105	PC1b	2	1	536729	2 608 900 526

PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall						
7.15	105	PC1b	1	5	536743	2 608 900 528

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Pilot drill Plus TCT for brick and tiles						
8.5	105	PC1b	1	5	536750	2 608 900 529

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES	ORDERING INFORMATION				
Pilot drill Plus HSS-Co for steel, stainless steel and FRP	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	PC1b	1	5	536767	2 608 900 530

LONG LIFE CUTTING HOLES IN BRICK AND PARTICLE BOARD

EXPERT Construction Material Hole Saws

ASSORTMENT: Ø 19 – 159 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Efficient chip extraction through large slots



CARBIDE TECHNOLOGY

EXPERT Construction Material Hole Saws

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
19	60	PC1b	1	1	535975	2 608 900 451
20	60	PC1b	1	1	535982	2 608 900 452

470 10

EXPERT Construction Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
22	60	PC1b	1	1	535999	2 608 900 453
25	60	PC1b	1	1	536002	2 608 900 454
30	60	PC1b	1	1	536019	2 608 900 455
32	60	PC1b	1	1	536026	2 608 900 456
35	60	PC1b	1	1	536033	2 608 900 457
38	60	PC1b	1	1	536040	2 608 900 458
40	60	PC1b	1	1	536057	2 608 900 459
41	60	PC1b	1	1	536064	2 608 900 460
44	60	PC1b	1	1	536071	2 608 900 461
48	60	PC1b	1	1	536088	2 608 900 462
51	60	PC1b	1	1	536095	2 608 900 463
54	60	PC1b	1	1	536101	2 608 900 464
57	60	PC1b	1	1	536118	2 608 900 465
60	60	PC1b	1	1	536125	2 608 900 466
64	60	PC1b	1	1	536132	2 608 900 467
65	60	PC1b	1	1	536149	2 608 900 468
67	60	PC1b	1	1	536156	2 608 900 469
68	60	PC1b	1	1	536163	2 608 900 470
70	60	PC1b	1	1	536170	2 608 900 471
73	60	PC1b	1	1	536187	2 608 900 472
76	60	PC1b	1	1	536194	2 608 900 473
79	60	PC1b	1	1	536200	2 608 900 474
80	60	PC1b	1	1	536217	2 608 900 475
83	60	PC1b	1	1	536224	2 608 900 476
86	60	PC1b	1	1	536231	2 608 900 477
92	60	PC1b	1	1	536248	2 608 900 478
98	60	PC1b	1	1	536255	2 608 900 479
102	60	PC1b	1	1	536262	2 608 900 480
105	60	PC1b	1	1	536279	2 608 900 481
111	60	PC1b	1	1	536286	2 608 900 482
114	60	PC1b	1	1	536293	2 608 900 483
121	60	PC1b	1	1	536309	2 608 900 484
127	60	PC1b	1	1	536316	2 608 900 485
140	60	C1a	1	1	536323	2 608 900 486
152	60	C1a	1	1	536330	2 608 900 487
159	60	C1a	1	1	536347	2 608 900 488

EXPERT Construction Material Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
15-piece Universal Set Construction Material 11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm							
20	60	P1k	11	1	536354	2 608 900 489	
22							
25							
32							
35							
40							
44							
51							
60							
68							
76							
10-piece Universal Set Construction Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm							
20	60	P1k	6	1	536361	2 608 900 490	
25							
32							
38							
51							
64							

472 **10**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
7.15	105	PC1b	2	1	536736	2 608 900 527	

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
8.5	105	PC1b	2	1	536729	2 608 900 526	

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
7.15	105	PC1b	1	5	536743	2 608 900 528	

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus TCT for brick and tiles						
8.5	105	PC1b	1	5	536750	2 608 900 529

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number		
Pilot drill Plus HSS-Co for steel, stainless steel and FRP						
PC1b	1	5	536767	2 608 900 530		

Empty Holesaw Carrying Case



PRODUCT PROPERTIES		ORDERING INFORMATION					
Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	Empty holesaw carrying case for compiling your own individual set For PC holesaws with a cutting depth < 65 mm						
		60	P2k	1	1	704670	2 608 580 884

Progressor for Wood and Metal holesaws



► The cutting quality depends on the correct speed and the coolant used (see operating instructions).

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

BIM Progressor Hole Saw offers 2x longer lifetime than predecessor




14	44	PC1b	1	1	949644	2 608 594 195
16	44	PC1b	1	1	949651	2 608 594 196
17	44	PC1b	1	1	949668	2 608 594 197
19	44	PC1b	1	1	949675	2 608 594 198
20	44	PC1b	1	1	949682	2 608 594 199
21	44	PC1b	1	1	949699	2 608 594 200
22	44	PC1b	1	1	949705	2 608 594 201
24	44	PC1b	1	1	949712	2 608 594 202
25	44	PC1b	1	1	949729	2 608 594 203
27	44	PC1b	1	1	949736	2 608 594 204
29	44	PC1b	1	1	949743	2 608 594 205
30	44	PC1b	1	1	949750	2 608 594 206
32	44	PC1b	1	1	949767	2 608 594 207
33	44	PC1b	1	1	949774	2 608 594 208
35	44	PC1b	1	1	949781	2 608 594 209
37	44	PC1b	1	1	949798	2 608 594 210
38	44	PC1b	1	1	949804	2 608 594 211
40	44	PC1b	1	1	949811	2 608 594 212
41	44	PC1b	1	1	949828	2 608 594 213
43	44	PC1b	1	1	949835	2 608 594 214
44	44	PC1b	1	1	949842	2 608 594 215
46	44	PC1b	1	1	949859	2 608 594 216
48	44	PC1b	1	1	949866	2 608 594 217
51	44	PC1b	1	1	949873	2 608 594 218
52	44	PC1b	1	1	949880	2 608 594 219
54	44	PC1b	1	1	949897	2 608 594 220
56	44	PC1b	1	1	949903	2 608 594 221
57	44	PC1b	1	1	949910	2 608 594 222
59	44	PC1b	1	1	949927	2 608 594 223
60	44	PC1b	1	1	949934	2 608 594 224
64	44	PC1b	1	1	949941	2 608 594 225
65	44	PC1b	1	1	949958	2 608 594 226
67	44	PC1b	1	1	949965	2 608 594 227
68	44	PC1b	1	1	949972	2 608 594 228
70	44	PC1b	1	1	949989	2 608 594 229
73	44	PC1b	1	1	949996	2 608 594 230
76	44	PC1b	1	1	950008	2 608 594 231
79	44	PC1b	1	1	950015	2 608 594 232
83	44	PC1b	1	1	950022	2 608 594 233
86	44	PC1b	1	1	950039	2 608 594 234
89	44	PC1b	1	1	950046	2 608 594 235
92	44	PC1b	1	1	950053	2 608 594 236
98	44	PC1b	1	1	950077	2 608 594 238
102	44	PC1b	1	1	950084	2 608 594 239
105	44	PC1b	1	1	950091	2 608 594 240
108	44	PC1b	1	1	950107	2 608 594 241
111	44	PC1b	1	1	950114	2 608 594 242
114	44	PC1b	1	1	950121	2 608 594 243
121	44	C1b	1	1	950138	2 608 594 244
127	44	C1b	1	1	950145	2 608 594 245
133	44	C1b	1	1	950152	2 608 594 246
140	44	C1b	1	1	950169	2 608 594 247
152	44	C1b	1	1	950176	2 608 594 248

Progressor for Wood and Metal holesaws


PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
168	44	C1b	1	1	950183	2 608 594 249
177	44	C1b	1	1	950190	2 608 594 250
210	44	C1b	1	1	950206	2 608 594 251
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor						
95	44	PC1b	1	1	950060	2 608 594 237

Progressor for Wood and Metal holesaw sets



9-piece Sanitary-Set Progressor for Wood&Metal
6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

38	44	P1k	6	1	949583	2 608 594 189
51						
64						
20						
25						
32						



14-piece Universal-Set Progressor for Wood&Metal
11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit


20	44	P1k	11	1	949613	2 608 594 192
22						
25						
32						
35						
40						
44						
51						
60						
64						
76						




Empty holesaw carrying case for compiling your own individual set
For PC holesaws with a cutting depth < 45 mm

-	40	P2k	1	1	704663	2 608 580 883
---	----	-----	---	---	--------	---------------

Progressor for Wood and Metal holesaw sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9-piece plumber set, Progressor holesaws						
6 holesaws, 1 Power Change adapter, 2 HSS-G pilot drill bits						
20	-	P1k	6	1	279901	2 608 584 670
25						
32						
38						
51						
64						



14-piece set, Progressor holesaws						
11 holesaws, 1 Power-Change adapter, 2 HSS-G pilot drill bits						
19	-	P1k	11	1	279871	2 608 584 667
22						
25						
29						
35						
38						
44						
51						
57						
64						
76						

LONG LIFE CUTTING HOLES IN STAINLESS STEEL

EXPERT Sheet Metal Hole Saws

ASSORTMENT: \varnothing 20 – 68 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Made from one piece of metal for ultimate stability



CARBIDE TECHNOLOGY

EXPERT Sheet Metal Hole Saws for Power Change Plus Systems

EXPERT



- ▶ Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switches and junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

10 479

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	5	PC1a	1	1	536378	2 608 900 491
21	5	PC1a	1	1	536385	2 608 900 492
22	5	PC1a	1	1	536392	2 608 900 493
25	5	PC1a	1	1	536408	2 608 900 494


EXPERT Sheet Metal Hole Saws for Power Change Plus Systems

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
27	5	PC1a	1	1	536415	2 608 900 495
30	5	PC1a	1	1	536422	2 608 900 496
32	5	PC1a	1	1	536439	2 608 900 497
35	5	PC1a	1	1	536446	2 608 900 498
40	5	PC1a	1	1	536453	2 608 900 499
51	5	PC1a	1	1	536460	2 608 900 500
68	5	PC1a	1	1	536477	2 608 900 501

EXPERT Sheet Metal Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switch, junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
6-piece Set Sheet Metal 3 x hole saws, incl. 1 x Power Change Plus Hex 11 mm, 2 x pilot drill bit HSS-Co with ejection spring						
22	5	P1k	3	1	536484	2 608 900 502
25						
32						

480
10

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill bit HSS-Co for metal and stainless steel							
6	55	PC1b	1	5	536491	2 608 900 503	

Special for Sheet Metal holesaws

special for **SheetMetal**

- ▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- ▶ The diameters 16-22 mm are without ejection spring



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
16	20	PC1b	1	1	375993	2 608 584 778	
17	20	PC1b	1	1	376006	2 608 584 779	
19	20	PC1b	1	1	376013	2 608 584 780	
20	20	PC1b	1	1	376020	2 608 584 781	
21	20	PC1b	1	1	376037	2 608 584 782	
22	20	PC1b	1	1	376044	2 608 584 783	
25	20	PC1b	1	1	376051	2 608 584 784	
27	20	PC1b	1	1	376068	2 608 584 785	
29	20	PC1b	1	1	376075	2 608 584 786	
30	20	PC1b	1	1	376082	2 608 584 787	
32	20	PC1b	1	1	376099	2 608 584 788	
33	20	PC1b	1	1	376105	2 608 584 789	
35	20	PC1b	1	1	376112	2 608 584 790	
38	20	PC1b	1	1	376129	2 608 584 791	
40	20	PC1b	1	1	376136	2 608 584 792	
41	20	PC1b	1	1	376143	2 608 584 793	
44	20	PC1b	1	1	376150	2 608 584 794	
48	20	PC1b	1	1	376167	2 608 584 795	
51	20	PC1b	1	1	376174	2 608 584 796	
54	20	PC1b	1	1	376181	2 608 584 797	
57	20	PC1b	1	1	376198	2 608 584 798	
60	20	PC1b	1	1	376204	2 608 584 799	
64	20	PC1b	1	1	376211	2 608 584 800	
65	20	PC1b	1	1	376228	2 608 584 801	
67	20	PC1b	1	1	376235	2 608 584 802	
68	20	PC1b	1	1	376242	2 608 584 803	



Special for Sheet Metal holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
70	20	PC1b	1	1	376259	2 608 584 804
73	20	PC1b	1	1	376266	2 608 584 805
76	20	PC1b	1	1	376273	2 608 584 806
79	20	PC1b	1	1	376280	2 608 584 807
83	20	PC1b	1	1	376297	2 608 584 808
86	20	PC1b	1	1	376303	2 608 584 809
89	20	PC1b	1	1	376310	2 608 584 810
102	20	PC1b	1	1	376327	2 608 584 811
127	20	C1a	1	1	433402	2 608 584 854
152	20	C1a	1	1	433419	2 608 584 855

Special for Sheet Metal holesaw accessories

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Ejection spring						
-	-	PC1a	2	5	376372	2 608 584 816



DIAMOND FOR HARD CERAMICS


No tiles are too hard.

LONG LIFE

in the hardest tiles thanks to the diamond coating

FAST AND SAFE ATTACHMENT AND RELEASE OF THE HOLESAW

with just one click thanks to the power-change adapter



FAST, CLEAN CUTS

thanks to thin cutting edges

EASY REMOVAL OF MATERIAL PIECES

due to the side holes

Diamond for Hard Ceramics holesaws



► The cutting quality depends on the correct speed and the coolant used (see operating instructions).




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
19	39	PC1b	1	1	488990	2 608 580 301	
20	39	PC1b	1	1	489003	2 608 580 302	
22	39	PC1b	1	1	489010	2 608 580 303	
25	39	PC1b	1	1	489027	2 608 580 304	
29	39	PC1b	1	1	489034	2 608 580 305	
32	39	PC1b	1	1	489041	2 608 580 306	
35	39	PC1b	1	1	489058	2 608 580 307	
38	39	PC1b	1	1	489065	2 608 580 308	
41	39	PC1b	1	1	515160	2 608 580 394	
44	39	PC1b	1	1	489072	2 608 580 309	
51	39	PC1b	1	1	489089	2 608 580 310	
54	39	PC1b	1	1	489096	2 608 580 311	
57	39	PC1b	1	1	489102	2 608 580 312	
60	39	PC1b	1	1	489119	2 608 580 313	
64	39	PC1b	1	1	489126	2 608 580 314	
65	39	PC1b	1	1	489133	2 608 580 315	
67	39	PC1b	1	1	489157	2 608 580 316	
68	39	PC1b	1	1	489164	2 608 580 317	
70	39	PC1b	1	1	489171	2 608 580 318	

Diamond for Hard Ceramics holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
76	39	PC1b	1	1	489188	2 608 580 319
79	39	PC1b	1	1	489195	2 608 580 320
83	39	PC1b	1	1	489201	2 608 580 321

Diamond for Hard Ceramics holesaw accessories

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Auto Start centring aid system for diamond holesaws						
Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials						
		PC1a	1	1	575522	2 608 580 529


HIGH SPEED CHANGING HOLE SAWS AND DRILL BITS

Expert Power Change Plus

ASSORTMENT: Takes a full range of hole saws

EXPERT

- 1 Enjoy high efficiency with one of Bosch's Quick Change systems
- 2 One-click system, no need for extra tools
- 3 Reinforced shank transition for longer shank life
- 4 Designed for fast and easy plug removal
- 5 Takes a full range of hole saws



EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



10 485

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
7.15	105	PC1b	2	1	536736	2 608 900 527

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
8.5	105	PC1b	2	1	536729	2 608 900 526	

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
7.15	105	PC1b	1	5	536743	2 608 900 528	

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Pilot drill Plus TCT for brick and tiles							
8.5	105	PC1b	1	5	536750	2 608 900 529	

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number			
Pilot drill Plus HSS-Co for steel, stainless steel and FRP							
PC1b	1	5	536767	2 608 900 530			

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Pilot drill bit HSS-Co for metal and stainless steel		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
		PC1b	1	5	536491	2 608 900 503

Pilot drill bits for Power Change Plus adapters (blue)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	-	PC1a	1	1	575522	2 608 580 529

Auto Start centring aid system for diamond holesaws
Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials




Pilot drill bits for Power Change adapters (black)


PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		PC1a	1	1	575522	2 608 580 529

Auto Start centring aid system for diamond holesaws
Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials




488 **10**

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point						
7.15	120	PC1d	1	5	414609	2 608 584 843

 Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	2 608 584 777

Transition adapter nuts for holesaws






PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 6-piece extension adapter set for standard holesaws from competitors (for example, Starrett, Baco, Lenox etc.) with 2 adapters for diameter 14-30 mm (1/2"-20UNF thread), 4 adapters for diameter 32-210 mm (5/8"-18UNF thread)						
		PC1c	6	1	262705	2 608 584 682

Universal Cutting Oil








Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal						
		P0h	1	1	271240	2 607 001 409



Tool-free quick change adapter for threaded hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Hex adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting) Width across flats 9.5 mm, for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)	PC1b	1	1	698269	2 609 390 589
	SDS plus adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting) for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)	PC1b	1	1	698276	2 609 390 590
	HSS-G pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point	PC1b	1	1	716161	2 609 390 592
	HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point	PC1d	1	5	414609	2 608 584 843
	Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips	PC1d	1	1	375924	2 608 584 777


Standard adapter for threaded holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"	PC1b	1	1	698238	2 609 390 586
	Hex adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 32 mm, 1 1/4" - diameter 76 mm, 3" (in metal up to 40 mm diameter)	PC1b	1	1	698245	2 609 390 587
	Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119) Width across flats 11 mm, for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"	PC1b	1	1	087780	2 609 390 034
	SDS plus adapter with 1/2" -20UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"	PC1b	1	1	087797	2 609 390 035
	SDS plus adapter with 5/8" 18UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"	PC1b	1	1	087803	2 609 390 036

Pilot drill bits for standard adapter

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm	102	PC1a	1	5	045186	2 608 596 119
	HSS-G pilot drill bit for SDS plus and hexagon adapter, width across flats 6.35 (1/4") and 9.52 mm	81	PC1a	1	5	103480	2 608 596 295

HSS bi-metal holesaws with 8% Cobalt for standard adapters




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	44	C1a	1	1	195737	2 608 584 147
16	44	C1a	1	1	087407	2 608 584 100
17	44	C1a	1	1	104340	2 608 584 140
19	44	C1a	1	1	087414	2 608 584 101
20	44	C1a	1	1	087421	2 608 584 102
21	44	C1a	1	1	087438	2 608 584 103
22	44	C1a	1	1	087445	2 608 584 104
24	44	C1a	1	1	104357	2 608 584 141
25	44	C1a	1	1	087452	2 608 584 105
27	44	C1a	1	1	087469	2 608 584 106
29	44	C1a	1	1	087476	2 608 584 107
30	44	C1a	1	1	087483	2 608 584 108
32	44	C1a	1	1	087490	2 608 584 109
33	44	C1a	1	1	104364	2 608 584 142
35	44	C1a	1	1	087506	2 608 584 110
37	44	C1a	1	1	429597	2 608 584 846
38	44	C1a	1	1	087513	2 608 584 111
40	44	C1a	1	1	087520	2 608 584 112
41	44	C1a	1	1	087537	2 608 584 113
43	44	C1a	1	1	104371	2 608 584 143
44	44	C1a	1	1	087544	2 608 584 114
46	44	C1a	1	1	087551	2 608 584 115
48	44	C1a	1	1	087568	2 608 584 116
51	44	C1a	1	1	087575	2 608 584 117
52	44	C1a	1	1	429603	2 608 584 847
54	44	C1a	1	1	087582	2 608 584 118
56	44	C1a	1	1	429610	2 608 584 848
57	44	C1a	1	1	087599	2 608 584 119
59	44	C1a	1	1	429627	2 608 584 849
60	44	C1a	1	1	087605	2 608 584 120
64	44	C1a	1	1	087612	2 608 584 121
65	44	C1a	1	1	087629	2 608 584 122
67	44	C1a	1	1	104388	2 608 584 144
68	44	C1a	1	1	087636	2 608 584 123
70	44	C1a	1	1	087643	2 608 584 124
73	44	C1a	1	1	104395	2 608 584 145
76	44	C1a	1	1	087650	2 608 584 125
79	44	C1a	1	1	087667	2 608 584 126
83	44	C1a	1	1	087674	2 608 584 127
86	44	C1a	1	1	429634	2 608 584 850
89	44	C1a	1	1	087681	2 608 584 128
92	44	C1a	1	1	087698	2 608 584 129
95	44	C1a	1	1	087704	2 608 584 130
98	44	C1a	1	1	429641	2 608 584 851
102	44	C1a	1	1	087711	2 608 584 131
105	44	C1a	1	1	087728	2 608 584 132
108	44	C1a	1	1	096607	2 608 584 135
111	44	C1a	1	1	429658	2 608 584 852
114	44	C1a	1	1	087735	2 608 584 133
121	44	C1a	1	1	087742	2 608 584 134
127	44	C1a	1	1	096614	2 608 584 136
133	44	C1a	1	1	413305	2 608 584 838
140	44	C1a	1	1	096621	2 608 584 137
146	44	C1a	1	1	413312	2 608 584 839
152	44	C1a	1	1	096638	2 608 584 138
168	44	C1a	1	1	413329	2 608 584 840

HSS bi-metal holesaws with 8% Cobalt for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
177	44	C1a	1	1	413336	2 608 584 841
210	44	C1a	1	1	413343	2 608 584 842

HSS bi-metal holesaws Ecoline for standard adapters



14	38	C1a	1	1	518185	2 608 580 396
16	38	C1a	1	1	518192	2 608 580 397
17	38	C1a	1	1	518208	2 608 580 398
19	38	C1a	1	1	518215	2 608 580 399
20	38	C1a	1	1	518222	2 608 580 400
21	38	C1a	1	1	518239	2 608 580 401
24	38	C1a	1	1	518253	2 608 580 403
25	38	C1a	1	1	518260	2 608 580 404
27	38	C1a	1	1	518277	2 608 580 405
29	38	C1a	1	1	518284	2 608 580 406
30	38	C1a	1	1	518291	2 608 580 407
32	38	C1a	1	1	518307	2 608 580 408
33	38	C1a	1	1	518314	2 608 580 409
35	38	C1a	1	1	518321	2 608 580 410
37	38	C1a	1	1	518338	2 608 580 411
38	38	C1a	1	1	518345	2 608 580 412
40	38	C1a	1	1	518352	2 608 580 413
41	38	C1a	1	1	518369	2 608 580 414
43	38	C1a	1	1	518376	2 608 580 415
44	38	C1a	1	1	518383	2 608 580 416
46	38	C1a	1	1	518390	2 608 580 417
48	38	C1a	1	1	518406	2 608 580 418
51	38	C1a	1	1	518413	2 608 580 419
52	38	C1a	1	1	518420	2 608 580 420
54	38	C1a	1	1	518437	2 608 580 421
56	38	C1a	1	1	518444	2 608 580 422
57	38	C1a	1	1	518451	2 608 580 423
60	38	C1a	1	1	518475	2 608 580 425
64	38	C1a	1	1	518482	2 608 580 426
65	38	C1a	1	1	518499	2 608 580 427
67	38	C1a	1	1	518505	2 608 580 428
68	38	C1a	1	1	518512	2 608 580 429
70	38	C1a	1	1	518529	2 608 580 430
73	38	C1a	1	1	518536	2 608 580 431
76	38	C1a	1	1	518543	2 608 580 432
79	38	C1a	1	1	518550	2 608 580 433
83	38	C1a	1	1	518567	2 608 580 434
86	38	C1a	1	1	518574	2 608 580 435
89	38	C1a	1	1	518581	2 608 580 436
92	38	C1a	1	1	518598	2 608 580 437
95	38	C1a	1	1	518604	2 608 580 438
98	38	C1a	1	1	518611	2 608 580 439
102	38	C1a	1	1	518628	2 608 580 440
105	38	C1a	1	1	518635	2 608 580 441
108	38	C1a	1	1	518642	2 608 580 442
111	38	C1a	1	1	518659	2 608 580 443
114	38	C1a	1	1	518666	2 608 580 444
121	38	C1a	1	1	518673	2 608 580 445
127	38	C1a	1	1	518680	2 608 580 446

HSS bi-metal holesaws Ecoline for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
140	38	C1a	1	1	518697	2 608 580 447
152	38	C1a	1	1	518703	2 608 580 448
22	38	C1a	1	1	518246	2 608 580 402
59	38	C1a	1	1	518468	2 608 580 424

HSS bi-metal holesaw Ecoline sets



9-piece plumber set, HSS bi-metal holesaws
6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter



19	40	P2k	8	1	641708	2 608 580 803
22						
29						
38						
44						
57						



9-piece electrician set, HSS bi-metal holesaws
6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter




20	40	P2k	8	1	641449	2 608 580 804
25						
32						
38						
51						
64						

Arbored Hole Saws and Holesaw Sets






PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
46 53 60 67 74 81	32	C1a	6	1	085755	2 608 584 063



6-piece hole cutter set

Hardened, medium cut teeth. With the appropriate cooling, also suitable for cutting non-ferrous metals such as aluminium and copper. Hex shank firmly bound to the body. This ensures sturdiness and optimum true running. Working length 32 mm

Accessories for Precision for Sheet metal hole saws

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>HSS stepped pilot drill bit Ø 6 x 47 mm</p>	P1d	1	1	942355	2 608 594 160
 <p>Ejection Spring for TCT sheet metal HS(5pcs / pack)</p>	P1c	5	1	945530	2 608 594 161
 <p>Screw for TCT sheet metal HS (10pcs / pack)</p>	P1c	10	1	945547	2 608 594 162



MULTITOOL ACCESSORIES


Cut, grind, and scrape effectively.

The best your tool can get. Bosch Professional Accessories.



STARLOCK ACCESSORIES FOR CUTTING WOOD

Multitool woodworking.



Page number	512	512	512	513
System	Starlock	StarlockPlus	StarlockMax	Starlock
Dimension mm	32 x 50	32 x 60	32 x 80	32 x 50
Blade material	HCS	HCS	HCS	HCS

MATERIALS

Tear-free cuts	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Hardwood	-	-	-	✓
Plywood	-	-	-	-
Chipboard	-	-	-	-
Laminate, wood plastic composites	-	-	-	-
Parquet	-	-	-	-



AIZ 32 BSPB



All 65 APC



All 65 BSPC



All 65 BSPB



ACZ 85 EC

513

513

513

514

514

Starlock

Starlock

Starlock

Starlock

Starlock

32 x 50

65 x 40

65 x 40

65 x 40

∅ 85

BIM

HCS

HCS

BIM

HCS



-



-



-

-



-



-

-



-



-

-



-



-

-



-

STARLOCK ACCESSORIES FOR WOOD AND METAL


Don't stop for nails.



Page number	515	515	515	515	516
System	Starlock	Starlock	Starlock	StarlockPlus	StarlockMax
Dimension mm	10 x 25	20 x 30	32 x 50	32 x 60	32 x 80
Blade material	BIM	BIM	BIM	BIM	BIM

MATERIALS

Tear free Cut	-	-	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓	✓





AII 65 APB	PAII 65 APB	MAII 52 APB	ACZ 85 EB	ACZ 100 BB	MACZ 145 BB
516	517	517	517	518	518
Starlock	StarlockPlus	StarlockMax	Starlock	Starlock	StarlockMax
65 x 40	65 x 55	52 x 75	Ø 85	Ø 100	Ø 145
BIM	BIM	BIM	BIM	BIM	BIM
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR METAL CUTTING

Multitool metalworking.



	AIZ 20 AIT	AIZ 32 AIT	PAIZ 32 AIT
	EXPERT	EXPERT	EXPERT
Page number	519	520	520
System	Starlock	Starlock	StarlockPlus
Blade Name			
Dimension mm	20 × 40	32 × 40	32 × 55
Blade material	Coated Carbide	Coated Carbide	Coated Carbide
	 	 	 

MATERIALS

Non ferrous metal profile	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓
Non hardened nails and screws	✓	✓	✓
Hardened nails & screws	✓	✓	✓
Stainless steel profile	✓	✓	✓
Stainless steel sheets up to 1mm	-	-	-

				
	MAII 32 AIT	AIZ 45 AIT	PAIZ 45 AIT	AIZ 32 AB
	EXPERT	EXPERT	EXPERT	
	521	521	522	522
	StarlockMax	Starlock	StarlockPlus	Starlock
	32 × 70	45 × 35	45 × 50	32 × 50
	Coated Carbide	Coated Carbide	Coated Carbide	BIM
				
				
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	-
	✓	✓	✓	-
	-	-	-	-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for all.



	AIZ 32 APIT	PAIZ 32 APIT	PAII 52 APT	MAII 32 APIT
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	523	524	524	525
System	Starlock	StarlockPlus	StarlockPlus	StarlockMax
Blade Name				
Dimension mm	32 × 40	32 × 55	52 × 50	32 × 70
Blade material	Coated Carbide	Coated Carbide	Coated Carbide	Coated Carbide

MATERIALS

Tear free Cut	✓	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓
Hardened nails & screws	✓	✓	✓	✓
Stainless steel profile	✓	✓	✓	✓
Stainless steel sheets up to 1mm	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓
Gypsum	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



ACZ 105 ET

AYZ 53 BPB

ACZ 85 EIB

AVZ 93 G

AUZ 70 G

EXPERT

526

527

527

537

538

Starlock

Starlock

Starlock

Starlock

Starlock

∅ 105

53 x 40

∅ 85

∅ 93

70 x 55

Carbide

BIM

Coated BIM



✓

✓

✓

-

-

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

-

-

-

✓

✓

-

-

✓

✓

✓

-

-

-

✓

✓

-

-

✓

✓

✓

-

-

✓

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

✓

-

-

✓

-

✓

-

-

-

-

-

-

-

✓

-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for every material.



ACZ 100 SWB



ATZ 52 SC



ATZ 52 SFC



ASZ 32 SC

Page number	528	528	528	529
System	Starlock	Starlock	Starlock	Starlock
Dimension mm	∅ 100	52 × 27	52 × 40	24 × 11
Blade material	BIM	HCS	HCS	HCS

MATERIALS

Soft floor materials (carpet, bitumen, linoleum)	✓	-	-	✓
Artificial turf	-	-	-	✓
Insulation materials	✓	-	-	✓
Soft joint material	-	-	-	-
Putty materials	-	-	-	-
Soft carpet residues/ adhesive	✓	-	✓	-
Hard carpet residues/ adhesives	-	✓	-	-
Mortar/tile adhesive	-	✓	-	-
Paint / varnish	-	-	✓	-



ALI 12 SC



AIZ 28 SC



MAII 32 SC



MAII 32 SLC

529

529

530

530

Starlock

Starlock

StarlockMax

StarlockMax

4 x 29 x 12

28 x 45

32 x 55

32 x 70

Stainless Steel

HCS

HCS

HCS

-

-

-

-

-

-

-

-

-

✓

✓

✓

✓

✓

✓

✓

-

✓

✓

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

Multitool sanding plates.

					
	AVZ 32 RT4	AVZ 32 RT10	AVZ 90 RT2	AVZ 90 RT4	AVZ 90 RT6
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
Page number	536	537	531	532	532
System	Starlock	Starlock	Starlock	Starlock	Starlock
Blade Name					
Dimension mm	32 × 53	32 × 53	∅ 90	∅ 90	∅ 90
Blade material	Carbide Grit 40	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60
					

MATERIALS

Fiber reinforced composites (e.g. Epoxy)	✓	-	✓	✓	✓
Cement bonded fibre boards	✓	-	✓	✓	✓
Gypsum	✓	✓	-	✓	✓
Soft carpet residues/ adhesive	✓	-	-	-	-
Hard carpet residues/ adhesives	✓	-	✓	✓	-
Mortar/tile adhesive	✓	-	✓	✓	-
Aerated concrete and soft bricks	-	-	✓	-	-
Paint / varnish	✓	-	-	✓	✓
Clean wood	✓	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products


















AVZ 90 RT10	MAVZ 116 RT2	MAVZ 116 RT4	MAVZ 116 RT6	MAVZ 116 RT10
EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
533	533	534	534	535
Starlock	StarlockMax	StarlockMax	StarlockMax	StarlockMax
Ø 90	Ø 116	Ø 116	Ø 116	Ø 116
Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60	Carbide Grit 100

-	✓	✓	✓	-
-	✓	✓	✓	-
-	-	✓	✓	-
-	-	-	-	-
-	✓	✓	-	-
-	✓	✓	-	-
-	✓	-	-	-
-	-	✓	✓	-
✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR MULTI-CUTTER TOOL GROUT AND ABRASIVES

Remove tiles with your multitool.

						
	ACZ 85 RD4	ACZ 85 RT3	ACZ 70 RT5	AVZ 70 RT4	MATI 68 RD4	MATI 68 RSD4
	EXPERT			EXPERT	EXPERT	EXPERT
Page number	540	541	541	542	543	544
System	Starlock	Starlock	Starlock	Starlock	StarlockMax	StarlockMax
Blade Name						
Dimension mm	∅ 85	∅ 85	∅ 70	∅ 70	68 x 30	68 x 10
Blade material	Diamond	Carbide Grit	Carbide Grit	Carbide Grit	Diamond	Diamond
	 			  	 	 

MATERIALS

Plasterboard	✓	✓	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓	✓	✓
Mortar/tile adhesive	-	-	-	✓	-	-
Thin grout (< 1.6mm)	-	-	✓	-	-	✓
Standard grout (2-3mm)	✓	✓	-	✓	✓	-
Soft tile	✓	-	-	-	✓	✓
Aerated concrete and soft bricks	✓	✓	✓	-	✓	✓

*Bosch EXPERT products vs. Bosch standard products



MATI 68 RT3



MATI 68 RST3



MATI 68 MT4



AIZ 32 RT5



PAYZ 53 MT4



MACZ 145 MT4

545

StarlockMax

68 x 30

Carbide Grit

545

StarlockMax

68 x 10

Carbide Grit

546

StarlockMax

68 x 30

Melted Carbide

545

Starlock

32 x 30

Carbide Grit

546

StarlockPlus

53 x 40

Melted Carbide

547

StarlockMax

Ø 145

Melted Carbide



Starlock HCS plunge cut saw blade AIZ 32 EPC Wood




- ▶ **AIZ 32 EPC**
- ▶ Starlock HCS plunge cut saw blade Wood
- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1a	1	4	492409	2 608 661 637
		PC1a	5	1	484930	2 608 661 626
		P1a	10	1	935852	2 608 664 472
		COa	1	25	665971	2 608 661 904

StarlockPlus HCS plunge cut saw blade PAIZ 32 EPC Wood




- ▶ **PAIZ 32 EPC**
- ▶ StarlockPlus HCS plunge cut saw blade Wood
- ▶ Deep 60 mm plunge cut in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	60	PC1a	1	1	833356	2 608 662 561
		P1a	10	1	936057	2 608 664 492
		COb	1	25	773324	2 608 662 311

StarlockMax HCS plunge cut saw blade MAIZ 32 EPC Wood




- ▶ **MAIZ 32 EPC**
- ▶ StarlockMax HCS plunge cut saw blade Wood
- ▶ Fast and deep plunge cuts in wood (e.g. window frames)
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	80	PC1a	1	1	833080	2 608 662 568
		P1a	10	1	936095	2 608 664 496
		COa	1	25	859974	2 608 662 767

Starlock HCS plunge cut saw blade AIZ 32 BSPC Hard Wood




- ▶ **AIZ 32 BSPC**
- ▶ Starlock HCS plunge cut saw blade Hard Wood
- ▶ Precise plunge cuts in hardwood (e.g. for installing a display)
- ▶ Precise cut-outs in furniture components (e.g. to enable access to a mains sockets)
- ▶ Sawing wood panels



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
32	50	PC1a	1	1	785051	2 608 662 360	
		PC1a	5	1	785068	2 608 662 361	
		P1a	10	1	935944	2 608 664 481	
		C0b	1	25	785075	2 608 662 362	

Starlock BIM plunge cut saw blade AIZ 32 BSPB Hard Wood



- ▶ **AIZ 32 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



32	50	PC1a	1	4	492485	2 608 661 645
		PC1a	5	1	484978	2 608 661 630
		P1a	10	1	935845	2 608 664 471
		C0a	1	25	665964	2 608 661 903

Starlock HCS plunge cut saw blade All 65 APC Wood




- ▶ **All 65 APC**
- ▶ Starlock HCS plunge cut saw blade Wood
- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a door frame to length on the floor
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)



65	40	PC1a	1	1	785020	2 608 662 357
		PC1a	5	1	785037	2 608 662 358
		P1a	10	1	935890	2 608 664 476
		C0a	1	25	785044	2 608 662 359

Starlock HCS plunge cut saw blade All 65 BSPC Hard Wood




- ▶ **All 65 BSPC**
- ▶ Starlock HCS plunge cut saw blade Hard Wood
- ▶ Plunge cuts in hardwood (e.g. for installing a ventilation grille)
- ▶ Plunge cuts in wooden boards (e.g. for installing a shelf)
- ▶ Sawing in wooden panels



65	40	PC1a	1	1	784993	2 608 662 354
		PC1a	5	1	785006	2 608 662 355
		P1a	10	1	935982	2 608 664 485
		C0b	1	25	785013	2 608 662 356

Starlock BIM plunge cut saw blade AII 65 BSPB Hard Wood




- ▶ **AII 65 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	40	PC1a	1	1	707459	2 608 662 017
		PC1a	5	1	714150	2 608 662 031
		P1a	10	1	935920	2 608 664 479

Starlock HCS segment saw blade ACZ 85 EC Wood



- ▶ **ACZ 85 EC**
- ▶ Starlock HCS segment saw blade Wood, with depressed centre
- ▶ Plunge cutting in solid wood, e.g. for installing a ventilation grille
- ▶ Flush cutting wood (e.g. a protruding tenon on a wood joint)
- ▶ Cutting a plastic pipe (PVC) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85		PC1a	1	1	492461	2 608 661 643
		P1a	10	1	935968	2 608 664 483

Starlock BIM plunge cut saw blade AIZ 10 AB Wood and Metal




- ▶ **AIZ 10 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Filigree adjustment work on non-ferrous profiles
- ▶ Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)
- ▶ Plunge cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	20	PC1a	1	1	492447	2 608 661 641

Starlock BIM plunge cut saw blade AIZ 20 AB Wood and Metal



- ▶ **AIZ 20 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting a copper pipe
- ▶ Plunge cuts in plasterboard



20	30	PC1a	1	4	492430	2 608 661 640
		PC1a	5	1	484954	2 608 661 628

Starlock BIM plunge cut saw blade AIZ 32 APB Wood and Metal



- ▶ **AIZ 32 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	PC1a	1	4	492478	2 608 661 644
		PC1a	5	1	484961	2 608 661 629
		P1a	10	1	935838	2 608 664 470
		C0a	1	25	665957	2 608 661 902

StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal



- ▶ **PAIZ 32 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Deep 60 mm plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions




PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	60	PC1a	1	1	833332	2 608 662 558

StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	60	P1a	10	1	936064	2 608 664 493
		C0b	1	25	773362	2 608 662 315

StarlockMax BIM plunge cut saw blade MAIZ 32 APB Wood and Metal




- ▶ **MAIZ 32 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Fast and deep plunge cuts in wood and nails
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



32	80	PC1a	1	1	833103	2 608 662 571
		P1a	10	1	936101	2 608 664 497
		C0a	1	25	859981	2 608 662 768

Starlock BIM plunge cut saw blade All 65 APB Wood and Metal




- ▶ **All 65 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	40	PC1a	1	4	596169	2 608 661 781
		PC1a	5	1	666008	2 608 661 907
		P1a	10	1	935876	2 608 664 474
		C0a	1	25	665940	2 608 661 901

StarlockPlus BIM plunge cut saw blade PAII 65 APB Wood and Metal




- ▶ **PAII 65 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	50	PC1a	1	1	833370	2 608 662 564
		P1a	10	1	936071	2 608 664 494



StarlockMax BIM plunge cut saw blade MAII 52 APB Wood and Metal



- ▶ **MAII 52 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Deep and wide plunge cuts in wood containing nails (e.g. window frames with metal components)
- ▶ Deep and wide plunge cuts in wooden beams containing nails
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)

52	70	PC1a	1	1	833134	2 608 662 574
		P1a	10	1	936118	2 608 664 498
		C0a	1	25	859998	2 608 662 769



Starlock BIM segment saw blade ACZ 85 EB Wood and Metal



- ▶ **ACZ 85 EB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	PC1a	1	4	492393	2 608 661 636	
	P1a	10	1	935906	2 608 664 477	



Starlock BIM segment saw blade ACZ 100 BB Wood and Metal




- ▶ **ACZ 100 BB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
100	PC1a	1	1	492379	2 608 661 633	
	P1a	10	1	935937	2 608 664 480	

Starlock Max BIM segment saw blade MACZ 145 BB Wood and Metal



- ▶ **MACZ 145 BB**
- ▶ StarlockMax provides extra deep and extra fast guided cuts in wood, metal and plastic
- ▶ Extra large blade for superior cutting depth (50mm) and width (100mm)
- ▶ Side set teeth allow for faster and burn free cuts
- ▶ Large blade surface allows for guided and precise straight cuts over long areas



145	PC1a	1	1	896436	2 608 664 226
-----	------	---	---	--------	----------------------

LONG LIFE CUTTING HARD METAL

EXPERT MetalMax Blades

ASSORTMENT: Width: 20-45mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Less skidding on screws due to flat edge design



EXPERT MetalMax AIZ 20 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	40	PC1d	1	1	530642	2 608 900 012
		PC1d	5	1	530659	2 608 900 013

EXPERT MetalMax AIZ 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	40	PC1d	1	1	530666	2 608 900 014	
		PC1d	5	1	530673	2 608 900 015	
		P1h	10	1	530680	2 608 900 016	
		C0a	1	25	530697	2 608 900 017	

EXPERT MetalMax PAIZ 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	50	PC1d	1	1	530710	2 608 900 019	
		P1h	10	1	530727	2 608 900 020	

EXPERT MetalMax MAII 32 AIT Plunge Saw Blades

EXPERT


- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	70	PC1d	1	1	530741	2 608 900 022
		P1h	10	1	530758	2 608 900 023

EXPERT MetalMax AIZ 45 AIT Plunge Saw Blades

EXPERT


- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
45	40	PC1d	1	1	530703	2 608 900 018

EXPERT MetalMax PAIZ 45 AIT Plunge Saw Blades

EXPERT




- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
45	50	PC1d	1	1	530734	2 608 900 021

Starlock BIM plunge cut saw blade AIZ 32 AB Metal



- ▶ **AIZ 32 AB**
- ▶ Starlock BIM plunge cut saw blade Metal
- ▶ Flush cutting soft nails
- ▶ Flush cutting a copper pipe
- ▶ Cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1a	1	4	545525	2 608 661 688
		PC1a	5	1	666015	2 608 661 908
		P1a	10	1	935883	2 608 664 475
		C0a	1	25	665988	2 608 661 905

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

EXPERT MultiMax Blades

ASSORTMENT: Width: 32mm, 52mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Curved-Tec blade for controlled and clean plunge cuts
- 4 Thin carbide blade for faster sawing




EXPERT MultiMax AIZ 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



11 523


PRODUCT PROPERTIES			ORDERING INFORMATION			
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	40	PC1d	1	1	530765	2 608 900 024
		PC1d	5	1	530772	2 608 900 025
		P1h	10	1	530789	2 608 900 026
		COa	1	25	530796	2 608 900 027

EXPERT MultiMax PAIZ 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.




PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530802	2 608 900 028
		P1h	10	1	530819	2 608 900 029

EXPERT MultiMax PAII 52 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.




PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
52	50	PC1d	1	1	530826	2 608 900 030

EXPERT MultiMax MAII 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
32	70	PC1d	1	1	530833	2 608 900 031	
		P1h	10	1	530840	2 608 900 032	

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT MultiMaterial Segment Blades

ASSORTMENT: Ø105mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts




CARBIDE TECHNOLOGY

EXPERT MultiMaterial ACZ 105 ET Segment Saw Blades

EXPERT



- ▶ Ideal for precision cutting in a wide variety of materials, including laminates and composites; can cut solid surface materials; makes good plunge cuts and survives striking brick.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch ACZ 85 EB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.




CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES


ORDERING INFORMATION

Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
105	PC1d	1	1	896139	2 608 664 208
	P1h	5	1	896122	2 608 664 207

Starlock BIM-TiN segment saw blade ACZ 85 EIB Multi Material



- ▶ **ACZ 85 EIB**
- ▶ Starlock BIM-TiN segment saw blade Multi Material, with depressed centre
- ▶ Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- ▶ Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)


PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	85	PC1a	1	1	582230	2 608 661 758
		P1a	10	1	935913	2 608 664 478

Starlock BIM Dual-Tec saw blade AYZ 53 BPB Multi Material



- ▶ **AYZ 53 BPB Wood & Metal**
- ▶ Starlock Dual-Tec blade is designed to plunge in and cut onwards and hence to cut out squares in wood and abrasive materials
- ▶ High precision cut in edges thanks to unique asymmetric Dual-Tec shape
- ▶ Side set teeth allow for faster and burn free cuts
- ▶ Large blade surface allows for guided and precise straight cuts over long areas

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
53	40	PC1a	1	1	896078	2 608 664 202
		P1a	10	1	896092	2 608 664 204
		PC1a	1	25	896108	2 608 664 205




Starlock BIM serrated segment blade ACZ 100 SWB Multi Material



- ▶ **ACZ 100 SWB**
- ▶ Starlock BIM serrated segment blade
- ▶ Flush cutting to length of protruding insulation material, especially polystyrene
- ▶ Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- ▶ Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	100	PC1a	1	1	546737	2 608 661 693



Starlock HCS scraper ATZ 52 SC, rigid Multi Material




- ▶ **ATZ 52 SC**
- ▶ Starlock HCS scraper, rigid
- ▶ Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ▶ Removing mortar and concrete residues
- ▶ Removing hard, brittle carpet adhesive residues



	52	PC1a	1	1	492492	2 608 661 646
		P1a	10	1	936002	2 608 664 487

Starlock HCS scraper ATZ 52 SFC, flexible Multi Material



- ▶ **ATZ 52 SFC**
- ▶ Starlock HCS scraper, flexible
- ▶ Removing soft carpet adhesive residues
- ▶ Removing paint residues



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		PC1a	1	1	492508	2 608 661 647
		P1a	10	1	936019	2 608 664 488

Starlock HCS multi blade ASZ 32 SC



- ▶ **ASZ 32 SC**
- ▶ Starlock HCS multi blade
- ▶ Cutting flexible abrasive materials (e.g. roofing felt, bitumen shingles)
- ▶ Cutting soft materials (e.g. carpet, cardboard, PVC floor)
- ▶ Cutting artificial turf



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	11	PC1a	1	1	792967	2 608 662 431

Starlock INOX universal sealant remover ALI 12 SC Multi Material




- ▶ **ALI 12 SC**
- ▶ Starlock blade provides fast, easy and reliable cutting & removal of panelled deck sealing materials
- ▶ Easy cutting due to sharpened tip and razor-like cutting edge on both blade sides
- ▶ Stainless steel (INOX) knife for long lifetime and rust free cutting
- ▶ 4mm wide pull & push cutter blade cuts easily through flexible and tough materials



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4	29	PC1a	1	1	896498	2 608 664 231

Starlock HCS universal joint cutter AIZ 28 SC Multi Material



- ▶ **AIZ 28 SC**
- ▶ Starlock HCS universal joint cutter
- ▶ Cutting soft expansion joints
- ▶ Cutting window putty (sealing compound)
- ▶ Cutting insulation materials (e.g. Flumroc rockwool)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
28	40	PC1a	1	1	546713	2 608 661 691
		PC1a	5	1	666022	2 608 661 909
		P1a	10	1	936026	2 608 664 489
		C0a	1	25	665995	2 608 661 906

Starlock MaxHCS universal joint cutter MAII 32 SC Multi Material




- ▶ MAII 32 SC
- ▶ StarlockMax HCS universal joint cutter
- ▶ Cutting expansion joints (e.g. silicone)
- ▶ Cutting out window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	55	P1a	10	1	936163	2 608 664 503



StarlockMax HCS universal joint cutter MAII 32 SLC



- ▶ MAII 32 SLC
- ▶ StarlockMax HCS long universal joint cutter
- ▶ Deep 70 mm cutting of expansion joints (e.g. silicone)
- ▶ Deep cutting of window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)

32	70	PC1a	1	1	833158	2 608 662 575
		P1a	10	1	936149	2 608 664 501




LONG LIFE SANDING MULTI MATERIAL

EXPERT Sanding Plates

ASSORTMENT: #20 - #100

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Delta shape reaches corners while sanding efficiently
- 4 Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 90 RT2 Sanding Plates

EXPERT



- ▶ Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.


CARBIDE TECHNOLOGY 

11 531


PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	20	PC1a	1	1	530970	2 608 900 045
		COa	10	1	530987	2 608 900 046

EXPERT AVZ 90 RT4 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	40	PC1a	1	1	530994	2 608 900 047

EXPERT AVZ 90 RT6 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	60	PC1a	1	1	531014	2 608 900 049

EXPERT AVZ 90 RT10 Sanding Plates

EXPERT




- ▶ Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	100	PC1a	1	1	530956	2 608 900 043

EXPERT MAVZ 116 RT2 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	20	PC1a	1	1	531045	2 608 900 052

EXPERT MAVZ 116 RT4 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	40	PC1a	1	1	531052	2 608 900 053

EXPERT MAVZ 116 RT6 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	60	PC1a	1	1	531069	2 608 900 054

EXPERT MAVZ 116 RT10 Sanding Plates

EXPERT



- ▶ Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
116	100	PC1a	1	1	531038	2 608 900 051

LONG LIFE SANDING TIGHT GAPS

EXPERT Sanding Fingers

ASSORTMENT: #40; #100


EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Reaches every corner with a pointed tip
- 4 Sands the narrowest gaps with this extra-thin blade



EXPERT AVZ 32 RT4 Sanding Fingers

EXPERT




- ▶ Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT4 has grit size 40 for removing old paint or varnish.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530925	2 608 900 040

EXPERT AVZ 32 RT10 Sanding Fingers

EXPERT


- ▶ Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT10 has grit size 100 for preparing clean wood surfaces prior to re-painting or varnishing.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530918	2 608 900 039

Starlock sanding plate



- ▶ AVZ 93 G
- ▶ Sanding plate with miro hook-and-loop-type fastening system
- ▶ Quick, easy sanding sheet change

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
93	PC1b	1	1	632256	2 608 000 493



Dust extraction

- ▶ **Appropriate for** Bosch Starlock (GOP 12V-28 Professional; PMF 220 CE; PMF 250 CES), Bosch StarlockPlus (GOP 30-28; GOP 40-30; GOP 18V-28 Professional; PMF 350 CES) and Bosch StarlockMax (GOP 55-36 Professional) machines
- ▶ **Appropriate for** Bosch GOP 300 SCE; GOP 14,4 V-EC; GOP 18 V-EC Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P1d	1	1	851626	2 608 000 636



for extracting sanding dust in combination with the Starlock sanding plate AVZ 93 G
 GOP 12V-28 (0 601 8B5 0..); GOP 18V-28 (0 601 8B6 0..); GOP 30-28 (0 601 237 0..); GOP 40-30 (0 601 231 0..); GOP 55-36 (0 601 231 1..); GOP 300 SCE (0 601 230 5..) Professional

Starlock profile sander




- ▶ **AUZ 70 G**
- ▶ Profile sander with micro hook-and-loop-type fastening system
- ▶ 4 sheets of sanding paper 70 mm x 125 mm with hook-and-loop (2x80 / 2x120 grit)
- ▶ Sanding round wood and painted surfaces up to 55 mm diameter



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
70	PC1b	5	1	785860	2 608 662 346	

F460 sanding sheets optimised for multi-cutters, Best for Wood and Paint, 93 mm, 6 holes

- best for **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for sanding plate AVZ 93 G



PRODUCT PROPERTIES		ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
Pack of 5						
C1a	5	5	959865	2 608 621 684		
C1a	5	5	959872	2 608 621 685		
C1a	5	5	959889	2 608 621 686		
C1a	5	5	959896	2 608 621 687		
C1a	5	5	959902	2 608 621 688		
C1a	5	5	959919	2 608 621 689		
Pack of 6						
C1a	6	5	959926	2 608 621 690		
Pack of 10						
C1a	10	5	509497	2 608 607 540		



Fleeces




- ▶ **Suitable for** bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes
- ▶ Cleaning fleece **suitable for** removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material
- ▶ **Appropriate for** sanding plate AVZ 93 G

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Grade	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cleaning fleece without coated abrasive							
Suitable for removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material							
93	Without grit	Cleaning	C1d	1	5	070829	2 608 604 496



Polishing felt



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces
- ▶ **Appropriate for** sanding plate AVZ 93 G

PRODUCT PROPERTIES		ORDERING INFORMATION				
Grade	Sheet dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Polishing felt						
Suitable for pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces						
Hard	93	C1d	1	5	070843	2 608 613 016




LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Segment Blades

ASSORTMENT: Ø85mm

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners




EXPERT ACZ 85 RD4 Grout Segment Blades

EXPERT




- ▶ Ideal for cutting out grout from between tiles; removes even hard cement mortar; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	2	PC1d	1	1	530864	2 608 900 034
		P1h	10	1	530871	2 608 900 035

Starlock Carbide-RIFF segment saw blade ACZ 85 RT3 Grout and Abrasive




- ▶ ACZ 85 RT3
- ▶ Starlock Carbide-RIFF segment saw blade
- ▶ Routing joints on wall and floor tiles
- ▶ Routing smaller cutouts in soft wall tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	2.5	PC1a	1	1	492454	2 608 661 642
		P1a	10	1	935975	2 608 664 484

Starlock Carbide-RIFF thin-kerf segment saw blade ACZ 70 RT5 Grout and Abrasive



- ▶ ACZ 70 RT5
- ▶ Starlock Carbide-RIFF thin-kerf segment saw blade
- ▶ Routing extra-thin (1.6mm / 1/16") joints on wall tiles
- ▶ Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes



70	1.6	PC1a	1	1	546720	2 608 661 692
		P1a	10	1	935999	2 608 664 486


MULTI-USE IN TILING

EXPERT 3 max Multi-Use Blades

ASSORTMENT: Ø70mm

EXPERT

- 1 Save time and money with a Multi-Function Accessory
- 2 Reaches every corner with a pointed tip
- 3 Cuts out grout with a carbide grit edge
- 4 Sanding plate for grinding mortar off surfaces



CARBIDE TECHNOLOGY

EXPERT 3 max AVZ 70 RT4 Grouting Plates

EXPERT



- ▶ Ideal for removing damaged tiles: the 3 max can cut out mortar joints - including corner pieces - and also sand off the mortar behind the old tile after it has been removed.
- ▶ Multitool versatility with maximum performance.
- ▶ 3 Applications with 1 Blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



3 IN 1

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
70	2.5	PC1d	1	1	530932	2 608 900 041
		P1h	10	1	530949	2 608 900 042

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Corner Blades

ASSORTMENT: Grout width: 2.2mm / 1.6mm

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners
- 3 Flat mount eliminates wobbling for controlled and precise cut




EXPERT MATI 68 RD4 Corner Blades

EXPERT



- ▶ Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.2	68	30	PC1a	1	1	530888	2 608 900 036
			P1h	10	1	530895	2 608 900 037

EXPERT MATI 68 RSD4 Corner Blades

EXPERT




- ▶ Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.6	68	10	PC1a	1	1	530901	2 608 900 038

StarlockMax Carbide-RIFF segment saw blade MATI 68 RT3 Grout and Abrasive




- ▶ MATI 68 RT3
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.2	68	30	PC1a	1	1	833196	2 608 662 577



StarlockMax Carbide-RIFF segment saw blade MATI 68 RST5 Grout and Abrasive




- ▶ MATI 68 RST5
- ▶ StarlockMax Carbide-RIFF segment saw blade, thin
- ▶ Routing thin joints up to 1.5 mm (e.g. marble joints)
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.5	68	10	PC1a	1	1	833219	2 608 662 578



Starlock Carbide-RIFF plunge cut saw blade AIZ 32 RT5 Grout and Abrasive




- ▶ AIZ 32 RT5
- ▶ Starlock Carbide-RIFF plunge cut saw blade
- ▶ Plunge cuts in strongly abrasive materials (e.g. fibreglass)
- ▶ Rasping/filing functionality (e.g. deburring plunge cuts in fibreglass)
- ▶ Also excellent for removing mortar right into the most remote corners

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	32	30	PC1a	1	1	646376	2 608 661 868



StarlockPlus Carbide-RIFF Dual-Tec saw blade PAYZ 53 MT4 Grout and Abrasive



- ▶ **PAYZ 53 MT4**
- ▶ Starlock Dual-Tec Blade delivers precise plunge and straight cuts in highly abrasive materials
- ▶ The Starlock Plus system offers fast and versatile plunge cuts
- ▶ Blade masters plunge cuts and straight cuts; laser-melted carbide edge enables an extra-long lifetime
- ▶ Unique asymmetric dual-tec shape delivers exact edge
- ▶ Large surface allows for precise guided straight cuts over long areas

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.6	53	40	PC1a	1	1	896146	2 608 664 209



StarlockMax Carbide-RIFF segment saw blade MATI 68 MT4 Grout and Abrasive




- ▶ **MATI 68 MT4**
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.1	68	30	PC1a	1	1	833295	2 608 662 582




StarlockMax Carbide-RIFF segment saw blade MACZ 145 MT4 Grout and Abrasive








- ▶ **MACZ 145 MT4**
- ▶ StarlockMax Carbide-RIFF segment saw blade provides extra-fast deep cuts in abrasive materials
- ▶ StarlockMax system offers exceptional depth, speed and versatility in heavy-duty applications
- ▶ Superior 50 mm cutting depth and a cutting width of 100 mm
- ▶ Laser-melted carbide edge strengthens blade for extra-long life
- ▶ Large surface area acts as guide for precise straight cuts over long areas; ideal for cutting right into corners

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
145	1.5	PC1a	1	1	896443	2 608 664 227



Starlock Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Starlock Bosch 5 piece Best of Cutting Set						
	BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)	P1k	5	5	894715	2 608 664 131
	BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)					
	BIM segment saw blade Wood and Metal ACZ 85 EB (1x)					
	Carbide plunge-cutting saw blade Metal AIZ 32 AT (1x)					
	BIM plunge-cutting saw blade Wood and Metal All 65 APB (1x)					
Starlock Set for Wood 6+1						
	HCS segment saw blade Wood ACZ 85 EC (1x)	P1k	7	5	954679	2 608 664 623
	BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x)					
	BIM plunge cut saw blade Hard Wood All 65 BSPB (2x)					
	BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)					
	BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)					
Starlock Set Electrician & Drywall 5+1						
	BIM plunge cut saw blade Multi Material AYZ 53 BPB (1x)	P1k	6	5	954662	2 608 664 622
	BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x)					
	BIM plunge-cutting saw blade Wood and Metal All 65 APB (1x)					
	BIM plunge cut saw blade Wood and Metal AIZ 32 AB (1x)					
	BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)					
Starlock Set for Renovation						
	BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)	P1k	5	5	954686	2 608 664 624
	Sanding plate AVZ 93 G (1x)					
	Expert for Wood and Painting sanding sheet (3x)					
	HCS segment saw blade Wood ACZ 85 EC (1x)					
	HM-Riff segment saw blade ACZ70RT5 (1x)					
	HCS scraper ATZ 52 SC (1x)					
Starlock 6-Piece Best of Sanding Set combining our top sanding accessories in one set (sanding wood and removing mortar).						
	Carbide-RIFF plunge-cutting saw blade AVZ 32 RT4 (1x)	P1k	3	5	894739	2 608 664 133
	Sanding plate AVZ 93 G (1x)					
	Sanding plate AVZ 90 RT6 (1x)					
	Sanding sheet F460 (3x)					

Starlock Sets

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Starlock Max Bosch 4pc Best of Heavy Duty Set

Versatile Starlock Max set with extra-long blades for all heavy duty renovation and reconstruction work in wood and metal.

HCS plunge cut saw blade Wood MAIZ 32 EPC (1x)	M1a	4	5	894722	2 608 664 132
BIM plunge cut saw blade Wood and Metal MAIZ 32 APB (1x)					
BIM plunge cut saw blade Wood and Metal MAII 52 APB (1x)					
Carbide plunge cut saw blade Metal MAIZ 32 AT (1x)					



4-piece tile set

Versatile Starlock set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

Carbide RIFF segment saw blade ACZ 85 RT3 (1x)	PC1a	4	1	555210	2 608 661 695
Carbide RIFF sanding plate AVZ 78 RT2 (1x)					
HCS scraper ATZ 52 SC (1x)					
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)					



4-piece floor/installation set

Versatile Starlock set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components)

HCS plunge-cutting saw blade Wood AIZ 32 EPC (1x)	PC1a	4	1	555227	2 608 661 696
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)					
BIM segment saw blade Wood and Metal ACZ 85 EB (1x)					
HCS scraper ATZ 52 SC (1x)					



13-piece universal set

Basic applications combined in a single Starlock set (sawing, sanding and scraping)

Suitable for wood and metal

BIM segment saw blade Wood and Metal ACZ 85 EB (1x)	PC1a	4	1	555203	2 608 661 694
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)					
HCS scraper ATZ 52 SFC (1x)					
Wood and Paint sanding sheet (10x)					



3-piece tile set

Versatile Starlock tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)	PC1a	3	10	779647	2 608 662 342
HCS scraper ATZ 52 SC (1x)					
HM-RIFF segment saw blade ACZ 85 MT4 (1x)					

Starlock Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
3-piece universal set Basic applications combined in a single Starlock set (sawing wood & metal) Suitable for wood and metal						
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)	PC1a	3	10	779654	2 608 662 343	
HCS plunge-cutting saw blade Wood AIZ 24 EC (1x)						
HCS segment saw blade Wood ACZ 85 EC (1x)						




34-piece Starlock i-BOXX Pro set for interior fitting					
BIM segment saw blade Wood and Metal ACZ 100 BB (1x)	M0a	16	1	706681	2 608 662 013
BIM TiN segment saw blade Multi Material ACZ 85 EIB (1x)					
BIM serrated segment blade ACZ 100 SWB (1x)					
BIM plunge-cutting saw blade Wood and Metal AII 65 APB (2x)					
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x)					
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x)					
HCS plunge-cutting saw blade Wood AIZ 32 EPC (2x)					
HCS scraper ATZ 52 SC (2x)					
Sanding plate AVZ 93 G (1x)					
Wood and Paint sanding sheet (20x)					



Depth stops

- **Appropriate for** Bosch GOP 300 SCE Professional, GOP 12V-28, GOP 18V-28, GOP 30 V-28, GOP 55-36, GOP 14,4V/18V-Li, PMF 190 E, PMF 250 CES (multi-cutter with collar)

PRODUCT PROPERTIES	ORDERING INFORMATION			
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
				Part number



Basic depth stop

Four-stage adjustment

For precise cutting depths in combination with segment saw blades with 85 mm diameter and 100 mm diameter (e.g. when replacing individual parquet elements)

Cutting depths for segment saw blades with 85 mm diameter: 8, 10, 12, 14 mm

Cutting depths for segment saw blades with 100 mm diameter: 13, 15, 17, 19 mm



PC1a	1	1	727297	2 608 000 589
------	---	---	--------	---------------



Expert depth stop

Continuously variable adjustment

For precise cutting depths in combination with segment and plunge-cutting saw blades (e.g. for precise plunge cuts in construction woods)



PC1a	1	1	727303	2 608 000 590
------	---	---	--------	---------------

WOOD SANDING

Discover accessories for more efficient sanding.

The best your tool can get. Bosch Professional Accessories.



DISCS FOR RANDOM ORBITAL SANDERS, WALL AND CEILING SANDERS

Discs to change the world.



	M480	C470	N880	C430
	EXPERT			
Page number	555	558	566	563
Grit range	80 – 400	40 – 400	80 – 800	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Alox / Silicon carbide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	3D Fibre fleece	C-Paper
Diameter mm	115 – 225	115 – 225	125 – 150	115 – 150

MATERIALS

Softwood / hardwood	✓	✓	-	✓
Resinous wood	✓	✓	-	✓
Plywood	✓	✓	-	✓
Paint / varnish	✓	✓	-	✓
Filler	✓	✓	-	-
Plaster	✓	✓	✓	-
Solid surface materials (Corian, Varicor)	✓	✓	-	-
Glass fibre reinforced plastics (GRP)	✓	-	-	-
Perspex	✓	-	-	-
Stone / glass	-	-	-	-
Stainless steel (inox)	-	-	✓	-
Mild steel (metal)	-	-	✓	-
Sheet metal	-	-	✓	-
Aluminium	-	-	✓	-

*Bosch EXPERT products vs. Bosch standard products


NO DUST SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Nets

ASSORTMENT: Grit 80 – 400

EXPERT


- 1 Most efficient dust removal with Bosch Particle Control
- 2 Dust is sucked through Open Net Structure



PARTICLE CONTROL

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PARTICLE CONTROL UP TO 4x DUST REDUCTION

PRODUCT PROPERTIES		ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
125	80	open net	C1a	5	5	540092	2 608 900 671
125	100	open net	C1a	5	5	540108	2 608 900 672
125	120	open net	C1a	5	5	540115	2 608 900 673
125	150	open net	C1a	5	5	540122	2 608 900 674
125	180	open net	C1a	5	5	540139	2 608 900 675
125	220	open net	C1a	5	5	540146	2 608 900 676


EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
125	240	open net	C1a	5	5	540153	2 608 900 677	
125	320	open net	C1a	5	5	540160	2 608 900 678	
125	400	open net	C1a	5	5	540177	2 608 900 679	
150	80	open net	C1a	5	5	540276	2 608 900 689	
150	100	open net	C1a	5	5	540283	2 608 900 690	
150	120	open net	C1a	5	5	540290	2 608 900 691	
150	150	open net	C1a	5	5	540306	2 608 900 692	
150	180	open net	C1a	5	5	540313	2 608 900 693	
150	220	open net	C1a	5	5	540320	2 608 900 694	
150	240	open net	C1a	5	5	540337	2 608 900 695	
150	320	open net	C1a	5	5	540344	2 608 900 696	
150	400	open net	C1a	5	5	540351	2 608 900 697	
Pack of 50								
125	80	open net	C0a	50	1	540184	2 608 900 680	
125	100	open net	C0a	50	1	540191	2 608 900 681	
125	120	open net	C0a	50	1	540207	2 608 900 682	
125	150	open net	C0a	50	1	540214	2 608 900 683	
125	180	open net	C0a	50	1	540221	2 608 900 684	
125	220	open net	C0a	50	1	540238	2 608 900 685	
125	240	open net	C0a	50	1	540245	2 608 900 686	
125	320	open net	C0a	50	1	540252	2 608 900 687	
125	400	open net	C0a	50	1	540269	2 608 900 688	
150	80	open net	C0a	50	1	540368	2 608 900 698	
150	100	open net	C0a	50	1	540375	2 608 900 699	
150	120	open net	C0a	50	1	540382	2 608 900 700	
150	150	open net	C0a	50	1	540399	2 608 900 701	
150	180	open net	C0a	50	1	540405	2 608 900 702	
150	220	open net	C0a	50	1	540412	2 608 900 703	
150	240	open net	C0a	50	1	540429	2 608 900 704	
150	320	open net	C0a	50	1	540436	2 608 900 705	
150	400	open net	C0a	50	1	540443	2 608 900 706	

EXPERT M480 Starter Kits for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
this set includes a backing pad saver							
125	2x80 2x120 2x180	open net	C1a	7	5	568584	2 608 901 202
150	2x80 2x120 2x180	open net	C1a	7	5	568591	2 608 901 203

EXPERT M480 Sanding Nets for Drywall Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 5								
225	80	open net	C1a	5	3	635866	2 608 901 636	
225	120	open net	C1a	5	3	635873	2 608 901 637	
225	180	open net	C1a	5	3	635880	2 608 901 638	
225	240	open net	C1a	5	3	635897	2 608 901 639	
Pack of 25								
225	80	open net	C0a	25	1	540450	2 608 900 707	
225	100	open net	C0a	25	1	540467	2 608 900 708	
225	120	open net	C0a	25	1	540474	2 608 900 709	
225	150	open net	C0a	25	1	540481	2 608 900 710	
225	180	open net	C0a	25	1	540498	2 608 900 711	
225	220	open net	C0a	25	1	540504	2 608 900 712	
225	240	open net	C0a	25	1	540511	2 608 900 713	
225	320	open net	C0a	25	1	540528	2 608 900 714	
225	400	open net	C0a	25	1	540535	2 608 900 715	

EXPERT M480 Sanding Nets for Sets for Drywall Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Disc diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 7							
225		C1a	5	3	636177	2 608 901 667	


FAST SANDING OF PAINT AND WOOD

EXPERT C470 Sandpaper

ASSORTMENT: Grit 40 – 400


EXPERT

- 1 Exceptional abrasion with Bosch Surface Structure
- 2 Grain distribution optimised for high speed sanding
- 3 Grain alignment during production ensures aggressive cut




EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 5	125	40	Multi hole system	C1a	5	5	544304	2 608 901 092
	125	60	Multi hole system	C1a	5	5	544311	2 608 901 093
	125	80	Multi hole system	C1a	5	5	544328	2 608 901 094
	125	100	Multi hole system	C1a	5	5	544335	2 608 901 095
	125	120	Multi hole system	C1a	5	5	544342	2 608 901 096
	125	180	Multi hole system	C1a	5	5	544359	2 608 901 097



EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	240	Multi hole system	C1a	5	5	544366	2 608 901 098
125	320	Multi hole system	C1a	5	5	544373	2 608 901 099
125	400	Multi hole system	C1a	5	5	544380	2 608 901 100
150	40	Multi hole system	C1a	5	5	544403	2 608 901 102
150	60	Multi hole system	C1a	5	5	544410	2 608 901 103
150	80	Multi hole system	C1a	5	5	544427	2 608 901 104
150	100	Multi hole system	C1a	5	5	544434	2 608 901 105
150	120	Multi hole system	C1a	5	5	544441	2 608 901 106
150	180	Multi hole system	C1a	5	5	544458	2 608 901 107
150	240	Multi hole system	C1a	5	5	544465	2 608 901 108
150	320	Multi hole system	C1a	5	5	544472	2 608 901 109
150	400	Multi hole system	C1a	5	5	544489	2 608 901 110
Pack of 50							
125	40	Multi hole system	C0a	50	1	544625	2 608 901 124
125	60	Multi hole system	C0a	50	1	544632	2 608 901 125
125	80	Multi hole system	C0a	50	1	544649	2 608 901 126
125	100	Multi hole system	C0a	50	1	544656	2 608 901 127
125	120	Multi hole system	C0a	50	1	544663	2 608 901 128
125	150	Multi hole system	C0a	50	1	544670	2 608 901 129
125	180	Multi hole system	C0a	50	1	544687	2 608 901 130
125	220	Multi hole system	C0a	50	1	544694	2 608 901 131
125	240	Multi hole system	C0a	50	1	544700	2 608 901 132
125	320	Multi hole system	C0a	50	1	544717	2 608 901 133
125	400	Multi hole system	C0a	50	1	544724	2 608 901 134
150	40	Multi hole system	C0a	50	1	544731	2 608 901 135
150	60	Multi hole system	C0a	50	1	544748	2 608 901 136
150	80	Multi hole system	C0a	50	1	544755	2 608 901 137
150	100	Multi hole system	C0a	50	1	544762	2 608 901 138
150	120	Multi hole system	C0a	50	1	544779	2 608 901 139
150	150	Multi hole system	C0a	50	1	544786	2 608 901 140
150	180	Multi hole system	C0a	50	1	544793	2 608 901 141
150	220	Multi hole system	C0a	50	1	544809	2 608 901 142
150	240	Multi hole system	C0a	50	1	544816	2 608 901 143
150	320	Multi hole system	C0a	50	1	544823	2 608 901 144
150	400	Multi hole system	C0a	50	1	544830	2 608 901 145

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



12
559

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
115	40	8 holes	C1a	5	5	541327	2 608 900 794
115	60	8 holes	C1a	5	5	541334	2 608 900 795



EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	120	8 holes	C1a	5	5	541358	2 608 900 797
115	180	8 holes	C1a	5	5	541365	2 608 900 798
115	240	8 holes	C1a	5	5	541372	2 608 900 799
115	320	8 holes	C1a	5	5	541389	2 608 900 800
115	400	8 holes	C1a	5	5	541396	2 608 900 801
125	40	8 holes	C1a	5	5	541419	2 608 900 803
125	60	8 holes	C1a	5	5	541426	2 608 900 804
125	80	8 holes	C1a	5	5	541433	2 608 900 805
125	100	8 holes	C1a	5	5	541440	2 608 900 806
125	120	8 holes	C1a	5	5	541457	2 608 900 807
125	180	8 holes	C1a	5	5	541464	2 608 900 808
125	240	8 holes	C1a	5	5	541471	2 608 900 809
125	320	8 holes	C1a	5	5	541488	2 608 900 810
125	400	8 holes	C1a	5	5	541495	2 608 900 811
Pack of 50							
125	40	8 holes	C0a	50	1	542461	2 608 900 908
125	60	8 holes	C0a	50	1	542478	2 608 900 909
125	80	8 holes	C0a	50	1	542485	2 608 900 910
125	100	8 holes	C0a	50	1	542492	2 608 900 911
125	120	8 holes	C0a	50	1	542508	2 608 900 912
125	150	8 holes	C0a	50	1	544588	2 608 901 120
125	180	8 holes	C0a	50	1	542515	2 608 900 913
125	220	8 holes	C0a	50	1	544595	2 608 901 121
125	240	8 holes	C0a	50	1	542522	2 608 900 914
125	320	8 holes	C0a	50	1	542539	2 608 900 915
125	400	8 holes	C0a	50	1	542546	2 608 900 916

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



UP TO
2x



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	60	6 holes	C1a	5	5	541525	2 608 900 814
150	80	6 holes	C1a	5	5	541532	2 608 900 815
150	100	6 holes	C1a	5	5	541549	2 608 900 816
150	120	6 holes	C1a	5	5	541556	2 608 900 817
150	180	6 holes	C1a	5	5	541563	2 608 900 818
150	240	6 holes	C1a	5	5	541570	2 608 900 819
150	320	6 holes	C1a	5	5	541587	2 608 900 820
150	400	6 holes	C1a	5	5	541594	2 608 900 821

Pack of 50



EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	40	6 holes	C0a	50	1	542553	2 608 900 917
150	60	6 holes	C0a	50	1	542560	2 608 900 918
150	80	6 holes	C0a	50	1	542577	2 608 900 919
150	100	6 holes	C0a	50	1	542584	2 608 900 920
150	120	6 holes	C0a	50	1	542591	2 608 900 921
150	150	6 holes	C0a	50	1	544601	2 608 901 122
150	180	6 holes	C0a	50	1	542607	2 608 900 922
150	220	6 holes	C0a	50	1	544618	2 608 901 123
150	240	6 holes	C0a	50	1	542614	2 608 900 923
150	320	6 holes	C0a	50	1	542621	2 608 900 924
150	400	6 holes	C0a	50	1	542638	2 608 900 925

EXPERT C470 Sandpaper Sets with 8 holes for Random Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6							
115	2x60 2x120 2x240	8 holes	C1a	6	5	541402	2 608 900 802
125	2x60 2x120 2x240	8 holes	C1a	6	5	541501	2 608 900 812

EXPERT C470 Sandpaper Sets with 6 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




UP TO
2x




PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6	150	2x60 2x120 2x240	6 holes	C1a	6	5	541600	2 608 900 822

EXPERT C470 Sandpaper Sets with multihole for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.





UP TO
2x



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6	125	2x60 2x120 2x240	Multi hole system	C1a	6	5	544397	2 608 901 101
	150	2x60 2x120 2x240	Multi hole system	C1a	6	5	544496	2 608 901 111

EXPERT C470 Sandpapers with 19 holes for Drywall Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



UP TO
2x




PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 5									
-	225	40	-	C0a	5	3	636214	2 608 901 671	
-	225	80	-	C0a	5	3	636221	2 608 901 672	
-	225	120	-	C0a	5	5	636238	2 608 901 673	
-	225	180	-	C0a	5	3	636245	2 608 901 674	
Pack of 6									
225	-	40	-	C0a	6	3	638256	2 608 901 677	
		80							
		120							
		180							
Pack of 25									
-	225	40	19 holes	C0a	25	1	544847	2 608 901 146	
-	225	60	19 holes	C0a	25	1	544854	2 608 901 147	
-	225	80	19 holes	C0a	25	1	544861	2 608 901 148	
-	225	100	19 holes	C0a	25	1	544878	2 608 901 149	
-	225	120	19 holes	C0a	25	1	544885	2 608 901 150	
-	225	150	19 holes	C0a	25	1	544892	2 608 901 151	
-	225	180	19 holes	C0a	25	1	544908	2 608 901 152	
-	225	220	19 holes	C0a	25	1	544915	2 608 901 153	


C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 115 mm diameter, 8 holes

expert **Wood+Paint**

- ▶ Suitable for sanding wood, wooden materials and paint
- ▶ Appropriate for random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer




PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 5								
115	40	8 holes	C1a	5	5	159210	2 608 605 103	
115	60	8 holes	C1a	5	5	159227	2 608 605 104	
115	120	8 holes	C1a	5	5	159241	2 608 605 106	
115	180	8 holes	C1a	5	5	247832	2 608 607 246	
115	240	8 holes	C1a	5	5	171410	2 608 605 657	
Pack of 5								
115	80	8 holes	C1a	5	5	159234	2 608 605 105	





C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 115 mm diameter, 8 holes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	60	8 holes	C1a	6	5	159258	2 608 605 107
	120						
	240						


C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 125 mm diameter, 8 holes



expert  **Wood+Paint** ▶ Suitable for sanding wood, wooden materials and paint
 ▶ Appropriate for random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita



Pack of 5							
125	40	8 holes	C1a	5	5	171243	2 608 605 640
125	60	8 holes	C1a	5	5	171250	2 608 605 641
125	80	8 holes	C1a	5	5	171267	2 608 605 642
125	120	8 holes	C1a	5	5	171274	2 608 605 643
125	180	8 holes	C1a	5	5	171281	2 608 605 644
125	240	8 holes	C1a	5	5	171298	2 608 605 645
Pack of 6							
125	60	8 holes	C1a	6	5	159302	2 608 605 112
	120						
	240						

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 150 mm diameter, 6 holes

expert  **Wood+Paint** ▶ Suitable for sanding wood, wooden materials and paint
 ▶ Appropriate for random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG




Pack of 5							
150	40	6 holes	C1a	5	5	172004	2 608 605 716
150	60	6 holes	C1a	5	5	172011	2 608 605 717
150	80	6 holes	C1a	5	5	172028	2 608 605 718
150	120	6 holes	C1a	5	5	172042	2 608 605 720
150	180	6 holes	C1a	5	5	172059	2 608 605 721
150	240	6 holes	C1a	5	5	172066	2 608 605 722
Pack of 6							
150	60	6 holes	C1a	6	5	247849	2 608 607 247
	120						
	240						

F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 125 mm diameter, 8 holes

best  **Coatings+Composites**

- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
125	80	8 holes	C1a	5	5	159333	2 608 605 115
125	100	8 holes	C1a	5	5	159340	2 608 605 116
125	120	8 holes	C1a	5	5	159357	2 608 605 117
125	180	8 holes	C1a	5	5	159364	2 608 605 118
125	240	8 holes	C1a	5	5	159371	2 608 605 119
125	320	8 holes	C1a	5	5	159388	2 608 605 120
125	400	8 holes	C1a	5	5	159395	2 608 605 121
125	600	8 holes	C1a	5	5	159401	2 608 605 122
125	1200	8 holes	C1a	5	5	159418	2 608 605 123



F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 150 mm diameter, 6 holes

best  **Coatings+Composites**

- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG



Pack of 5							
150	80	6 holes	C1a	5	5	159425	2 608 605 124
150	120	6 holes	C1a	5	5	159449	2 608 605 126
150	180	6 holes	C1a	5	5	159456	2 608 605 127
150	240	6 holes	C1a	5	5	159463	2 608 605 128
150	320	6 holes	C1a	5	5	159470	2 608 605 129
150	400	6 holes	C1a	5	5	159487	2 608 605 130
150	600	6 holes	C1a	5	5	159494	2 608 605 131
150	1200	6 holes	C1a	5	5	159500	2 608 605 132




LONG LIFE FINISHING METAL

EXPERT N880 Fleece Discs

ASSORTMENT: Grit 80 - 800

EXPERT

- 1 Strong, flexible bonding with Bosch Surface Structure
- 2 Consistent cut and finish with cross-laying technology
- 3 3D structure allows grit through the fleece



EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Coarse A	brown	125	P0f	5	4	584249	2 608 901 385
Medium	black	125	P0f	5	4	584256	2 608 901 386
Ultra fine S	grey	125	P0f	5	4	584263	2 608 901 387
Coarse A	brown	125	C0a	1	20	572109	2 608 901 241
Medium	black	125	C0a	1	20	572116	2 608 901 242
Medium A	maroon	125	C0a	1	20	572123	2 608 901 243

EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Very fine A	red	125	C0a	1	20	572130	2 608 901 244
Very fine GP	green	125	C0a	1	20	572154	2 608 901 246
Ultra fine S	grey	125	C0a	1	20	572147	2 608 901 245
Cleaning	white	125	C0a	1	20	572093	2 608 901 240
Coarse A	brown	150	P0f	5	4	584270	2 608 901 388
Medium	black	150	P0f	5	4	584287	2 608 901 389
Ultra fine S	grey	150	P0f	5	4	584294	2 608 901 390
Coarse A	brown	150	C0a	1	20	572178	2 608 901 248
Medium	black	150	C0a	1	20	572185	2 608 901 249
Medium A	maroon	150	C0a	1	20	572192	2 608 901 250
Very fine A	red	150	C0a	1	20	572208	2 608 901 251
Very fine GP	green	150	C0a	1	20	572222	2 608 901 253
Ultra fine S	grey	150	C0a	1	20	572215	2 608 901 252
Cleaning	white	150	C0a	1	20	572161	2 608 901 247

Polishing felts for random orbital sanders



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces
- ▶ For use with polish or grinding paste on even surfaces
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION				
Grade	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
soft	128	C1d	1	1	032780	2 608 613 009
soft	160	C1d	2	1	018784	3 608 604 001



Polishing sponges for random orbital sanders



- ▶ **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish or for working in surface sealing agents on curved and even surfaces
- ▶ Finishing of bright colours after using lambskin
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
130	C1d	1	1	014854	2 608 613 005	



Lambswool bonnets for random orbital sanders




- ▶ **Suitable for** polishing old varnish and after surface sanding
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Lambswool bonnet						
130	C1a	1	1	014786	2 608 610 001	
160	C1a	2	1	018746	3 608 610 000	
Lambskin disc Polishing old varnish after surface sanding						
170	P1d	1	1	632423	2 608 612 026	



SHEETS FOR DELTA SANDERS, MULTI TOOLS AND MULTI SANDERS

Make corner sanding easy.



	M480	C470	F460	C430
	EXPERT			
Page number	570	572	577	575
Grit range	80 – 400	40 – 400	40 – 240	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	F-Paper	C-Paper
Dimension mm	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93	32 x 90 / 100 x 150 / 100 x 170 / 102 x 62, 93

MATERIALS

Softwood / hardwood	✓	✓	✓	✓
Resinous wood	✓	✓	✓	✓
Plywood	✓	✓	✓	✓
Paint / varnish	✓	✓	✓	✓
Filler	✓	✓	✓	-
Plaster	✓	✓	-	-
Solid surface materials (Corian, Varicor)	✓	✓	-	-
Glass fibre reinforced plastics (GRP)	✓	-	-	-
Perspex	✓	-	-	-
Stone / glass	-	-	-	-

EXPERT M480 Sanding Nets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
93x93	80	open net	C1a	5	5	540542	2 608 900 716
93x93	100	open net	C1a	5	5	540559	2 608 900 717
93x93	120	open net	C1a	5	5	540566	2 608 900 718
93x93	150	open net	C1a	5	5	540573	2 608 900 719
93x93	180	open net	C1a	5	5	540580	2 608 900 720
93x93	220	open net	C1a	5	5	540597	2 608 900 721
93x93	240	open net	C1a	5	5	540603	2 608 900 722
93x93	320	open net	C1a	5	5	540610	2 608 900 723
93x93	400	open net	C1a	5	5	540627	2 608 900 724

EXPERT M480 Sanding Net Sets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6							
93x93	2x80 2x120 2x180	open net	C1a	6	5	568607	2 608 901 204

EXPERT M480 Sanding Nets for Multi Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
100x150	80	open net	C1a	10	5	540634	2 608 900 725	
100x150	100	open net	C1a	10	5	540641	2 608 900 726	
100x150	120	open net	C1a	10	5	540658	2 608 900 727	
100x150	150	open net	C1a	10	5	540665	2 608 900 728	
100x150	180	open net	C1a	10	5	540672	2 608 900 729	
100x150	220	open net	C1a	10	5	540689	2 608 900 730	
100x150	240	open net	C1a	10	5	540696	2 608 900 731	
100x150	320	open net	C1a	10	5	540702	2 608 900 732	
100x150	400	open net	C1a	10	5	540719	2 608 900 733	
Pack of 50								
100x150	80	open net		50	1	635736	2 608 901 623	
100x150	120	open net		50	1	635743	2 608 901 624	
100x150	180	open net		50	1	635750	2 608 901 625	
100x150	240	open net		50	1	635767	2 608 901 626	

EXPERT M480 Sanding Net Sets for Multi Sanders

EXPERT




- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
100x150	4x80 3x120 3x180	open net	C1a	10	5	568645	2 608 901 208	

EXPERT C470 Sandpapers for Delta Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 5								
93x93	40	6 holes	C1a	5	5	541617	2 608 900 823	
93x93	60	6 holes	C1a	5	5	541624	2 608 900 824	
93x93	80	6 holes	C1a	5	5	541631	2 608 900 825	
93x93	100	6 holes	C1a	5	5	541648	2 608 900 826	
93x93	120	6 holes	C1a	5	5	541655	2 608 900 827	
93x93	180	6 holes	C1a	5	5	541662	2 608 900 828	
93x93	240	6 holes	C1a	5	5	541679	2 608 900 829	
93x93	320	6 holes	C1a	5	5	541686	2 608 900 830	
93x93	400	6 holes	C1a	5	5	541693	2 608 900 831	
Pack of 50								
93x93	40	6 holes	C0a	50	1	542645	2 608 900 926	
93x93	60	6 holes	C0a	50	1	542652	2 608 900 927	
93x93	80	6 holes	C0a	50	1	542669	2 608 900 928	
93x93	100	6 holes	C0a	50	1	542676	2 608 900 929	
93x93	120	6 holes	C0a	50	1	542683	2 608 900 930	
93x93	180	6 holes	C0a	50	1	542690	2 608 900 931	
93x93	240	6 holes	C0a	50	1	542706	2 608 900 932	
93x93	320	6 holes	C0a	50	1	542713	2 608 900 933	
93x93	400	6 holes	C0a	50	1	542720	2 608 900 934	

EXPERT C470 Sandpaper Sets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6								
93x93	60	6 holes	C1a	6	5	541709	2 608 900 832	
	120							
	240							

EXPERT C470 Sandpapers with 7 holes for Multi Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



UP TO 2x



PRODUCT PROPERTIES			ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
100x150	40	7 holes	C1a	10	5	544526	2 608 901 114	
100x150	60	7 holes	C1a	10	5	544533	2 608 901 115	
100x150	80	7 holes	C1a	10	5	544540	2 608 901 116	
100x150	120	7 holes	C1a	10	5	544557	2 608 901 117	
100x150	180	7 holes	C1a	10	5	544564	2 608 901 118	
100x150	240	7 holes	C1a	10	5	544571	2 608 901 119	
100x150	320	7 holes	C1a	10	5	545042	2 608 901 166	
100x150	400	7 holes	C1a	10	5	545059	2 608 901 167	
Pack of 50								
100x150	40	-		50	1	635903	2 608 901 640	
100x150	60	-	C0a	50	1	635910	2 608 901 641	
100x150	80	-		50	1	635927	2 608 901 642	
100x150	120	-		50	1	635934	2 608 901 643	
100x150	180	-		50	1	635941	2 608 901 644	
100x150	240	-		50	1	635958	2 608 901 645	

EXPERT C470 Sandpapers Set with 7 holes for Multi Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



UP TO 2x



PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10						
100x150		C1a	10	5	638232	2 608 901 675

EXPERT C470 Sandpapers with 11 holes for Multi Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
102x62	40	11 holes	C1a	10	5	542249	2 608 900 886	
102x62	80	11 holes	C1a	10	5	542256	2 608 900 887	
102x62	120	11 holes	C1a	10	1	542263	2 608 900 888	
102x62	180	11 holes	C1a	10	5	542270	2 608 900 889	
Pack of 50								
102	40	-	C1a	10	5	638249	2 608 901 676	
102	60	-	C1a	10	5	636023	2 608 901 652	
102	240	-	C1a	10	5	636030	2 608 901 653	
102	80	-	C1a	50	1	635989	2 608 901 648	
102	120	-	C1a	50	1	635996	2 608 901 649	
102	180	-	C1a	50	1	636009	2 608 901 650	
102	240	-	C1a	50	1	636016	2 608 901 651	

C470 and C430 sanding sheets for multi-sanders, Best for Wood and Paint, Expert for Wood and Paint, 102x62, 93 mm, 11 holes


- best **Wood+Paint** ▶ C470 Best for Wood and Paint **suitable for** sanding wood, paint, varnish, roughcast (2x K40, 2x K80, 4x K120, 2x K180)
- expert **Wood+Paint** ▶ C430 Expert for Wood and Paint **suitable for** sanding all types of wood, wooden materials and paint (3x K40, 6x K80, 3x K120, 3x K180)
- ▶ **Appropriate for** multi-sanders from Bosch, Skil




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 25								
102x62, 93	2x40 2x80 2x180 3x40 3x120 3x180 4x120 6x80	11 holes	C1c	25	1	327695	2 608 607 417	




C430 sanding sheets for delta sanders, Expert for Wood and Paint, 32 mm


expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for delta sanders from Bosch, Skil



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 5								
32x88	40	no holes	C1a	5	5	159845	2 608 605 166	
32x88	60	no holes	C1a	5	5	159852	2 608 605 167	
32x88	80	no holes	C1a	5	5	159869	2 608 605 168	
32x88	120	no holes	C1a	5	5	159876	2 608 605 169	
32x88	240	no holes	C1a	5	5	159883	2 608 605 170	
Pack of 6								
32x88	60 120 240	no holes	C1a	6	5	159890	2 608 605 171	


C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 102x62, 93 mm, 11 holes


expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for multi-sanders from Bosch, Skil




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 10								
102x62, 93	40	11 holes	C1a	10	1	323284	2 608 607 407	
102x62, 93	80	11 holes	C1a	10	1	323291	2 608 607 408	
102x62, 93	120	11 holes	C1a	10	1	323307	2 608 607 409	
102x62, 93	180	11 holes	C1a	10	1	323314	2 608 607 410	

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 100x170 mm


expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for multi-sanders from Black+Decker




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
100x170	40	8 holes	C1a	5	5	160001	2 608 605 182
100x170	60	8 holes	C1a	5	5	160018	2 608 605 183
100x170	80	8 holes	C1a	5	5	160025	2 608 605 184
100x170	120	8 holes	C1a	5	5	160032	2 608 605 185
100x170	180	8 holes	C1a	5	5	170611	2 608 605 577
100x170	240	8 holes	C1a	5	5	170628	2 608 605 578
Pack of 6							
100x170	60 120 240	8 holes	C1a	6	5	160049	2 608 605 186




C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 93 x 135 mm

expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for multi-sanders from Bosch, Black+Decker




Pack of 5							
95X135	40	4 holes	C1a	5	5	337076	2 608 607 428
95X135	80	4 holes	C1a	5	5	337083	2 608 607 429
95X135	180	4 holes	C1a	5	5	337106	2 608 607 431
Pack of 5							
95X135	120	4 holes	C1a	5	5	337090	2 608 607 430
Pack of 6							
95X135	80 120 180	4 holes	C1a	6	5	337113	2 608 607 432



F460 sanding sheets for Multitools and Deltasanders, Best for Wood and Paint, 93mm

best for **Wood+Paint**



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 5								
93x93	40	6 holes	C1a	5	5	959865	2 608 621 684	
93x93	60	6 holes	C1a	5	5	959872	2 608 621 685	
93x93	80	6 holes	C1a	5	5	959889	2 608 621 686	
93x93	120	6 holes	C1a	5	5	959896	2 608 621 687	
93x93	180	6 holes	C1a	5	5	959902	2 608 621 688	
93x93	240	6 holes	C1a	5	5	959919	2 608 621 689	
Pack of 6								
93x93	60 120 240	6 holes	C1a	6	5	959926	2 608 621 690	
Pack of 10								
93x93	60 80 120 180 240	6 holes	C1a	10	5	509497	2 608 607 540	



Cleaning fleece for multi-sanders, 102x62, 93 mm



- ▶ **Appropriate for** multi-sanders from Bosch, Skil
- ▶ Medium to fine quality

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2-piece cleaning fleece set							
102x62, 93	Medium Fine	no holes	C1c	2	1	327718	2 608 607 419



SHEETS FOR ORBITAL SANDERS

Perfect for large surfaces.

			
	M480	C470	C430
	EXPERT	EXPERT	
Page number	579	581	584
Grit range	80 – 400	40 – 400	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	C-Paper
Dimension mm	80 x 133 / 93 x 186 / 115 x 230	80 x 133 / 93 x 186 / 93 x 230 / 115 x 107 / 115 x 140 / 115 x 230 / 115 x 280	80 x 133 / 93 x 186 / 93 x 230 / 115 x 230 / 115 x 280
			


MATERIALS

Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	-
Plaster	✓	✓	-
Solid surface materials (Corian, Varicor)	✓	✓	-
Glass fibre reinforced plastics (GRP)	✓	-	-
Perspex	✓	-	-

*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PARTICLE CONTROL UP TO **4x** DUST REDUCTION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
80x133	80	open net	C1a	10	5	540726	2 608 900 734	
80x133	100	open net	C1a	10	5	540733	2 608 900 735	
80x133	120	open net	C1a	10	5	540740	2 608 900 736	
80x133	150	open net	C1a	10	5	540757	2 608 900 737	
80x133	180	open net	C1a	10	5	540764	2 608 900 738	
80x133	220	open net	C1a	10	5	540771	2 608 900 739	
80x133	240	open net	C1a	10	5	540788	2 608 900 740	
80x133	320	open net	C1a	10	5	540795	2 608 900 741	
80x133	400	open net	C1a	10	5	540801	2 608 900 742	
93x186	80	open net	C1a	10	5	540818	2 608 900 743	
93x186	100	open net	C1a	10	5	540825	2 608 900 744	
93x186	120	open net	C1a	10	5	540832	2 608 900 745	
93x186	150	open net	C1a	10	5	540849	2 608 900 746	
93x186	180	open net	C1a	10	5	540856	2 608 900 747	
93x186	220	open net	C1a	10	5	540863	2 608 900 748	
93x186	240	open net	C1a	10	5	540870	2 608 900 749	
93x186	320	open net	C1a	10	5	540887	2 608 900 750	
93x186	400	open net	C1a	10	5	540894	2 608 900 751	
115x230	80	open net	C1a	10	5	540993	2 608 900 761	
115x230	100	open net	C1a	10	5	541006	2 608 900 762	
115x230	120	open net	C1a	10	5	541013	2 608 900 763	
115x230	150	open net	C1a	10	5	541020	2 608 900 764	
115x230	180	open net	C1a	10	5	541037	2 608 900 765	
115x230	220	open net	C1a	10	5	541044	2 608 900 766	
115x230	240	open net	C1a	10	5	541051	2 608 900 767	
115x230	320	open net	C1a	10	5	541068	2 608 900 768	
115x230	400	open net	C1a	10	5	541075	2 608 900 769	
Pack of 50								
80x133	80	open net		50	1	635811	2 608 901 631	
80x133	120	open net		50	1	635828	2 608 901 632	
80x133	180	open net		50		635835	2 608 901 633	
80x133	240	open net		50	1	635842	2 608 901 634	
93x186	80	open net	C0a	50	1	540900	2 608 900 752	
93x186	100	open net	C0a	50	1	540917	2 608 900 753	
93x186	120	open net	C0a	50	1	540924	2 608 900 754	
93x186	150	open net	C0a	50	1	540931	2 608 900 755	
93x186	180	open net	C0a	50	1	540948	2 608 900 756	
93x186	220	open net	C0a	50	1	540955	2 608 900 757	
93x186	240	open net	C0a	50	1	540962	2 608 900 758	
93x186	320	open net	C0a	50	1	540979	2 608 900 759	
93x186	400	open net	C0a	50	1	540986	2 608 900 760	
115x230	80	open net	C0a	50	1	541082	2 608 900 770	
115x107	80	open net		50	1	635774	2 608 901 627	
115x230	100	open net	C0a	50	1	541099	2 608 900 771	
115x230	120	open net	C0a	50	1	541105	2 608 900 772	
115x107	120	open net		50	1	635781	2 608 901 628	
115x230	180	open net	C0a	50	1	873673	2 608 621 274	
115x107	180	open net		50	1	635798	2 608 901 629	
115x230	220	open net	C0a	50	1	541112	2 608 900 773	
115x230	240	open net	C0a	50	1	873697	2 608 621 276	
115x107	240	open net		50	1	635804	2 608 901 630	
115x230	320	open net	C0a	50	1	541129	2 608 900 774	


EXPERT M480 Sanding Nets for Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115x230	400	open net	C0a	50	1	541136	2 608 900 775

EXPERT M480 Sanding Net Sets for Orbital Sanders

EXPERT




- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
80x133	4x80 3x120 3x180	open net	C1a	10	5	568614	2 608 901 205
93x186	4x80 3x120 3x180	open net	C1a	10	5	568621	2 608 901 206
115x230	4x80 3x120 3x180	open net	C1a	10	5	568638	2 608 901 207
115x107	-	-	C1a	10		636160	2 608 901 666

EXPERT C470 Sandpapers with 6 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
115x107	40	6 holes	C1a	10	5	542287	2 608 900 890
115x107	60	6 holes	C1a	10	5	542294	2 608 900 891
115x107	80	6 holes	C1a	10	5	542300	2 608 900 892
115x107	120	6 holes	C1a	10	5	542317	2 608 900 893
115x107	180	6 holes	C1a	10	5	542324	2 608 900 894
115x107	240	6 holes	C1a	10	5	542331	2 608 900 895
Pack of 50							
115x107	40	-	-	50	1	636047	2 608 901 654
115x107	60	-	-	50	1	636054	2 608 901 655
115x107	80	-	-	50	1	636061	2 608 901 656
115x107	120	-	-	50	1	636078	2 608 901 657
115x107	180	-	-	50	1	636085	2 608 901 658
115x107	240	-	-	50	1	636092	2 608 901 659

EXPERT C470 Sandpaper Sets with 6 holes for Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
115x140	2x40	6 holes	C1a	10	5	544519	2 608 901 113
	2x60						
	2x80						
	2x120						
	2x180						
115x107	-	-	C1a	10	5	636184	2 608 901 668

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



UP TO
2x



PRODUCT PROPERTIES | **ORDERING INFORMATION**


Sheet dimensions mm	Grit	Perforation	ORDERING INFORMATION				Barcode 4 059 952...	Part number
			Packaging type	Pack quantity	Minimum order quantity			
Pack of 10								
80x133	40	8 holes	C1a	10	5	542157	2 608 900 877	
80x133	60	8 holes	C1a	10	5	542164	2 608 900 878	
80x133	80	8 holes	C1a	10	5	542171	2 608 900 879	
80x133	100	8 holes	C1a	10	5	542188	2 608 900 880	
80x133	120	8 holes	C1a	10	5	542195	2 608 900 881	
80x133	180	8 holes	C1a	10	5	542201	2 608 900 882	
80x133	240	8 holes	C1a	10	5	542218	2 608 900 883	
80x133	320	8 holes	C1a	10	5	542225	2 608 900 884	
80x133	400	8 holes	C1a	10	5	542232	2 608 900 885	
93x186	40	8 holes	C1a	10	5	541914	2 608 900 853	
93x186	60	8 holes	C1a	10	5	541921	2 608 900 854	
93x186	80	8 holes	C1a	10	5	541938	2 608 900 855	
93x186	100	8 holes	C1a	10	5	542126	2 608 900 874	
93x186	120	8 holes	C1a	10	5	541945	2 608 900 856	
93x186	180	8 holes	C1a	10	5	541952	2 608 900 857	
93x186	240	8 holes	C1a	10	5	541969	2 608 900 858	
93x186	320	8 holes	C1a	10	5	542089	2 608 900 870	
93x186	400	8 holes	C1a	10	5	541976	2 608 900 859	
93x230	40	8 holes	C1a	10	5	541716	2 608 900 833	
93x230	60	8 holes	C1a	10	5	541723	2 608 900 834	
93x230	80	8 holes	C1a	10	5	541730	2 608 900 835	
93x230	100	8 holes	C1a	10	5	542096	2 608 900 871	
93x230	120	8 holes	C1a	10	5	541747	2 608 900 836	
93x230	180	8 holes	C1a	10	5	541754	2 608 900 837	
93x230	240	8 holes	C1a	10	5	541761	2 608 900 838	
93x230	320	8 holes	C1a	10	5	542102	2 608 900 872	
93x230	400	8 holes	C1a	10	5	541778	2 608 900 839	
Pack of 50								
80x133	40	-	C0a	50	1	636108	2 608 901 660	
80x133	80	-		50	1	636122	2 608 901 662	
80x133	120	-		50	1	636139	2 608 901 663	
80x133	180	-		50	1	636146	2 608 901 664	
93x186	40	8 holes	C0a	50	1	542737	2 608 900 935	
93x186	60	8 holes	C0a	50	1	542744	2 608 900 936	
93x186	80	8 holes	C0a	50	1	542751	2 608 900 937	
93x186	100	8 holes	C0a	50	1	542768	2 608 900 938	
93x186	120	8 holes	C0a	50	1	542775	2 608 900 939	
93x186	180	8 holes	C0a	50	1	542782	2 608 900 940	
93x186	400	8 holes	C0a	50	1	542799	2 608 900 941	

EXPERT C470 Sandpaper Sets with 8 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
93x230	3x60 4x80 3x120	8 holes	C1a	10	5	544502	2 608 901 112	
80x133	-	-	C1a	10	5	636207	2 608 901 670	

EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
115x230	40	14 holes	C1a	10	5	541983	2 608 900 860	
115x230	60	14 holes	C1a	10	5	541990	2 608 900 861	
115x230	80	14 holes	C1a	10	5	542003	2 608 900 862	
115x230	100	14 holes	C1a	10	5	542133	2 608 900 875	
115x230	120	14 holes	C1a	10	5	542010	2 608 900 863	
115x230	180	14 holes	C1a	10	5	542027	2 608 900 864	
115x230	240	14 holes	C1a	10	5	542034	2 608 900 865	
115x230	320	14 holes	C1a	10	5	542065	2 608 900 868	
115x230	400	14 holes	C1a	10	5	542041	2 608 900 866	
115x280	40	14 holes	C1a	10	5	541846	2 608 900 846	
115x280	60	14 holes	C1a	10	5	541853	2 608 900 847	
115x280	80	14 holes	C1a	10	5	541860	2 608 900 848	
115x280	100	14 holes	C1a	10	5	542140	2 608 900 876	
115x280	120	14 holes	C1a	10	5	541877	2 608 900 849	
115x280	180	14 holes	C1a	10	5	541884	2 608 900 850	
115x280	240	14 holes	C1a	10	5	541891	2 608 900 851	
115x280	320	14 holes	C1a	10	5	542072	2 608 900 869	
115x280	400	14 holes	C1a	10	5	541907	2 608 900 852	
Pack of 50								
115x230	40	14 holes	C0a	50	1	542805	2 608 900 942	
115x230	60	14 holes	C0a	50	1	542812	2 608 900 943	
115x230	80	14 holes	C0a	50	1	542829	2 608 900 944	


EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115x230	100	14 holes	C0a	50	1	542836	2 608 900 945
115x230	120	14 holes	C0a	50	1	542843	2 608 900 946
115x230	180	14 holes	C0a	50	1	542850	2 608 900 947
115x230	240	14 holes	C0a	50	1	542867	2 608 900 948
115x230	320	14 holes	C0a	50	1	542874	2 608 900 949
115x230	400	14 holes	C0a	50	1	542881	2 608 900 950

EXPERT C470 Sandpapers with no holes for Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
93x230	40	no holes	C1a	10	5	541785	2 608 900 840
93x230	60	no holes	C1a	10	5	541792	2 608 900 841
93x230	80	no holes	C1a	10	5	541808	2 608 900 842
93x230	100	no holes	C1a	10	5	542119	2 608 900 873
93x230	120	no holes	C1a	10	5	541815	2 608 900 843
93x230	180	no holes	C1a	10	5	541822	2 608 900 844
93x230	240	no holes	C1a	10	5	541839	2 608 900 845
93x230	320	no holes	C1a	10	5	542058	2 608 900 867


C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 80x133 mm, 8 holes


- expert **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
80x133	60	8 holes	C1a	10	5	160964	2 608 605 279
80x133	80	8 holes	C1a	10	5	160971	2 608 605 280
80x133	120	8 holes	C1a	10	5	160988	2 608 605 281
80x133	180	8 holes	C1a	10	5	160995	2 608 605 282
80x133	240	8 holes	C1a	10	5	161008	2 608 605 283

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes


- expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
93x186	40	8 holes	C1a	10	5	161190	2 608 605 302
93x186	60	8 holes	C1a	10	5	161206	2 608 605 303
93x186	80	8 holes	C1a	10	5	161213	2 608 605 304
93x186	180	8 holes	C1a	10	5	161251	2 608 605 308
93x186	240	8 holes	C1a	10	5	161268	2 608 605 309
93x186	4x60 4x120 2x180	8 holes	C1a	10	5	161275	2 608 605 310
Pack of 10							
93x186	120	8 holes	C1a	10	5	161237	2 608 605 306



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm, 8 holes


- expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for orbital sanders from Bosch, Festool, Makita, Metabo, Skil




Pack of 10							
93x230	40	8 holes	C1a	10	5	161114	2 608 605 294
93x230	60	8 holes	C1a	10	5	161121	2 608 605 295
93x230	80	8 holes	C1a	10	5	161138	2 608 605 296
93x230	120	8 holes	C1a	10	5	161152	2 608 605 298
93x230	180	8 holes	C1a	10	5	161176	2 608 605 300
93x230	240	8 holes	C1a	10	5	161183	2 608 605 301



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm


- expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
 ▶ Appropriate for conventional orbital sanders




Pack of 10							
93x230	40	no holes	C1a	10	5	170673	2 608 605 583
93x230	60	no holes	C1a	10	5	161282	2 608 605 311
93x230	80	no holes	C1a	10	5	161299	2 608 605 312
93x230	120	no holes	C1a	10	5	161305	2 608 605 313
93x230	180	no holes	C1a	10	5	161312	2 608 605 314
93x230	240	no holes	C1a	10	5	161329	2 608 605 315



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x230 mm, 14 holes


- expert  **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for orbital sanders from Bosch, Festool, Holz-Her, Makita, Metabo, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
115x230	40	14 holes	C1a	10	5	170680	2 608 605 584
115x230	60	14 holes	C1a	10	5	161336	2 608 605 316
115x230	80	14 holes	C1a	10	5	161343	2 608 605 317
115x230	120	14 holes	C1a	10	5	161350	2 608 605 318
115x230	180	14 holes	C1a	10	5	161367	2 608 605 319
115x230	240	14 holes	C1a	10	5	161374	2 608 605 320
115x230	4x60 4x120 2x180	14 holes	C1a	10	5	161398	2 608 605 322



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm, 14 holes


- expert  **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for orbital sanders from Bosch, AEG, Festool, Hitachi, Kress, Makita, Metabo, Skil




Pack of 10							
115x280	40	14 holes	C1a	10	5	161589	2 608 605 341
115x280	60	14 holes	C1a	10	5	161596	2 608 605 342
115x280	80	14 holes	C1a	10	5	161602	2 608 605 343
115x280	120	14 holes	C1a	10	5	161626	2 608 605 345
115x280	180	14 holes	C1a	10	5	161640	2 608 605 347
115x280	240	14 holes	C1a	10	5	161657	2 608 605 348



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm

- expert  **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for conventional orbital sanders



Pack of 10							
115x280	40	no holes	C1a	10	5	170697	2 608 605 585
115x280	60	no holes	C1a	10	5	161404	2 608 605 323
115x280	80	no holes	C1a	10	5	161411	2 608 605 324
115x280	120	no holes	C1a	10	5	161428	2 608 605 325
115x280	180	no holes	C1a	10	5	161435	2 608 605 326



REMOVAL WITHOUT LIMITS

Belts for belt sanders.



X440

Page number	589
Grit range	40 – 220
Grit type	Aluminium oxide
Backing material	X-Cloth
Dimension mm	13 x 457 / 60 – 100 x 400 – 620

MATERIALS

Softwood / hardwood	✓
Resinous wood	✓
Plywood	✓
Paint / varnish	✓
Filler	✓
Plaster	✓
Solid surface materials (Corian, Varicor)	✓
Glass fibre reinforced plastics (GRP)	✓
Perspex	✓

HIGH PERFORMANCE METAL SANDING

Belts for belt sanders.



	N470	X450	Y580
	EXPERT		
Page number	594	592	595
Grit range	Coarse, Medium, Fine	40 – 120	40 – 180
Grit type	Aluminium Oxide	Zirconia	Zirconia
Backing material	Cloth backing	X-Cloth	Y-/X-Cloth
Dimension mm	13 x 457 / 40 x 760 / 100 x 285	13 x 457 / 40 x 305	13 x 457 / 40 x 760 / 100 x 285


MATERIALS

Stainless steel (inox)	✓	-	✓
Mild steel (metal)	✓	✓	✓
Sheet metal	✓	✓	-
Plasterboard	✓	✓	-
Aluminium	✓	✓	-

Sanding Belts for Belt Sanders

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

best for **Wood+Paint** ▶ Suitable for sanding all types of wood, hardwood, chipboard, construction boards and paint



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
40	305	40	C1e	3	2	188562	2 608 606 929
Pack of 3							
PBS 60; PBS 60 E							
60	400	40	C1e	3	2	163361	2 608 606 000
60	400	60	C1e	3	4	163378	2 608 606 001
60	400	80	C1e	3	4	163385	2 608 606 002
60	400	100	C1e	3	4	163392	2 608 606 003
60	400	150	C1e	3	4	163408	2 608 606 004
60	400	240	C1e	3	4	163415	2 608 606 005
Pack of 3							
PBS 60; PBS 60 E							
60	400	60 80 100	C1e	3	4	163439	2 608 606 007
Pack of 3							
AEG; Black+Decker; Holz-Her; Kress; Metabo							
65	410	40	C1e	3	2	163514	2 608 606 015
65	410	80	C1e	3	4	163538	2 608 606 017
65	410	100	C1e	3	4	163545	2 608 606 018
65	410	120	C1e	3	4	163552	2 608 606 019
65	410	150	C1e	3	4	163569	2 608 606 020
65	410	180	C1e	3	4	163576	2 608 606 021
65	410	220	C1e	3	4	163583	2 608 606 022
65	410	60 80 100	C1e	3	4	163590	2 608 606 023
Pack of 3							
Bosch; Makita; Peugeot; Skil; Stayer							
75	457	40	C1e	3	2	163682	2 608 606 032
75	457	60	C1e	3	4	163699	2 608 606 033
75	457	80	C1e	3	4	163705	2 608 606 034
75	457	100	C1e	3	4	163712	2 608 606 035
75	457	120	C1e	3	4	163729	2 608 606 036
75	457	180	C1e	3	4	163743	2 608 606 038
75	457	220	C1e	3	4	163750	2 608 606 039
75	457	60 80 100	C1e	3	4	163767	2 608 606 040
Pack of 3							
Bosch; Makita; Peugeot; Skil; Stayer							
75	457	150	C1e	3	4	163736	2 608 606 037
Pack of 3							
Elu MHB 157; Elu MHB 158							
75	480	40	C1e	3	2	163781	2 608 606 042

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
75	480	60	C1e	3	4	163798	2 608 606 043
75	480	80	C1e	3	4	163804	2 608 606 044
75	480	100	C1e	3	4	163811	2 608 606 045
75	480	120	C1e	3	4	163828	2 608 606 046
75	480	150	C1e	3	4	163835	2 608 606 047
75	480	180	C1e	3	4	163842	2 608 606 048
75	480	220	C1e	3	4	163859	2 608 606 049
75	480	60	C1e	3	4	163958	2 608 606 059
		80					
		100					

Pack of 3

Black+Decker

75	508	40	C1e	3	2	163965	2 608 606 060
75	508	60	C1e	3	4	163972	2 608 606 061
75	508	100	C1e	3	4	163996	2 608 606 063
75	508	120	C1e	3	4	164009	2 608 606 064
75	508	150	C1e	3	4	164016	2 608 606 065
75	508	220	C1e	3	4	164030	2 608 606 067
75	508	60	C1e	3	4	164047	2 608 606 068
		80					
		100					

Pack of 3

Black+Decker

75	508	80	C1e	3	4	163989	2 608 606 062
----	-----	----	-----	---	---	--------	---------------

Pack of 3

Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil

75	533	40	C1e	3	2	164054	2 608 606 069
75	533	60	C1e	3	4	164061	2 608 606 070
75	533	80	C1e	3	4	164078	2 608 606 071
75	533	100	C1e	3	4	164085	2 608 606 072
75	533	120	C1e	3	4	247955	2 608 607 258
75	533	150	C1e	3	4	164092	2 608 606 073
75	533	180	C1e	3	4	247979	2 608 607 260
75	533	60	C1e	3	4	164146	2 608 606 078
		80					
		100					

Pack of 10

Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil

75	533	40	P0n	10	2	164160	2 608 606 080
75	533	60	P0n	10	1	164177	2 608 606 081
75	533	80	P0n	10	1	164184	2 608 606 082
75	533	100	P0n	10	1	164191	2 608 606 083
75	533	120	P0n	10	1	247962	2 608 607 259
75	533	150	P0n	10	1	164207	2 608 606 084
75	533	180	P0n	10	1	247986	2 608 607 261
75	533	220	P0n	10	1	164214	2 608 606 085

Pack of 3

Hitachi; Makita; Ryobi

75	610	40	C1e	3	2	164252	2 608 606 089
75	610	60	C1e	3	4	164269	2 608 606 090
75	610	80	C1e	3	4	164276	2 608 606 091
75	610	100	C1e	3	4	164283	2 608 606 092

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
75	610	120	C1e	3	4	164290	2 608 606 093
75	610	150	C1e	3	4	164306	2 608 606 094
75	610	60 80 100	C1e	3	4	164313	2 608 606 095

Pack of 3

AEG; Atlas Copco; DeWalt; Elu; Festool; Ryobi

100	560	40	C1e	3	2	164498	2 608 606 113
100	560	60	C1e	3	4	164504	2 608 606 114
100	560	80	C1e	3	4	164511	2 608 606 115
100	560	100	C1e	3	4	164528	2 608 606 116
100	560	120	C1e	3	4	164535	2 608 606 117
100	560	150	C1e	3	4	164542	2 608 606 118
100	560	60 80 100	C1e	3	4	164634	2 608 606 128

Pack of 3

Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma

100	610	40	C1e	3	2	164658	2 608 606 129
100	610	60	C1e	3	4	164665	2 608 606 130
100	610	100	C1e	3	4	164689	2 608 606 132
100	610	120	C1e	3	4	247993	2 608 607 262
100	610	150	C1e	3	4	164696	2 608 606 133
100	610	60 80 100	C1e	3	4	164757	2 608 606 139

Pack of 3

Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma

100	610	80	C1e	3	4	164672	2 608 606 131
-----	-----	----	-----	---	---	--------	---------------

Pack of 10

Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma

100	610	40	P0n	10	2	164702	2 608 606 134
100	610	60	P0n	10	1	164719	2 608 606 135
100	610	80	P0n	10	1	164726	2 608 606 136
100	610	100	P0n	10	1	164733	2 608 606 137
100	610	120	P0n	10	1	248006	2 608 607 263
100	610	150	P0n	10	1	164740	2 608 606 138

Pack of 3

Bosch; AEG; Atlas Copco; Hitachi; Makita; Metabo

100	620	40	C1e	3	2	164771	2 608 606 141
100	620	60	C1e	3	4	164788	2 608 606 142
100	620	80	C1e	3	4	164795	2 608 606 143
100	620	100	C1e	3	4	164801	2 608 606 144
100	620	150	C1e	3	4	164818	2 608 606 145
100	620	220	C1e	3	4	164825	2 608 606 146

Pack of 3

Peugeot; Skil

100	552	40	C1e	3	2	164979	2 608 606 161
-----	-----	----	-----	---	---	--------	---------------

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
Peugeot; Skil							
100	552	60	C1e	3	4	164986	2 608 606 162
100	552	80	C1e	3	4	164993	2 608 606 163
100	552	100	C1e	3	4	165006	2 608 606 164
100	552	120	C1e	3	4	165013	2 608 606 165
Pack of 3							
GVS 350 AE Professional							
40	305	60	C1e	3	4	165426	2 608 606 206
40	305	80	C1e	3	4	165433	2 608 606 207
40	305	120	C1e	3	4	165440	2 608 606 208
40	305	180	C1e	3	4	165457	2 608 606 209
40	305	60 80 120	C1e	3	4	165471	2 608 606 211

X450 Sanding Belt for Belt sander, Best for Metal

expert  Metal Pack of 3




40	305	60	C1e	3	4	174879	2 608 606 220
40	305	80	C1e	3	4	174886	2 608 606 221
40	305	120	C1e	3	4	174893	2 608 606 222
40	305	180	C1e	3	4	174909	2 608 606 223



Sanding Belts for Power Files

X440 Sanding Belts for Power Files, Best for Wood and Paint

best  **Wood+Paint** ▶ Suitable for sanding all types of wood and paint



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	457	40	C1k	3	4	165396	2 608 606 203
13	457	60	C1k	3	4	165402	2 608 606 204
13	457	120	C1k	3	4	165419	2 608 606 205

X450 Sanding Belts for Power Files, Expert for Metal

expert  **Metal**



13	457	40	C1k	3	4	174848	2 608 606 217
13	457	60	C1k	3	4	174855	2 608 606 218
13	457	120	C1k	3	4	174862	2 608 606 219

HIGH SPEED METAL FINISHING

EXPERT N470 Sanding Belts

ASSORTMENT: fine / medium / coarse

EXPERT

- 1 Exceptional abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece



EXPERT N470 Sanding Belts for Belt Sanders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch C420 Belt.




UP TO
4x



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
40	760	Coarse	Pof	10	1	572239	2 608 901 254
40	760	Medium	Pof	10	1	572246	2 608 901 255
40	760	Fine	Pof	10	1	572253	2 608 901 256

EXPERT N470 Sanding Sleeves for Burnishing Machines

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discoloration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch C420 Belt.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grit	Diameter mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100 x 290	Coarse	100	290	Pof	10	1	572260	2 608 901 257
100 x 290	Medium	100	290	Pof	10	1	572277	2 608 901 258
100 x 290	Fine	100	290	Pof	10	1	572284	2 608 901 259

Y580 sanding sleeves for burnishing machines, Best for Inox

best **for Inox**

- ▶ Suitable for sanding stainless steel (inox)
- ▶ Hardly any discoloration thanks to cooling additives
- ▶ With zirconia - for a high material removal rate
- ▶ Appropriate for expansion rollers



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100 x 285	40	C0a	5	1	807623	2 608 608 Z79
100 x 285	60	C0a	5	1	807630	2 608 608 Z80
100 x 285	80	C0a	5	1	807647	2 608 608 Z81
100 x 285	120	C0a	5	1	807654	2 608 608 Z82
100 x 285	180	C0a	5	1	807661	2 608 608 Z83



Expansion Wheel for Burnishing Machines



- ▶ Suitable for sanding sleeves and all conventional burnishing machines

PRODUCT PROPERTIES				ORDERING INFORMATION				
Max. speed rpm	Diameter mm	Length, sheet mm	Diameter, shank mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3,400	90	100	19	C0a	1	1	732932	2 608 000 610



SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

Because manual sanding is everywhere.

					
	M480	C470	Foams	C420	J450
	EXPERT	EXPERT	EXPERT		
Page number	601	601	607	599	603
Grit range	80 – 400	40 – 400	Medium – super fine	40 – 240	60 – 320
Grit type	Aluminium oxide	Aluminium oxide	–	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	PU	C-Paper	J-Cloth
Dimension mm	93 x 5 000 / 115 x 5 000	230 x 280 / 93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000	69 x 97 x 26 / 98 x 120 x 13	230 x 280	93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000
	 	 	 		


MATERIALS

Softwood / hardwood	✓	✓	✓	✓	✓
Resinous wood	✓	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓
Paint / varnish	✓	✓	✓		✓
Filler	✓	✓	✓	–	✓
Plaster	✓	✓	✓		✓
Solid surface materials (Corian, Varicor)	✓	✓	–	–	✓
Glass fibre reinforced plastics (GRP)	✓	–	–	–	–
Perspex	✓	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

The manual option.



	N880	J475
	EXPERT	
Page number	605	600
Grit range	Coarse – ultra Fine	40 – 400
Grit type	Aluminium oxide / Silicon carbide	Aluminium oxide
Backing material	Nonwoven	J-Cloth
Dimension mm	∅ 125 / ∅ 150 / 152 x 229 / 100 x 10 000 / 115 x 10 000 / 150 x 10 000	230 x 280 / 38 x 25 000

MATERIALS

Stainless steel (inox)	✓	✓
Mild steel (metal)	✓	✓
Sheet metal	✓	✓
Plasterboard	✓	✓
Aluminium	✓	✓

Sandpapers for Handsanding

EXPERT Dual Density Block

EXPERT



- ▶ Ideal for highly effective, low-dust sanding of flat surfaces as well as shapes and contours, eg when preparing your workpieces for painting.
- ▶ Great choice for woodworkers and painters: versatile and efficient.
- ▶ 3 Applications in 1 Sanding Block.
- ▶ Just stick it on with hook and loop.


PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
80x133	2x80 2x120 1x180	C1a	6	1	635859	2 608 901 635

EXPERT C470 Sandpapers for Handsanding

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.





UP TO
2x



PRODUCT PROPERTIES		ORDERING INFORMATION					
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 1							
230x280	40	Pof	1	25	542959	2 608 900 957	
230x280	60	Pof	1	50	542966	2 608 900 958	
230x280	80	Pof	1	50	542973	2 608 900 959	
230x280	100	Pof	1	50	542980	2 608 900 960	
230x280	120	Pof	1	50	542997	2 608 900 961	
230x280	150	Pof	1	50	543000	2 608 900 962	
230x280	180	Pof	1	50	543017	2 608 900 963	
230x280	220	Pof	1	50	543024	2 608 900 964	
230x280	240	Pof	1	50	543031	2 608 900 965	
230x280	320	Pof	1	50	543048	2 608 900 966	
230x280	400	Pof	1	50	543055	2 608 900 967	

C420 paper sanding sheets for hand sanding and for orbital sanders, Standard for Wood and Paint, 230x280 mm

- standard  **Wood+Paint**
- ▶ Suitable for sanding softwood
 - ▶ Appropriate for hand sanding blocks, orbital sanders




PRODUCT PROPERTIES		ORDERING INFORMATION					
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 1							
230x280	40	Pof	1	50	914642	2 608 621 591	
230x280	60	Pof	1	50	914659	2 608 621 592	
230x280	80	Pof	1	50	914666	2 608 621 593	
230x280	100	Pof	1	50	914673	2 608 621 594	
230x280	120	Pof	1	50	914680	2 608 621 595	
230x280	180	Pof	1	50	914697	2 608 621 596	
230x280	240	Pof	1	50	914703	2 608 621 597	



J475 cloth sanding sheets for hand sanding and for orbital sanders, Best for Metal, 230x280 mm


best **Metal** ▶ Suitable for sanding all metals
 ▶ Appropriate for hand sanding blocks, orbital sanders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
230x280	40	Pof	1	25	678384	2 608 608 C05
230x280	60	Pof	1	25	678391	2 608 608 C06
230x280	80	Pof	1	25	678407	2 608 608 C07
230x280	100	Pof	1	25	678414	2 608 608 C08
230x280	180	Pof	1	25	678445	2 608 608 C11
230x280	240	Pof	1	25	678469	2 608 608 C13
230x280	320	Pof	1	25	678483	2 608 608 C15
230x280	400	Pof	1	25	678490	2 608 608 C16
Pack of 1						
230x280	120	Pof	1	25	678421	2 608 608 C09

EXPERT M480 Sanding Net Rolls

EXPERT




- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	80	P1f	1	1	541143	2 608 900 776
93	5	100	P1f	1	1	541150	2 608 900 777
93	5	120	P1f	1	1	541167	2 608 900 778
93	5	150	P1f	1	1	541174	2 608 900 779
93	5	180	P1f	1	1	541181	2 608 900 780
93	5	220	P1f	1	1	541198	2 608 900 781
93	5	240	P1f	1	1	541204	2 608 900 782
93	5	320	P1f	1	1	541211	2 608 900 783
93	5	400	P1f	1	1	541228	2 608 900 784
115	5	80	P1f	1	1	541235	2 608 900 785
115	5	100	P1f	1	1	541242	2 608 900 786
115	5	120	P1f	1	1	541259	2 608 900 787
115	5	150	P1f	1	1	541266	2 608 900 788
115	5	180	P1f	1	1	541273	2 608 900 789
115	5	220	P1f	1	1	541280	2 608 900 790
115	5	240	P1f	1	1	541297	2 608 900 791
115	5	320	P1f	1	1	541303	2 608 900 792
115	5	400	P1f	1	1	541310	2 608 900 793

EXPERT C470 Sandpaper Rolls for Hand sanding

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	40	P1f	1	1	542409	2 608 900 902
93	5	60	P1f	1	1	542416	2 608 900 903
93	5	80	P1f	1	1	542423	2 608 900 904
93	5	120	P1f	1	1	542430	2 608 900 905
93	5	180	P1f	1	1	542447	2 608 900 906
93	5	240	P1f	1	1	542454	2 608 900 907
115	5	40	P1f	1	1	542348	2 608 900 896
115	5	60	P1f	1	1	542355	2 608 900 897

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION			
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	5	80	P1f	1	1	542362	2 608 900 898
115	5	120	P1f	1	1	542379	2 608 900 899
115	5	180	P1f	1	1	542386	2 608 900 900
115	5	240	P1f	1	1	542393	2 608 900 901
50 m							
93	50	40	P0f	1	1	543062	2 608 900 968
93	50	60	P0f	1	1	543079	2 608 900 969
93	50	80	P0f	1	1	543086	2 608 900 970
93	50	100	P0f	1	1	543093	2 608 900 971
93	50	120	P0f	1	1	543109	2 608 900 972
93	50	180	P0f	1	1	543116	2 608 900 973
93	50	240	P0f	1	1	543123	2 608 900 974
93	50	320	P0f	1	1	543130	2 608 900 975
93	50	400	P0f	1	1	543147	2 608 900 976
115	50	40	P0f	1	1	543154	2 608 900 977
115	50	60	P0f	1	1	543161	2 608 900 978
115	50	80	P0f	1	1	543178	2 608 900 979
115	50	100	P0f	1	1	543185	2 608 900 980
115	50	120	P0f	1	1	543192	2 608 900 981
115	50	180	P0f	1	1	543208	2 608 900 982
115	50	240	P0f	1	1	543215	2 608 900 983
115	50	320	P0f	1	1	543222	2 608 900 984
115	50	400	P0f	1	1	543239	2 608 900 985

C410 sanding rolls, Standard for Wood and Paint

standard  **Wood+Paint** ▶ Suitable for sanding softwood




PRODUCT PROPERTIES				ORDERING INFORMATION			
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5 m							
93	5	40	P1f	1	4	180672	2 608 606 802
115	5	40	P1f	1	4	180825	2 608 606 817
115	5	60	P1f	1	4	180832	2 608 606 818
115	5	80	P1f	1	4	180849	2 608 606 819
115	5	120	P1f	1	4	180856	2 608 606 820
115	5	180	P1f	1	4	180863	2 608 606 821
115	5	240	P1f	1	4	180870	2 608 606 822

C355 paper sanding rolls, Best for Coatings and Composites - waterproof

best  **Coatings+Composites**

► Suitable for sanding hard minerals, varnish, plastic


► Appropriate for hand sanding blocks



PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5 m							
93	5	120	P1f	1	1	549837	2 608 607 772
93	5	180	P1f	1	1	549844	2 608 607 773
93	5	240	P1f	1	1	549851	2 608 607 774
93	5	320	P1f	1	1	549868	2 608 607 775
93	5	400	P1f	1	1	549875	2 608 607 776
115	5	180	P1f	1	1	549981	2 608 607 787
115	5	240	P1f	1	1	549998	2 608 607 788
115	5	400	P1f	1	1	550000	2 608 607 789

J450 sanding rolls, Expert for Wood and Paint


expert  **Wood+Paint**



5m							
93	5	100	P1f	1	1	912426	2 608 621 457
5m							
115	5	60	P1f	1	1	912495	2 608 621 464
115	5	80	P1f	1	1	912501	2 608 621 465
115	5	100	P1f	1	1	912518	2 608 621 466
115	5	120	P1f	1	1	912525	2 608 621 467
115	5	180	P1f	1	1	912549	2 608 621 469
115	5	240	P1f	1	1	912563	2 608 621 471
115	5	320	P1f	1	1	912570	2 608 621 472
50m							
93	50	60	P1f	1	1	912587	2 608 621 473
93	50	80	P1f	1	1	912594	2 608 621 474
93	50	100	P1f	1	1	912600	2 608 621 475
93	50	120	P1f	1	1	912617	2 608 621 476
93	50	180	P1f	1	1	912631	2 608 621 478
93	50	240	P1f	1	1	912655	2 608 621 480
93	50	320	P1f	1	1	912662	2 608 621 481
115	50	60	P1f	1	1	912679	2 608 621 482
115	50	80	P1f	1	1	912686	2 608 621 483
115	50	100	P1f	1	1	912693	2 608 621 484
115	50	120	P1f	1	1	912709	2 608 621 485
115	50	180	P1f	1	1	912723	2 608 621 487
115	50	240	P1f	1	1	912747	2 608 621 489
115	50	320	P1f	1	1	912754	2 608 621 490

J475 economy rolls, Best for Metal

best  **Metal** ▶ Suitable for sanding all metals



PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
25 m							
38	25	40	C0a	1	1	678629	2 608 608 C29
38	25	60	C0a	1	1	678636	2 608 608 C30
38	25	80	C0a	1	1	678643	2 608 608 C31
38	25	100	C0a	1	1	678650	2 608 608 C32
38	25	120	C0a	1	1	678667	2 608 608 C33
38	25	180	C0a	1	1	678681	2 608 608 C35
38	25	240	C0a	1	1	678704	2 608 608 C37
38	25	320	C0a	1	1	678728	2 608 608 C39

EXPERT N880 Fleece Pads for Hand sanding

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.



PRODUCT PROPERTIES			ORDERING INFORMATION					Part number
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
152 x 229	Cleaning	white	C0a	1	20	571805	2 608 901 211	
152 x 229	Coarse A	brown	C0a	1	20	571812	2 608 901 212	
152 x 229	Extra cut S	black	C0a	1	20	571799	2 608 901 210	
152 x 229	Medium A	maroon	C0a	1	20	571836	2 608 901 214	
152 x 229	Medium S	black	C0a	1	20	571829	2 608 901 213	
152 x 229	Ultra fine S	grey	C0a	1	20	571850	2 608 901 216	
152 x 229	Very fine A	red	C0a	1	20	571843	2 608 901 215	
152 x 229	Very fine GP	green	C0a	1	20	571867	2 608 901 217	
115 x 140	Coarse A	brown	C1b	2	1	571874	2 608 901 218	
115 x 140	Medium S	black	C1b	2	10	571881	2 608 901 219	
115 x 140	Very fine A	red	C1b	2	10	571898	2 608 901 220	
115 x 140	Very fine GP	green	C1b	2	1	571904	2 608 901 221	

EXPERT N880 Fleece Rolls for Hand sanding

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.



PRODUCT PROPERTIES			ORDERING INFORMATION					Part number
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	
100	10	Coarse A	brown	P0f	1	1	571911	2 608 901 222
100	10	Medium S	black	P0f	1	1	571928	2 608 901 223
100	10	Very fine A	red	P0f	1	1	571935	2 608 901 224
100	10	Very fine GP	green	P0f	1	1	571942	2 608 901 225
115	10	Cleaning	white	P0f	1	1	571959	2 608 901 226
115	10	Coarse A	brown	P0f	1	1	571966	2 608 901 227
115	10	Medium A	maroon	P0f	1	1	571980	2 608 901 229
115	10	Medium S	black	P0f	1	1	571973	2 608 901 228
115	10	Ultra fine S	grey	P0f	1	1	572000	2 608 901 231
115	10	Very fine A	red	P0f	1	1	571997	2 608 901 230
115	10	Very fine GP	green	P0f	1	1	572017	2 608 901 232
150	10	Cleaning	white	P0f	1	1	572024	2 608 901 233
150	10	Coarse A	brown	P0f	1	1	572031	2 608 901 234

EXPERT N880 Fleece Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	10	Medium A	maroon	POf	1	1	572055	2 608 901 236
150	10	Medium S	black	POf	1	1	572048	2 608 901 235
150	10	Ultra fine S	grey	POf	1	1	572079	2 608 901 238
150	10	Very fine A	red	POf	1	1	572062	2 608 901 237
150	10	Very fine GP	green	POf	1	1	572086	2 608 901 239


LONG LIFE SANDING WOOD AND PAINT

EXPERT Sanding Foams

ASSORTMENT: Medium / Fine / Superfine


EXPERT

- 1 Strong, flexible bonding with Bosch Surface Structure
- 2 Tear Resistant foam is strong and durable
- 3 Sponge moulds to shapes for even pressure on surface



EXPERT S470 Combi Blocks

EXPERT



- ▶ Ideal for general sanding, for example to remove old paint from window frames; thin edge is ideal for sanding surface next to glass of walls; rounded edge can follow the shape of routed edges on wooden tables.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than Bosch C420 Sandpaper.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545127	2 608 901 174
69 x 97 x 26	Fine	yellow	C0a	1	50	545066	2 608 901 168

EXPERT S471 Standard Blocks

EXPERT




- ▶ Ideal for flat sanding, for example to remove old paint from window frames; square edges and firm pad helps to give shape, for example by sanding away sharp edges.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than Bosch C420 Sandpaper.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545134	2 608 901 175	
69 x 97 x 26	Medium	orange	C0a	1	20	545158	2 608 901 177	
69 x 97 x 26	Fine	yellow	C0a	1	20	545165	2 608 901 178	
69 x 97 x 26	Super fine	green	C0a	1	20	545172	2 608 901 179	
69 x 97 x 26	Medium	orange	C0a	1	50	545073	2 608 901 169	
69 x 97 x 26	Fine	yellow	C0a	1	50	545080	2 608 901 170	
69 x 97 x 26	Super fine	green	C0a	1	50	545189	2 608 901 180	
Pack of 20								
96 x 26 x 69	Coarse A	-	C0a	1	20	638263	2 608 901 678	

EXPERT S473 Standard Pads

EXPERT



- ▶ Ideal for sanding curved surfaces, even tight curves such as the legs of a table or of a chair. This broad, thin pad is very flexible and can grab around cylindrical surfaces for easy, even sanding; form-following sanding of furniture to remove old paint or finish natural wood.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than Bosch C420 Sandpaper.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
98 x 120 x 13	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545141	2 608 901 176	
98 x 120 x 13	Medium	orange	C0a	1	50	545097	2 608 901 171	
98 x 120 x 13	Fine	yellow	C0a	1	50	545103	2 608 901 172	
98 x 120 x 13	Super fine	green	C0a	1	50	545110	2 608 901 173	

Accessories for orbital sanders or for hand sanding

Hand sanding blocks

- ▶ **Suitable for** sanding paint, soft or hard wood, glass fibre plastics and smudging materials such as filler or roughcast
- ▶ Two grit grades, “medium” and “fine”, on the hand sanding block
- ▶ Carbide sanding sheet permanently bonded to the hand sanding block – guarantees robustness and long life



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hand sanding block with hook-and-loop-type fastening system, 2 sides: Medium-hard (blue), extra-soft (white)							
70	125	-	C0a	1	1	672191	2 608 608 586



Hand sander made of plastic							
85	165	-	C1e	1	1	755542	2 608 601 218

Hole punches for unpunched sanding sheets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hole punch made of plastic GSS 23 AE; GSS 230 AVE Professional							
93	230	8	P0f	1	1	018593	2 608 190 016



Hole punch made of plastic GSS 23 AE; GSS 280 AVE Professional							
115	280	14	P0f	1	1	018135	2 608 190 017

METAL SANDING

Sand metal effectively.

The best your tool can get. Bosch Professional Accessories.



FIBRE AND FLAP DISCS FOR ANGLE GRINDERS

Get the quality finish.



	N477	R782	R781	R780
	EXPERT	EXPERT	EXPERT	
Page number	629	614	617	620
Grit range	Extra coarse - very fine	36+ - 120+	36+ - 80+	36 - 120
Grit type	Aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide
Backing material	3D Fibre fleece	Fibre	Fibre	Fibre
Diameter mm	100 - 125	115 - 180	115 - 180	115 - 180
X-LOCK	✓	✓	✓	✓
M14	✓	✓	✓	✓

MATERIALS

Stainless steel (inox)	✓	✓	-	✓
Mild steel (metal)	✓	✓	✓	✓
Sheet metal	✓	✓	✓	✓
Construction wood	✓	-	✓	-
Aluminium	✓	✓	-	✓

*Bosch EXPERT products vs. Bosch standard products



R574



R444



X581



X571



X551

622	621	623	624	627
24 - 120	24 - 120	40 - 80	40 - 120	40 - 120
Zirconia	Aluminium oxide	Zirconia	Zirconia	Zirconia
Fibre	Fibre	X-Cloth	X-Cloth	X-Cloth
115 - 230	100 - 230	115 - 125	115 - 180	115 - 180
✓	✓	-	✓	-
✓	✓	✓	✓	✓
-	-	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	-	✓	✓
✓	✓	-	✓	✓
✓	✓	-	✓	✓


HIGH SPEED GRINDING STAINLESS STEEL

EXPERT R782 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 120+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for outstanding performance



EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRISMA TECHNOLOGY

UP TO 4x



PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P1b	5	5	537290	2 608 621 804
115	22.23	60	●	P1b	5	5	537306	2 608 621 805
115	22.23	80	●	P1b	5	5	538297	2 608 621 806
115	22.23	120	●	P1b	5	5	538303	2 608 621 807
125	22.23	36	●	P1b	5	5	538310	2 608 621 808

EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES					ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
125	22.23	60	●	P1b	5	5	538327	2 608 621 809	
125	22.23	80	●	P1b	5	5	538334	2 608 621 810	
125	22.23	120	●	P1b	5	5	538341	2 608 621 811	
115	22.23	36	●	P0b	25	1	538433	2 608 621 820	
115	22.23	60	●	P0b	25	1	538440	2 608 621 821	
115	22.23	80	●	P0b	25	1	538457	2 608 621 822	
115	22.23	120	●	P0b	25	1	538464	2 608 621 823	
125	22.23	36	●	P0b	25	1	538471	2 608 621 824	
125	22.23	60	●	P0b	25	1	538488	2 608 621 825	
125	22.23	80	●	P0b	25	1	538495	2 608 621 826	
125	22.23	120	●	P0b	25	1	538501	2 608 621 827	

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	538396	2 608 621 816
100	16	60	P0b	25	1	538402	2 608 621 817
100	16	80	P0b	25	1	538419	2 608 621 818
100	16	120	P0b	25	1	538426	2 608 621 819

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	538518	2 608 621 828
180	22.23	60	P0b	25	1	538525	2 608 621 829
180	22.23	80	P0b	25	1	538532	2 608 621 830
180	22.23	120	P0b	25	1	538549	2 608 621 831


HIGH SPEED GRINDING METAL

EXPERT R781 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 80+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for outstanding performance



EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P1b	5	5	537047	2 608 621 779
115	22.23	60	●	P1b	5	5	537054	2 608 621 780
115	22.23	80	●	P1b	5	5	537061	2 608 621 781
125	22.23	36	●	P1b	5	5	537078	2 608 621 782
125	22.23	60	●	P1b	5	5	537085	2 608 621 783

EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES					ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
125	22.23	80	●	P1b	5	5	537092	2 608 621 784	
115	22.23	36	●	P0b	25	1	537160	2 608 621 791	
115	22.23	60	●	P0b	25	1	537177	2 608 621 792	
115	22.23	80	●	P0b	25	1	537184	2 608 621 793	
125	22.23	36	●	P0b	25	1	537191	2 608 621 794	
125	22.23	60	●	P0b	25	1	537207	2 608 621 795	
125	22.23	80	●	P0b	25	1	537214	2 608 621 796	

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	537139	2 608 621 788
100	16	60	P0b	25	1	537146	2 608 621 789
100	16	80	P0b	25	1	537153	2 608 621 790

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	537221	2 608 621 797
180	22.23	60	P0b	25	1	537238	2 608 621 798
180	22.23	80	P0b	25	1	537245	2 608 621 799

Fibre sanding discs R780, Best for Metal and Inox - EN 13743

best for **Metal+Inox**

- ▶ High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- ▶ **Stable grinding** process because of thick and vulcanised backing
- ▶ **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	36	S	1	50	915168	2 608 621 604
115	22.23	50	S	1	50	915175	2 608 621 605
115	22.23	80	S	1	50	915199	2 608 621 607
115	22.23	100	S	1	50	915205	2 608 621 608
115	22.23	120	S	1	50	915212	2 608 621 609
125	22.23	36	S	1	50	915229	2 608 621 610
125	22.23	50	S	1	50	915236	2 608 621 611
125	22.23	60	S	1	50	915243	2 608 621 612
125	22.23	80	S	1	50	915250	2 608 621 613
125	22.23	100	S	1	50	915267	2 608 621 614
125	22.23	120	S	1	50	915274	2 608 621 615
180	22.23	36	S	1	50	915281	2 608 621 616
180	22.23	50	S	1	50	915298	2 608 621 617
180	22.23	60	S	1	50	915304	2 608 621 618
180	22.23	80	S	1	50	915311	2 608 621 619
180	22.23	100	S	1	50	915328	2 608 621 620
180	22.23	120	S	1	50	915335	2 608 621 621
115	22.23	60	S	1	50	915182	2 608 621 606



2-STEP SYSTEM SOLUTION

1. Step: R780 Ceramic Fibre Disc.



HIGH PERFORMANCE

High Stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain

STABLE GRINDING


Process because of thick and vulcanized backing

REDUCED DISCOLOURATION

Thanks to top size coating, it is perfect for Inox as well as mild steel applications

X-LOCK Fibre sanding discs, R780, Best for Metal + Inox - EN 13743

best Metal+Inox



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders
- ▶ High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- ▶ **Stable grinding** process because of thick and vulcanised backing
- ▶ **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	36	Pof	1	50	960212	2 608 619 177
115	22.23	50	Pof	1	50	960229	2 608 619 178
115	22.23	60	Pof	1	50	960236	2 608 619 179
115	22.23	80	Pof	1	50	960243	2 608 619 180
115	22.23	100	Pof	1	50	960250	2 608 619 181
115	22.23	120	Pof	1	50	960267	2 608 619 182
125	22.23	50	Pof	1	50	960281	2 608 619 184
125	22.23	60	Pof	1	50	960298	2 608 619 185
125	22.23	80	Pof	1	50	960304	2 608 619 186
125	22.23	100	Pof	1	50	960311	2 608 619 187
125	22.23	120	Pof	1	50	960328	2 608 619 188
125	22.23	36	Pof	1	50	960274	2 608 619 183



Fibre sanding discs R574, Best for Metal - EN 13743

best  **Metal**



- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- ▶ High material removal rate and long lifetime
- ▶ Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	24	U0	1	50	179966	2 608 606 731
125	22.23	36	U0	1	50	247924	2 608 607 255
125	22.23	60	U0	1	50	179980	2 608 606 733
125	22.23	80	U0	1	50	179997	2 608 606 734
125	22.23	100	U0	1	50	180009	2 608 606 735
125	22.23	120	U0	1	50	180016	2 608 606 736
180	22.23	24	U0	1	50	180054	2 608 606 740
180	22.23	36	U0	1	50	247931	2 608 607 256
180	22.23	60	U0	1	50	180078	2 608 606 742
180	22.23	80	U0	1	50	180085	2 608 606 743
180	22.23	100	U0	1	50	180092	2 608 606 744
180	22.23	120	U0	1	50	180108	2 608 606 745
115	22.23	36	U0	1	50	247917	2 608 607 254
115	22.23	60	U0	1	50	179928	2 608 606 727
115	22.23	80	U0	1	50	179935	2 608 606 728
115	22.23	100	U0	1	50	179942	2 608 606 729
115	22.23	120	U0	1	50	179959	2 608 606 730

X-LOCK Fibre sanding discs R444, Expert for Metal - EN 13743

expert  **Metal**




- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad



115	22.23	24	Pof	1	50	960090	2 608 619 165
115	22.23	36	Pof	1	50	960106	2 608 619 166
115	22.23	60	Pof	1	50	960113	2 608 619 167
115	22.23	80	Pof	1	50	960120	2 608 619 168
115	22.23	100	Pof	1	50	960137	2 608 619 169
115	22.23	120	Pof	1	50	960144	2 608 619 170
125	22.23	24	Pof	1	50	960151	2 608 619 171
125	22.23	36	Pof	1	50	960168	2 608 619 172
125	22.23	60	Pof	1	50	960175	2 608 619 173
125	22.23	80	Pof	1	50	960182	2 608 619 174
125	22.23	100	Pof	1	50	960199	2 608 619 175
125	22.23	120	Pof	1	50	960205	2 608 619 176

X-LOCK Fibre sanding discs, R574, Best for Metal - EN 13743

best  Metal



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- ▶ High material removal rate and long lifetime
- ▶ Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	24	Pof	1	50	959971	2 608 619 153
115	22.23	36	Pof	1	50	959988	2 608 619 154
115	22.23	60	Pof	1	50	959995	2 608 619 155
115	22.23	80	Pof	1	50	960007	2 608 619 156
115	22.23	100	Pof	1	50	960014	2 608 619 157
115	22.23	120	Pof	1	50	960021	2 608 619 158
125	22.23	36	Pof	1	50	960045	2 608 619 160
125	22.23	60	Pof	1	50	960052	2 608 619 161
125	22.23	80	Pof	1	50	960069	2 608 619 162
125	22.23	100	Pof	1	50	960076	2 608 619 163
125	22.23	120	Pof	1	50	960083	2 608 619 164
125	22.23	24	Pof	1	50	960038	2 608 619 159

Fibre sanding discs R444, Expert for Metal - EN 13743

expert  Metal



- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad



100	16	24	U0	1	50	185158	2 608 606 916
100	16	36	U0	1	50	247856	2 608 607 248
100	16	60	U0	1	50	185172	2 608 606 918
100	16	80	U0	1	50	185189	2 608 606 919
100	16	100	U0	1	50	185196	2 608 606 920
100	16	120	U0	1	50	185202	2 608 606 921
115	22.23	24	U0	1	50	162845	2 608 605 464
115	22.23	36	U0	1	50	247863	2 608 607 249
115	22.23	60	U0	1	50	162869	2 608 605 466
115	22.23	80	U0	1	50	162876	2 608 605 467
115	22.23	100	U0	1	50	162883	2 608 605 468
115	22.23	120	U0	1	50	162890	2 608 605 469
125	22.23	24	U0	1	50	162944	2 608 605 474
125	22.23	80	U0	1	50	162975	2 608 605 477
125	22.23	100	U0	1	50	162982	2 608 605 478
125	22.23	120	U0	1	50	162999	2 608 605 479
180	22.23	24	U0	1	50	163040	2 608 605 484
180	22.23	36	U0	1	50	247887	2 608 607 251
180	22.23	60	U0	1	50	163064	2 608 605 486
180	22.23	80	U0	1	50	163071	2 608 605 487
180	22.23	120	U0	1	50	163095	2 608 605 489

EXPERT N475 Surface Conditioning Material X-LOCK Flap Discs

EXPERT



- ▶ The EXPERT SCM Disc uses Bosch Surface Structure to offer speed and quality. It is the best choice for metalworkers who want a great finish and highly efficient working.
- ▶ The Bosch EXPERT Surface Conditioning Material Disc: Ideal for refining metal surfaces.
- ▶ Up to 3x faster than Bosch X431 Disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	Coarse	U0	1	10	589190	2 608 901 470
125	22.23	Coarse	U0	1	10	589220	2 608 901 473
115	22.23	Medium	U0	1	10	589206	2 608 901 471
125	22.23	Medium	U0	1	10	589237	2 608 901 474
115	22.23	Very fine	U0	1	10	589213	2 608 901 472
125	22.23	Very fine	U0	1	10	589244	2 608 901 475

X581 flap discs, Best for Inox, angled version - EN 13743

best **for** **Inox**



- ▶ Particularly suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for surface sanding and working on welded seams at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590846	2 608 608 263
115	22.23	60	U0	1	10	590853	2 608 608 264
115	22.23	80	U0	1	10	590860	2 608 608 265
125	22.23	60	U0	1	10	528795	2 608 607 639

X581 flap discs, Best for Inox, straight version - EN 13743

best **Inox**

- ▶ Particularly suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590884	2 608 608 267
115	22.23	60	U0	1	10	590891	2 608 608 268
115	22.23	80	U0	1	10	590907	2 608 608 269
125	22.23	40	U0	1	10	590976	2 608 608 276

X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

best **Metal**

- ▶ Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK Flap discs also fit on standard angle grinders.
- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	960410	2 608 619 197
115	22.23	60	U0	1	10	960427	2 608 619 198
115	22.23	80	U0	1	10	960434	2 608 619 199
115	22.23	120	U0	1	10	960441	2 608 619 200
125	22.23	40	U0	1	10	960458	2 608 619 201
125	22.23	60	U0	1	10	960465	2 608 619 202
125	22.23	80	U0	1	10	960472	2 608 619 203
125	22.23	120	U0	1	10	960489	2 608 619 204


X-LOCK X571 flap discs, Best for Metal, straight version - EN 13743

best  **Metal**

XLOCK	✓
M14/∅ 22,23	✓



- ▶ Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK Flap discs also fit on standard angle grinders.
- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	960496	2 608 619 205
115	22.23	60	U0	1	10	960502	2 608 619 206
115	22.23	80	U0	1	10	960519	2 608 619 207
115	22.23	120	U0	1	10	960526	2 608 619 208
125	22.23	40	U0	1	10	960533	2 608 619 209
125	22.23	60	U0	1	10	960540	2 608 619 210
125	22.23	80	U0	1	10	960557	2 608 619 211
125	22.23	120	U0	1	10	960564	2 608 619 212

X-LOCK cleaning disc N377, Best for Metal, 50 m/s



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
optimum speed 5,500 rpm							
115	22.23	black	U0	1	5	538556	2 608 621 832
optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	538563	2 608 621 833



X571 flap discs, Best for Metal, angled version - EN 13743

best **401 Metal**

- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	162708	2 608 605 450
115	22.23	60	U0	1	10	162715	2 608 605 451
115	22.23	80	U0	1	10	162722	2 608 605 452
115	22.23	120	U0	1	10	270205	2 608 607 319
125	22.23	40	U0	1	10	185219	2 608 606 922
125	22.23	60	U0	1	10	185226	2 608 606 923
125	22.23	80	U0	1	10	185233	2 608 606 924
125	22.23	120	U0	1	10	270212	2 608 607 320
180	22.23	40	U0	1	10	180023	2 608 606 737
180	22.23	60	U0	1	10	180030	2 608 606 738

X571 flap discs, Best for Metal, straight version - EN 13743

best **401 Metal**

- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270236	2 608 607 322
115	22.23	60	U0	1	10	270243	2 608 607 323
115	22.23	80	U0	1	10	270250	2 608 607 324
115	22.23	120	U0	1	10	270267	2 608 607 325
125	22.23	40	U0	1	10	270274	2 608 607 326
125	22.23	60	U0	1	10	270281	2 608 607 327
125	22.23	80	U0	1	10	270670	2 608 607 328

X571 flap discs, Best for Metal, straight version - EN 13743 - plastic

best **401 Metal**

- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth and highly active additive
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270731	2 608 607 334
115	22.23	60	U0	1	10	270748	2 608 607 335
115	22.23	80	U0	1	10	270755	2 608 607 336
115	22.23	120	U0	1	10	270991	2 608 607 337
125	22.23	40	U0	1	10	270762	2 608 607 338
125	22.23	60	U0	1	10	270779	2 608 607 339
125	22.23	80	U0	1	10	270786	2 608 607 340
180	22.23	40	U0	1	10	270809	2 608 607 342
180	22.23	60	U0	1	10	270816	2 608 607 343
180	22.23	80	U0	1	10	270823	2 608 607 344

X551 flap discs, Expert for Metal, angled version - EN 13743expert  **Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	180177	2 608 606 752
115	22.23	60	U0	1	10	180184	2 608 606 753
115	22.23	80	U0	1	10	180191	2 608 606 754
115	22.23	120	U0	1	10	270847	2 608 607 346
125	22.23	40	U0	1	10	179812	2 608 606 716
125	22.23	60	U0	1	10	179829	2 608 606 717
125	22.23	80	U0	1	10	179836	2 608 606 718
125	22.23	120	U0	1	10	270854	2 608 607 347

X551 flap discs, Expert for Metal, straight version - EN 13743expert  **Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270878	2 608 607 349
115	22.23	60	U0	1	10	270885	2 608 607 350
115	22.23	80	U0	1	10	270892	2 608 607 351
115	22.23	120	U0	1	10	270908	2 608 607 352
125	22.23	40	U0	1	10	270915	2 608 607 353
125	22.23	60	U0	1	10	270922	2 608 607 354
125	22.23	80	U0	1	10	270939	2 608 607 355
125	22.23	120	U0	1	10	270953	2 608 607 356

X551 flap discs, Expert for Metal, straight version - EN 13743 - plasticexpert  **Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	271011	2 608 607 361
115	22.23	60	U0	1	10	271028	2 608 607 362
125	22.23	40	U0	1	10	271042	2 608 607 365
125	22.23	60	U0	1	10	271059	2 608 607 366
125	22.23	80	U0	1	10	271066	2 608 607 367
125	22.23	120	U0	1	10	271073	2 608 607 368

Cleaning disc, N377, Best for Metal, 50m/s

best  **Metal**



- ▶ **Suitable for** working on metal, non-ferrous metals and stainless steel
- ▶ Ideal for removing rust, paint, oxide layers, lime deposits, moss and graffiti on stone, marble and concrete, seal residues
- ▶ Low clogging thanks to open structure of the fleece. Coating made of silicon carbide
- ▶ Cleaning disc on carrier plate made of glass fibre
- ▶ **Appropriate for** controllable angle grinders with a max. speed of 7,600 rpm using discs with 125 mm diameter and with max. 8,300 rpm using discs with 115 mm diameter, e.g. Bosch GWS 14-125 Inox Professional angle grinder

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
optimum speed 5,500 rpm							
115	22.23	black	U0	1	5	528726	2 608 607 632
optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	528733	2 608 607 633




HIGH SPEED METAL FINISHING

EXPERT N477 Surface Conditioning Material Discs

ASSORTMENT: very fine - extra coarse

EXPERT

- 1 Exceptional abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece



EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch R444 Disc.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22	Coarse	C0a	1	25	572345	2 608 901 265
115	22	Extra coarse	C0a	1	25	572338	2 608 901 264
115	22	Medium	C0a	1	25	572352	2 608 901 266
115	22	Very fine	C0a	1	25	572369	2 608 901 267
125	22	Coarse	C0a	1	25	572383	2 608 901 269

EXPERT N477 SCM Discs for Angle Grinders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22	Extra coarse	C0a	1	25	572376	2 608 901 268
125	22	Medium	C0a	1	25	572390	2 608 901 270
125	22	Very fine	C0a	1	25	572406	2 608 901 271

EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch R444 Disc.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	Coarse	C0a	1	25	572307	2 608 901 261
100	16	Extra coarse	C0a	1	25	572291	2 608 901 260
100	16	Medium	C0a	1	25	572314	2 608 901 262
100	16	Very fine	C0a	1	25	572321	2 608 901 263

Sandpapers for Angle Grinders and Drills

EXPERT C470 Sandpapers with no holes for Angle Grinders and Drills

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 50							
125	40	no holes	C0a	50	1	542898	2 608 900 951
125	60	no holes	C0a	50	1	542904	2 608 900 952
125	80	no holes	C0a	50	1	542911	2 608 901 953
125	100	no holes	C0a	50	1	544922	2 608 901 154
125	120	no holes	C0a	50	1	542928	2 608 900 954
125	180	no holes	C0a	50	1	542935	2 608 900 955
125	240	no holes	C0a	50	1	542942	2 608 900 956
125	320	no holes	C0a	50	1	544939	2 608 901 155
125	400	no holes	C0a	50	1	544946	2 608 901 156

Sandpapers for Drills

F460 paper sanding sheets for drills, Expert for Wood and Paint

best for **Wood+Paint**

- ▶ **Appropriate for** Bosch backing pad 1 609 200 240
- ▶ **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
- ▶ Outstanding lifetime and best price/performance ratio



PRODUCT PROPERTIES		ORDERING INFORMATION					
Disc diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 5							
125	40	C1c	5	5	004039	1 609 200 160	
Pack of 5							
125	60	C1c	5	5	004046	1 609 200 161	
125	80	C1c	5	5	004053	1 609 200 162	
125	120	C1c	5	5	004060	1 609 200 163	
125	180	C1c	5	5	004077	1 609 200 164	
Pack of 10							
125	40	C1c	10	5	004084	1 609 200 165	
	60						
	80						
	120						
	180						


Accessories for Sanding and Polishing with Drills

Backing Pad with Shank for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing pad for 125 mm abrasive diameter for clamping with screw/disc						
125	8	C1c	1	1	004435	1 609 200 240

Polishing Accessories for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Polishing sponge Foam with rubber backing pad						
125		C1d	1	1	004480	1 609 200 250
Lambswool bonnet Use with polishing sponge and rubber backing pad						
125		C1c	1	5	004466	1 609 200 245

Sanding sleeves for straight grinders

Shank for sanding sleeves



PRODUCT PROPERTIES				ORDERING INFORMATION				
Max. speed rpm	Shank diameter mm	Diameter, shank mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9,500	6	60	30	P0b	1	1	192828	2 608 620 038
36,000	6	15	30	P0b	1	1	192781	2 608 620 034

Flap wheels - Aluminium oxide





- ▶ **Suitable for** universal application in wood, metal, paint, plastic
- ▶ **Appropriate for** drills
- ▶ For surface machining, edge chamfering, deburring and structuring
- ▶ Shape: Cylindrical



PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	60	50	20	C1d	1	1	004572	1 609 200 287
6	120	50	20	C1d	1	1	004589	1 609 200 288

Polishing accessories for GPO 14 CE Professional

► **Appropriate for** GPO 14 CE Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>Hard Foam disc Polishing orange peel effect, paint runs and dust inclusions</p>						
170	P1d	1	1	632393	2 608 612 023	
 <p>Foam disc Removing holograms Finishing of dark and sensitive colours</p>						
170	P1d	1	1	632416	2 608 612 025	
 <p>Lambskin disc Polishing old varnish after surface sanding</p>						
170	P1d	1	1	632423	2 608 612 026	
 <p>Backing pad for foam disc and lambskin disc with hook-and-loop-type fastening system</p>						
150	P1d	1	1	632430	2 608 612 027	

Polishing sponge for polishers

- **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on even or curved surfaces
- **Appropriate for** GPO 12; GPO 12 E, GOP 14,4 V-EC Professional

Polishing sponge with M14 thread

160 P0b 1 1 026550 **1 608 613 013**

Felt polishing disc for polishers

- **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** GPO 12; GPO 12 E Professional

Felt polishing disc with M14 thread

180 P0b 1 1 026543 **1 608 612 002**

Lambswool bonnet for polishers

- ▶ **Suitable for** polishing old varnish and after surface sanding
- ▶ **Note:** For use with polishing sponge (1 608 613 013) or felt polishing disc (1 608 612 002) or backing pad (2 608 601 209)
- ▶ **Appropriate for** GPO 12; GPO 12 E Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Lambswool bonnet	P0f	1	1	026499	1 608 610 000	



MACHINE ACCESSORIES

Upgrade your power tool.

The best your tool can get. Bosch Professional Accessories.






Bosch System Chucks


Bosch System Chucks for Rotary Hammers

PRODUCT PROPERTIES		ORDERING INFORMATION						
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
	SDS plus quick-change chuck GBH 4 DFE; GBH 4 DSC Professional; PBH 300 E	SDS plus	SDS	C0a	1	1	077606	2 608 572 059
	SDS plus quick-change chuck GBH 24 VFR Professional; PBH 200 FRE; PBH 240 RE	SDS plus	SDS	C1a	1	1	144247	2 608 572 112
	Keyless chuck with adapter GBH 2-24 DFR; GBH 24 VFR; GBH F Professional; PBH 200 FRE; PBH 220 RE; PBH 240 RE	1.5-13.0	SDS	C1a	1	1	127608	1 617 000 328
	SDS plus keyless chuck GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional	SDS plus	SDS	C2a	1	1	336932	2 608 572 213
	Keyless chuck with adapter GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional	1.5-13.0	SDS ●	C2a	1	1	336925	2 608 572 212
	Quick-change drill chuck SDS plus GBH 18V-34 CF Professional	SDS plus	SDS plus	C1b	1	1	514994	2 608 000 704
	Keyless drill chuck GBH 18V-34 CF Professional	-	-	C1b	1	1	530147	2 608 000 710
	Keyless chuck with adapter GBH 3-28 FE Professional	1.5-13.0	SDS	C1a	1	1	217644	2 608 572 146


Bosch System Chucks for Impact Drills

PRODUCT PROPERTIES		ORDERING INFORMATION						
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
	Keyed chuck up to 16 mm Replacement key 1 607 950 045 GSB 650 RE Professional; PSB 450; PSB 500; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 600; PSB 600-2; PSB 650 RA; PSB 700 RE; PSB 700 RES; PSB 750-2 RE; PSB 750-2 RPE "Auto-Lock"; PSB 1000 RPE	1.5-13.0	1/2" - 20	P1h	1	1	125949	2 608 571 056
	Keyless chuck, chrome-plated GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“	1.5-13.0	1/2" - 20	P1h	1	1	223423	2 608 572 150
	Keyed chuck up to 13 mm, chrome-plated Replacement key 1 607 950 045 GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 22-2 RCE; GSB 22-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“	1.5-13.0	1/2" - 20	P1h	1	1	223409	2 608 571 068

Bosch System Chucks for Drills and Screwdrivers

PRODUCT PROPERTIES		ORDERING INFORMATION							
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number			
	Keyless chuck GSR 10,8 V-LI-2 Professional	1.0-10.0	1/2" - 20	●	C1a	1	1	509268	2 608 572 257

Bosch System Chucks for Drills and Screwdrivers

	Keyless chuck 1-10 mm PSB 12 VE-2; PSB 14.4 VE-2; PSB 18 VE-2; PSB 24 VE-2; PSR 9.6 VE-2; PSR 12 VE-2; PSR 14.4 LI-2; PSR 14.4 VE-2; PSR 18 LI-2; PSR 18 VE-2; PSR Universal+ LI-2	1.0-10.0	3/8" - 24	●	C1a	1	1	332996	2 608 572 210
---	---	----------	-----------	---	-----	---	---	--------	----------------------

Morse Taper and Reduction Sleeves



PRODUCT PROPERTIES	ORDERING INFORMATION				
Reduction sleeve MT 3 to MT 2 GBM 32-4 Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P0b	1	1	204507	3 600 320 014

Angle Drill Heads



PRODUCT PROPERTIES	ORDERING INFORMATION				
Angle drill head for light rotary hammers with SDS plus toolholder, spindle collar diameter 43 mm	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
	-	C0a	1	1	015790
					1 618 580 000



Distance ring for Angle Drill Head	48.5	P0b	2	1	785853	2 608 000 623
------------------------------------	------	-----	---	---	--------	----------------------



Angle Drill Head for Light Rotary Hammers with SDS plus Toolholder, Spindle Collar Diameter 50 mm Fits: GBH 2-24D (0 611 2A0 ...); GBH 2400 (0 611 253 ...); GBH 2-26 DRE (0 611 253 ...); GBH 2-26 DBR (0 611 255 ...); GBH 2-28 D (0 611 267 ...); GBH 2-28 DV (0 611 267 ...); RH 228 VC (0 611 268 ...); GBH 3-28 DRE (0 611 23A ...); GBH 36V-LI (0 611 900 ...)	-	C0a	1	1	651646	2 608 000 502
--	---	-----	---	---	--------	----------------------

Accessories for Rotary Hammers

Drill Bit Adapters for Drill Bits



PRODUCT PROPERTIES		ORDERING INFORMATION					
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
SDS max	SDS plus	P1e	1	1	033435	1 618 598 159	

Grease for Drill and Chisel Shank Ends



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Grease for drill and chisel shank ends Ensures optimal function and increases longevity of drill and chisel bits	C2h	1	8	560465	2 608 002 021	

SDS Shanks for Drill Chucks



PRODUCT PROPERTIES		ORDERING INFORMATION					
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
SDS plus	1/2"-20 UNF	C1a	1	5	012584	1 617 000 132	
SDS max	1/2"-20 UNF	P1e	1	1	034180	2 608 550 036	





Striking Tool SDS plus for Anchors






PRODUCT PROPERTIES				ORDERING INFORMATION				
Drive/thread	Shank	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
M10	SDS plus	8.4	86	P0b	1	1	057240	1 618 600 008

Handles for Rotary Hammers and Impact Drills

Handles for Impact Drills

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Handle for impact drills GBH; GBH 2-23 RE; GBH 2-24; GBH 24 VFR; GBH F; GBN 2 SE; GBN 2 SR; GSB 16 RE; GSB 18-2; GSB 18-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 22; GSB 22-2 RCE; GSB 22-2 RE; GSB 1600 RE Professional; PBH 20	P0b	1	1	266734	2 602 025 120
	Handle for impact drills GBH 2-18 E; GBH 2-18 RE Professional; PBH 2100 RE; PBH 2500 RE; PBH 2500 SRE; PSB 14.4 V-i; PSB 500; PSB 500 RE; PSB 500-2; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 570 RE; PSB 580 RE; PSB 600; PSB 600 RE; PSB 600 RES; PSB 600 RPE; PSB 600-2; PSB 650 RA; PSB 650 RE; PSB 650 RPE; PSB 700 RE; PSB 700 RES; PSB 730-2 RPE; PSB 750; PSB 850; PSB 1000; PSB 1000 RPE; PSB 1200; PSB 2100 RE; PSB 2100 SRE; PSB 6500 RE	P0b	1	1	144216	2 602 025 102
	Handle for impact drills GSB 16 RE; GSB 19-2 RE; GSB 19-2 REA; GSB 1600 RE Professional	P0b	1	1	521987	2 602 025 190
	Handle for impact drills GSB 21-2 RCT; GSB 21-2 RE Professional	P0b	1	1	543828	2 602 025 193

Handles for Rotary Hammers

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Handle for rotary hammers GAH 500 DSR; GBM 13 HRE Professional	P0f	1	1	027014	1 612 025 032
	Handle for rotary hammers GBH 10 DC; GBH 11 DE Professional	P0b	1	1	084697	2 602 025 086
	Handle for rotary hammers GSH 10 C; GSH 11 E Professional	P0f	1	1	072380	2 602 025 076

Handles for Rotary Hammers

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	Handle for rotary hammers GBH 5-40; GBH 5-40 D; GBH 8 DCE; GBH 38 Professional	P0f	1	1	042482	2 602 025 062
	Handle for rotary hammers GSH 4; GSH 5 Professional	P0f	1	1	042499	2 602 025 063
	Handle for rotary hammers GBH 7 DE; GBH 7-46 DE Professional	P0b	1	1	167178	2 602 025 103
	Handle for rotary hammers GBH 5-38; GBH 5-40; GBH 5-40 DC; GSH 5; GSH 388 Professional	P0b	1	1	251037	2 602 025 117
	Handle for rotary hammers GBH 4-32 DFR Professional	P0f	1	1	466585	2 602 025 176
	Auxiliary Handle for GBH 18V-34 CF and GBH 18V-36 C GBH 18V-34 CF; GBH 18V-36 C Professional	C1b	1	1	514987	2 608 000 703

Machine vices, drill holders

Machine vices for do-it-yourselfers

► With quick clamping mechanism, die-cast aluminium housing, black chrome plated jaws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Slot spacing mm	Fitting width mm	Jaw opening mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Machine vice MS 80							
95	80	80	C1d	1	1	092425	2 608 030 055

Keyless Drill Chucks

Keyless chucks up to 10 mm

PRODUCT PROPERTIES				ORDERING INFORMATION					
Chuck capacity mm	Mount, range			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
PSR 2.4 V; PSR 3.6 V									
1.0-6.0	1/4" external hex shank ●			2	C1a	1	1	085434	2 608 572 072
1.0-10.0	1/4" external hex shank ●			3	P1h	1	1	085441	2 608 572 075
1.0-10.0	3/8" - 24 ● ●			5	P1h	1	1	092036	2 608 572 068



Keyless chucks up to 16 mm

PRODUCT PROPERTIES				ORDERING INFORMATION					
Chuck capacity mm	Mount, range			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
1.0-13.0	1/2" - 20 ●			2	P1h	1	1	037921	1 608 572 017
2.0-13.0	1/2" - 20 ● ● ●			3	C1a	1	1	064682	2 608 572 034
2.0-13.0	3/8" - 24 ● ●			4	P1h	1	1	080255	2 608 572 060
2.0-13.0	1/2" - 20 ● ●			4	P1h	1	1	082754	2 608 572 062
1.5-13.0	1/2" - 20 ● ● ● ●			5	P1h	1	1	111942	2 608 572 105



Keyless chucks with SDS plus shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
1.5-13.0	SDS plus ● ● 1	P1h	1	1	370073	2 608 572 227

1



Keyed Drill Chucks

Keyed Drill Chucks up to 10 mm

PRODUCT PROPERTIES				ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Replacement key		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.0-10.0	3/8" - 24 ●	D ●	1	P1h	1	1	002608	1 608 571 053
1.0-10.0	3/8" - 24 ●	B ●	1	P1h	1	1	016506	1 608 571 058

1



Keyed Drill Chucks up to 13 mm

PRODUCT PROPERTIES				ORDERING INFORMATION				
Chuck capacity mm	Mount, range	Replacement key		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hammer-resistant version								
2.5-13.0	SDS plus	D ● ●	2	P1h	1	1	006231	1 618 571 014

1




Keyed Drill Chucks up to 16 mm

3.0-16.0	5/8" - 16 ●	A ● ●	1	P1h	1	1	047241	1 608 571 056
----------	-------------	-------	---	-----	---	---	--------	---------------

1






Replacement Keys for Drill Chucks




PRODUCT PROPERTIES						ORDERING INFORMATION				
Ref. type	Replacement key, type	Outer length (L1) mm	Key length (L2) mm	Key width (KW) mm	Key diameter (Z) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S3	A	110	50	4	8	C1d	1	5	024556	1 607 950 041
ZS14	B	60	30	-	6	C1e	1	5	016476	1 607 950 042
S2	C	110	40	4	6	C1d	1	5	002363	1 607 950 044
S2	D	110	40	-	6	C1d	1	5	002370	1 607 950 045
S14	F	80	30	5	6	C1d	1	5	033480	1 607 950 053

Depth Stops and Handles for Drills

Depth Stops for Drills

PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Depth stop Appropriate for auxiliary handle 1 612 025 032 Made of steel, without scale	210	PC1c	1	1	068062	1 613 001 010
 Depth stop Appropriate for auxiliary handle 2 602 025 077 and 2 602 025 062 Made of steel, without scale	310	P0b	1	1	027069	1 613 001 003
 Depth stop Appropriate for auxiliary handle 2 602 025 102 Made of plastic, with scale	210	PC1c	1	1	144223	2 603 001 019

Handles for Drills

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Handle for drills GBM 13; GBM 13 HRE; GBM 16-2 RE; GRW 11 E; GSB 22-2 RCE Professional	P0b	1	1	026987	1 612 025 020	

Stirrer Baskets

Adapter for stirrer baskets



PRODUCT PROPERTIES				ORDERING INFORMATION			
Length [mm]	Shank/Thread Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Adapter for stirrer baskets with 1/2"-20 UNF inside thread							
60	M14 to 1/2"-20 UNF Inside Thread	C1d	1	1	080538	2 607 990 019	

Paint mixer for drills

- Suitable for swirling paints, varnishes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Paint mixer with 6 mm straight shank								
60	350	1	5	C1d	1	1	004596	1 609 200 291

Stirrer baskets for hand-held stirrers, from the bottom upwards




- Suitable for plaster, concrete, mortar, epoxy resin
- Mixing effect from bottom upwards
- M14 outer thread

GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
135	590	25	40	P1e	1	1	061339	3 609 201 038
160	590	30	60	P1e	1	1	078795	2 607 990 017

Stirrer baskets for drills, from the top downwards


- ▶ Suitable for emulsion, gloss paint, cement, filler and cement-bonded materials
- ▶ Mixing effect from the top downwards, no splashing
- ▶ M14 outer thread

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
120	590	15	25	P1e	1	1	078771	2 607 990 014



Routing Accessories for Drills

Freehand Router Bits



PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...



3-piece freehand router bit set

Suitable for wood and non-ferrous metals

3-piece set with shapes: round, cylindrical, conical

Recommended speed: 1000 to 3000 rpm

16	60	6	-	C1d	3	1	004602	1 609 200 307
16	65							
16-7	48							

EXPERT SDS Clean Adapter for Drilling

EXPERT



- ▶ Ideal for drilling in reinforced concrete, eg when drilling a series of holes for mechanical or chemical anchors.
- ▶ Best choice for installers and construction workers: Dust Reduction.
- ▶ Up to 25x better dust reduction than a Bosch EXPERT SDS Plus-7X Drill Bit.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Fits SDS plus drill bits Ø5 – 16 mm	C1a	1	1	241856	2 608 901 480

EXPERT SDS Clean plus Connector

EXPERT



- ▶ Ideal for drilling clean, dust-free holes in reinforced concrete, eg when drilling overhead or drilling a series of holes for mechanical and chemical anchoring.
- ▶ Best choice for construction workers and installers: Speed.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Individual SDS Clean plus Connector	C1a	1	1	634920	2 608 901 621

EXPERT SDS Clean max Connector

EXPERT



- ▶ Ideal for drilling clean, dust-free holes in reinforced concrete, eg when drilling overhead or drilling a series of holes for mechanical and chemical anchoring.
- ▶ Best choice for construction workers and installers: Speed.







PARTICLE CONTROL

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Individual SDS Clean max Conector	C1a	1	1	634937	2 608 901 622

Backing Pads for Angle Grinders

Regular Backing Pads for Fibre Sanding Discs

- ▶ High temperature resistant, low vibration running, break-resistant

	PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	Backing Pad with M10 flange thread						
	100	C1a	1	1	047265	2 608 601 046	
	Backing Pad Soft with M14 flange thread						
	115	C1a	1	1	031202	2 608 601 005	
	125	C1a	1	1	016551	1 608 601 033	
	180	C1a	1	1	653206	2 608 601 209	
	230	C1a	1	1	653213	2 608 601 210	
	Round nut with M10 flange thread						
	100	P0b	1	1	109253	2 603 345 018	
	Round nut with M14 flange thread						
	115	P0b	1	1	029711	2 603 345 002	
	125	P0b	1	1	024266	1 603 345 004	
	230	P0b	1	1	024266	1 603 345 004	
	Hook-and-loop-type fastening plate with M14 flange thread						
	115	C1d	1	1	086585	2 608 601 076	
	Hook-and-loop-type fastening plate with M14 flange thread						
	125	C1d	1	1	086592	2 608 601 077	

X-LOCK Backing Pads for Fibre Sanding Discs



- ▶ Changing backing pads is fast and convenient thanks to the keyless X-LOCK system
- ▶ High temperature resistant, low vibration running, break-resistant



X-LOCK Backing Pad Soft
 Ideal for fine grit sanding P60 and finer
 Extended lifetime thanks to thermostable plastic

115	C1d	1	1	938471	2 608 601 711
-----	-----	---	---	--------	---------------

X-LOCK Backing Pads for Fibre Sanding Discs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
X-LOCK Backing Pad Soft Ideal for fine grit sanding P60 and finer Extended lifetime thanks to thermostable plastic						
125	C1d	1	1	938501	2 608 601 714	



X-LOCK Backing Pad Medium Ideal for medium grit sanding P36 to P60 Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic					
115	C1d	1	1	938488	2 608 601 712



X-LOCK Backing Pad Medium Ideal for medium grit sanding P36 to P60 Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic					
125	C1d	1	1	938518	2 608 601 715



X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher Ideal for rough grit sanding P50 and rougher Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic					
115	C1d	1	1	938495	2 608 601 713



X-LOCK Backing Pads for Fibre Sanding Discs

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
125	C1d	1	1	938525	2 608 601 716	



X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher

Ideal for rough grit sanding P50 and rougher

Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic



X-LOCK Clip, Easy tool free disc changing

-	P1b	1	1	938563	2 608 601 720
---	-----	---	---	--------	----------------------



X-LOCK Backing Pad, Hook and Loop

Ideal for all paper sanding sheets with hook & loop fastening

115	C1d	1	1	938570	2 608 601 721
125	C1d	1	1	959018	2 608 601 722





X-LOCK Backing Pad for SCM discs with center pin

Ideal for all SCM (surface conditioning) discs




115	C1d	1	1	959025	2 608 601 723
125	C1d	1	1	959032	2 608 601 724



Locking Nuts for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	SDS clic Nut Display (15 pcs) Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	C1b	15	1	291002	2 607 019 033
		SDS clic quick-locking nut M14 Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	C1a	1	1	033206

Locking Nuts for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Locking Nut for M14 Thread for clamping sanding discs with 115-150 mm diameter manufactured before 08/90	-	PC1c	1	1	016384	1 603 340 015
		Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	P1b	1	1	052078
Locking Nut for M10 Thread for small angle grinders with 100 mm diameter		-	P0b	1	1	102742	2 603 340 018
	Fast tool less exchange of any disks, such as diamond cutting disks, bonded cutting and grinding disks.	-	P0b	1	1	799669	2 608 000 625

Locking Nuts for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	Quick-Clamping Nut with Bar M14 GWS 18V-10 C; GWS 18V-10 PSC; GWS 18V-10 SC; GWS 18V-15 SC Professional	-	P1b	1	1	949316	2 608 000 684

Backing Flanges for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90	PC1c	1	5	046947	1 605 703 099

HIGH PROTECTION FOR ANGLE GRINDER USERS

EXPERT Vibration Control Handles

ASSORTMENT: M10 / M14

EXPERT

- 1 Comfort and protection with a Bosch Vibration Control handle
- 2 Thick rubber for extra grip and control



EXPERT Handle for Vibration Control M10 Angle Grinders

EXPERT



- ▶ Ideal for working with angle grinders.
- ▶ Best for tradesmen: protective and comfortable.
- ▶ Up to 30% less vibration than Bosch 1602025024 Angle Grinder Handle.
- ▶ Fits all M10 angle grinders.



PRODUCT PROPERTIES

ORDERING INFORMATION

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Handle M10 with Vibration Control Appropriate for small angle grinders	C1d	1	1	530505	2 608 900 000

EXPERT Handle for Vibration Control M14 Angle Grinders

EXPERT



- ▶ Ideal for working with angle grinders.
- ▶ Best for tradesmen: protective and comfortable.
- ▶ Up to 30% less vibration than Bosch 2602025075 Angle Grinder Handle.
- ▶ Fits all M14 angle grinders.



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Handle M14 with Vibration Control Appropriate for large angle grinders	C1d	1	1	530512	2 608 900 001

Bow Handles for Angle Grinders

- ▶ **Appropriate for** all Bosch two-hand angle grinders, for left-handers and right-handers
- ▶ With safety device to prevent inadvertent release

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Bow handle GWS 20-180; GWS 20-180 H; GWS 20-180 JH; GWS 20-230; GWS 20-230 H; GWS 20-230 JH; GWS 21-180 HV; GWS 21-180 JHV; GWS 21-230 HV; GWS 21-230 JHV; GWS 22-180 H; GWS 22-180 JH; GWS 22-230 JH; GWS 23-180 / 180 J; GWS 23-230 / 230 J; GWS 24-180 BV + SDS; GWS 24-180 JBV; GWS 24-180 JBV + SDS; GWS 24-180 JBX + SDS; GWS 24-180 JH; GWS 24-230 BV; GWS 24-230 BV + SDS; GWS 24-230 BX + SDS; GWS 24-230 H; GWS 24-230 JBV; GWS 24-230 JBV + SDS; GWS 24-230 JBX; GWS 24-230 JH; GWS 24-230 Profi; GWS 25-180 / 180 J; GWS 25-230 / 230 J; GWS 26-180 BV + SDS; GWS 26-180 JBV; GWS 26-180 JH; GWS 26-230 BV + SDS; GWS 26-230 JBV; GWS 26-230 JH; GWS 26-230 JH + SDS; GWS 180; GWS 180 J; GWS 230 Professional; PWS 20-230; PWS 20-230 J; PWS 1900	P0b	1	1	048002	1 607 000 247



Handles for Angle Grinders

- ▶ For left-handers and right-handers





Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread.

GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13	P0f	1	1	016377	1 602 025 024
---	-----	---	---	--------	----------------------

Handle appropriate for all Angle Grinders with M14 thread.

GNA 3-5 Professional	P0f	1	1	070232	2 602 025 075
----------------------	-----	---	---	--------	----------------------

Handles for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Handle M10 with Vibration Control					
	PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125	C1d	1	1	498449	2 602 025 182
	Handle M 10					
	PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125	P1b	1	1	498456	2 602 025 183

DUST EXTRACTION GUARDS

For Bosch angle grinder.



- ▶ Suitable for dust extraction when cutting with Bosch angle grinders
- ▶ Appropriate for hose system with 35 mm diameter
- ▶ Bosch extraction guards offer accurate guiding and large surface areas as well as very good extraction performance thanks to the nozzle effect
- ▶ With handle that can be fixed from either side for full protection and steep extraction outlet for cutting close to edges

Cutting Guides with Dust Extraction Outlet – Tool-Free


- ▶ Extraction guard with 35 mm diameter extraction pipe, easy-to-use adjustment.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Cutting guide with dust extraction outlet before 2009						
GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..); GWS 1400 (0 601 804 7..) Professional; PWS 13-125 CE (0 603 348 0../0 603 348 6../0 603 348 7..)						
115 125	U0	1	1	272544	1 605 510 291	
Cutting guide with dust extraction outlet Tool-free attachment						
PWS 7-125 CE (0 603 399 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 720-125 (0 603 164 0..); PWS 750-115 (0 603 184 1..); PWS 750-125 (0 603 164 1..)						
115 125	U0	1	1	498432	2 605 510 292	



Cutting Guides with Dust Extraction Outlet – Clamp Fitting

- ▶ Extraction guard with 35 mm diameter dust extraction pipe.
- ▶ With coded lugs

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Cutting guide with dust extraction outlet GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..)</p>	230	P0f	1	1	024426	1 605 510 180

Dust Extraction Elbow



- ▶ For all Bosch Angle Grinders and protective guards with 35 mm diameter dust extraction system.

Dust extraction elbow	35	P0f	1	1	053013	1 600 793 007
-----------------------	----	-----	---	---	--------	---------------

Dust extraction and protective guards

For Bosch angle grinders.



Diameter mm

Part number

Appropriate machines

Dust extraction guards for sanding

GWS 8-115 (3 601 H20 ...)	115	2 605 510 224
GWS 8-115 Z (3 601 H31 0..)	125	
GWS 8-125 (3 601 H27...)		
GWS 9-115 (3 601 G90 ...)		
GWS 9-125 (3 601 G91 ...)		
GWS 10-125 (3 601 H21 ...)		
GWS 10-125 Z (3 601 H32 0..)		
GWS 11-125 (3 601 G92 ...)		
GWS 11-125 CI (3 601 H22 ...)		
GWS 11-125 CIE (3 601 H23 ...)		
GWS 11-125 CIH (3 601 H30 1../B..)		
GWS 12-125 CI (3 601 G93 ...)		
GWS 12-125 CIE (3 601 G94 ...)		
GWS 14-125 CI (3 601 H24 ...)		
GWS 14-125 CIE (3 601 H25 ...)		
GWS 14-125 CIT (3 601 H29 ...)		
GWS 15-125 CI (3 601 G95 ...)		
GWS 15-125 CIE (3 601 G96 ...)		
GWS 15-125 CIH (3 601 H30 2../C..)		
GWS 15-125 CIEH (3 601 H30 3../D..)		
GWS 15-125 CIT (3 601 G97 ...)		
GWS 15-125 CITH (3 601 H30 4../E..)		
GWS 1000 (3 601 H21 ...)		
GWS 1400 Professional (3 601 H24 ...)		
PWS 10-125 CE (0 603 C47 000/030)		
PWS 13-125 CE (3 603 C48 000)		
PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..)	125	1 605 510 281
PWS 7-100 (3 603 C99 640)		
PWS 7-115 (3 603 C99 5..; 3 603 C99 6..)		
PWS 7-125 (3 603 C99 7..; 3 603 C99 8..)		
PWS 7-125 CE; PWS 8-125 CE		
PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..)		
PWS 9-125 CE		
PWS 10-125 CE; PWS 13-125 CE		
PWS 550		
PWS 550 (3 603 C99 0..)		
PWS 600		
PWS 600 (3 603 C99 1..)		
PWS 9-125 CE; PWS 700		
PWS 720; PWS 850 CE		
GWS 7-115 – GWS 14-125 CE		
GWS 5-100 (0 601 375 0..)	100	1 619 P06 546
GWS 6-100 (0 601 375 0..)		
GWS 6-100 E (0 601 375 7..)		
GWS 580 (0 601 375 0..)		
GWS 670 (0 601 375 0..)		
GWS 7-100 (3 601 C88 1..)		



Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 5-115 (0 601 376 2..)	115	1 619 P06 547
GWS 6-115 (0 601 375 0..; 0 601 375 7..; 0 601 375 9..)		
GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..)		
GWS 580 (0 601 376 0..)		
GWS 780 C (0 601 377 56..)		
GWS 850 C (0 601 377 5..)		
GWS 7-115 (3 601 C88 1..; 3 601 C88 2..)		
PWS 600 (3 603 D11 0..); PWS 650 (3 603 D11 0..); PWS 680 (3 603 D11 0..)		
GWS 6-125 (0 601 375 1..)		
GWS 6-125 E (0 601 375 9..)		
GWS 850 C (0 601 377 7..; 0 601 377 9..)		
GWS 850 CE (0 601 377 7..; 0 601 377 9..)		
GWS 7-125 (3 601 C88 1..)	125	1 619 P06 548
PWS 680-125 (3 603 D11 0..)		
GWS 7-115 (0 601 700 0..)	115	2 605 510 102
GWS 7-125 (0 601 700 048); GWS 9-125 (0 601 701 0..)	125	2 605 510 101
GWS 10-125 C (0 601 702 7..)		
GWS 10-125 CE Professional (0 601 703 7..)		
GWS 8-115 (3 601 H20 ...)	115	1 605 510 364
GWS 8-115 Z (3 601 H31 0..)		
GWS 9-115 (3 601 G90 ...)		
GWS 1000 (3 601 H21 0..)		
GWS 1400 (3 601 H24 0..)		



Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 8-125 (3 601 H27...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0...) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-126 CIH (3 601 H39 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	1 605 510 365
GWS 14-150 CI (0 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (0 601 H30 5../F..)	150	1 605 510 366
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI (3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 605 510 280
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5..)	230	2 605 510 281
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H55 1...; 3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20-180/J, (0 601 751 ...)	180	2 605 510 297




Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/J (0 603 359 ...) PWS 20-230/1900 (0 603 C59 V../W..) PWS 1900 (0 603 359 0..)	230	2 605 510 298
PWS 700-115; PWS 720-115 PWS 750-115 (0 601 164 0..)	115	2 605 510 288



Diameter mm

Part number

Appropriate machines

Protective guards with cover for cut-off grinding

PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1.)	125	2 605 510 289
PWS 6-115 PWS 6-115 (3 603 C99 2.; 3 603 C99 3.; 3 603 C99 4.) PWS 7-115 (0 601 800 ...) PWS 7-115 (3 603 C99 5.; 3 603 C99 6.) PWS 550 PWS 550 (3 603 C99 0.) PWS 600 (3 603 C99 1.) PWS 600 (0 601 800 ...-0 601 806 ...) GWS 7-115 (0 601 800 ...) PWS 600 (3 603 D11 0.) PWS 650 (3 603 D11 0.) PWS 680 (3 603 D11 0.)	115	2 605 510 192
GWS 7-125 (0 601 800 048) PWS 8-125; PWS 9-125 CE GWS 9-125 (0 601 801 ...) GWS 10-125 C (0 601 802 ...) GWS 10-125 CE (0 601 803 ...) GWS 14-125 C (0 601 804 ...) GWS 14-125 CE (0 601 805 ...) GWS 1000 (0 601 802 ...) PWS 7-125 (3 603 C99 7.; 3 603 C99 8.) PWS 8-125 CE (3 603 C99 B.; 3 603 C99 9.; 3 603 C99 A.) PWS 680-125 (3 603 D11 0.)	125	2 605 510 193
GWS 14-150 CI; GWS 14-150 C Professional 0 601 800 ...-0 601 806...	150	2 605 510 194
GWS 6-125 (0 601 375 1./3.) GWS 850 C (0 601 377 9.) GWS 850 CE (0 601 378 7./9.) GWS 850 CE Professional GWS 780 (0 601 377 3.) GWS 850 C, Ban, manufacture before 12.09	125	2 605 510 172
GWS 5-100 (0 601 375 0.) GWS 6-100 (0 601 375 0.) GWS 6-100 E (0 601 375 7.) GWS 580 (0 601 375 0.) GWS 670 GWS 7-100 (3 601 C88 1.)	100	1 619 P06 549
GWS 5-115 (0 601 376 2.) GWS 6-115 (0 601 375 0.; 0 601 375 7.; 0 601 375 9.) GWS 6-115 E (0 601 375 5.; 0 601 375 7.; 0 601 375 9.) GWS 7-115 (3 601 C88 1.) GWS 7-115 E (3 601 C88 1.) GWS 580 (0 601 376 0.) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5.)	115	1 619 P06 550
GWS 6-125 (0 601 375 1.) GWS 6-125 E (0 601 375 9.) GWS 7-125 (3 601 C88 1.) GWS 850 C (0 601 377 7.; 0 601 377 9.) GWS 850 CE (0 601 377 7.; 0 601 377 9.)	125	1 619 P06 551
GWS 22-180 LVI (3 601 H90 D.) GWS 24-180 LVI (3 601 H92 F.) GWS 26-180 JBV (3 601 H55 U.)	180	2 602 025 282
GWS 22-230 LVI (3 601 H91 D./C.) GWS 24-230 LVI (3 601 H93 F./H.) GWS 24-230 JBX (3 601 H64 4./R./T.) GWS 26-230 BV (3 601 H56 S.) GWS 26-230 JBV (3 601 H56 U.) GWS 26-230 (3 601 H56 5.)	230	2 602 025 283



Diameter mm

Part number

Appropriate machines





Protective guards with cover for cut-off grinding

GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1.) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M.) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K.) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H56 1./L.) GWS 26-180 JH (3 601 H55 M.) GWS 180/J, 20-180/J, (0 601 751 ...)	180	2 605 510 299
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1./L.) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M.) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3./K.) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5.) GWS 26-230 JH (3 601 H56 M.) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/1900 0 603 C59 V./W.) PWS 20-230/J (0 603 359 ...) PWS 1900 (0 603 359 0.)	230	2605 510 300
GWS 8-115 (0 601 820 ...; 0 601 H20 ...) GWS 8-115 Z (3 601 H31 0.) GWS 9-115 (3 601 G90 ...) GWS 1000 Professional (3 601 H23 ...)	115	2 605 510 256
GWS 8 - GWS 14 Professional (0 601 821 ...-0 601 829...) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0.) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH 3 601 H30 1./B.) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2./C.) GWS 15-125 CIEH (3 601 H30 3./D.) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4./E.) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0.) PWS 13-125 CE (3 603 C48 0.)	125	2 605 510 257
GWS 14-150 CI (3 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (3 601 H30 5./F.)	150	2 605 510 258
PWS 700-115; PWS 720-115 PWS 750-115 (0 603 164 0.)	115	2 605 510 290
PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1.)	125	2 605 510 291
GWS 24-300 GWS 24-300 J Professional	300	1 605 510 224

Protective Guards for Bosch Angle Grinders

Protective Guards without Cover for Grinding

- ▶ Without cover for general grinding and sanding work
- ▶ EN/EC 60745

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	
 <p>Protective guard without cover with clamp fitting, with coding and screw-type fastening</p> <p>GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 18.0 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 780 C (0 601 377 5..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)</p>	115	U0	1	1	492751	1 619 P06 547
 <p>Protective guard without cover with easy-to-use adjustment and tool-free attachment</p> <p>GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0../0 601 831 5..); GWS 9-115 (0 601 790 0..); GWS 9-115 P (0 601 790 2..); GWS 10-125 (0 601 821 0..); GWS 1400 (0 601 824 0..); GWX 9-115 S (0 601 7B1 0..); GWX 18V-10 C (0 601 7B0 2..); GWX 18V-10 SC (0 601 7B0 4..) Professional</p>	115	P0f	1	1	364089	1 605 510 364
 <p>Protective guard without cover with easy-to-use adjustment and tool-free attachment</p> <p>GWS 8-125; GWS 8-125 C; GWS 9-125; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 9-125 S; GWS 10-125; GWS 10-125 C; GWS 10-125 CE; GWS 10-125 Z; GWS 11-125; GWS 11-125 Ci; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 Ci; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIP; GWS 13-125 Ci; GWS 13-125 CIE; GWS 14-125 Ci; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 Ci; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIT; GWS 15-125 CITH; GWS 17-125 Ci; GWS 17-125 CIE; GWS 17-125 CIT; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1000 + SDS; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PWS 10-125 CE; PWS 13-125 CE</p>	125	P0f	1	1	364096	1 605 510 365
 <p>Protective guard without cover for grinding with clamp fitting, with coding and quick fastening</p> <p>GWS 22-180 LVI (0 601 890 D..); GWS 26-180 JBV (0 601 855 G../0 601 856 ...); GWS 26-180 LVI (0 601 894 F..) Professional</p>	180	C0a	1	1	482547	2 605 510 280
<p>Protective guard without cover for grinding with clamp fitting, with coding and quick fastening</p> <p>GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..) Professional</p>	230	C0a	1	1	482554	2 605 510 281

Protective Guards without Cover for Grinding



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Protective guard with clamp fitting, with coding and screw-type fastening GWS 20-180 (0 601 751 0..); GWS 20-180 H (0 601 849 0..); GWS 20-180 JH (0 601 849 9..); GWS 21-180 HV (0 601 851 B..); GWS 21-180 JHV (0 601 851 G..); GWS 22-180 H (0 601 881 Y..); GWS 22-180 JH (0 601 881 M..); GWS 23-180 / 180 J (0 601 753 0..); GWS 24-180 (0 601 853 4../0 601 8A3 0..); GWS 24-180 B + SDS (0 601 853 1..); GWS 24-180 BV + SDS (0 601 853 C..); GWS 24-180 H (0 601 883 1..); GWS 24-180 JBV (0 601 853 G..); GWS 24-180 JBV + SDS (0 601 853 F..); GWS 24-180 JBX + SDS (0 601 863 B..); GWS 24-180 JH (0 601 853 M..); GWS 25-180 / 180 J (0 601 755 1..); GWS 26-180 B (0 601 855 K..); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1../0 601 856 L..); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M..); GWS 26-230 H (0 601 856 1..) Professional						
	180	U0	1	1	542166	2 605 510 297

Protective guard with clamp fitting, with coding and screw-type fastening GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BV + SDS (0 601 854 C..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 884 1../0 601 884 L..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBV + SDS (0 601 854 F..); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M..); GWS 24-230 Profi (0 601 854 5..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 4..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..); PWS 1900 (0 603 359 1..)						
	230	U0	1	1	542173	2 605 510 298

Protective Guards with Cover for Cut-Off Grinding



- ▶ Cover for safe cut-off grinding
- ▶ EN/EC 60745







Protective guard with cover for cutting with clamp fitting, screw-type fastening GWS 6-100 (0 601 375 0..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-115 E (0 601 375 7..); GWS 7-100 (0 601 388 1..); GWS 900-100 (0 601 396 0..) Professional						
	100	U0	1	1	492775	1 619 P06 549

Protective guard with cover with clamp fitting, with coding and screw-type fastening GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 9-115 P (0 601 790 2..); GWS 18.0 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 700 (0 601 3A3 0..); GWS 780 C (0 601 377 5..); GWS 880 (0 601 396 0..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)						
	115	U0	1	1	492782	1 619 P06 550



Protective guard with cover for cutting Tool-free attachment PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 750-115 (0 603 164 0..)						
	115	U0	1	1	498357	2 605 510 290

Protective Guards with Cover for Cut-Off Grinding

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Protective guard with cover with clamp fitting, with coding and screw-type fastening GWS 6-125 (0 601 375 1.); GWS 6-125 E (0 601 375 9.); GWS 7-115 (0 601 800 0.); GWS 7-125 (0 601 388 1./0 601 700 0.); GWS 9-125 P (0 601 791 2.); GWS 700 (0 601 3A3 0.); GWS 780 C (0 601 377 5.); GWS 850 C (0 601 377 3./0 601 377 7./0 601 377 9.); GWS 850 CE (0 601 377 9./0 601 378 7./0 601 378 9.); GWS 880 (0 601 396 0.) Professional; PWS 680-125 (0 603 411 0.)</p>	125	U0	1	1	492799	1 619 P06 551
 <p>Protective guard with cover for cutting with easy-to-use adjustment and tool-free attachment GWS 8-14; GWS 8-115; GWS 8-125; GWS 8-125 C; GWS 9-125; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 10-125; GWS 10-125 C; GWS 10-125 CE; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIP; GWS 13-125 CI; GWS 13-125 CIE; GWS 14; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIT; GWS 15-125 CITH; GWS 17-125; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 18V-10; GWS 18V-15 C; GWS 18V-15 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1000 + SDS; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 18V-15 C; GWX 18V-15 SC; GWX 19-125 S; GWX 750-125 Professional; PWS 10-125 CE; PWS 13-125 CE</p>	125	P0f	1	1	418706	2 605 510 257
 <p>Protective guard with cover for cutting Tool-free attachment AdvancedGrind 18 (0 603 3D9 0.); PWS 7-125 CE (0 603 398 8.); PWS 8-125 CE (0 603 399 B.); PWS 9-125 (0 603 399 A.); PWS 720-125 (0 603 164 0.); PWS 750-125 (0 603 164 1.)</p>	125	U0	1	1	498425	2 605 510 291
 <p>Protective guard with cover for cutting with clamp fitting, with coding and quick fastening GWS 22-180 LVI (0 601 890 D.); GWS 24-180 LV (0 601 892 E.); GWS 26-180 JBV (0 601 855 G.); GWS 26-180 LVI (0 601 894 F.) Professional</p>	180	C0a	1	1	485715	2 602 025 282
 <p>Protective guard with clamp fitting, with coding and screw-type fastening GWS 20-180 (0 601 751 0.); GWS 20-180 H (0 601 849 0.); GWS 20-180 JH (0 601 849 9.); GWS 21-180 HV (0 601 851 B.); GWS 21-180 JHV (0 601 851 G.); GWS 22-180 H (0 601 881 Y.); GWS 22-180 J (0 601 8C0 3.); GWS 22-180 JH (0 601 881 M.); GWS 23-180 / 180 J (0 601 753 0.); GWS 24-180 (0 601 853 4./0 601 8A3 0.); GWS 24-180 B + SDS (0 601 853 1.); GWS 24-180 BV + SDS (0 601 853 C.); GWS 24-180 JBV (0 601 853 G.); GWS 24-180 JBV + SDS (0 601 853 F.); GWS 24-180 JBX + SDS (0 601 863 8.); GWS 24-180 JH (0 601 853 M./0 601 883 M.); GWS 25-180 / 180 J (0 601 755 1.); GWS 26-180 B (0 601 855 K.); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1./0 601 856 L.); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M.); GWS 26-230 H (0 601 856 1.) Professional</p>	180	U0	1	1	542180	2 605 510 299
 <p>Protective guard with cover for cutting with clamp fitting, with coding and quick fastening GWS 22-230 LV (0 601 891 E.); GWS 22-230 LVI (0 601 891 C./0 601 891 D.); GWS 24-230 JBX (0 601 864 4./0 601 864 R./0 601 864 T.); GWS 24-230 JVX (0 601 864 U.); GWS 24-230 LVI (0 601 893 F./0 601 893 H.); GWS 26-230 BV (0 601 856 S.); GWS 26-230 JBV (0 601 856 G./0 601 856 U.); GWS 26-230 JH + SDS (0 601 856 5.); GWS 26-230 LVI (0 601 895 F.); GWS 30-230 B (0 601 8G1 0.); GWS 30-230 PB (0 601 8G1 1.) Professional</p>	230	C0a	1	1	485722	2 602 025 283

Protective Guards with Cover for Cut-Off Grinding



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
with clamp fitting, with coding and screw-type fastening						
Protective guard						
GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 J (0 601 8C1 3..); GWS 20-230 JH (0 601 850 9..); GWS 20-230 P (0 601 8C1 1..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 H (0 601 882 L..); GWS 22-230 J (0 601 8C1 3..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 22-230 P (0 601 8C1 1..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M..); GWS 24-230 JZ (0 601 8C3 3..); GWS 24-230 P (0 601 8C3 1..); GWS 24-230 PZ (0 601 8C3 4..); GWS 24-230 Profi (0 601 854 5..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 2000 J (0 601 8F2 0..); GWS 2000 P (0 601 8F2 1..); GWS 2200 J (0 601 8F4 0..); GWS 2200 P (0 601 8F4 1..); GWS 2400 J (0 601 8F4 2..); GWS 2400 P (0 601 8F4 3..) Professional; PWS 20-230 (0 603 349 0../0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..); PWS 1900 (0 603 359 1..)						
	230	U0	1	1	542197	2 605 510 300



Protective guard						
with clamp fitting, with coding and quick fastening						
GWS 24-300 Professional						
	300	P0f	1	1	047180	1 605 510 224

Protective Combination Guards for Cutting, Lever-on Metal

- ▶ Combination guard for optimal protection for cutting application
- ▶ Quick and easy to attach due to keyless lever mounting mechanism



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
GWS 14-150 CI; GWS 15-150 CI; GWS 15-150 CIH; GWS 17-150 CI; GWS 17-150 S; GWS 18-150 L; GWS 18-150 PL; GWS 18V-10; GWS 18V-10 SC; GWS 18V-15 C; GWS 18V-15 SC; GWS 19-150 CI; GWX 17-150 Professional						
	150	COa	1	1	239983	2 608 000 759
GWS 9-125; GWS 9-125 S; GWS 10-125; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIH; GWS 12-125 - standard auxiliary handle; GWS 12-125 CI; GWS 12-125 CIE; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEH; GWS 13-125 CIEI; GWS 14-125; GWS 14-125 CI; GWS 14-125 CIT; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125; GWS 18-125 L; GWS 18-125 PL; GWS 18-125 SL; GWS 18-125 SPL; GWS 18V-10; GWS 18V-15 C; GWS 18V-15 SC; GWS 18V-125 C; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 18V-7; GWX 18V-8; GWX 18V-10; GWX 18V-15 C; GWX 18V-15 SC; GWX 19-125 S; GWX 750-125 Professional; PWS 10-125 CE; PWS 13-125 CE						
	125	COa	1	1	239952	2 608 000 756

Protective Combination Guards for Cutting, Clip-on Plastic

- ▶ Combination guard for optimal protection for cutting application
- ▶ Quick and easy to attach due to keyless lever mounting mechanism



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
GWS 9-125; GWS 9-125 S; GWS 10-125; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIH; GWS 12-125 - standard auxiliary handle; GWS 12-125 CI; GWS 12-125 CIE; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEH; GWS 13-125 CIX; GWS 14-125; GWS 14-125 CI; GWS 14-125 CIT; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEPX; GWS 15-125 CIH; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125; GWS 18-125 L; GWS 18-125 PL; GWS 18-125 SL; GWS 18-125 SPL; GWS 18V-10; GWS 18V-15 C; GWS 18V-15 SC; GWS 18V-125 C; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 14-125; GWX 17-125; GWX 18V-7; GWX 18V-8; GWX 18V-10; GWX 18V-15 C; GWX 18V-15 SC; GWX 19-125 S; GWX 750-125 Professional; PWS 10-125 CE; PWS 13-125 CE						
125	C0a	1	1	239969	2 608 000 757	
GWS 5-100; GWS 5-115; GWS 6-100; GWS 6-100 E; GWS 6-100 S; GWS 6-115; GWS 6-115 E; GWS 6-125; GWS 7-100; GWS 8-100 C; GWS 8-100 CE; GWS 580; GWS 670; GWS 900-100 Professional						
100	C0a	1	1	239921	2 608 000 753	
GWS 5-100; GWS 5-115; GWS 6-115; GWS 6-115 E; GWS 7-115; GWS 7-115 E; GWS 8-115; GWS 9-115 P; GWS 18-125 V-LI; GWS 580; GWS 660; GWS 700; GWS 750 (115 mm); GWS 750 (125 mm); GWS 780 C; GWS 850 C; GWS 880 Professional; PWS 600; PWS 650; PWS 680						
100	C0a	1	1	239945	2 608 000 755	
GWS 8-115; GWS 8-115 Z; GWS 9-115; GWS 9-115 S; GWS 18V-7; GWS 18V-10; GWS 18V-115 C; GWS 18V-115 SC; GWS 1000; GWS 1400; GWX 9-115 S; GWX 18V-7; GWX 18V-8; GWX 18V-10; GWX 18V-10 C; GWX 18V-10 SC; GWX 750-115 Professional						
100	C0a	1	1	239938	2 608 000 754	
GWS 6-125; GWS 6-125 E; GWS 7-100; GWS 7-115; GWS 7-125; GWS 8-125 C; GWS 9-125 P; GWS 700; GWS 750 (115 mm); GWS 750 (125 mm); GWS 780 C; GWS 850 C; GWS 850 CE; GWS 880; GWS 900-100 Professional						
100	C0a	1	1	239976	2 608 000 758	

Protective Combination Guards for Cutting, Keyless Metal



- ▶ Combination guard for optimal protection for cutting application
- ▶ Quick and easy to attach due to keyless lever mounting mechanism

GWS 20-230 H; GWS 20-230 J; GWS 20-230 JH; GWS 20-230 P; GWS 22-230 H; GWS 22-230 J; GWS 22-230 JH; GWS 22-230 LV; GWS 22-230 LVI; GWS 22-230 P; GWS 24-230 H; GWS 24-230 JBX; GWS 24-230 JH; GWS 24-230 JVX; GWS 24-230 JZ; GWS 24-230 LVI; GWS 24-230 P; GWS 24-230 PZ; GWS 26-230; GWS 26-230 BV; GWS 26-230 JBV; GWS 26-230 LVI; GWS 30-230 B; GWS 30-230 PB; GWS 2000 J; GWS 2000 P; GWS 2200 J; GWS 2200 P; GWS 2400 J; GWS 2400 P Professional					
230	C0a	1	1	240002	2 608 000 763
GWS 22-180 J; GWS 22-180 LVI; GWS 24-180 JZ; GWS 24-180 LV; GWS 24-180 LVI; GWS 26-180 JBV; GWS 26-180 LVI; GWS 30-180 B; GWS 30-180 PB Professional					
180	C0a	1	1	239990	2 608 000 762

DUST EXTRACTION AND PROTECTIVE GUARDS

For Bosch angle grinder.



- ▶ Dust extraction guards for dust-free sanding
- ▶ Protective guards for additional safety when grinding
- ▶ Note: Please verify with the operating instructions of the machine for more detailed use

Dust Extraction Guards for Sanding

- ▶ With brush ring
- ▶ **Suitable for** dust-free sanding of paint, varnish, plastics and wood in conjunction with sanding plates and fibre sanding sheets or with tungsten carbide grinding heads (not suitable for metals).

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
115 125	U0	1	1	375160	2 605 510 224	



Dust extraction guard with brush ring

Tool-free attachment

GWS 8-14; GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-115 P; GWS 9-125; GWS 9-125 P; GWS 10-125; GWS 10-125 CE; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIEPX; GWS 12-125 CIEX; GWS 12-125 CIP; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEX; GWS 13-125 CIX; GWS 14; GWS 14-125; GWS 14-125 C; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIEPX; GWS 15-125 CIEX; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIEX; GWS 17-125 CIT; GWS 17-125 CIX; GWS 17-125 INOX; GWS 18V-115 C; GWS 18V-115 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 9-115 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional

Dust Extraction Guards for Sanding



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting guide with dust extraction outlet for sanding, with clamp fitting The suction hood is an attachable accessory that keeps the workplace clean by dust-free sanding, it is suitable for sanding edges. GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..) Professional; PWS 6-100 (0 603 401 0..); PWS 6-115 (0 603 401 0..); PWS 7-125 (0 603 399 8..); PWS 8-125 CE (0 603 404 6..); PWS 9-125 CE (0 603 405 6./0 603 405 9..); PWS 13-125 CE (0 603 348 6./0 603 348 7..); PWS 600 (0 603 400 0..); PWS 850 CE (0 603 404 7..)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125		U0	1	1	272568	1 605 510 281




Diameter mm	Replacement brush for 2 605 510 224	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-		U0	2	1	375177	2 605 510 226

Clamping element set for small angle grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
	3-piece clamping element set for small angle grinders consisting of round nut (1 603 340 015), flange (1 605 703 084), two-hole spanner (1 607 950 043). Compatible with Angle grinders manufactured before 08-1990	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		PC1c	3	1	049047	1 607 000 158

SDS clic Quick-Locking Nuts M14



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS clic quick-locking nut M14 Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	C1a	1	1	033206	1 603 340 031

Locking Flanges for Clamping Diamond Cutting Discs



Flange sets for clamping 300 mm diameter discs GSF 100 A (0 601 367 7..); GWS 24-300 (0 601 364 0..) Professional	P1b	1	1	056809	2 603 345 003
---	-----	---	---	--------	---------------

Two-Hole Spanners for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Two-hole spanner, bent at right angles Appropriate for cup wheels	PC1c	1	1	002356	1 607 950 004
Two-hole spanner, straight for clamping all discs on angle grinders	PC1c	1	1	016483	1 607 950 043
Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders GG5 6 S Professional	PC1c	1	1	040891	1 607 950 048



Hand Protectors for Angle Grinders

- ▶ Appropriate for all Bosch Angle Grinders in combination with auxiliary handle
- ▶ Protects the hands when using rubber backing pads



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hand protector in combination with auxiliary handle	PC1c	1	1	001885	1 601 329 013

Dust Filters for Small Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Height mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Dust protection Filters GEN VI Paddle for small angle grinders GWS 17-125 PS (0 601 7D1 3..); GWS 17-125 PSB (0 601 7D1 7..); GWS 17-150 PS (0 601 7D1 6..); GWX 17-125 PSB (0 601 7D3 7..) Professional						
-		C2a	1	1	661049	2 608 000 824







Dust protection filters GEN VI for small angle grinders GWS 14-125 (0 601 7D0 0..); GWS 14-125 S (0 601 7D0 1..); GWS 17-125 (0 601 7D0 2..); GWS 17-125 S (0 601 7D0 3..); GWS 17-125 S INOX (0 601 7D0 5..); GWS 17-125 TS (0 601 7D0 4..); GWS 17-150 S (0 601 7D0 6..); GWX 14-125 S (0 601 7D2 1..); GWX 17-125 S (0 601 7D2 3..) Professional						
33		C2a	1	1	647791	2 607 432 053

Cyclon Dust Box for Large Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Cyclon Tech Dust Box for Large Angle Grinders also fits to: GWS 24-230 JZ						
		C0a	1	1	233882	2 608 000 741

Accessories for Bosch Concrete Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
	SDS clic quick-locking nut M14 Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	-	14	C1a	1	1	033206	1 603 340 031
	SDS clic Nut Display (15 pcs) Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	-	13	C1b	15	1	291002	2 607 019 033
	Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	-	P1b	1	1	052078	1 603 340 040
	Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90	-	-	PC1c	1	5	046947	1 605 703 099

Collets for Bosch Straight Grinders

Collets without Locking Nut for Straight Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Collet without locking nut GGG 27; GGS 27 C Professional							
3	-	P1b	1	1	049023	2 608 570 008	
Collet without locking nut GGG 8 C; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional							
3	-	P0b	1	1	620031	2 608 570 136	
6	-	P0b	1	1	620048	2 608 570 137	
8	-	P0b	1	1	620055	2 608 570 138	
-	1/4	P0b	1	1	620079	2 608 570 140	
-	1/8	P0b	1	1	620062	2 608 570 139	
Collet without locking nut GGG 27; GGS 27 C Professional; POF 500 A; POF 600 ACE							
6	-	P1b	1	1	013505	2 608 570 047	
8	-	P1b	1	1	006705	2 608 570 049	
-	1/4	P1b	1	1	006699	2 608 570 048	
Locking nut without collet GGG 8 C; GGS 18.0 V-LI; GGS 18V-10 SLC; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional							
-	-	P0b	1	1	620086	2 608 570 141	



Collets with Locking Nut for Straight Grinders

Collet with locking nut GGG 7 C; GGS 27 L; GGS 27 LC; GGS 1212 Professional						
3	-	P0b	1	1	031103	2 608 570 082
-	1/8	P0b	1	1	032612	2 608 570 083
6	-	P0b	1	1	031110	2 608 570 084
Collet with locking nut GGG 7 C; GGS 27 L; GGS 27 LC; GGS 1212; GWG 12V-50 S Professional						
-	1/4	P0b	1	1	031127	2 608 570 085





Collets with Locking Nut for Straight Grinders

Collet with locking nut GGG 16 Professional						
10	-	P0b	1	1	026048	1 608 570 040
8	-	P0b	1	1	026055	1 608 570 041
6	-	P0b	1	1	026062	1 608 570 043



Spanners for Bosch Straight Grinders

Spanners for Bosch Straight Grinders

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Spanner GGS 16 Professional</p>	PC1c	1	1	048491	1 607 950 525
 <p>Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders GGS 6 S Professional</p>	PC1c	1	1	040891	1 607 950 048

Locking Nuts and Flanges for Straight Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Round nut for level discs GGS 6; GGS 8 H; GGS 8 SH Professional	P0b	1	1	048767	1 603 345 034


LONG LIFE FOR SANDING SHEETS

EXPERT Multihole Backing Pads

ASSORTMENT: soft - hard

EXPERT

- 1 Most efficient dust removal with Bosch Particle Control
- 2 Hole layout offers long life for all sanding sheets



EXPERT Multihole Backing Pads for Bosch 150 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
Hard	150	Multi-Hole	C1a	1	1	530611	2 608 900 011
Medium	150	Multi-Hole	C1a	1	1	530604	2 608 900 010
soft	150	Multi-Hole	C1a	1	1	530598	2 608 900 009

EXPERT Multihole Backing Pads Universal 150 mm

EXPERT




- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 75-150; GEX 34-150; GEX 40-150 Professional; 3M; DeWalt; Dynabrade; Festool; Makita; Mirka; Rupes							
Hard	150	Multi-Hole	C1a	1	1	530581	2 608 900 008
Medium	150	Multi-Hole	C1a	1	1	530574	2 608 900 007
soft	150	Multi-Hole	C1a	1	1	530567	2 608 900 006

EXPERT Multihole Backing Pads Universal 125 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 55-125; GEX 34-125 Professional; 3M; Dynabrade; Mirka; Rupes							
Hard	125	Multi-Hole	C1a	1	1	530550	2 608 900 005
Medium	125	Multi-Hole	C1a	1	1	530543	2 608 900 004
soft	125	Multi-Hole	C1a	1	1	530536	2 608 900 003

Backing Pads

PRODUCT PROPERTIES				ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	



Sanding pad
PEX 115

Hard	115	8	C1c	1	1	079198	2 608 601 064
medium-hard	115	8	C1c	1	1	079181	2 608 601 065



Sanding pad
PEX 11; PEX 115

soft	115	8	C1c	1	1	079174	2 608 601 066
-------------	-----	---	-----	---	---	--------	----------------------



Sanding pad
GEX 12V-125; GEX 18V-125; GEX 125-1 AE Professional

soft	125	8	C1c	1	1	465489	2 608 000 351
Hard	125	8	C1c	1	1	465496	2 608 000 352



Sanding pad
GEX 125-1 AE Professional

Medium	125	8	C1a	1	1	454957	2 608 000 349
---------------	-----	---	-----	---	---	--------	----------------------



Sanding Pad
GEX 12V-125; GEX 18V-125 Professional

Medium	125	8	C1b	1	1	572437	2 608 000 714
---------------	-----	---	-----	---	---	--------	----------------------



Sanding pad
PEX 12; PEX 12 A; PEX 125; PEX 125 AE

Hard	125	8	C1c	1	1	077446	2 608 601 061
medium-hard	125	8	C1c	1	1	077453	2 608 601 062
soft	125	8	C1c	1	1	077460	2 608 601 063




Sanding pad
GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional

extra-soft	125	8	C1c	1	1	219488	2 608 601 117
soft	125	8	C1c	1	1	219495	2 608 601 118
Hard	125	8	C1c	1	1	219501	2 608 601 119



Backing Pads



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding pad PEX 220 A							
medium-hard	125	8	C1c	1	1	329217	2 608 601 175



Sanding pad GEX 125-150 AVE Professional							
medium-hard	125	8	C1c	1	1	623476	2 608 601 607



Sanding pad GEX 125 AC; GEX 150 AC Professional; PEX 15 AE							
soft	150	8	C1c	1	1	063074	2 608 601 051
medium-hard	150	-	C1c	1	1	063081	2 608 601 052
Hard	150	-	C1c	1	1	063098	2 608 601 053




Sanding pad GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
extra-soft	150	-	C1c	1	1	219457	2 608 601 114
soft	150	-	C1c	1	1	219464	2 608 601 115
Hard	150	-	C1c	1	1	219471	2 608 601 116



Sanding pad GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
medium-hard	150	8	C1c	1	1	375214	2 608 601 185

Backing Pad Savers for Random Orbital Sanders

► Backing Pad Savers for Random Orbital Sanders




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pad Savers for random orbit sanders						
125	punched	P1b	2	1	968409	2 608 000 689
150	punched	P1b	2	1	968416	2 608 000 690

Adapters for Random Orbit Sanders



- **Suitable as** further cushioning layer for especially soft work
- Ideal for sanding or polishing contours and curved surfaces



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter, punched					
	C1d	1	1	220729	2 608 601 127

Suction Sockets for Random Orbital Sanders

Suction Socket for GET 75-150
GET 75-150 Professional



	P1d	1	1	967297	2 607 017 499
--	-----	---	---	--------	----------------------

Dust Box, Filter and Dust Bags for Random Orbital Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Filter GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional	U0	1	1	624152	2 605 190 930



Dust bag GEX 12V-125; GEX 18V-125; GSS 12V-13; GSS 18V-13 Professional	C1b	1	1	572444	2 608 000 715
---	-----	---	---	--------	----------------------

Auxiliary Handle for Random Orbit Sanders












PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Auxiliary handle GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional	P0b	1	1	624138	2 602 026 177



Auxiliary Handle GET 55 + 75 GET 55-125; GET 75-150 Professional	P1d	1	1	967303	2 607 017 500
---	-----	---	---	--------	----------------------

Sanding Plates for Orbital Sanders

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Sanding plate extended Triangular shape for narrow angled surfaces, can be used on both sides, with hook-and-loop-type fastening. Dimensions same as Bosch delta sander and sanding sheet GSS 230 A; GSS 230 AE; GSS 230 AVE Professional						
93	185	-	P0b	1	1	105767	2 608 000 189
	Sanding plate with hook-and-loop-type fastening, normal use GSS 230 A; GSS 230 AE; GSS 230 AVE Professional						
93	185	-	P0b	1	1	111898	2 608 000 202
	Sanding plate without hook-and-loop-type fastening, for finishing GSS 230 A; GSS 230 AE; GSS 230 AVE Professional						
93	185	-	P0b	1	1	127271	2 608 000 213
	Sanding plate with hook-and-loop-type fastening, normal use GSS 280 A; GSS 280 AE; GSS 280 AVE Professional						
115	230	-	P0b	1	1	111904	2 608 000 204
	Sanding plate with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional						
110	100	-	PC1c	1	1	822978	2 608 601 443
	Sanding plate with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional						
80	130	-	PC1c	1	1	822985	2 608 601 444
	Sanding plate delta with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional						
100	150	-	PC1c	1	1	822992	2 608 601 445
	Swing plate for sanding plate 2 608 601 442 & 2 608 601 443 GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional						
110	100	-	P0b	1	1	823005	2 608 601 446
	Orbital plate for sanding plate 2 608 601 444 GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional						
80	130	-	PC1c	1	1	823012	2 608 601 447

Sanding Plates for Orbital Sanders

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Swing plate for sanding plate 2 608 601 445							
GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
110	150	-	PC1c	1	1	823029	2 608 601 448



Sanding plate with hook-and-loop-type fastening							
GSS 140-1 A; GSS 160-1 A; GSS Delta 1-A Professional							
92	182	14	PC1c	1	1	014342	2 608 000 072



Sanding Plates for Delta Sanders

Sanding Plates for Bosch Delta Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



Sanding plate
GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E

	C1d	1	1	109505	2 608 000 211
--	-----	---	---	--------	---------------



Sanding plate
PDA 100; PDA 120 E

	C1d	1	1	076401	2 608 000 149
--	-----	---	---	--------	---------------

Sanding Fingers for Bosch Delta Sanders



- ▶ **Suitable for** sanding in tight gaps
- ▶ **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400



Hook-and-loop-type fastening replacement material for sanding finger

	C1c	2	1	110907	2 601 099 074
--	-----	---	---	--------	---------------



Sanding finger, flat

	C1d	1	1	109482	2 608 000 199
--	-----	---	---	--------	---------------





Sanding finger, oval

	C1d	1	1	109475	2 608 000 198
--	-----	---	---	--------	---------------

Louvre sanding attachment for Bosch Delta Sanders




► Suitable for sanding louvre doors and shutters

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Louvre sanding attachment GDA 280E Professional; EasySander 18V-8; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM 200 AES; UniversalSander 18V-10; Ventaro 1400</p>	C1d	1	1	109499	2 608 000 200
 <p>Hook-and-loop-type fastening replacement material for louvre sanding attachment GDA 280E Professional; EasySander 18V-8; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; UniversalSander 18V-10; Ventaro 140</p>	C1d	2	1	076395	2 601 099 044

Accessories for Bosch Belt Sanders

Sanding frames for belt sanders

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
 <p>Sanding frame with brush and plastic insert Ideal for plane sanding without tilting, protecting the surface Easy and tool-free assembly GBS 75 A; GBS 75 AE Professional; PBS 75 A; PBS 75 AE</p>	C1a	1	1	015691	2 608 005 026

Parallel and angle guide for belt sanders



<p>Parallel and angle guide GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 60</p>	U0	1	1	015189	2 607 001 079
---	----	---	---	--------	----------------------

Fine sanding plate for belt sanders



- ▶ **Suitable for** very soft sanding
- ▶ **Note:** Please observe operating instructions

<p>Fine sanding plate with graphite base GBS 75 AE Professional</p>	C1a	1	1	109222	2 601 098 043
---	-----	---	---	--------	----------------------

Extension Poles



PRODUCT PROPERTIES	ORDERING INFORMATION				
It lengthens the drywall sander by 580 mm GTR 550 Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
	C0a	1	1	234100	2 608 000 767

Backing Pads



Sanding pad GTR 550 Professional	C1a	1	1	234094	2 608 000 765
-------------------------------------	-----	---	---	--------	---------------



Sanding pad GTR 550 Professional	C1a	1	1	234117	2 608 000 766
	C1a	1	1	234087	2 608 000 764

Auxiliary Handles for Compact Belt Sanders






PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13	Pof	1	1	016377	1 602 025 024

ACCESSORIES FOR CIRCULAR SAWS



- ▶ Exact straight cuts due to guided sawing on the new Bosch guide rail system
- ▶ Precise work is possible, even with several rails, due to the self-aligning VEL connecting piece

Guide Rails for Hand-Held Circular Saws

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Guide rail FSN 70 Pair of G-clamps not included GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE</p>	700	C0a	1	1	087186	2 602 317 030
 <p>Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE</p>	1,400	C0a	1	1	087193	2 602 317 031
 <p>Connector for guide rails FSN 70, FSN 140</p>	-	P0b	1	1	024181	1 602 319 003






Parallel Guide for Hand-Held Circular Saws

PRODUCT PROPERTIES				ORDERING INFORMATION				
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Parallel guide GKS 55; GKS 65; GKS 66 CE; GKS 75 S; GKS 85; GKS 85 G; GKS 85 S; GKS 160 Professional								
-	-	-	PC1c	1	1	019033	2 608 190 007	
GKS 18V-70 L Professional								
-	-	-	C0a	1	1	610245	2 608 000 751	
GKS 18V-57; GKS 185-LI Professional								
298	155	34	C0a	1	1	241214	2 608 000 817	
GKS 18V-57-2 L Professional								
298	155	34	C0a	1	1	241290	2 608 000 822	
Parallel guide GKS; GKS 18.0 V Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 55; PKS 66; PKS 66 CE; UniversalCirc 18V-53								
-	-	-	P0b	1	1	055512	2 608 005 018	


Accessories for Hand-Held Circular Saws

PRODUCT PROPERTIES			ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pair of G-clamps for FSN 70, FSN 140							
			P0b	2	1	516532	2 608 000 426
Adapter for guide rail GKS 190 Professional							
			C1d	1	1	229852	2 607 001 375

Accessories for Benchtop Circular Saws

PRODUCT PROPERTIES					ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
									
Nylon carrying bag									
GCM 10 Professional									
K	580	580	380	-	P0b	1	1	274081	2 605 439 019
									
Foldable sub-frame									
Outer dimensions LxWxH: 810x820x590 mm; Support surface: 665x605 mm									
GTS 10 Professional									
-	833	166	-	735	U0	1	1	316194	2 607 001 912
									
Insert plate									
GCM 10 S Professional									
-	-	-	-	-	P0b	1	1	317238	2 607 960 019
									
Insert plate									
GCM 12 SD Professional									
-	-	-	-	-	P0b	1	1	334792	2 607 960 020
									
Push stick									
GTS 10 Professional									
-	-	-	-	-	P1b	1	1	316361	2 607 001 914

Rafter Hook for Hand-Held Circular Saws

PRODUCT PROPERTIES				ORDERING INFORMATION					
Length mm	Width mm	Height mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
									
GKS 18V-70 L Professional									
95	90	-		C1a	1	1	610238	2 608 000 750	
GKS 18V-57; GKS 185-LI Professional									
75	84	33		C1a	1	1	241207	2 608 000 816	
GKS 18V-57-2 L Professional									
75	84	33		C1a	1	1	241283	2 608 000 821	

Anti-Splinter Guard for Jigsaws

- ▶ The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip**: it is best to saw with the grain or diagonal to the grain.

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



Anti-splinter guard

GST 14.4 V; GST 18.0 V; GST 75 BE; GST 80 Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; UniversalSaw 18V-100

	C1d	5	5	006651	2 607 010 079
--	-----	---	---	--------	----------------------



Anti-splinter guard

GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional

	P1d	5	5	516297	2 601 016 096
--	-----	---	---	--------	----------------------

Plates for Base Plate for Jigsaws



- ▶ The interchangeable plates ensure good movement on different materials

Metal plate for base plate

GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional

	P1d	1	1	605809	2 601 098 123
--	-----	---	---	--------	----------------------

Dust Extraction Devices for Jigsaws



Dust extraction set

GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional

	P1d	1	1	516280	2 605 510 294
--	-----	---	---	--------	----------------------



Dust extraction set

GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional

	P1d	1	1	605816	2 605 510 301
--	-----	---	---	--------	----------------------

Parallel Guides with Circle Cutter for Jigsaws



Parallel guide with circle cutter

max width parallel 140 mm, max radius 150 mm

GST 14.4 V; GST 18.0 V; GST 24V; GST 75 BE; GST 90 BE; GST 90 E; GST 120 E; GST 135 BCE; GST 135 CE; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 160 BCE; GST 160 CE Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; PST 1000 PEL; UniversalSaw 18V-100

	P1d	1	1	516273	2 608 040 289
--	-----	---	---	--------	----------------------

Screwdriver for Jigsaws without SDS system



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Screwdriver Appropriate for all jigsaws without SDS system	C1e	1	1	004497	1 609 200 265

Parallel Guides for Bosch Routers

- ▶ Complete with fine adjustment
- ▶ **Suitable for** all routing work parallel to the workpiece edge

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	



Parallel guide GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1250 CE; GOF 1250 LCE; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional					
10	U0	1	1	247252	2 607 001 387



Parallel guide GKF 600 (0 601 60A 1..) Professional					
-	C0a	1	1	431798	2 608 000 331

Circle guide and guide rail adapter set for Bosch routers

- ▶ Screw the centring pin into the guide rail adapter to use this accessory
- ▶ Adapter enables guide rails FSN 70 (2 602 317 030) and FSN 140 (2 602 317 031) to also be used with router
- ▶ Continuously variable adjustment of the router enables cuts at the following circle radii:
 - With GOF 900: 95 to 655 mm
 - With GOF 1200: 100 to 660 mm
 - With GOF 1300: 100 to 660 mm
 - With GOF 2000: 100 to 660 mm
 - With POF 800: 95 to 655 mm

PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	



Guide rail FSN 70 Pair of G-clamps not included GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE					
700	C0a	1	1	087186	2 602 317 030



Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE					
1,400	C0a	1	1	087193	2 602 317 031


Circle guide and guide rail adapter set for Bosch routers



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GMF 1400 CE; GOF 130; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100; POF 1100 AE; POF 1200 AE; POF 1300; POF 1300 ACE; POF 1400 ACE						
	-	C1a	1	1	062886	2 609 200 143

Extra-Long Guide Bars for Bosch Routers

► For routing work that standard guide bars are not long enough for



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Guide bar GOF 130; GOF 900 A; GOF 900 ACE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE						
8	800	C0d	2	1	062893	2 609 200 144
Guide bar Appropriate for all routers with guide rod diameter 10 mm, distance between holes 100 mm GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
10	800	C0d	2	1	062909	2 609 200 145

Handles for Bosch Routers



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle For circle cutting guide 2 609 200 143 and sub-frame 2 607 020 300						
		P0b	1	1	001939	1 603 481 001

Collets for Tool Versions as of 02/1985 for Bosch Routers

► Collets for holding the router bit



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet without locking nut GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE							
6	-		P1b	1	1	013505	2 608 570 047
8	-		P1b	1	1	006705	2 608 570 049
-	1/4		P1b	1	1	006699	2 608 570 048

Collets for Bosch Routers

► **Note:** We recommend using the correct size of collet rather than working with a shank sleeve.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet GOF 130; GOF 900; GOF 900 A; GOF 900 ACE; GOF 900 CE; GOF 1250 LCE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE							
-	1/4	19	P0b	1	1	062671	2 608 570 101
6	-	19	P0b	1	1	062664	2 608 570 100
8	-	19	P0b	1	1	062688	2 608 570 102

Collet GMF 1400 CE; GMF 1600 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional							
-	3/8	24	P0b	1	1	062725	2 608 570 106
12	-	24	P1e	1	1	062732	2 608 570 107

Collet GMF 1400 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional							
-	1/2	24	P0b	1	1	062749	2 608 570 108



Collet GKF 12V-8; GKF 600 CE Professional							
6	-	-	P0b	1	1	431842	2 608 570 133
8	-	-	P0b	1	1	431859	2 608 570 134

Collet UK version only GKF 600 (0 601 60A 1..) Professional							
-	1/4	-	P0b	1	1	431866	2 608 570 135

Suitable for POF 400/500, POF 52/50							
Collet							
-	1/4	-	P0b	1	1	006712	2 608 570 066

Collet Sets for Palm Routers



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3 6	-	C1b	3	1	662664	2 608 000 827
-	1/4 1/8 5/32	C1b	4	1	662657	2 608 000 826

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

- ▶ Indispensable for work with templates (template guide runs along the template and transfers the shape onto the workpiece)
- ▶ Bayonet lock for rapid, tool-free changing
- ▶ **Note:** When making a template for use with a template guide, the distance between the guide and the router bit has to be taken into consideration. This distance is calculated using the following formula: (diameter (Ø) of template guide (K) – diameter (Ø) of router bit (F))/2



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Template guide with quick fastening lock, tool-free GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE						
13	P1b	1	1	062831	2 609 200 138	
17	P1b	1	1	062848	2 609 200 139	
24	P1b	1	1	062855	2 609 200 140	
30	P1b	1	1	062879	2 609 200 142	

Template guide
with quick fastening lock, tool-free
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1600 CE; GOF 2000 CE Professional;
POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE

16	P1b	1	1	600590	2 608 000 471
----	-----	---	---	--------	---------------

Template guide
with quick fastening lock, tool-free
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE;
GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE

27	P1b	1	1	062862	2 609 200 141
----	-----	---	---	--------	---------------

Template guide
with quick fastening lock, tool-free
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600
CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE

40	P0b	1	1	252188	2 609 200 312
----	-----	---	---	--------	---------------

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers


PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	
Template guide with quick fastening lock, tool-free GKF 550 Professional; AdvancedTrimRouter 18V-8							
8	P1b	1	1	636931	2 608 000 803		

Accessories for Copy Routing



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Diameter inches	Outer diameter inch	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number
3-piece centring pins set for GOF									
8	1/4	1/4	125	P0b	3	1	647885	2 608 000 498	
12	1/2	1/2							






Accessories for Bosch Multifunction Router GMF 1400 CE



PRODUCT PROPERTIES				ORDERING INFORMATION					
Hexagon nutsetter GMF 1400 CE; GMF 1600 CE Professional				Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number
				P1b	1	1	418324	2 608 000 328	

Accessories for Bosch Palm Router GKF 600 Professional

Accessories for Bosch Palm Router GKF 600 Professional

	PRODUCT PROPERTIES		ORDERING INFORMATION			
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
 <p>Pilot</p>	C0a	1	1	431804	2 608 000 332	
 <p>Round base plate</p>	P1d	1	1	431811	2 608 000 333	
 <p>Angled router cage</p>	C0a	1	1	431828	2 608 000 334	
 <p>Base plate with handle and dust extraction outlet</p>	C0a	1	1	431835	2 608 000 335	
	C0a	1	1	636924	2 608 000 802	

Handles for Bosch Mini Angle Grinders and Compact Belt Sanders

► For convenient and safe guiding of the machine





PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
<p>Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread.</p> <p>GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13</p>					
	Pof	1	1	016377	1 602 025 024

ACCESSORIES FOR PLANERS



- ▶ Accessories for a wide variety of planing applications in interior fitting work or furniture manufacture

Parallel and Angle Guides for Bosch Planers


PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Parallel and angle guide with 45° setting GHO 14,4 V; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100</p>	U0	1	1	015165	2 607 001 077
 <p>Parallel guide without 45° setting GHO 14,4 V; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100</p>	C1a	1	1	013383	2 607 000 102

Rebating Depth Guides for Bosch Planers







PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 3100	P0b	1	1	002523	1 608 132 006
GHO 14,4 V; GHO 18.0 V Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 100	P0b	1	1	006507	2 607 000 073

ACCESSORIES FOR BOSCH NIBBLERS



- ▶ Punches and dies for curved or straight cuts with Bosch nibblers
- ▶ For easy working, even when performing narrow curved cuts or complicated cutouts in different types of sheet metal

Punches

	PRODUCT PROPERTIES		ORDERING INFORMATION			
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>Punch for curve cut GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530</p>	P0h	1	1	031523	2 608 639 013	
 <p>Universal punch GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530</p>	P0h	1	1	031554	2 608 639 022	
 <p>Punch for straight cut GNA 16 (SDS) Professional</p>	P0b	1	1	088640	2 608 639 027	
 <p>Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal</p>	P0h	1	1	271240	2 607 001 409	

Dies

	PRODUCT PROPERTIES		ORDERING INFORMATION				
	System recommendation		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Die suitable for flat sheet metals up to 2 mm GNA 1.6 L; GNA 2,0; GNA 16 (SDS) Professional; 1530						
	GNA 1.3/1.6/2.0		P0b	1	1	031561	2 608 639 900
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm GNA 3,2; GNA 3-5 Professional						
	GNA 3.2 + 3.5		P0b	1	1	088633	2 608 639 026
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm GNA 16 (SDS) Professional						
	GNA 16		P0b	1	1	088657	2 608 639 028
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm GNA 2,0 Professional; 1530						
	GNA 2.0		P0b	1	1	031547	2 608 639 021
	Special punch and die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530						
	GNA 2.0		P0b	1	1	031578	2 608 639 902

ACCESSORIES FOR BOSCH SHEET METAL AND UNIVERSAL SHEARS



- ▶ Shear blades for Bosch shears, for easy cutting of a wide variety of materials
- ▶ Re-sharpenable reversible blades for cost-effective use


Shear blade sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
5-piece blade set suitable for sheet metals						
GSC 2,8 Professional						
GSC 2.8	PC1a	5	1	029803	2 607 010 025	
6-piece blade set suitable for sheet metals						
GSC; GSC 1,6 Professional; Typ 1500						
GSC 1.6, type 1500, cordless GSC 9.6 V	C1d	1	1	031783	3 607 010 028	



Upper blades for Bosch sheet metal and universal shears

PRODUCT PROPERTIES		ORDERING INFORMATION				
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Upper blade and lower blade GSC 12V-13; GSC 16; GSC 160 Professional						
GSC 16 (metalworking) + GSC 160		C0a	1	1	088664	2 608 635 243



Upper blade Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings GUS; GUS 12V-300 Professional						
GUS 9.6 V		P0b	1	1	031516	2 608 635 126



Universal Cutting Oil

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal						
		P0h	1	1	271240	2 607 001 409



NAILS



For Bosch pneumatic nailer.



- ▶ Suitable for roof construction, wood construction, door and window frames, furniture frames, pallet construction, case construction
- ▶ All nails are additionally resin-coated (for better penetration and greater retention power)
- ▶ All nails are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Treatment with resin means the nails are easier to drive into the material. This simultaneously ensures a better hold

34° clipped head strip nails, resin-coated – smooth version



▶ Appropriate for GSN 90-34 DK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bright								
SN34DK 50	2.8 7.0 (D-shape)		50	C0a 3,000	1	1	563291	2 608 200 000
SN34DK 65	2.8 7.0 (D-shape)		65	C0a	1	1	563307	2 608 200 001
SN34DK 75	2.8 7.0 (D-shape)		75	C0a	1	1	563314	2 608 200 002
SN34DK 80	3.1 7.1 (D-shape)		80	C0a	1	1	563321	2 608 200 003
SN34DK 90	3.1 7.1 (D-shape)		90	C0a	1	1	563338	2 608 200 004
Galvanised								
SN34DK 50G	2.8 7.0 (D-shape)		50	C0a 3,000	1	1	563345	2 608 200 005
SN34DK 65G	2.8 7.0 (D-shape)		65	C0a	1	1	563352	2 608 200 006
SN34DK 75G	2.8 7.0 (D-shape)		75	C0a	1	1	563369	2 608 200 007
SN34DK 80G	3.1 7.1 (D-shape)		80	C0a	1	1	563376	2 608 200 008
SN34DK 90G	3.1 7.1 (D-shape)		90	C0a	1	1	563383	2 608 200 009

34° clipped head strip nails, resin-coated – grooved version



► Appropriate for GSN 90-34 DK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bright								
SN34DK 50R	2.8 7.0 (D-shape)		50	C0a 3,000	1	1	563437	2 608 200 014
SN34DK 65R	2.8 7.0 (D-shape)		65	C0a	1	1	563444	2 608 200 015
SN34DK 75R	2.8 7.0 (D-shape)		75	C0a 3,000	1	1	563451	2 608 200 016
SN34DK 80R	3.1 7.1 (D-shape)		80	C0a	1	1	563468	2 608 200 017
SN34DK 90R	3.1 7.1 (D-shape)		90	C0a	1	1	563475	2 608 200 018
Galvanised								
SN34DK 50RG	2.8 7.0 (D-shape)		50	C0a	1	1	563482	2 608 200 019
SN34DK 65RG	2.8 7.0 (D-shape)		65	C0a 3,000	1	1	563499	2 608 200 020
SN34DK 75RG	2.8 7.0 (D-shape)		75	C0a	1	1	563505	2 608 200 021
SN34DK 80RG	3.1 7.1 (D-shape)		80	C0a 3,000	1	1	563512	2 608 200 022
SN34DK 90RG	3.1 7.1 (D-shape)		90	C0a 2,500	1	1	563529	2 608 200 023

21° full head strip nails, resin-coated – smooth version



► Appropriate for GSN 90-21 RK Professional



Bright								
SN21RK 60	2.8	7.0	60	U0 4,000	1	1	563574	2 608 200 028
SN21RK 75	2.8	7.0	75	U0	1	1	563581	2 608 200 029
SN21RK 80	3.1	7.0	80	U0	1	1	563598	2 608 200 030
SN21RK 90	3.1	7.0	90	U0 2,500	1	1	563604	2 608 200 031
Galvanised								
SN21RK 60G	2.8	7.0	60	U0	1	1	563611	2 608 200 032
SN21RK 75G	2.8	7.0	75	U0	1	1	563628	2 608 200 033
SN21RK 80G	3.1	7.0	80	U0	1	1	563635	2 608 200 034
SN21RK 90G	3.1	7.0	90	U0	1	1	563642	2 608 200 035

21° full head strip nails, resin-coated – grooved version

► Appropriate for GSN 90-21 RK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Shank diameter (D) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised								
SN21RK 60RG	2.8	7.0	60	U0	1	1	563659	2 608 200 036
SN21RK 75RG	2.8	7.0	75	U0	1	1	563666	2 608 200 037
SN21RK 90RG	3.1	7.0	90	U0	2,500	1	563673	2 608 200 038
Hot-dip galvanised								
SN21RK 65RHG	2.8	7.0	65	U0	4,000	1	563680	2 608 200 039
SN21RK 75RHG	2.8	7.0	75	U0	3,000	1	563697	2 608 200 040
SN21RK 90RHG	3.1	7.0	90	U0	2,500	1	563703	2 608 200 041

FINISH NAILS AND BRADS

For Bosch pneumatic nailer.




- ▶ Suitable for case construction, upholstery, picture frames, furniture manufacture, wall coverings, fibre plasterboard, decorative strips and skirting boards, door and window frames
- ▶ Version: galvanised and also available in weatherresistant stainless steel
- ▶ All finish nails and brads are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Finish nails and brads provide a firm hold with heads that are scarcely visible

1.2/18g brads – galvanised version


▶ Appropriate for GSK 50 Professional

PRODUCT PROPERTIES					ORDERING INFORMATION				
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version									
SK50 16G	1.2	2	1	16	C0a	5,000	1	563826	2 608 200 511
SK50 19G	1.2	2	1	19	C0a	5,000	1	563833	2 608 200 512
SK50 25G	1.2	2	1	25	C0a	5,000	1	563840	2 608 200 513
SK50 30G	1.2	2	1	30	C0a	5,000	1	563857	2 608 200 514
SK50 35G	1.2	2	1	35	C0a	5,000	1	563864	2 608 200 515
SK50 40G	1.2	2	1	40	C0a	5,000	1	563871	2 608 200 516
SK50 45G	1.2	2	1	45	C0a	5,000	1	563888	2 608 200 517
SK50 50G	1.2	2	1	50	C0a	5,000	1	563895	2 608 200 518



1.6/16g finish nails - galvanised version


► Appropriate for GSK 64 Professional



PRODUCT PROPERTIES					ORDERING INFORMATION				
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version									
SK64 25G	1.6	2.8	1.45	25	C0a	2,500	1	563710	2 608 200 500
SK64 30G	1.6	2.8	1.45	30	C0a	2,500	1	563727	2 608 200 501
SK64 35G	1.6	2.8	1.45	35	C0a	2,500	1	563734	2 608 200 502
SK64 40G	1.6	2.8	1.45	40	C0a	2,500	1	563741	2 608 200 503
SK64 45G	1.6	2.8	1.45	45	C0a	2,500	1	563758	2 608 200 504
SK64 50G	1.6	2.8	1.45	50	C0a	2,500	1	563765	2 608 200 505
SK64 55G	1.6	2.8	1.45	55	C0a	1	1	563772	2 608 200 506
SK64 63G	1.6	2.8	1.45	63	C0a	2,500	1	563789	2 608 200 507

20° 1.6/16g finish nails – galvanised version


► Appropriate for GSK 18 V-Li Professional



Galvanised version									
SK64-20 G	1.6	2.8	1.35	38	C0a	2,000	1	621694	2 608 200 529
SK64-20 G	1.6	2.8	1.35	44	C0a	2,000	1	621700	2 608 200 530
SK64-20 G	1.6	2.8	1.35	50	C0a	2,000	1	621717	2 608 200 531
SK64-20 G	1.6	2.8	1.35	57	C0a	2,000	1	621724	2 608 200 532
SK64-20 G	1.6	2.8	1.35	63	C0a	2,000	1	621731	2 608 200 533
SK64-20 G	1.6	2.8	1.35	32	C0a	2,000	1	621687	2 608 200 528

20° 1.6/16g finish nails – stainless version


► Appropriate for GSK 18 V-Li Professional



Stainless version									
SK64-20 NR	1.6	2.8	1.35	38	C0a	2,000	1	621748	2 608 200 534
SK64-20 NR	1.6	2.8	1.35	50	C0a	2,000	1	621755	2 608 200 535
SK64-20 NR	1.6	2.8	1.35	63	C0a	2,000	1	621762	2 608 200 536

STAPLES

For Bosch pneumatic stapler.




- ▶ Suitable for attaching heat insulation materials, fibre plasterboard, steps and handrails, building fences, door and window frames, upholstery, picture frames
- ▶ Version: all staples are galvanised and resin-coated
- ▶ All staples are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Narrow crown staples are also a good solution in decoration because the spine of the staple penetrates deep into the wood and is barely noticeable

1.2/18g narrow crown staples, chisel point, resin-coated – galvanised version

▶ Appropriate for GTK 40 Professional


PRODUCT PROPERTIES				ORDERING INFORMATION				
Type	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Galvanised version								
TK40 15G	5.8	1.2	15	C0a	5,000	1	563901	2 608 200 700
TK40 20G	5.8	1.2	20	C0a	5,000	1	563918	2 608 200 701
TK40 25G	5.8	1.2	25	C0a	5,000	1	563925	2 608 200 702
TK40 30G	5.8	1.2	30	C0a	5,000	1	563932	2 608 200 703
TK40 35G	5.8	1.2	35	C0a	5,000	1	563949	2 608 200 704
TK40 38G	5.8	1.2	38	C0a	5,000	1	563956	2 608 200 705



Fine wire staples, type 53


- ▶ **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- ▶ **Appropriate for** tackers from AEG, Arrow, Black+Decker, Bosch, Esco, kwb, Maestri, Mekano, Metabo, Neckermann/Bullcraft, Novus, Outifrance, Piranha, Rocagraf, Stanley, Skil Wolfcraft

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11.4	0.74	6	C1a	1,000	1	012126	1 609 200 326
11.4	0.74	8	C1a	1,000	1	004756	1 609 200 365
11.4	0.74	10	C1a	1,000	1	004763	1 609 200 366
11.4	0.74	12	C1a	1,000	1	004770	1 609 200 367
11.4	0.74	14	C1a	1,000	1	004787	1 609 200 368



Weatherproof staples made of stainless steel.


11.4	0.74	6	C1a	1,000	1	084147	2 609 200 214
11.4	0.74	8	C1a	1,000	1	084154	2 609 200 215
11.4	0.74	10	C1a	1,000	1	084161	2 609 200 216



Narrow crown staples, type 55

- ▶ **Suitable for** particularly firm connections, also for thicker materials
- ▶ **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Lux, Metabo, Novus, Wolfcraft


6	1.08	12	C1a	1,000	1	004800	1 609 200 370
---	------	----	-----	-------	---	--------	---------------



Narrow crown staples, type 55, resin-coated


- ▶ **Suitable for** fixing wall and ceiling coverings in conjunction with joint or profile wood claws. The glue effect of the resin coat offers a firm hold over a long period of time.
- ▶ **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Metabo, Novus, Wolfcraft

6	1.08	28	C1a	1,000	1	004855	1 609 200 375
---	------	----	-----	-------	---	--------	---------------



Pins, type 40


- ▶ **Suitable for** simple stapling applications in thick materials
- ▶ **Appropriate for** tackers from Bosch, kwb, Novus



PRODUCT PROPERTIES		ORDERING INFORMATION				
Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
23	C1a	1,000	1	005005	1 609 200 390	

Nails, type 47


- ▶ Bosch tacker nails made of hard steel wire with lengths between 16 and 30 mm
- ▶ Width of head depending on machine 1.8 or 2.8 mm
- ▶ **Appropriate for** tackers from AEG, Bosch, Esco, kwb, Lux, Mekano, Metabo, Novus, Peugeot, Rocafix, Rocagraf, Stanley, Swingline, Wolfcraft



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8	1.27	16	C1a	1,000	1	004862	1 609 200 376
1.8	1.27	19	C1a	1,000	1	004879	1 609 200 377
1.8	1.27	23	C1a	1,000	1	004886	1 609 200 378
1.8	1.27	26	C1a	1,000	1	004893	1 609 200 379
1.8	1.27	28	C1a	1,000	1	004909	1 609 200 380

Nails, type 48

- ▶ Bosch tacker nails are made from hard steel wire
- ▶ **Appropriate for** Tacker PTK 14 from Bosch



1.8	1.45	14	C1a	1,000	1	008396	1 609 200 393
-----	------	----	-----	-------	---	--------	----------------------

ACCESSORIES FOR GLUE GUNS



- ▶ Glue sticks made of hot-melt adhesive for easy repairing, fixing, installation, sealing and jointing work
- ▶ Appropriate for all makes of glue guns

Glue Sticks, Transparent

- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, PVC, plastics, leather, ceramics, fabric, glass
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11	45	125	C1a	1	1	005265	1 609 201 219
11	200	500	C1a	1	1	005647	1 609 201 396

Glue Sticks, Black



- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, carpet, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

GKP 200 CE Professional; AdvancedGlue 18V

11	200	500	C1a	1	1	048439	2 607 001 178
----	-----	-----	-----	---	---	--------	---------------

Glue Sticks, Grey

- ▶ For elastic, tough connections
- ▶ **Suitable for** electrical applications, cable fasteners, PVC, carpet
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GKP 200 CE Professional; AdvancedGlue 18V							
11	200	500	C1a	1	1	048422	2 607 001 177

Glue Sticks, Yellow



- ▶ For hard, firm connections
- ▶ **Suitable for** wood, veneer, cardboard, packages, seals, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

GKP 200 CE Professional; AdvancedGlue 18V							
11	200	500	C1a	1	1	048415	2 607 001 176

Low Melt Glue Sticks, Transparent

- ▶ With its low melting temperature, the low-melt adhesive is particularly suitable for temperature-sensitive materials.
- ▶ Reduced melting temperature (130°C) allows for more safety and versatility in hot melt bonding.
- ▶ Bosch low melt gluesticks are ideal for crafting, decorating, creative design and repairing. Suitable material applications are hard wood, soft wood, PVC, Aluminium, Styrofoam, Transotype foam, etc.








PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Transparent and Elastic 500g AdvancedGlue 18V							
11	200	500	C1a	26	1	642895	2 608 000 807

Accessories for Bosch Heat Guns



Nozzles for Bosch Heat Guns

- **Appropriate for** GHG 500-2; GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 500-2; PHG 600-3; PHG 630 DCE





PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 Surface nozzle with surface distribution of the hot air for drying, removing paint, thawing							
75	33.5	C1d	1	1	006095	1 609 390 451	
50	33.5	C1d	1	1	013109	1 609 201 795	
 Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass.							
75	33.5	C1a	1	1	006101	1 609 390 452	
 Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass							
50	33.5	C1d	1	1	013116	1 609 201 796	
 Reflector nozzle with frontal deflection for soldering, tinning and shrinking.							
32	33.5	C1d	1	1	006118	1 609 390 453	
 Reduction nozzle with half diameter for work in corners or for concentrating the hot air jet onto smaller surfaces, e.g. for desoldering							
-	20	C1d	1	1	015110	1 609 201 648	

Nozzles for Bosch Heat Guns with Electronic


- **Appropriate for** GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
 Reduction nozzle as round nozzle for a concentrated hot air jet or as an adapter for special nozzles GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
14	C1d	1	1	015134	1 609 201 647		
 Basic attachment for all auxiliary nozzles with 9 mm diameter Reducing nozzle GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
9	C1d	1	1	013123	1 609 201 797		

Nozzles for Bosch Heat Guns with Electronic

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Welding shoe with side channel for feeding plastic welding wire up to 5 mm in diameter. In conjunction with reducing nozzle 9 mm diameter GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
	10		C1d	1	1	013130	1 609 201 798
	Slot nozzle for narrow-surface overlap welding of PVC foils. In conjunction with reducing nozzle 9 mm diameter GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
	10		C1d	1	1	013147	1 609 201 799
	Cutting nozzle for a highly concentrated hot air jet for cutting hard foam of up to 100 mm thickness. In conjunction with 9 mm diameter reduction nozzle GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
	10		C1a	1	1	013154	1 609 201 800
	Welding nozzle with opening for feeding plastic welding wire up to 4 mm in diameter. In conjunction with 9 mm diameter reduction nozzle GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
	10		C1d	1	1	013161	1 609 201 801

Plastic Welding Rods

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Diameter mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Plastic welding rod Polyethylene (HDPE) black						
	225	4	100	C1d	1	1	013185
	Plastic welding rod Hard PVC, transparent						
	225	4	100	C1d	1	1	013192

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for wall chasers, slot cutters and
angle grinders 670 – 1.400 W.



Dust extrac-
tion guard
Ø 115,
125 mm

Elbow

Hose Ø 19 x
3,000 mm

Hose Ø 19 x
5,000 mm

Adapter for
19 to 35 mm

Page number	664	665	751	751	754
Part Number	1 605 510 291	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

WALL CHASERS AND SLOT CUTTERS

GNF 20 CA	-	-	✓	✓	✓
GNF 35 CA	-	-	✓	✓	✓
GNF 65 A	-	-	✓	✓	✓
GSF 100 A	-	-	✓	✓	✓

ANGLE GRINDER 670 – 1,400 W

GWS 5-100 .. GWS 5-115 ..	-	✓	✓	✓	✓
GWS 6-100 .. GWS 6-115 .. GWS 6-125 ..	-	✓	✓	✓	✓
GWS 7-115 GWS 7-125	✓	✓	✓	✓	✓
GWS 8-115 GWS 8-115 Z GWS 8-125	-	✓	✓	✓	✓
GWS 9-125	✓	✓	✓	✓	✓
GWS 10-125 GWS 10-125 Z	-	✓	✓	✓	✓
GWS 10-125 C GWS 10-125 CE	✓	✓	✓	✓	✓
GWS 11-125 CI/CIE/ CIH	-	✓	✓	✓	✓
GWS 14-125 C GWS 14-125 CE	✓	✓	✓	✓	✓
GWS 14-125 CI/CIE/ CIT	-	✓	✓	✓	✓
GWS 14-150 C	-	✓	✓	✓	✓
GWS 14-150 CI	-	✓	✓	✓	✓
GWS 15-150 CIH	-	✓	✓	✓	✓
GWS 15-125 CIH / CIEH / CITH	-	✓	✓	✓	✓
GWS 850 ...	-	✓	✓	✓	✓
GWS 1000	✓	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.



Dust extraction guard Ø 230 mm	Dust extraction guard Ø 300 mm	Elbow	Hose Ø 19 x 3,000 mm	Hose Ø 19 x 5,000 mm	Adapter for 19 to 35 mm
-----------------------------------	-----------------------------------	-------	----------------------------	----------------------------	-------------------------------

Page number	665	665	665	751	751	754
Part Number	1 605 510 180	1 605 510 215	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 25-230 / J	✓	-	✓	✓	✓	✓
GWS 26-180 B	-	-	✓	✓	✓	✓
GWS 26-180 BV / JBV	-	-	✓	✓	✓	✓
GWS 26-180 H/ JH	-	-	✓	✓	✓	✓
GWS 26-180 JBV	-	-	✓	✓	✓	✓
GWS 26-230	-	-	✓	✓	✓	✓
GWS 26-230 B / BV / JBV	✓	-	✓	✓	✓	✓
GWS 26-230 BV	-	-	✓	✓	✓	✓
GWS 26-230 JBV	✓	-	✓	✓	✓	✓
GWS 26-230 JH	✓	-	✓	✓	✓	✓
GWS 180 / J	-	-	✓	✓	✓	✓
GWS 230	✓	-	✓	✓	✓	✓

SPECIAL CUT-OFF GRINDERS

GWS 24-300 GWS 24-300 J	-	✓	-	✓	✓	✓
----------------------------	---	---	---	---	---	---

CONCRETE GRINDERS

GBR 14 CA	-	-	-	✓	✓	-
-----------	---	---	---	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W,
special cut-off grinders and concrete grinders.



Dust extrac-
tion guard
Ø 230 mm

Elbow

Hose
Ø 19 x
3,000 mm

Hose
Ø 19 x
5,000 mm

Adapter
for 19 to
35 mm

Page number	665	665	751	751	754
Part Number	1 605 510 180	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 20-180 / H / JH	-	✓	✓	✓	✓
GWS 20-180 / J	-	✓	✓	✓	✓
GWS 20-230 / J	✓	✓	✓	✓	✓
GWS 20-230 H / J / JH	✓	✓	✓	✓	✓
GWS 21-180 HV / JHV	-	✓	✓	✓	✓
GWS 21-230 HV / JHV	✓	✓	✓	✓	✓
GWS 22-180 H / JH	-	✓	✓	✓	✓
GWS 22-180 LVI	-	✓	✓	✓	✓
GWS 22-230 H / JH	✓	✓	✓	✓	✓
GWS 22-230 LVI	-	✓	✓	✓	✓
GWS 23-180 / J	-	✓	✓	✓	✓
GWS 23-230 / J	-	✓	✓	✓	✓
GWS 24-180 BX / JBX	-	✓	✓	✓	✓
GWS 24-180 H / BV / JBV	-	✓	✓	✓	✓
GWS 24-180 H / JH	-	✓	✓	✓	✓
GWS 24-180 LVI	-	✓	✓	✓	✓
GWS 24-230 BX / JBX	✓	✓	✓	✓	✓
GWS 24-230 H / BV / JBV	✓	✓	✓	✓	✓
GWS 24-230 H / JH	✓	✓	✓	✓	✓
GWS 24-230 JBX	-	✓	✓	✓	✓
GWS 24-230 LVI	-	✓	✓	✓	✓
GWS 25-180 / J	-	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for jigsaws and all-purpose saws.



Hose \varnothing 35 x 5,000 mm

Page number	752
Part Number	2 607 002 164

JIGSAWS

GST 90 E	✓
GST 100 GST 100 B GST 100 BCE GST 100 CE	✓
GST 120 BE GST 120 E	✓
GST 135 BCE GST 135 CE	✓
GST 150 BCE GST 150 CE	✓
GST 14,4 V	✓
GST 18 V	✓
GST 24 V	✓
GST 75 BE	✓

ALL-PURPOSE SAW

GFZ 14-35 A	✓
GFZ 16-35 AC	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for hand-held circular saws and planers.



Hose \varnothing 35 x 5,000 mm

Page number	752
Part Number	2 607 002 164

HAND-HELD CIRCULAR SAWS

GKS 54	✓
GKS 54 CE	✓
GKS 55	✓
GKS 55 CE	✓
GKS 55 GCE	✓
GKS 65	✓
GKS 65 CE	✓
GKS 65 G	✓
GKS 65 GCE	✓
GKS 66 CE	✓
GKS 85 S	✓
GKS 85 G	✓
GKS 160	✓
GKS 190	✓
GKS 18 V-LI	✓
GKS 24 V	✓
GKS 36 V-LI	✓

PLANERS

GHO 15-82	✓
GHO 26-82	✓
GHO 31-82	✓
GHO 36-82 C	✓
GHO 40-82 C	✓
GHO 14.4 V	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for routers and jointer.



Adapter	Adapter	Hose Ø 35 × 5,000 mm
---------	---------	----------------------

Page number	762	761	752
Part Number	2 608 000 489	1 600 499 005	2 607 002 164

ROUTERS

GKF 600	✓	-	✓
GOF 900 ACE	✓	-	✓
GOF 1300 ACE	✓	-	✓
GOF 2000 CE	✓	-	✓
GOF 1600 CE	✓	-	✓
GMF 1600 CE	✓	-	✓

UNIVERSAL ROUTER

GUF 4-22 A	-	✓	✓
------------	---	---	---

BISCUIT JOINTER

GFF 22 A	-	✓	✓
----------	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for sanders and benchtop tools.



Adapter

Adapter

Page number	761	762
Part Number	1 600 499 005	2 600 306 007

BELT SANDERS

GBS 75 AE Set	-	-
GBS 100 AE	✓	-

ORBITAL SANDERS

GSS 16 A	-	✓
GSS 23 AE GSS 23 A	-	✓
GSS 140 A	-	-
GSS 230 AE	-	-
GSS 280 A GSS 280 AE	-	-

DELTA SANDERS

GDA 280 E	-	-
-----------	---	---

RANDOM ORBIT SANDERS

GEX 125 A GEX 125 AC	-	✓
GEX 125-1 AE	-	-
GEX 150 AC	-	✓
GEX 150 Turbo	-	-

BENCHTOP TOOLS

GCM 8 S	-	-
GCM 10 GCM 10 J GCM 10 S GCM 10 SD	-	-
GCM 12 GCM 12 SD	-	-
GTS 10	-	-
GKG 24 V	-	-

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for jigsaws and delta sanders.



Hose \varnothing 19 × 3,000 mm

Hose \varnothing 19 × 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	751	751	754
Part Number	2 600 793 009	1 610 793 002	2 607 000 748

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180			
PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Adapter for Ø 19 to 35 mm
---------	-------------------------	-------------------------	------------------------------

Page number	762	751	751	754
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 748

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	✓
PEX 220 A	✓	✓	✓	✓
PEX 270 AE	✓	✓	✓	✓
PEX 400 AE	✓	✓	✓	✓
PEX 420 AE	✓	✓	✓	✓

ORBITAL SANDERS

PSM 80 A	✓	✓	✓	✓
PSM 160 A	✓	✓	✓	✓
PSS 190 AE	✓	✓	✓	✓
PSS 200 A/AC	✓	✓	✓	✓
PSS 250 AE	✓	✓	✓	✓
PSS 280 A	✓	✓	✓	✓
PSS 300 AE	✓	✓	✓	✓

PLANERS

PHO 16-82	✓	-	-	-
PHO 20-82	✓	-	-	-
PHO 25-82	✓	-	-	-
PHO 30-82	✓	-	-	-
PHO 35-82 C	✓	-	-	-
PHO 3100	✓	-	-	-

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose Ø 19 x 3,000 mm	Hose Ø 19 x 5,000 mm	Hose Ø 35 x 3,000 mm	Hose Ø 35 x 5,000 mm	Adapter for Ø 19 to 35 mm
---------	----------------------	----------------------	----------------------	----------------------	---------------------------

Page number	762	751	751	752	752	754
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓	-	-	✓
PBS 60 PBS 60 E	-	-	-	✓	✓	✓
PBS 60 PBS 60 E	-	-	-	-	-	-
PBS 75 A PBS 75 AE	-	✓	✓	-	-	✓
PBS 75 A PBS 75 AE	-	-	-	✓	✓	✓
PBS 75 A PBS 75 AE	-	-	-	-	-	-
PBS 7 AE	✓	✓	✓	-	-	✓

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓	-	-	✓
PVS 300 AE	-	-	-	✓	✓	✓

WALL CHASER

PSF 22 A	-	✓	✓	-	-	-
PSF 22 A	-	-	-	✓	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for hand-held circular saws.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	752	752	754
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓	✓
PKS 40	-	-	-
PKS 46	✓	✓	✓
PKS 46	-	-	-
PKS 54 PKS 54 CE	✓	✓	✓
PKS 54 PKS 54 CE	-	-	-
PKS 55 PKS 55 A	✓	✓	✓
PKS 55 PKS 55 A	-	-	-
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	-	-	-

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for routers.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Adapter for
 \varnothing 19 to 35 mm

Page number	752	752	754
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

ROUTERS

POF 400 A	✓	✓	✓
POF 400 A	-	-	-
POF 500 A	✓	✓	✓
POF 500 A	-	-	-
POF 600 ACE	✓	✓	✓
POF 600 ACE	-	-	-
POF 800 ACE	✓	✓	✓
POF 800 ACE	-	-	-
POF 1100 AE	✓	✓	✓
POF 1100 AE	-	-	-
POF 1200 AE	✓	✓	✓
POF 1200 AE	-	-	-
POF 1300 ACE	✓	✓	✓
POF 1300 ACE	-	-	-
POF 1400 AE	✓	✓	✓
POF 1400 AE	-	-	-

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose \varnothing 35 x 3,000
mmHose \varnothing 35 x 5,000
mmAdapter for \varnothing 19 to
35 mm

Page number	665	664	664	752	752	754
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230	2 607 000 748

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	-	-	-
PWS 7-115 (0 603 402 0..)	-	✓	-	-	-	-
PWS 7-125 (0 603 403 0..)	-	✓	-	-	-	-
PWS 7-125 (3 603 C99 8..)	-	-	✓	-	-	-
PWS 9-125 CE (0 603 405 7..)	-	✓	-	-	-	-
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	-	-	-
PWS 10-125 CE (0 603 347 ...)	-	✓	-	-	-	-
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓	✓
PWS 20-230 J	✓	-	-	✓	✓	✓
PWS 21-230	✓	-	-	✓	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	-	-	-
PWS 700-115 (0 603 A64 2..)	-	-	✓	-	-	-
PWS 720 (0 603 403 0..)	-	✓	-	-	-	-
PWS 720-115 (0 603 A64 0..)	-	-	✓	-	-	-
PWS 720-125 (0 603 A64 0..)	-	-	✓	-	-	-
PWS 750-115 (0 603 A84 1..)	-	-	✓	-	-	-
PWS 750-125 (0 603 A84 1..)	-	-	✓	-	-	-
PWS 850 CE (0 603 404 7..)	-	✓	-	-	-	-
PWS 1900	✓	-	-	✓	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for jigsaws and delta sanders.



Hose \varnothing 19 × 3,000 mm

Hose \varnothing 19 × 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	751	751	754
Part Number	2 600 793 009	1 610 793 002	1 609 200 933

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180			
PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
---------	-------------------------	-------------------------	-------------------------	-------------------------	------------------------------

Page number	762	751	751	752	752	754
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	-	-	✓
PEX 220 A	✓	✓	✓	-	-	✓
PEX 270 AE	✓	✓	✓	-	-	✓
PEX 400 AE	✓	✓	✓	-	-	✓
PEX 420 AE	✓	✓	✓	-	-	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓	-	-	✓
PSM 160 A	✓	✓	✓	-	-	✓
PSS 190 AE	-	✓	✓	-	-	✓
PSS 200 A/AC	-	✓	✓	-	-	✓
PSS 250 AE	-	✓	✓	-	-	✓
PSS 280 A	-	✓	✓	-	-	✓
PSS 300 AE	-	✓	✓	-	-	✓

PLANERS

PHO 16-82	-	-	-	✓	✓	-
PHO 20-82	-	-	-	✓	✓	-
PHO 25-82	-	-	-	✓	✓	-
PHO 30-82	-	-	-	✓	✓	-
PHO 35-82 C	-	-	-	✓	✓	-
PHO 3100	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose Ø 19 x 3,000 mm	Hose Ø 19 x 5,000 mm	Hose Ø 35 x 3,000 mm	Hose Ø 35 x 5,000 mm	Adapter for Ø 19 to 35 mm
---------	----------------------	----------------------	----------------------	----------------------	---------------------------

Page number	762	751	751	752	752	754
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓	-	-	✓
PBS 60 PBS 60 E	-	-	-	✓	✓	-
PBS 75 A PBS 75 AE	-	✓	✓	-	-	✓
PBS 75 A PBS 75 AE	-	-	-	✓	✓	-
PBS 7 AE	✓	✓	✓	-	-	✓

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓	-	-	✓
PVS 300 AE	-	-	-	✓	✓	✓

WALL CHASER

PSF 22 A	-	✓	✓	-	-	✓
PSF 22 A	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for hand-held circular saws and routers.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Page number	752	752
Part Number	2 607 000 837	1 609 202 230

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓
PKS 46	✓	✓
PKS 54 PKS 54 CE	✓	✓
PKS 55 PKS 55 A	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓

ROUTERS

POF 400 A	✓	✓
POF 500 A	✓	✓
POF 600 ACE	✓	✓
POF 800 ACE	✓	✓
POF 1100 AE	✓	✓
POF 1200 AE	✓	✓
POF 1300 ACE	✓	✓
POF 1400 AE	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 ×
3,000 mmHose Ø 35 ×
5,000 mm

Page number	665	664	664	752	752
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓
PWS 20-230 J	✓	-	-	✓	✓
PWS 21-230	✓	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	✓	-	✓	✓
PWS 1900	✓	-	-	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for jigsaws and delta sanders.

Hose \varnothing 19 × 3,000 mmHose \varnothing 19 × 5,000 mmAdapter for \varnothing 19 to 35 mm

Page number	751	751	754
Part Number	2 600 793 009	1 610 793 002	2 607 000 748

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180			
PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
---------	-------------------------	-------------------------	-------------------------	-------------------------	------------------------------

Page number	762	751	751	752	752	754
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	-	-	✓
PEX 220 A	✓	✓	✓	-	-	✓
PEX 270 AE	✓	✓	✓	-	-	✓
PEX 400 AE	✓	✓	✓	-	-	✓
PEX 420 AE	✓	✓	✓	-	-	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓	-	-	✓
PSM 160 A	✓	✓	✓	-	-	✓
PSS 190 AE	-	✓	✓	-	-	✓
PSS 200 A/AC	-	✓	✓	-	-	✓
PSS 250 AE	-	✓	✓	-	-	✓
PSS 280 A	-	✓	✓	-	-	✓
PSS 300 AE	-	✓	✓	-	-	✓

PLANERS

PHO 16-82	-	-	-	✓	✓	✓
PHO 20-82	-	-	-	✓	✓	✓
PHO 25-82	-	-	-	✓	✓	✓
PHO 30-82	-	-	-	✓	✓	✓
PHO 35-82 C	-	-	-	✓	✓	✓
PHO 3100	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm	Adapter
----------------------	----------------------	----------------------	----------------------	---------------------------	---------

Page number	751	751	752	752	754	762
Part Number	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748	2 600 306 007

BELT SANDERS

PBS 60 PBS 60 E	✓	✓	-	-	✓	-
PBS 60 PBS 60 E	-	-	✓	✓	-	-
PBS 75 A PBS 75 AE	✓	✓	-	-	✓	-
PBS 75 A PBS 75 AE	-	-	✓	✓	-	-
PBS 7 AE	✓	✓	-	-	✓	✓

COMPACT BELT SANDERS

PVS 300 AE	✓	✓	-	-	✓	-
------------	---	---	---	---	---	---

WALL CHASER

PSF 22 A	-	-	✓	✓	✓	-
----------	---	---	---	---	---	---

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for hand-held circular saws and routers.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	752	752	754
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓	✓
PKS 46	✓	✓	✓
PKS 54 PKS 54 CE	✓	✓	✓
PKS 55 PKS 55 A	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓

ROUTERS

POF 400 A	✓	✓	-
POF 500 A	✓	✓	-
POF 600 ACE	✓	✓	-
POF 800 ACE	✓	✓	-
POF 1100 AE	✓	✓	-
POF 1200 AE	✓	✓	-
POF 1300 ACE	✓	✓	-
POF 1400 AE	✓	✓	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 ×
3,000 mmHose Ø 35 ×
5,000 mm




Page number	665	664	664	752	752
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓
PWS 20-230 J	✓	-	-	✓	✓
PWS 21-230	✓	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	✓	-	✓	✓
PWS 1900	✓	-	-	✓	✓

Accessories for External Dust Extraction using Bosch Dust Extractors

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
	Crevice nozzle GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	49	C1d	1	1	005173	1 609 200 971
	Rubber nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	C1d	1	1	005319	1 609 201 229
	Floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	C1d	1	1	005326	1 609 201 230
	Multi-purpose nozzle for wet and dry applications with 2 inserts: rubber lip for water, brush for smooth surfaces GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	P1d	1	1	015936	1 609 390 478
	Small round brush GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	C1d	1	1	015967	1 609 390 481
	Crevice nozzle GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	C1d	1	1	056656	2 607 000 165
	Small floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	35	C1d	1	1	056335	2 607 000 166

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number		



Coarse dirt nozzle

GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F

35	C1d	1	1	056359	2 607 000 170	
----	-----	---	---	--------	----------------------	--



Crevice Nozzle

GAS 18V-10 L Professional; AdvancedVac 18V-8

35	P1d	1	1	917926	2 608 000 661	
----	-----	---	---	--------	----------------------	--



Suction nozzle for GAS 18V-10 L

GAS 18V-10 L (0 601 9C6 3..) Professional

-	P1d	1	1	553771	2 608 000 707	
---	-----	---	---	--------	----------------------	--

Hoses for Bosch dust extractors

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number



Regular Hoses for Dust Extractors

GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

19	1 6/16 1 5/16	3	C0a	1	1	015462	2 600 793 009
----	------------------	---	-----	---	---	--------	----------------------



Regular Hoses for Dust Extractors

GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F

19	-	5	C0a	1	1	006149	1 610 793 002
----	---	---	-----	---	---	--------	----------------------

Hoses for Bosch dust extractors

	PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
	Regular Hoses for Dust Extractors GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F							
	35	-	3	U0	1	1	097277	2 607 000 837
	Regular Hoses for Dust Extractors with Bayonet Lock GAS 25 L SFC; GAS 50; GAS 50 M Professional							
	35	-	3	C0a	1	1	292771	2 609 390 392
	Regular Hoses for Dust Extractors Adapter 1 609 390 474 is required for PAS 850 GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF; GDB 1600 DE; GDB 1600 WE; GDB 2500 WE; GFF 22 A; GNF 65 A; GUF 4-22 A Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F							
	35	-	5	C0a	1	1	053082	1 609 202 230
	Antistatic hose, with bayonet lock GAS 25 L SFC; GAS 50; GAS 50 M; GOF 130 Professional							
	35	-	5	C0a	1	1	257572	2 607 002 164
	Regular Hoses for Dust Extractors GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F							
	49	-	3	C0a	1	1	062572	2 607 000 167
	Hose with bayonet lock including power tool adapter GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional							
	22	-	5	P0b	1	1	713658	2 608 000 567
	Antistatic hose, with bayonet lock including power tool adapter GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional							
	22	-	5	P0b	1	1	713665	2 608 000 568
	Hose with bayonet lock including power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional							
	35	-	5	P0b	1	1	713634	2 608 000 565
	Hose with bayonet lock including power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional							
	35	-	5	P0b	1	1	713641	2 608 000 566

Hoses for Bosch dust extractors



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Extension hose for GAS 12-25 PL and GAS 15 PS							
-	-	3	C0a	1	1	232298	2 608 000 712

Pipes for Bosch dust extractors



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pipe GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F						
35	0.5	P0b	1	1	605748	2 607 002 631



Pipe GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F						
35	0.5	P0f	2	1	062619	2 607 000 162



Pipe GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F						
49	0.5	U0	1	1	017664	1 609 200 968




Pipe, chrome-plated GAS12-25/12-25PS; GAS 15 PS; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC Professional						
35	0.35	P0b	3	1	713733	2 608 000 575

Elbow for Bosch dust extractors





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Elbow, antistatic GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
35	P0b	1	1	713719	2 608 000 573	


Suction regulator controls for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	Suction regulator control GAS 20 L SFC Professional	35	P0b	1	1	605731	2 607 002 630
	Suction regulator control GAS 10-50 RFH; GAS 10-50 RFK; GAS 11-21; GAS 11-27; GAS 11-27 F; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F	35	P1d	1	1	056328	2 607 000 164



Reducing adapters and adapters for Bosch dust extractors

	Adapter for connecting 19 mm hose Diameter: 58 > 19 mm GAS 12-30; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 1000	35	C1d	1	1	005142	1 609 200 933
	2-piece adapter Diameter: 49/35/19 mm GAS 12-50 RFH; GAS 1000 RF Professional; PAS 850; PAS 1000; PAS 1000 F	35	P1e	1	1	015899	1 609 390 474
	Adapter for hoses 1 609 202 230, 1 610 706 001, 1 610 793 002, 2 600 793 009, 2 607 000 167, 2 607 000 837 Diameter: 35/19 mm GAS 11-21 Professional; PAS 11-21; PAS 11-27; PAS 11-27 F; PAS 12-27 F	35	P0b	1	1	205337	2 607 000 748
	Only suitable as reduction from 59 mm to 35 mm Bosch hose system, for specified tools Also suitable for GAS 1000 GAS 12-50 RFH; GAS 1000 RF Professional; PAS 800; PAS 850; PAS 900; PAS 1000; PAS 1000 F	59	C1d	1	1	005180	1 609 200 976



Hose sleeves for hoses

	Hose sleeve Also suitable for GAS 25 GAS 50 (0 601 989 1..); GAS 50 M (0 601 988 1..) Professional	19	P1d	1	1	435963	2 607 001 976
	Hose sleeve GCM 12 GDL Professional	35	P1d	1	1	435970	2 607 001 977


Hose sleeves for hoses

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	
 <p>Power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 18V-10 L; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125-1 AE; GSS 12V-13; GSS 18V-13 Professional</p>							
22	P0b	1	1	726887		2 608 000 585	
35							
 <p>Hose adapter GAS 20 L SFC; GOF 130 Professional</p>							
35	P0b	1	1	605755		2 607 002 632	

Bellows filter

PRODUCT PROPERTIES			ORDERING INFORMATION					
Size cm ²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	6 949 509...	Part number
 <p>Bellows filter GAS12-25/12-25PS; GAS 15 PS; GAS 20 L SFC Professional</p>								
3,000	139	185	U0	1	1	619240		2 607 432 024
 <p>HEPA filter for GAS 12-25 PL and GAS 15 PS GAS 15 PS (0 601 9E5 1..) Professional</p>								
-	-	-	C0a	1	1	231291		2 608 000 699

Bellows filters, square

PRODUCT PROPERTIES		ORDERING INFORMATION					
Size cm ²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number
 <p>Cellulose bellows filter, dry application GAS 25 L SFC Professional</p>							
4,300	257 x 69 x 187	U0	1	1	257589		2 607 432 014

Bellows filters, square

PRODUCT PROPERTIES			ORDERING INFORMATION					
Size cm ²	Dimensions (length x width x height) mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	Polyester bellows filter, wet application GAS 25 L SFC Professional							
4,300	257 x 69 x 187		U0	1	1	257596	2 607 432 015	
	Cellulose bellows filter, dry application GAS 50; GAS 50 M Professional							
8,600	257 x 69 x 187		U0	2	1	257602	2 607 432 016	
	Polyester bellows filter GAS 50; GAS 50 M Professional							
8,600	257 x 69 x 187		U0	2	1	257619	2 607 432 017	
	Cellulose flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
6,150	240 x 140 x 56		C1a	1	1	713566	2 607 432 033	
	Polyester (PES) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
6,150	240 x 140 x 56		C1a	1	1	713573	2 607 432 034	
	Polytetrafluoroethylene (PTFE) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
6,150	240 x 140 x 56		C1a	1	1	718233	2 607 432 041	
	Cellulose - pleated filter GAS 12V Professional; EasyVac 12							
189.8	100 x 73 x 26		C1a	1	1	790185	2 607 432 046	
	Flat-pleated Filter H-Class (HEPA), PTFE GAS 35 H AFC Professional							
-	-		C1b	1	1	574882	2 607 432 052	

Bellows filters, square



PRODUCT PROPERTIES		ORDERING INFORMATION					
Size cm ²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Filter for GAS 18V-1 GAS 18V-1 Professional							
229.8	97 x 79 x 30	C0a	1	1	923361	2 608 000 664	

Textile filters



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Textile filter with plastic ring PAS 11-21; PAS 12-27; PAS 12-27 F							
		P0b	1	1	205344	2 607 432 013	

Pre-filters for Bosch dust extractors



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Pre-filter for GAS 12-25 PL							
		C0a	1	1	231307	2 608 000 700	

Foam filters for Bosch dust extractors



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Foam filter for GAS 15 PS	P1b	1	1	231314	2 608 000 701



Foam filter for GAS 12-25 PL	P1b	1	1	232281	2 608 000 711
------------------------------	-----	---	---	--------	----------------------

Fleece filter bag






PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Fleece bag for GAS 12-25 PL	C0a	5	1	232038	2 608 000 709




Fleece bag GAS 15; GAS 20 L SFC Professional	C1b	5	1	605779	2 605 411 229
---	-----	---	---	--------	----------------------


Fleece filter bag

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
 Fleece filter bag GAS 50; GAS 50 M Professional	P0b	5	1	257633	2 605 411 163
 Fleece filter bag GAS 25 L SFC Professional	P0b	5	1	257985	2 605 411 167
 Fleece filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713603	2 607 432 037
 Wet filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	5	1	713627	2 607 432 039
 Fleece filter bag GAS 55 M AFC Professional	P1b	5	1	713610	2 607 432 038
 Safety filter bag with integrated fleece filter bag GAS 35 H AFC Professional	P1b	5	1	574868	2 607 432 050


Paper filter bag

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
 Paper filter bag PAS 900	C1a	5	1	005777	1 609 201 628

Paper filter bag



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Paper filter bag GAS 12-30F Professional; PAS 11-25; PAS 11-25 F	P0b	5	1	073615	2 605 411 061



Paper filter bag GAS 12-50 RF Professional; PAS 12-50 F	P0b	5	1	073622	2 605 411 062
--	-----	---	---	--------	----------------------



Paper filter bag GAS 55 M AFC Professional	P1b	5	1	713597	2 607 432 036
---	-----	---	---	--------	----------------------



Paper filter bags PAS 11-21; PAS 12-27; PAS 12-27 F	P0b	5	1	210454	2 605 411 150
--	-----	---	---	--------	----------------------




Dust bag Ventaro; Ventaro 140; Ventaro 1400	C0a	3	1	437141	2 605 411 225
--	-----	---	---	--------	----------------------







Paper filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713580	2 607 432 035
--	-----	---	---	--------	----------------------

Disposal bag



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Disposal bag GAS 15; GAS 20 L SFC; GAS 1200 L Professional	P1b	5	1	617161	2 605 411 231

Disposal bag

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Disposal Bag Plastic (5pcs) for GAS 12-25 PL It has a capacity of 20 litres.	P0b	5	1	231277	2 608 000 697
	Disposal Bag Plastic (5pcs) for GAS 15 PS It has a capacity of 5 litres.	P0b	5	1	231284	2 608 000 698
	Disposal bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	744850	2 607 432 043
	PE Disposal bags GAS 35 H AFC; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	574875	2 607 432 051









Adapter

► For connecting power tools to hose



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Connector						
GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GBS 75 AE; GBS 100 A; GBS 100 AE; GDA 280E; GEX 125 A; GEX 125 AC; GEX 150 AC; GEX 150 ACE; GEX 150 Turbo; GFF 22 A; GUF 4-22 A Professional; EasySander 12; PBS 7 A; PBS 7 AE; PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PDA 240 E; PKS 14.4 V; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 55; PKS 55 A; PKS 66; PKS 66 AF; PKS 66 CE; PRIO; PRR 250 ES; PSF 22 A; PSM 18 LI; PSM 80 A; PSM 160 A; PST 52 A; PST 52 AE; PST 53 A; PST 53 AE; PST 650 E; PST 6500 E; PVS 300 AE						
	25-35	C1d	1	1	001847	1 600 499 005

Adapter

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number		
 <p>Adapter for random orbit, orbital and multi-sanders GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125; GEX 125 AC; GEX 150 AC; GSS 140; GSS 140 A; GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15 AE; PEX 270 A; PEX 270 AE; PEX 400 A; PEX 420 AE; PSM 160 A; PSS 180; PSS 240 AE</p>		-	P1e	1	1	063050	2 600 306 007
 <p>Adapter for planers PHO 1; PHO 15-82; PHO 100</p>		-	PC1c	1	1	006521	2 607 000 075
 <p>Adapter for routers GMF 1400 CE; GOF 900; GOF 900 CE; GOF 1300 CE Professional</p>		-	P0b	1	1	247269	2 608 190 038
 <p>Dust extraction adapter, plunge unit for GMF 1600 CE; GOF 1600 CE Professional</p>		-	P0b	1	1	617147	2 608 000 489
 <p>Adapter for router GOF 2000 CE Professional</p>		-	P0b	1	1	247276	2 608 190 039
 <p>Dust extraction adapter for routers POF 1200 AE; POF 1400 ACE</p>		-	P0b	1	1	452939	2 600 499 077
 <p>Adapter for jigsaws GST 60 P; GST 60 PAE; GST 60 PBAE Professional; PST 700; PST 800</p>		-	PC1c	1	1	015714	2 600 306 005
		-	C1b	1	1	662640	2 608 000 825

Adapter



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
					3 165 140...	
Vacuum Adapter GAS 18V-10 L; GEX 150 Turbo; GFF 22 A Professional						
	35.8-45.3	P1d	1	1	945202	2 608 000 682



Wallholder GAS 18V-1 (0 601 9C6 2..) Professional						
	-	P1d	1	1	923408	2 608 000 668

Dust extraction for jigsaws



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
					3 165 140...	
Dust extraction set GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional						
		P1d	1	1	516280	2 605 510 294



Dust extraction set GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional						
		P1d	1	1	605816	2 605 510 301




Shoulder Straps for Dust Extractors





PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Shoulder Strap GAS 18V-10 L GAS 18V-10 L (0 601 9C6 3..) Professional	P1d	1	1	553764	2 608 000 706

Accessories for Internal Dust Extraction when using Bosch Power Tools



Dust bags for benchtop circular saws

	PRODUCT PROPERTIES		ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Dust bag for mitre saws GCM 8 SJ; GCM 10 J; GCM 10 S; GCM 10 SD; GCM 12; GCM 800 S; GTM 12; GTM 12 JL Professional		P0b	1	1	612685	2 605 411 230
	Dust bag with adapter GCM 12 SD Professional		P0b	1	1	334815	2 605 411 211
	Dust bag GTS 10 Professional		P0b	1	1	316248	2 605 411 205


Adapters for benchtop circular saws

	Dust extraction adapter GCM 10 S Professional		P0b	1	1	316316	2 600 499 071
	Dust extraction adapter GCM 10 Professional		U0	1	1	274074	2 608 601 171


Cloth dust bags


	Dust bag for random orbit, belt, orbital sanders, hand-held circular saws Also suitable for GEX 150 ACE, PSS 28 AE, GSS 16 A, PBS 60/60 E GSS 23 AE; GUF 4-22 A Professional; PEX 115 A; PEX 125 AE; PSS 23 A		P1d	1	1	021487	2 605 411 009
	Dust bag for orbital sanders GSS 28 A Professional		P1d	1	1	047036	2 605 411 900

Cloth dust bags


PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>Dust bag for orbital sanders GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional</p>	P1d	1	1	111911	2 605 411 112

Cloth dust bags with adapter

 <p>Dust bag for GKS 18V-68 GC GKS 18V-57-2 L (0 601 6C1 1..); GKS 18V-68 C (0 601 6B5 0..); GKS 18V-68 GC (0 601 6B5 1..); GKS 185-LI (0 601 6C1 2..); GKT 18V-52 GC (0 601 6B4 0..) Professional</p>	P1d	1	1	506722	2 608 000 696
---	-----	---	---	--------	----------------------


 <p>Dust bag for random orbit, orbital sanders and universal router GEX 150 ACE (0 601 370 7..); GSS 14 A (3 158 2..); GSS 16 A (0 601 289 0..); GSS 23 AE (0 601 070 7..); GUF 4-22 A (0 601 607 1..) Professional; PEX 115 (3 162 3..); PEX 115 A (3 162 4..); PKS 40 (0 603 328 0..); PSF 22 A (0 603 228 1..); PSS 23 A (3 166 6..); PSS 23 AE (3 166 7..); PSS 28 A (3 167 0..)</p>	P1d	1	1	002035	1 605 411 028
---	-----	---	---	--------	----------------------

 <p>Dust bag for biscuit joiner can be directly connected GFF 22 A Professional</p>	P1d	1	1	184366	3 605 411 003
--	-----	---	---	--------	----------------------

 <p>Dust bag for hand-held circular saws GKS; GKS 54; GKS 66 CE; GKS 68 BC; GKS 75 S; GKS 85 S Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE</p>	P1d	1	1	002042	1 605 411 029
--	-----	---	---	--------	----------------------

 <p>Dust bag for planers PHO 1; PHO 15-82; PHO 100</p>	P1d	1	1	006514	2 607 000 074
---	-----	---	---	--------	----------------------

Cloth dust bag with adapter, type 2 (oval)

 <p>Dust bag for planers GHO 10-82; GHO 14,4 V; GHO 14,4 V-LI; GHO 15-82; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82; GHO 40-82 C Professional; PCM 10; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 1500; PHO 2000; PHO 3100</p>	P1d	1	1	056366	2 605 411 035
---	-----	---	---	--------	----------------------

Cloth dust bag with adapter, type 2 (oval)



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust bag for belt and random orbit sanders PBS 60; PBS 60 E; PEX 115 A; PEX 125 AE	P1d	1	1	033862	2 605 411 026

Dust bags (one-way system)



Dust bag for belt, random orbit, orbital sanders, universal router
Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A
GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A

	P1d	3	1	077477	2 605 411 067
--	-----	---	---	--------	----------------------



Dust bag for orbital sanders
GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional

	P1d	3	1	111928	2 605 411 113
--	-----	---	---	--------	----------------------

Dust boxes and adapters



Dust box HW3 complete
PEX 125 (old, round connection)
PBS 60; PBS 75 (round connection)
GBS 75 A; GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 7 A; PBS 7 AE; PBS 60; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15; PEX 125; PEX 400 A; PEX 400 AE

	C1a	1	1	198615	2 605 411 147
--	-----	---	---	--------	----------------------



Cover for dust box HW3 complete

	C1a	1	1	198660	2 605 190 266
--	-----	---	---	--------	----------------------



Additional adapter
Fitted on dust box cover
GEX 125; GEX 150; GSS 230; GSS 280 Professional; PEX 11; PEX 12; PEX 15; PEX 400 A; PEX 400 AE; PEX 420 AE

	P0b	5	1	220316	2 605 702 034
--	-----	---	---	--------	----------------------



Filter
GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional

	U0	1	1	624152	2 605 190 930
--	----	---	---	--------	----------------------

Dust boxes and adapters



PRODUCT PROPERTIES	ORDERING INFORMATION				
Angle adapter PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PEX 115 A; PEX 115 AE; PEX 125 A; PEX 125 AE	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	C1d	1	1	207331	2 605 702 037

Extraction devices



► **Appropriate for** impact drills, two-speed impact drills and rotary hammers

Filter GBH 2-23 REA; GSB 19-2 REA Professional	U0	1	1	480642	2 607 002 614
---	----	---	---	--------	----------------------

Carrying Cases for Bosch Power Tools

Carrying cases for cordless tools

PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Plastic case

GBH 36.0 V-EC Compact; GBH 36.0 V-LI; GBH 36.0 VF-LI Professional

K	505	395	145	M0a	1	1	374958	2 605 438 179
---	-----	-----	-----	-----	---	---	--------	---------------



Plastic case

GBH 36.0 V-EC Compact; GBH 36.0 V-LI Professional

K	360	480	131	U0	1	1	483278	2 605 438 668
---	-----	-----	-----	----	---	---	--------	---------------

Plastic case

GST 150 BCE; GST 150 CE Professional

K	114	388	356	M0a	1	1	534048	2 605 438 686
---	-----	-----	-----	-----	---	---	--------	---------------



Carrying cases for drills and impact drills

Plastic case

GBM 10-2; GBM 10-2 RE; GBM 13-2; GBM 13-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET Professional; PSB 650-1000 W

K	380	300	110	M0a	1	1	068222	2 605 438 286
---	-----	-----	-----	-----	---	---	--------	---------------



Plastic case

GSB 13 RE; GSB 1600 RE Professional

K	350	294	105	M0a	1	1	413299	2 605 438 607
---	-----	-----	-----	-----	---	---	--------	---------------



Carrying cases for rotary and demolition hammers, screwdrivers

Plastic case

GBH 2-26 DE; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-26 DRE; GBH 2-26 E; GBH 2-26 RE Professional

K	445	360	114	M0a	1	1	334051	2 605 438 098
---	-----	-----	-----	-----	---	---	--------	---------------











Plastic case

GBH 5; GBH 5 DCE Professional

K	620	410	132	M0a	1	1	042512	2 605 438 261
---	-----	-----	-----	-----	---	---	--------	---------------



Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Plastic case GWS 5-100; GWS 5-115; GWS 6-100; GWS 6-100 S; GWS 6-115; GWS 6-115 E; GWS 6-125; GWS 7-100; GWS 7-115; GWS 7-115 E; GWS 7-125; GWS 8-100 C; GWS 8-115; GWS 8-115 Z; GWS 8-125; GWS 8-125 C; GWS 660; GWS 850; GWS 850 C Professional; PWS 600; PWS 1000; PWS 1500							
K	316	445	124	M0a	1	1	492812	1 619 P06 556
	Plastic case PSM 160 A							
K	388	297	144	M0a	1	1	327961	2 605 438 091
	Plastic case PSS 190 AC; PSS 200 A; PSS 200 AC; PSS 250 AE							
K	420	117	336	M0a	1	1	361484	2 605 438 168
	Plastic case GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-125; GWS 10-125; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 12-125 CI; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 14-150 CI; GWS 15-125 CI; GWS 15-150 CI; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 17-125; GWX 17-125 S; GWX 17-125 T Professional							
K	445	360	123	M0a	1	1	362597	2 605 438 170
	Plastic case GEX 125 A; GEX 125 AC; GEX 150 AC; GEX 150 Turbo Professional							
K	720	317	173	M0a	1	1	376563	2 605 438 186
	Plastic case For all GWS with diameter 180-230 manufactured in or after 1998 GWS 18-180; GWS 22-180 LVI; GWS 22-230 LVI; GWS 24-230 LVI; GWS 25-230 Professional; PWS 20-230; PWS 20-230 J							
K	720	317	170	M0a	1	1	379878	2 605 438 197
	Plastic case GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional							
K	420	330	130	M0a	1	1	124331	2 605 438 368
	Plastic case GWS 7-115; GWS 7-125; GWS 8-125; GWS 9-125; GWS 10-125; GWS 14-125; GWS 14-150 Professional; PWS 9-125; PWS 10-125 CE; PWS 14-125; PWS 14-150							
K	380	300	115	P2k	1	1	189170	2 605 438 404

Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Plastic case								
GDA 280E Professional; PDA 120 E; PDA 180; PDA 180 E; PDA 240 E								
K	390	300	110	M0a	1	1	209090	2 605 438 414



Plastic case								
GWS 11-125 CIH; GWS 15-125 CIEH; GWS 15-125 CIH; GWS 15-125 CITH; GWS 15-150 CIH Professional								
K	360	480	131	M0a	1	1	427487	2 605 438 619



Carrying cases for jigsaws and reciprocating saws

Plastic case								
GST 150 BCE; GST 150 CE Professional								
K	114	388	356	M0a	1	1	534048	2 605 438 686



Carrying cases for circular saws

PKS 46; PKS 54; PKS 54 CE								
K	400	235	335	M0a	1	1	269780	2 605 438 508



Carrying cases for routers, biscuit joiner

Plastic case								
POF 1200 AE; POF 1400 ACE								
K	340	400	210	M0a	1	1	452946	2 605 438 643



Carrying cases for planers



PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Plastic case								
GHO 40-82 C Professional								
K	480	360	220	P2k	1	1	315098	2 605 438 567



ACCESSORIES FOR CORDLESS POWER TOOLS

Take them anywhere you need.

The best your tool can get. Bosch Professional Accessories.



9.6 V pod style battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
9.6 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class								
SD	2.6	NiMH	C1a	1	1	334655	2 607 335 682	
9.6 V O battery pack								
LD	1.5	NiMH	C1a	1	1	892919	2 607 335 846	

14.4 V pod style battery packs



14.4 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class							
SD	2.6	NiMH	C1a	1	1	334679	2 607 335 686



14.4 V O battery pack							
LD	1.5	NiMH	C1a	1	1	892988	2 607 335 850

18 V slide-in battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	4	Li-Ion	C1a	1	1	770583	2 607 336 816	

18 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
18 V slide-in battery pack with ECP (Electronic Cell Protection)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
LD	2	Li-Ion	C1a	1	1	801348	2 607 336 906
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	5	Li-Ion	C1a	1	1	801300	2 607 337 070
ProCORE 18 V slide-in battery pack with Charge Level Indicator							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
-	8	Li-Ion	C0b	1	1	987608	2 607 337 306
ProCORE 18 V slide-in battery pack with Charge Level Indicator							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
-	4	Li-Ion	C0b	1	1	586021	2 607 337 320



36 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
36 V slide-in battery pack with SCM (Single Cell Monitoring), ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
HD	4	Li-Ion	C1a	1	1	801324	2 607 336 916



BOSCH BATTERY CHARGERS

Charging times in minutes for Li-Ion battery packs.



GAL 1230 CV

Page number 779

3.6 V – 80% / 100% *

1.3 Ah 1 607 A35 0CN -

12 V – 80% / 100% *

2.0 Ah 1 607 A35 0CS 33 / 45

2.5 Ah 1 607 A35 0CV 40 / 65

4.0 Ah 1 607 A35 0CX 65 / 85

6.0 Ah 98 / 133

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.

BOSCH BATTERY CHARGERS

Charging times in minutes for NiMH battery packs.



AL 2404



AL 2422 DC



AL 2425 DV



AL 2450 DV

Page number	100172613	100172613	100172613	100172613
9,6 V *				
1,5 Ah 2 607 335 846	240	46	44	19
2,6 Ah 2 607 335 682	433	80	76	33
12 V *				
1,5 Ah ¹ 2 607 335 292	240	46	44	19
1,5 Ah 2 607 335 848	240	46	44	19
2,6 Ah 2 607 335 684	433	80	76	33
14,4 V *				
1,5 Ah 2 607 335 850	240	46	44	19
2,6 Ah 2 607 335 686	433	80	76	33
18,0 V *				
1,5 Ah 2 607 335 852	240	46	44	19
2,6 Ah 2 607 335 688	433	80	76	33
24,0 V *				
2,6 Ah 2 607 337 298	433	80	76	33
2,6 Ah 2 607 335 562	433	80	76	33

1: Charging only possible with intermediate adapter

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.



AL 1820 CV



GAL 1880 CV



GAL 3680 CV

Page number	779	779	779
14.4 V – 80 % / 100 % *			
2.0 Ah 2 607 336 878	50 / 65	15 / 30	15 / 30
4.0 Ah 2 607 336 814	90 / 125	25 / 35	25 / 35
18 V – 80 % / 100 % *			
1.5 Ah 2 607 336 804	35 / 50	10 / 25	10 / 25
2.0 Ah ¹ 2 607 336 722	50 / 65	15 / 30	15 / 30
2.0 Ah 2 607 336 906	50 / 65	15 / 30	15 / 30
4.0 Ah 2 607 336 816	90 / 125	25 / 35	25 / 35
4.0 Ah ¹ 2 607 336 724	90 / 125	25 / 35	25 / 35
5.0 Ah 2 607 336 070	120 / 150	35 / 45	35 / 45
6.0 Ah 2 607 336 264	145 / 180	35 / 55	35 / 55
36 V – 80 % / 100 % *			
2.0 Ah 2 607 336 914	-	-	15 / 30
4.0 Ah 2 607 336 916	-	-	25 / 35
6.0 Ah 1 600 A01 6D3	-	-	35 / 55

1: Wireless chargeable

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.

Singlevolt chargers 12 V Li-Ion



PRODUCT PROPERTIES			ORDERING INFORMATION				
Charge current A	Input voltage(s) V	Country version	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Li-ion charger GAL 12V-40 for straight-shape battery packs, for Pro & DIY							
4	230	UK	P0a	1	1	987653	2 607 226 222

Multivolt chargers 14.4 - 36 V Li-ion



Multi-volt quick charger GAL 18V-40 for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V

4	230	UK	P0a	1	1	987684	2 607 226 254
---	-----	----	-----	---	---	--------	----------------------



Multi-volt quick charger GAL 1880 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V

8	230	UK	C0a	1	1	880879	2 607 225 924
---	-----	----	-----	---	---	--------	----------------------



Multi-volt quick charger GAL 3680 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 36 V

8	220 - 240	UK	C0a	1	1	847445	2 607 225 902
---	-----------	----	-----	---	---	--------	----------------------

Accessories for Bosch Cordless Worklights GLI Professional, PLI



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Bulb	12	C1d	1	1	239561	2 609 200 306
	14.4	C1d	1	1	239578	2 609 200 307
	18	C1d	1	1	239578	2 609 200 307
	24	C1d	1	1	239585	2 609 200 308

Accessories set for Bosch Pneumatic Pump PAG



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Accessory set consisting of pneumatic hose, sealing nut, rubber seal, valve for balls, bicycle and air mattresses		P1d	1	1	218450	2 607 010 333

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ
1 600 499 005	761	1
1 600 793 007	665	1
1 601 329 013	678	1
1 602 025 024	662, 696, 708	1
1 602 319 003	697	1
1 603 340 015	659	1
1 603 340 031	659, 676, 680	1
1 603 340 040	659, 680	1
1 603 345 004	656	1
1 603 345 034	683	1
1 603 481 001	703	1
1 605 411 026	767	1
1 605 411 028	766	1
1 605 411 029	766	1
1 605 510 180	665	1
1 605 510 224	672	1
1 605 510 281	675	1
1 605 510 291	664	1
1 605 510 364	669	1
1 605 510 365	669	1
1 605 703 099	660, 680	5
1 607 000 158	675	1
1 607 000 247	662	1
1 607 950 004	677	1
1 607 950 041	649	5
1 607 950 042	649	5
1 607 950 043	677	1
1 607 950 044	649	5
1 607 950 045	649	5
1 607 950 048	677, 682	1
1 607 950 053	649	5
1 607 950 525	682	1
1 608 132 006	710	1
1 608 190 007	698	1
1 608 552 012	132	1
1 608 552 013	132	1
1 608 552 015	132	1
1 608 552 019	132	1
1 608 552 021	132	1
1 608 555 024	132	1
1 608 555 053	132	1
1 608 555 059	132	1
1 608 555 065	132	1
1 608 570 040	681	1
1 608 570 041	681	1
1 608 570 043	681	1
1 608 571 053	648	1
1 608 571 056	648	1
1 608 571 058	648	1
1 608 572 017	646	1
1 608 600 069	268	1
1 608 600 232	267	1
1 608 600 233	267	1
1 608 600 241	267	1
1 608 601 033	656	1
1 608 610 000	636	1
1 608 612 002	635	1
1 608 613 013	635	1
1 608 614 000	274	1
1 608 614 001	274	1
1 608 614 002	274	1

PART NUMBER	PAGE	MOQ
1 608 614 011	274	1
1 608 614 020	277	1
1 608 620 055	283	1
1 608 622 015	279	1
1 608 622 029	274	1
1 608 690 014	156	1
1 608 690 015	156	1
1 609 200 160	632	5
1 609 200 161	632	5
1 609 200 162	632	5
1 609 200 163	632	5
1 609 200 164	632	5
1 609 200 165	632	5
1 609 200 240	633	1
1 609 200 245	633	5
1 609 200 250	633	1
1 609 200 265	701	1
1 609 200 269	279	1
1 609 200 270	278	1
1 609 200 271	278	1
1 609 200 273	279	1
1 609 200 274	279	1
1 609 200 286	283	1
1 609 200 287	634	1
1 609 200 288	634	1
1 609 200 291	651	1
1 609 200 307	653	1
1 609 200 315	42	1
1 609 200 326	721	1
1 609 200 365	721	1
1 609 200 366	721	1
1 609 200 367	721	1
1 609 200 368	721	1
1 609 200 370	721	1
1 609 200 375	721	1
1 609 200 376	722	1
1 609 200 377	722	1
1 609 200 378	722	1
1 609 200 379	722	1
1 609 200 380	722	1
1 609 200 390	722	1
1 609 200 393	722	1
1 609 200 933	754	1
1 609 200 968	753	1
1 609 200 971	750	1
1 609 200 976	754	1
1 609 201 219	723	1
1 609 201 229	750	1
1 609 201 230	750	1
1 609 201 396	723	1
1 609 201 628	759	1
1 609 201 647	725	1
1 609 201 648	725	1
1 609 201 795	725	1
1 609 201 796	725	1
1 609 201 797	725	1
1 609 201 798	726	1
1 609 201 799	726	1
1 609 201 800	726	1
1 609 201 801	726	1
1 609 201 807	726	1
1 609 201 808	726	1

PART NUMBER	PAGE	MOQ
1 609 202 230	752	1
1 609 390 451	725	1
1 609 390 452	725	1
1 609 390 453	725	1
1 609 390 474	754	1
1 609 390 478	750	1
1 609 390 481	750	1
1 610 793 002	751	1
1 610 795 007	173	1
1 612 025 020	650	1
1 612 025 032	643	1
1 613 001 003	650	1
1 613 001 010	650	1
1 617 000 132	641	5
1 617 000 328	638	1
1 618 571 014	648	1
1 618 580 000	640	1
1 618 596 455	97	1
1 618 596 456	97	1
1 618 596 457	97	1
1 618 596 458	97	1
1 618 596 459	97	1
1 618 596 460	97	1
1 618 596 461	97	1
1 618 596 462	97	1
1 618 596 502	96	1
1 618 596 503	96	1
1 618 596 504	96	1
1 618 596 505	96	1
1 618 596 507	96	1
1 618 598 159	641	1
1 618 600 005	154	1
1 618 600 008	642	1
1 618 600 012	163	1
1 618 600 015	163	1
1 618 600 019	172	1
1 618 600 023	163	1
1 618 600 203	163	1
1 618 600 204	163	1
1 618 600 206	172	1
1 618 600 210	163	1
1 618 601 004	155	1
1 618 601 007	164	1
1 618 601 008	164	1
1 618 601 011	172	1
1 618 601 017	165	1
1 618 601 019	164	1
1 618 601 101	164	1
1 618 601 102	164	1
1 618 601 302	165	1
1 618 609 003	166	1
1 618 609 005	173	1
1 618 623 205	167	1
1 618 623 206	167	1
1 618 630 000	169	1
1 618 630 001	169	1
1 618 630 003	168	1
1 618 630 007	168	1
1 618 630 200	169	1
1 618 630 201	169	1
1 618 631 001	169	1
1 618 633 101	166, 171	1

PART NUMBER	PAGE	MOQ
1 618 633 102	166, 171	1
1 618 660 000	172	1
1 618 661 000	172	1
1 618 662 000	172	1
1 619 P06 547	669	1
1 619 P06 549	670	1
1 619 P06 550	670	1
1 619 P06 551	671	1
1 619 P06 556	770	1
2 600 100 185	338	1
2 600 100 186	338	1
2 600 100 187	338	1
2 600 100 188	338	1
2 600 100 192	338	1
2 600 100 193	338	1
2 600 100 194	338	1
2 600 100 195	338	1
2 600 100 197	338	1
2 600 100 201	338	1
2 600 100 202	338	1
2 600 100 203	338	1
2 600 100 207	338	1
2 600 100 208	338	1
2 600 100 209	338	1
2 600 100 210	338	1
2 600 100 211	338	1
2 600 100 212	338	1
2 600 100 214	338	1
2 600 100 215	338	1
2 600 100 219	338	1
2 600 100 220	338	1
2 600 100 221	338	1
2 600 100 222	338	1
2 600 100 225	338	1
2 600 100 227	338	1
2 600 100 228	338	1
2 600 100 230	338	1
2 600 100 231	338	1
2 600 100 232	338	1
2 600 306 005	762	1
2 600 306 007	762	1
2 600 499 071	765	1
2 600 499 077	762	1
2 600 793 009	751	1
2 601 016 096	405, 700	5
2 601 098 043	694	1
2 601 098 123	700	1
2 601 099 044	693	1
2 601 099 074	692	1
2 602 025 062	644	1
2 602 025 063	644	1
2 602 025 075	662	1
2 602 025 076	643	1
2 602 025 086	643	1
2 602 025 102	643	1
2 602 025 103	644	1
2 602 025 117	644	1
2 602 025 120	643	1
2 602 025 176	644	1
2 602 025 182	663	1
2 602 025 183	663	1
2 602 025 190	643	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 602 025 193	643	1	2 605 510 299	671	1	2 607 001 558	135	5	2 607 001 738	140	5
2 602 025 282	671	1	2 605 510 300	672	1	2 607 001 562	135	5	2 607 001 740	140	5
2 602 025 283	671	1	2 605 510 301	700, 763	1	2 607 001 566	135	5	2 607 001 741	140	5
2 602 026 177	689	1	2 605 702 034	767	1	2 607 001 569	135	5	2 607 001 742	140	5
2 602 317 030	697, 702	1	2 605 702 037	768	1	2 607 001 571	135	5	2 607 001 743	140	5
2 602 317 031	697, 702	1	2 607 000 073	710	1	2 607 001 573	135	5	2 607 001 746	140	5
2 603 001 019	650	1	2 607 000 074	766	1	2 607 001 575	135	5	2 607 001 747	140	5
2 603 340 018	659	1	2 607 000 075	762	1	2 607 001 577	135	5	2 607 001 749	140	5
2 603 345 002	656	1	2 607 000 096	358	5	2 607 001 579	135	5	2 607 001 750	139	5
2 603 345 003	676	1	2 607 000 102	709	1	2 607 001 581	135	5	2 607 001 752	139	5
2 603 345 018	656	1	2 607 000 157	147	5	2 607 001 583	135	5	2 607 001 753	139	5
2 605 190 266	767	1	2 607 000 162	753	1	2 607 001 585	135	5	2 607 001 757	139	5
2 605 190 930	689, 767	1	2 607 000 164	754	1	2 607 001 587	135	5	2 607 001 758	139	5
2 605 411 009	765	1	2 607 000 165	750	1	2 607 001 588	135	5	2 607 001 759	139	5
2 605 411 035	766	1	2 607 000 166	750	1	2 607 001 590	135	5	2 607 001 761	139	5
2 605 411 061	760	1	2 607 000 167	752	1	2 607 001 601	136	5	2 607 001 762	139	5
2 605 411 062	760	1	2 607 000 170	751	1	2 607 001 604	136	5	2 607 001 763	139	5
2 605 411 067	767	1	2 607 000 206	148	5	2 607 001 607	136	5	2 607 001 767	139	5
2 605 411 112	766	1	2 607 000 748	754	1	2 607 001 611	136	5	2 607 001 768	139	5
2 605 411 113	767	1	2 607 000 837	752	1	2 607 001 615	136	5	2 607 001 912	699	1
2 605 411 147	767	1	2 607 001 077	709	1	2 607 001 619	136	5	2 607 001 914	699	1
2 605 411 150	760	1	2 607 001 079	694	1	2 607 001 622	136	5	2 607 001 976	754	1
2 605 411 163	759	1	2 607 001 176	724	1	2 607 001 625	136	5	2 607 001 977	754	1
2 605 411 167	759	1	2 607 001 177	724	1	2 607 001 628	136	5	2 607 002 164	752	1
2 605 411 205	765	1	2 607 001 178	723	1	2 607 001 630	136	5	2 607 002 503	134	1
2 605 411 211	765	1	2 607 001 292	358	1	2 607 001 632	136	5	2 607 002 506	135	1
2 605 411 225	760	1	2 607 001 375	698	1	2 607 001 634	136	5	2 607 002 507	135	1
2 605 411 229	758	1	2 607 001 387	702	1	2 607 001 636	136	5	2 607 002 517	135	1
2 605 411 230	765	1	2 607 001 409	44, 405, 489, 711, 714	1	2 607 001 638	136	5	2 607 002 519	134	1
2 605 411 231	760	1	2 607 001 457	137	5	2 607 001 640	136	5	2 607 002 556	141	5
2 605 411 900	765	1	2 607 001 459	137	5	2 607 001 642	136	5	2 607 002 560	141	5
2 605 438 091	770	1	2 607 001 461	137	5	2 607 001 644	136	5	2 607 002 563	141	5
2 605 438 098	769	1	2 607 001 464	137	5	2 607 001 646	136	5	2 607 002 567	141	5
2 605 438 168	770	1	2 607 001 466	137	5	2 607 001 648	136	5	2 607 002 584	147	5
2 605 438 170	770	1	2 607 001 468	138	5	2 607 001 650	136	5	2 607 002 585	150	1
2 605 438 179	769	1	2 607 001 471	138	5	2 607 001 652	136	5	2 607 002 586	150	1
2 605 438 186	770	1	2 607 001 473	138	5	2 607 001 654	136	5	2 607 002 614	768	1
2 605 438 197	770	1	2 607 001 475	138	5	2 607 001 656	136	5	2 607 002 630	754	1
2 605 438 261	769	1	2 607 001 477	138	5	2 607 001 658	136	5	2 607 002 631	753	1
2 605 438 286	769	1	2 607 001 479	138	5	2 607 001 660	136	5	2 607 002 632	755	1
2 605 438 368	770	1	2 607 001 481	138	5	2 607 001 662	136	5	2 607 002 786	144	6
2 605 438 404	770	1	2 607 001 483	138	5	2 607 001 664	136	5	2 607 002 797	134	10
2 605 438 414	771	1	2 607 001 485	138	5	2 607 001 666	136	5	2 607 002 798	135	10
2 605 438 508	771	1	2 607 001 487	138	5	2 607 001 668	136	5	2 607 002 799	137	10
2 605 438 567	772	1	2 607 001 506	134	5	2 607 001 670	136	5	2 607 002 800	137	10
2 605 438 607	769	1	2 607 001 508	134	5	2 607 001 672	136	5	2 607 002 801	137	10
2 605 438 619	771	1	2 607 001 511	134	5	2 607 001 674	136	5	2 607 002 802	137	10
2 605 438 643	771	1	2 607 001 515	134	5	2 607 001 676	136	5	2 607 002 803	129	10
2 605 438 668	769	1	2 607 001 518	134	5	2 607 001 716	137	5	2 607 002 804	129	10
2 605 438 686	769, 771	1	2 607 001 520	134	5	2 607 001 718	137	5	2 607 002 805	129	10
2 605 439 019	699	1	2 607 001 522	134	5	2 607 001 720	137	5	2 607 002 806	129	10
2 605 510 224	674	1	2 607 001 524	134	5	2 607 001 722	137	5	2 607 002 807	129	10
2 605 510 226	675	1	2 607 001 526	134	5	2 607 001 724	137	5	2 607 002 808	129	10
2 605 510 257	671	1	2 607 001 528	134	5	2 607 001 726	137	5	2 607 002 824	18	1
2 605 510 280	669	1	2 607 001 531	134	5	2 607 001 728	137	5	2 607 002 826	18	1
2 605 510 281	669	1	2 607 001 533	134	5	2 607 001 730	137	10	2 607 010 025	713	1
2 605 510 290	670	1	2 607 001 535	134	5	2 607 001 732	137	5	2 607 010 079	405, 700	5
2 605 510 291	671	1	2 607 001 537	134	5	2 607 001 733	137	5	2 607 010 333	780	1
2 605 510 292	664	1	2 607 001 539	134	5	2 607 001 734	137	5	2 607 010 515	402	10
2 605 510 294	700, 763	1	2 607 001 540	134	5	2 607 001 735	137	5	2 607 010 516	403	10
2 605 510 297	670	1	2 607 001 542	134	5	2 607 001 736	140	5	2 607 010 526	107	1
2 605 510 298	670	1	2 607 001 554	135	5	2 607 001 737	140	10	2 607 010 527	52	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 607 010 529	30	1	2 607 019 033	659, 680	1	2 608 000 211	692	1	2 608 000 757	673	1
2 607 010 530	35	1	2 607 019 051	154	1	2 608 000 213	690	1	2 608 000 758	673	1
2 607 010 531	399	1	2 607 019 052	155	1	2 608 000 328	706	1	2 608 000 759	672	1
2 607 010 532	403	1	2 607 019 159	157	1	2 608 000 331	702	1	2 608 000 762	673	1
2 607 010 533	53	5	2 607 019 322	59	1	2 608 000 332	707	1	2 608 000 763	673	1
2 607 010 535	30	1	2 607 019 323	59	1	2 608 000 333	707	1	2 608 000 764	695	1
2 607 010 538	30	1	2 607 019 578	27	1	2 608 000 334	707	1	2 608 000 765	695	1
2 607 010 539	36	1	2 607 019 904	85	1	2 608 000 335	707	1	2 608 000 766	695	1
2 607 010 540 ⁱ	398	1	2 607 019 923	56	1	2 608 000 349	686	1	2 608 000 767	695	1
2 607 010 541 ⁱ	398	1	2 607 019 924	33	1	2 608 000 351	686	1	2 608 000 802	707	1
2 607 010 542 ⁱ	398	1	2 607 019 925	33	1	2 608 000 352	686	1	2 608 000 803	706	1
2 607 010 572	399	1	2 607 019 926	33	1	2 608 000 426	698	1	2 608 000 807	724	1
2 607 010 573	399	1	2 607 019 929	82	5	2 608 000 471	705	1	2 608 000 816	699	1
2 607 010 574 ⁱ	399	1	2 607 225 902	779	1	2 608 000 489	762	1	2 608 000 817	698	1
2 607 010 629	400	1	2 607 225 924	779	1	2 608 000 493	537	1	2 608 000 821	699	1
2 607 010 630	400	1	2 607 226 222	779	1	2 608 000 495	455	12	2 608 000 822	698	1
2 607 010 631	400	1	2 607 226 254	779	1	2 608 000 498	706	1	2 608 000 824	679	1
2 607 010 901	454	1	2 607 335 682	774	1	2 608 000 502	640	1	2 608 000 825	762	1
2 607 010 902	454	1	2 607 335 686	774	1	2 608 000 565	752	1	2 608 000 826	705	1
2 607 010 903	397	1	2 607 335 846	774	1	2 608 000 566	752	1	2 608 000 827	705	1
2 607 010 904	398	1	2 607 335 850	774	1	2 608 000 567	752	1	2 608 000 908	406	1
2 607 010 905 ⁱ	398	1	2 607 336 816	774	1	2 608 000 568	752	1	2 608 002 021	100, 175, 641	8
2 607 010 906	454	1	2 607 336 906	775	1	2 608 000 573	753	1	2 608 005 018	698	1
2 607 010 907 ⁱ	454	1	2 607 336 916	775	1	2 608 000 575	753	1	2 608 005 026	694	1
2 607 010 908 ⁱ	455	1	2 607 337 070	775	1	2 608 000 585	755	1	2 608 030 055	645	1
2 607 011 170	401	5	2 607 337 306	775	1	2 608 000 589	551	1	2 608 040 289	700	1
2 607 011 171	401	5	2 607 337 320	775	1	2 608 000 590	551	1	2 608 135 020	406	1
2 607 011 436	399	1	2 607 432 013	757	1	2 608 000 610	595	1	2 608 135 021	406	1
2 607 011 437	399	1	2 607 432 014	755	1	2 608 000 623	640	1	2 608 135 022	406	1
2 607 011 438	400	1	2 607 432 015	756	1	2 608 000 625	659	1	2 608 135 023	406	1
2 607 011 626	227	1	2 607 432 016	756	1	2 608 000 636	537	1	2 608 190 016	609	1
2 607 017 034	52	1	2 607 432 017	756	1	2 608 000 661	751	1	2 608 190 017	609	1
2 607 017 035	108	1	2 607 432 024	755	1	2 608 000 664	757	1	2 608 190 038	762	1
2 607 017 037	142	5	2 607 432 033	756	1	2 608 000 668	763	1	2 608 190 039	762	1
2 607 017 047	33	1	2 607 432 034	756	1	2 608 000 672	358	1	2 608 200 000	715	1
2 607 017 080	106	1	2 607 432 035	760	1	2 608 000 682	763	1	2 608 200 001	715	1
2 607 017 081	106	1	2 607 432 036	760	1	2 608 000 684	660	1	2 608 200 002	715	1
2 607 017 083	106	1	2 607 432 037	759	1	2 608 000 689	688	1	2 608 200 003	715	1
2 607 017 164	143	6	2 607 432 038	759	1	2 608 000 690	688	1	2 608 200 004	715	1
2 607 017 319	142	10	2 607 432 039	759	1	2 608 000 696	766	1	2 608 200 005	715	1
2 607 017 320	142	1	2 607 432 041	756	1	2 608 000 697	761	1	2 608 200 006	715	1
2 607 017 326	143	6	2 607 432 043	761	1	2 608 000 698	761	1	2 608 200 007	715	1
2 607 017 327	143	6	2 607 432 046	756	1	2 608 000 699	755	1	2 608 200 008	715	1
2 607 017 328	144	6	2 607 432 050	759	1	2 608 000 700	757	1	2 608 200 009	715	1
2 607 017 465	350	1	2 607 432 051	761	1	2 608 000 701	758	1	2 608 200 014	716	1
2 607 017 467	350	1	2 607 432 052	756	1	2 608 000 703	644	1	2 608 200 015	716	1
2 607 017 468	351	1	2 607 432 053	679	1	2 608 000 704	638	1	2 608 200 016	716	1
2 607 017 470	351	1	2 607 960 019	699	1	2 608 000 706	764	1	2 608 200 017	716	1
2 607 017 471	352	1	2 607 960 020	699	1	2 608 000 707	751	1	2 608 200 018	716	1
2 607 017 472	352	1	2 607 990 010	165	1	2 608 000 709	758	1	2 608 200 019	716	1
2 607 017 473	353	1	2 607 990 014	652	1	2 608 000 710	638	1	2 608 200 020	716	1
2 607 017 474	354	1	2 607 990 017	651	1	2 608 000 711	758	1	2 608 200 021	716	1
2 607 017 476	355	1	2 607 990 019	651	1	2 608 000 712	753	1	2 608 200 022	716	1
2 607 017 499	688	1	2 607 990 050	44	1	2 608 000 714	686	1	2 608 200 023	716	1
2 607 017 500	689	1	2 608 000 072	691	1	2 608 000 715	689	1	2 608 200 028	716	1
2 607 018 011	406	1	2 608 000 149	692	1	2 608 000 741	679	1	2 608 200 029	716	1
2 607 018 012	406	1	2 608 000 189	690	1	2 608 000 750	699	1	2 608 200 030	716	1
2 607 018 296	157	1	2 608 000 198	692	1	2 608 000 751	698	1	2 608 200 031	716	1
2 607 018 361	27	1	2 608 000 199	692	1	2 608 000 753	673	1	2 608 200 032	716	1
2 607 018 726	27	1	2 608 000 200	693	1	2 608 000 754	673	1	2 608 200 033	716	1
2 607 018 727	28	1	2 608 000 202	690	1	2 608 000 755	673	1	2 608 200 034	716	1
2 607 018 750	60	1	2 608 000 204	690	1	2 608 000 756	672	1	2 608 200 035	716	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 200 036	717	1	2 608 522 328	125	5	2 608 522 486	128	5	2 608 570 106	704	1
2 608 200 037	717	1	2 608 522 329	125	5	2 608 522 487	128	5	2 608 570 107	704	1
2 608 200 038	717	1	2 608 522 330	125	5	2 608 522 488	128	5	2 608 570 108	704	1
2 608 200 039	717	1	2 608 522 331	125	5	2 608 522 489	128	5	2 608 570 133	704	1
2 608 200 040	717	1	2 608 522 332	125	5	2 608 522 490	128	5	2 608 570 134	704	1
2 608 200 041	717	1	2 608 522 333	129	5	2 608 522 491	127	5	2 608 570 135	704	1
2 608 200 500	719	1	2 608 522 334	130	5	2 608 550 036	641	1	2 608 570 136	681	1
2 608 200 501	719	1	2 608 522 335	129	5	2 608 550 040	145	5	2 608 570 137	681	1
2 608 200 502	719	1	2 608 522 336	130	5	2 608 550 041	145	5	2 608 570 138	681	1
2 608 200 503	719	1	2 608 522 337	129	5	2 608 550 057	88, 236	1	2 608 570 139	681	1
2 608 200 504	719	1	2 608 522 338	129	5	2 608 550 064	88	1	2 608 570 140	681	1
2 608 200 505	719	1	2 608 522 339	129	5	2 608 550 065	88	1	2 608 570 141	681	1
2 608 200 506	719	1	2 608 522 340	129	5	2 608 550 069	145	5	2 608 571 056	639	1
2 608 200 507	719	1	2 608 522 341	129	5	2 608 550 070	145	5	2 608 571 068	639	1
2 608 200 511	718	1	2 608 522 342	130	5	2 608 550 071	145	5	2 608 572 034	646	1
2 608 200 512	718	1	2 608 522 343	129	5	2 608 550 072	145	5	2 608 572 059	638	1
2 608 200 513	718	1	2 608 522 344	129	5	2 608 550 073	145	5	2 608 572 060	646	1
2 608 200 514	718	1	2 608 522 345	130	5	2 608 550 074	88	1	2 608 572 062	646	1
2 608 200 515	718	1	2 608 522 346	129	5	2 608 550 075	88	1	2 608 572 068	646	1
2 608 200 516	718	1	2 608 522 347	130	5	2 608 550 076	88	1	2 608 572 072	646	1
2 608 200 517	718	1	2 608 522 348	129	5	2 608 550 077	88	1	2 608 572 075	646	1
2 608 200 518	718	1	2 608 522 349	129	5	2 608 550 078	88, 236	1	2 608 572 105	646	1
2 608 200 528	719	1	2 608 522 350	127	5	2 608 550 080	145	5	2 608 572 112	638	1
2 608 200 529	719	1	2 608 522 351	132	5	2 608 550 081	145	5	2 608 572 146	638	1
2 608 200 530	719	1	2 608 522 352	132	5	2 608 550 082	145	5	2 608 572 150	639	1
2 608 200 531	719	1	2 608 522 353	132	5	2 608 550 090	145	5	2 608 572 210	639	1
2 608 200 532	719	1	2 608 522 354	149	5	2 608 550 557	145	1	2 608 572 212	638	1
2 608 200 533	719	1	2 608 522 358	130	5	2 608 550 558	145	5	2 608 572 213	638	1
2 608 200 534	719	1	2 608 522 359	130	5	2 608 550 559	145	5	2 608 572 227	647	1
2 608 200 535	719	1	2 608 522 360	130	5	2 608 550 560	145	5	2 608 572 257	639	1
2 608 200 536	719	1	2 608 522 361	130	5	2 608 550 561	145	5	2 608 576 289	77	1
2 608 200 700	720	1	2 608 522 362	121	5	2 608 550 562	145	5	2 608 576 290	77	1
2 608 200 701	720	1	2 608 522 363	121	5	2 608 550 563	145	5	2 608 576 293	95	1
2 608 200 702	720	1	2 608 522 364	122	5	2 608 550 564	145	5	2 608 576 669	231	1
2 608 200 703	720	1	2 608 522 365	122	6	2 608 550 612	88	1	2 608 577 000	61	1
2 608 200 704	720	1	2 608 522 366	123	6	2 608 550 613	88	1	2 608 577 001	61	1
2 608 200 705	720	1	2 608 522 376	144	1	2 608 550 614	88	1	2 608 577 002	61	1
2 608 201 228	222	1	2 608 522 377	144	1	2 608 551 078	145	5	2 608 577 003	61	1
2 608 201 231	224	1	2 608 522 378	125	5	2 608 551 079	146	10	2 608 577 004	61	1
2 608 521 108	137	5	2 608 522 382	126	5	2 608 551 096	133	1	2 608 577 005	61	1
2 608 521 109	137	5	2 608 522 400	128	5	2 608 551 097	133	1	2 608 577 006	61	1
2 608 521 113	137	1	2 608 522 401	128	5	2 608 551 098	133	1	2 608 577 007	61	1
2 608 521 114	137	5	2 608 522 402	128	5	2 608 551 099	133	1	2 608 577 008	61	1
2 608 521 115	137	5	2 608 522 403	128	5	2 608 551 100	133	1	2 608 577 009	61	1
2 608 521 116	137	5	2 608 522 468	128	5	2 608 551 101	133	1	2 608 577 010	61	1
2 608 522 068	134	5	2 608 522 469	128	5	2 608 551 102	132	1	2 608 577 011	61	1
2 608 522 069	135	5	2 608 522 470	127	5	2 608 551 107	149	5	2 608 577 012	61	1
2 608 522 129	141	12	2 608 522 471	127	5	2 608 551 108	149	5	2 608 577 013	61	1
2 608 522 271	136	25	2 608 522 472	128	5	2 608 551 109	149	5	2 608 577 014	61	1
2 608 522 308	132	1	2 608 522 473	128	5	2 608 551 110	149	5	2 608 577 015	61	1
2 608 522 316	147	1	2 608 522 474	128	5	2 608 570 008	681	1	2 608 577 016	61	1
2 608 522 317	147	1	2 608 522 475	128	5	2 608 570 047	681, 704	1	2 608 577 017	61	1
2 608 522 318	147	1	2 608 522 476	128	5	2 608 570 048	681, 704	1	2 608 577 018	61	1
2 608 522 319	147	1	2 608 522 477	128	5	2 608 570 049	681, 704	1	2 608 577 019	61	1
2 608 522 320	147	5	2 608 522 478	128	5	2 608 570 066	704	1	2 608 577 020	61	1
2 608 522 321	147	5	2 608 522 479	127	5	2 608 570 082	681	1	2 608 577 021	61	1
2 608 522 322	126	5	2 608 522 480	128	5	2 608 570 083	681	1	2 608 577 022	61	1
2 608 522 323	126	5	2 608 522 481	128	5	2 608 570 084	681	1	2 608 577 045	19	5
2 608 522 324	126	5	2 608 522 482	128	5	2 608 570 085	681	1	2 608 577 047	19	5
2 608 522 325	126	5	2 608 522 483	128	5	2 608 570 100	704	1	2 608 577 048	19	5
2 608 522 326	125	5	2 608 522 484	128	5	2 608 570 101	704	1	2 608 577 049	19	5
2 608 522 327	126	5	2 608 522 485	128	5	2 608 570 102	704	1	2 608 577 050	19	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 577 051	19	5	2 608 577 191	11	1	2 608 577 253	12	1	2 608 577 320	12	1
2 608 577 052	19	5	2 608 577 192	11	1	2 608 577 254	12	1	2 608 577 321	12	1
2 608 577 054	20	5	2 608 577 193	11	1	2 608 577 255	12	1	2 608 577 322	13	1
2 608 577 055	19	5	2 608 577 194	11	1	2 608 577 256	12	1	2 608 577 323	13	1
2 608 577 056	19	5	2 608 577 195	11	1	2 608 577 257	12	1	2 608 577 324	13	1
2 608 577 057	19	5	2 608 577 196	11	1	2 608 577 258	12	1	2 608 577 325	13	1
2 608 577 058	19	5	2 608 577 197	11	1	2 608 577 259	12	1	2 608 577 326	13	1
2 608 577 059	19	5	2 608 577 198	11	1	2 608 577 260	12	1	2 608 577 327	13	1
2 608 577 060	20	5	2 608 577 199	11	1	2 608 577 261	12	1	2 608 577 328	13	1
2 608 577 061	20	5	2 608 577 200	11	1	2 608 577 262	12	1	2 608 577 329	13	1
2 608 577 062	20	5	2 608 577 201	11	1	2 608 577 263	12	1	2 608 577 330	13	1
2 608 577 063	20	5	2 608 577 202	11	1	2 608 577 264	12	1	2 608 577 331	13	1
2 608 577 064	20	5	2 608 577 203	11	1	2 608 577 265	12	1	2 608 577 332	13	1
2 608 577 065	20	5	2 608 577 204	11	1	2 608 577 266	12	1	2 608 577 333	13	1
2 608 577 128	20	5	2 608 577 205	11	1	2 608 577 267	12	1	2 608 577 334	13	1
2 608 577 129	20	5	2 608 577 206	11	1	2 608 577 268	12	1	2 608 577 335	13	1
2 608 577 139	20	5	2 608 577 207	11	1	2 608 577 270	13	1	2 608 577 336	13	1
2 608 577 140	20	5	2 608 577 208	11	1	2 608 577 273	13	1	2 608 577 337	13	1
2 608 577 141	112	1	2 608 577 209	11	1	2 608 577 274	13	1	2 608 577 338	13	1
2 608 577 144	131	5	2 608 577 210	11	1	2 608 577 275	13	1	2 608 577 339	13	1
2 608 577 146	21	6	2 608 577 211	11	1	2 608 577 276	13	1	2 608 577 340	13	1
2 608 577 147	124	6	2 608 577 212	11	1	2 608 577 277	13	1	2 608 577 341	13	1
2 608 577 148	123	6	2 608 577 213	11	1	2 608 577 278	13	1	2 608 577 342	13	1
2 608 577 149	19	5	2 608 577 214	11	1	2 608 577 279	13	1	2 608 577 343	13	1
2 608 577 153	10	5	2 608 577 215	11	1	2 608 577 280	13	1	2 608 577 344	13	1
2 608 577 154	10	5	2 608 577 216	11	1	2 608 577 281	13	1	2 608 577 345	14	1
2 608 577 155	10	5	2 608 577 217	11	1	2 608 577 282	13	1	2 608 577 346	15	1
2 608 577 156	10	5	2 608 577 218	11	1	2 608 577 283	13	1	2 608 577 347	15	1
2 608 577 157	10	5	2 608 577 219	12	1	2 608 577 284	13	1	2 608 577 348	15	1
2 608 577 158	10	5	2 608 577 220	12	1	2 608 577 286	13	1	2 608 577 349	15	1
2 608 577 159	10	5	2 608 577 221	12	1	2 608 577 287	13	1	2 608 577 350	16	1
2 608 577 160	10	5	2 608 577 222	12	1	2 608 577 288	13	1	2 608 577 351	16	1
2 608 577 161	10	5	2 608 577 223	12	1	2 608 577 289	13	1	2 608 577 352	16	1
2 608 577 162	10	5	2 608 577 224	12	1	2 608 577 290	13	1	2 608 577 517	17	5
2 608 577 163	10	5	2 608 577 225	12	1	2 608 577 291	13	1	2 608 577 518	17	5
2 608 577 164	10	5	2 608 577 226	12	1	2 608 577 292	13	1	2 608 577 519	17	5
2 608 577 165	11	5	2 608 577 227	12	1	2 608 577 293	13	1	2 608 577 520	17	5
2 608 577 166	11	5	2 608 577 228	12	1	2 608 577 294	13	1	2 608 577 521	17	5
2 608 577 167	11	5	2 608 577 229	12	1	2 608 577 295	13	1	2 608 577 522	17	5
2 608 577 168	11	5	2 608 577 230	12	1	2 608 577 296	13	1	2 608 577 523	17	5
2 608 577 169	11	5	2 608 577 231	12	1	2 608 577 298	13	1	2 608 577 524	17	5
2 608 577 170	11	5	2 608 577 232	12	1	2 608 577 299	14	5	2 608 577 525	17	5
2 608 577 171	11	5	2 608 577 233	12	1	2 608 577 300	14	5	2 608 577 526	17	5
2 608 577 172	11	5	2 608 577 234	12	1	2 608 577 301	14	5	2 608 577 527	17	5
2 608 577 173	11	5	2 608 577 235	12	1	2 608 577 302	14	1	2 608 577 528	17	5
2 608 577 174	11	5	2 608 577 236	12	1	2 608 577 303	14	1	2 608 577 529	17	5
2 608 577 175	11	5	2 608 577 237	12	1	2 608 577 304	14	1	2 608 577 530	17	5
2 608 577 176	11	5	2 608 577 238	12	1	2 608 577 305	14	1	2 608 577 531	17	5
2 608 577 177	11	5	2 608 577 239	12	1	2 608 577 306	14	1	2 608 577 532	17	5
2 608 577 178	11	1	2 608 577 240	12	1	2 608 577 307	14	1	2 608 577 533	17	5
2 608 577 179	11	1	2 608 577 241	12	1	2 608 577 308	14	1	2 608 577 534	17	5
2 608 577 180	11	1	2 608 577 242	12	1	2 608 577 309	14	1	2 608 577 535	17	5
2 608 577 181	11	1	2 608 577 243	12	1	2 608 577 310	14	1	2 608 577 536	17	5
2 608 577 182	11	1	2 608 577 244	12	1	2 608 577 311	14	1	2 608 577 537	17	5
2 608 577 183	11	1	2 608 577 245	12	1	2 608 577 312	14	1	2 608 577 538	17	5
2 608 577 184	11	1	2 608 577 246	12	1	2 608 577 313	14	1	2 608 577 539	17	5
2 608 577 185	11	1	2 608 577 247	12	1	2 608 577 314	14	1	2 608 577 540	17	1
2 608 577 186	11	1	2 608 577 248	12	1	2 608 577 315	14	1	2 608 577 541	17	1
2 608 577 187	11	1	2 608 577 249	12	1	2 608 577 316	12	1	2 608 577 542	17	1
2 608 577 188	11	1	2 608 577 250	12	1	2 608 577 317	12	1	2 608 577 543	17	1
2 608 577 189	11	1	2 608 577 251	12	1	2 608 577 318	12	1	2 608 577 544	17	1
2 608 577 190	11	1	2 608 577 252	12	1	2 608 577 319	12	1	2 608 577 545	17	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 577 546	17	1	2 608 580 427	493	1	2 608 584 124	492	1	2 608 584 839	492	1
2 608 577 547	17	1	2 608 580 428	493	1	2 608 584 125	492	1	2 608 584 840	492	1
2 608 577 548	17	1	2 608 580 429	493	1	2 608 584 126	492	1	2 608 584 841	493	1
2 608 577 549	17	1	2 608 580 430	493	1	2 608 584 127	492	1	2 608 584 842	493	1
2 608 578 738	85	1	2 608 580 431	493	1	2 608 584 128	492	1	2 608 584 843	489, 490	5
2 608 578 765	86	1	2 608 580 432	493	1	2 608 584 129	492	1	2 608 584 846	492	1
2 608 578 964	77	1	2 608 580 433	493	1	2 608 584 130	492	1	2 608 584 847	492	1
2 608 579 294	77	1	2 608 580 434	493	1	2 608 584 131	492	1	2 608 584 848	492	1
2 608 579 295	77	1	2 608 580 435	493	1	2 608 584 132	492	1	2 608 584 849	492	1
2 608 580 301	229, 483	1	2 608 580 436	493	1	2 608 584 133	492	1	2 608 584 850	492	1
2 608 580 302	229, 483	1	2 608 580 437	493	1	2 608 584 134	492	1	2 608 584 851	492	1
2 608 580 303	229, 483	1	2 608 580 438	493	1	2 608 584 135	492	1	2 608 584 852	492	1
2 608 580 304	229, 483	1	2 608 580 439	493	1	2 608 584 136	492	1	2 608 584 854	482	1
2 608 580 305	229, 483	1	2 608 580 440	493	1	2 608 584 137	492	1	2 608 584 855	482	1
2 608 580 306	229, 483	1	2 608 580 441	493	1	2 608 584 138	492	1	2 608 585 225	105	1
2 608 580 307	229, 483	1	2 608 580 442	493	1	2 608 584 140	492	1	2 608 585 433	24	1
2 608 580 308	229, 483	1	2 608 580 443	493	1	2 608 584 141	492	1	2 608 585 434	24	1
2 608 580 309	229, 483	1	2 608 580 444	493	1	2 608 584 142	492	1	2 608 585 435	24	1
2 608 580 310	229, 483	1	2 608 580 445	493	1	2 608 584 143	492	1	2 608 585 436	24	1
2 608 580 311	229, 483	1	2 608 580 446	493	1	2 608 584 144	492	1	2 608 585 437	24	1
2 608 580 312	229, 483	1	2 608 580 447	494	1	2 608 584 145	492	1	2 608 585 438	24	1
2 608 580 313	229, 483	1	2 608 580 448	494	1	2 608 584 147	492	1	2 608 585 439	24	1
2 608 580 314	229, 483	1	2 608 580 518	99	1	2 608 584 167	478	1	2 608 585 440	24	1
2 608 580 315	229, 483	1	2 608 580 519	99	1	2 608 584 670	478	1	2 608 585 441	24	1
2 608 580 316	229, 483	1	2 608 580 520	99	1	2 608 584 682	489	1	2 608 585 442	24	1
2 608 580 317	229, 483	1	2 608 580 522	99	1	2 608 584 777	236, 489, 490	1	2 608 585 443	24	1
2 608 580 318	229, 483	1	2 608 580 523	99	1	2 608 584 778	481	1	2 608 585 444	24	1
2 608 580 319	229, 484	1	2 608 580 524	99	1	2 608 584 779	481	1	2 608 585 445	24	1
2 608 580 320	229, 484	1	2 608 580 525	99	1	2 608 584 780	481	1	2 608 585 446	24	1
2 608 580 321	229, 484	1	2 608 580 526	99	1	2 608 584 781	481	1	2 608 585 447	24	1
2 608 580 394	229, 483	1	2 608 580 527	98	1	2 608 584 782	481	1	2 608 585 448	24	1
2 608 580 396	493	1	2 608 580 528	98	1	2 608 584 783	481	1	2 608 585 449	24	1
2 608 580 397	493	1	2 608 580 529	484, 488	1	2 608 584 784	481	1	2 608 585 450	24	1
2 608 580 398	493	1	2 608 580 803	494	1	2 608 584 785	481	1	2 608 585 451	24	1
2 608 580 399	493	1	2 608 580 804	494	1	2 608 584 786	481	1	2 608 585 452	24	1
2 608 580 400	493	1	2 608 580 883	477	1	2 608 584 787	481	1	2 608 585 453	25	1
2 608 580 401	493	1	2 608 580 884	475	1	2 608 584 788	481	1	2 608 585 454	25	1
2 608 580 402	494	1	2 608 584 063	495	1	2 608 584 789	481	1	2 608 585 455	25	1
2 608 580 403	493	1	2 608 584 100	492	1	2 608 584 790	481	1	2 608 585 456	25	1
2 608 580 404	493	1	2 608 584 101	492	1	2 608 584 791	481	1	2 608 585 457	26	1
2 608 580 405	493	1	2 608 584 102	492	1	2 608 584 792	481	1	2 608 585 458	26	1
2 608 580 406	493	1	2 608 584 103	492	1	2 608 584 793	481	1	2 608 585 459	26	1
2 608 580 407	493	1	2 608 584 104	492	1	2 608 584 794	481	1	2 608 585 460	26	1
2 608 580 408	493	1	2 608 584 105	492	1	2 608 584 795	481	1	2 608 585 461	26	1
2 608 580 409	493	1	2 608 584 106	492	1	2 608 584 796	481	1	2 608 585 462	26	1
2 608 580 410	493	1	2 608 584 107	492	1	2 608 584 797	481	1	2 608 585 463	26	1
2 608 580 411	493	1	2 608 584 108	492	1	2 608 584 798	481	1	2 608 585 464	26	1
2 608 580 412	493	1	2 608 584 109	492	1	2 608 584 799	481	1	2 608 585 465	26	1
2 608 580 413	493	1	2 608 584 110	492	1	2 608 584 800	481	1	2 608 585 466	26	1
2 608 580 414	493	1	2 608 584 111	492	1	2 608 584 801	481	1	2 608 585 467	23	1
2 608 580 415	493	1	2 608 584 112	492	1	2 608 584 802	481	1	2 608 585 468	23	1
2 608 580 416	493	1	2 608 584 113	492	1	2 608 584 803	481	1	2 608 585 469	23	1
2 608 580 417	493	1	2 608 584 114	492	1	2 608 584 804	482	1	2 608 585 470	23	1
2 608 580 418	493	1	2 608 584 115	492	1	2 608 584 805	482	1	2 608 585 471	23	1
2 608 580 419	493	1	2 608 584 116	492	1	2 608 584 806	482	1	2 608 585 472	23	1
2 608 580 420	493	1	2 608 584 117	492	1	2 608 584 807	482	1	2 608 585 473	23	1
2 608 580 421	493	1	2 608 584 118	492	1	2 608 584 808	482	1	2 608 585 475	23	1
2 608 580 422	493	1	2 608 584 119	492	1	2 608 584 809	482	1	2 608 585 476	23	1
2 608 580 423	493	1	2 608 584 120	492	1	2 608 584 810	482	1	2 608 585 477	23	1
2 608 580 424	494	1	2 608 584 121	492	1	2 608 584 811	482	1	2 608 585 478	23	1
2 608 580 425	493	1	2 608 584 122	492	1	2 608 584 816	482	5	2 608 585 479	23	1
2 608 580 426	493	1	2 608 584 123	492	1	2 608 584 838	492	1	2 608 585 480	23	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 585 481	23	1	2 608 585 543	25	1	2 608 585 843	31	5	2 608 585 927	23	5
2 608 585 482	23	1	2 608 585 544	25	1	2 608 585 844	31	5	2 608 585 928	23	5
2 608 585 483	23	1	2 608 585 545	25	1	2 608 585 845	31	5	2 608 585 929	23	5
2 608 585 484	23	1	2 608 585 593	26	1	2 608 585 846	31	5	2 608 585 930	23	5
2 608 585 485	23	1	2 608 585 594	26	1	2 608 585 847	31	5	2 608 585 932	23	5
2 608 585 486	23	1	2 608 585 595	26	1	2 608 585 848	32	5	2 608 585 933	23	5
2 608 585 487	23	1	2 608 585 596	82	1	2 608 585 849	32	5	2 608 585 934	23	5
2 608 585 488	24	1	2 608 585 605	82	1	2 608 585 850	32	5	2 608 585 935	23	5
2 608 585 489	24	1	2 608 585 615	82	1	2 608 585 851	32	5	2 608 585 936	23	5
2 608 585 490	24	1	2 608 585 634	105	1	2 608 585 852	32	1	2 608 585 937	23	5
2 608 585 491	24	1	2 608 585 694	57	1	2 608 585 853	32	1	2 608 585 938	23	5
2 608 585 492	24	1	2 608 585 695	57	1	2 608 585 854	32	1	2 608 585 939	23	5
2 608 585 493	24	1	2 608 585 696	57	1	2 608 585 855	32	1	2 608 585 940	23	5
2 608 585 494	24	1	2 608 585 697	57	1	2 608 585 856	32	1	2 608 585 941	23	5
2 608 585 495	24	1	2 608 585 698	57	1	2 608 585 857	32	1	2 608 585 942	23	5
2 608 585 496	24	1	2 608 585 699	57	1	2 608 585 858	32	1	2 608 586 796	93	1
2 608 585 497	24	1	2 608 585 700	57	1	2 608 585 859	32	1	2 608 586 797	93	1
2 608 585 498	24	1	2 608 585 701	57	1	2 608 585 860	32	1	2 608 586 798	93	1
2 608 585 499	24	1	2 608 585 702	57	1	2 608 585 861	32	1	2 608 586 799	93	1
2 608 585 500	24	1	2 608 585 703	57	1	2 608 585 862	32	1	2 608 586 800	93	1
2 608 585 501	24	1	2 608 585 704	57	1	2 608 585 863	32	1	2 608 586 801	93	1
2 608 585 502	24	1	2 608 585 705	58	1	2 608 585 864	32	1	2 608 586 802	93	1
2 608 585 503	24	1	2 608 585 706	58	1	2 608 585 865	32	1	2 608 586 803	93	1
2 608 585 504	24	1	2 608 585 707	58	1	2 608 585 866	32	1	2 608 586 804	93	1
2 608 585 505	24	1	2 608 585 708	58	1	2 608 585 867	32	1	2 608 586 805	93	1
2 608 585 506	24	1	2 608 585 709	58	1	2 608 585 868	32	1	2 608 586 806	93	1
2 608 585 507	24	1	2 608 585 710	58	1	2 608 585 869	32	1	2 608 586 807	93	1
2 608 585 508	25	1	2 608 585 711	58	1	2 608 585 870	32	1	2 608 586 994	87	1
2 608 585 509	25	1	2 608 585 712	58	1	2 608 585 871	32	1	2 608 586 995	87	1
2 608 585 510	25	1	2 608 585 713	58	1	2 608 585 876	32	1	2 608 586 996	87	1
2 608 585 511	25	1	2 608 585 714	58	1	2 608 585 879	32	1	2 608 586 997	87	1
2 608 585 512	25	1	2 608 585 716	58	1	2 608 585 880	32	1	2 608 586 998	87	1
2 608 585 513	25	1	2 608 585 717	58	1	2 608 585 883	32	1	2 608 586 999	87	1
2 608 585 514	25	1	2 608 585 718	58	1	2 608 585 885	32	1	2 608 587 007	234	1
2 608 585 515	25	1	2 608 585 719	58	1	2 608 585 888	32	1	2 608 587 013	28	1
2 608 585 516	25	1	2 608 585 720	58	1	2 608 585 889	32	1	2 608 587 014	34	1
2 608 585 517	25	1	2 608 585 721	58	1	2 608 585 890	32	1	2 608 587 015	36	1
2 608 585 518	25	1	2 608 585 722	58	1	2 608 585 892	32	1	2 608 587 017	28	1
2 608 585 519	25	1	2 608 585 723	59	1	2 608 585 893	32	1	2 608 587 018	34	1
2 608 585 520	25	1	2 608 585 724	59	1	2 608 585 894	32	1	2 608 587 019	36	1
2 608 585 521	25	1	2 608 585 725	59	1	2 608 585 896	32	1	2 608 587 100	87	1
2 608 585 522	25	1	2 608 585 726	59	1	2 608 585 897	32	1	2 608 587 113	230	1
2 608 585 523	25	1	2 608 585 727	59	1	2 608 585 898	32	1	2 608 587 114	230	1
2 608 585 524	25	1	2 608 585 730	58	1	2 608 585 901	32	1	2 608 587 115	230	1
2 608 585 525	25	1	2 608 585 737	52	1	2 608 585 903	32	1	2 608 587 116	230	1
2 608 585 526	25	1	2 608 585 738	52	1	2 608 585 905	32	1	2 608 587 117	230	1
2 608 585 527	25	1	2 608 585 739	52	1	2 608 585 906	22	5	2 608 587 118	230	1
2 608 585 528	25	1	2 608 585 740	52	1	2 608 585 907	22	5	2 608 587 119	230	1
2 608 585 529	25	1	2 608 585 741	52	1	2 608 585 908	22	5	2 608 587 120	230	1
2 608 585 530	25	1	2 608 585 742	52	1	2 608 585 909	22	5	2 608 587 121	230	1
2 608 585 531	25	1	2 608 585 743	62	1	2 608 585 911	22	5	2 608 587 122	230	1
2 608 585 532	25	1	2 608 585 744	62	1	2 608 585 912	22	5	2 608 587 123	230	1
2 608 585 533	25	1	2 608 585 745	62	1	2 608 585 913	22	5	2 608 587 124	230	1
2 608 585 534	25	1	2 608 585 746	62	1	2 608 585 914	22	5	2 608 587 125	230	1
2 608 585 535	25	1	2 608 585 747	62	1	2 608 585 916	22	5	2 608 587 126	230	1
2 608 585 536	25	1	2 608 585 748	62	1	2 608 585 918	23	5	2 608 587 127	230	1
2 608 585 537	25	1	2 608 585 749	62	1	2 608 585 920	23	5	2 608 587 128	230	1
2 608 585 538	25	1	2 608 585 838	31	5	2 608 585 921	23	5	2 608 587 129	230	1
2 608 585 539	25	1	2 608 585 839	31	5	2 608 585 922	23	5	2 608 587 130	230	1
2 608 585 540	25	1	2 608 585 840	31	5	2 608 585 924	23	5	2 608 587 131	230	1
2 608 585 541	25	1	2 608 585 841	31	5	2 608 585 925	23	5	2 608 587 132	230	1
2 608 585 542	25	1	2 608 585 842	31	5	2 608 585 926	23	5	2 608 587 133	230	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 587 134	230	1	2 608 587 520	50	1	2 608 594 211	476	1	2 608 595 075	25	1
2 608 587 135	230	1	2 608 587 521	51	1	2 608 594 212	476	1	2 608 595 076	25	1
2 608 587 139	226	1	2 608 587 830	82	1	2 608 594 213	476	1	2 608 595 077	25	1
2 608 587 140	226	1	2 608 587 835	82	1	2 608 594 214	476	1	2 608 595 078	25	1
2 608 587 141	226	1	2 608 587 836	82	1	2 608 594 215	476	1	2 608 595 079	25	1
2 608 587 142	226	1	2 608 587 910	82	1	2 608 594 216	476	1	2 608 595 080	25	1
2 608 587 143	226	1	2 608 588 064	40	1	2 608 594 217	476	1	2 608 595 081	25	1
2 608 587 144	226	1	2 608 588 065	40	1	2 608 594 218	476	1	2 608 595 082	25	1
2 608 587 145	228	1	2 608 588 066	40	1	2 608 594 219	476	1	2 608 595 083	25	1
2 608 587 157	117	5	2 608 588 067	40	1	2 608 594 220	476	1	2 608 595 332	23	1
2 608 587 158	117	5	2 608 588 068	40	1	2 608 594 221	476	1	2 608 595 333	24	1
2 608 587 159	117	5	2 608 588 069	41	1	2 608 594 222	476	1	2 608 595 335	24	1
2 608 587 160	117	5	2 608 588 070	39	1	2 608 594 223	476	1	2 608 595 336	24	1
2 608 587 161	117	5	2 608 588 071	40	1	2 608 594 224	476	1	2 608 595 337	24	1
2 608 587 162	117	5	2 608 588 136	103	5	2 608 594 225	476	1	2 608 595 338	25	1
2 608 587 163	117	5	2 608 588 137	103	5	2 608 594 226	476	1	2 608 595 345	53	1
2 608 587 164	117	5	2 608 588 138	103	5	2 608 594 227	476	1	2 608 595 422	51	1
2 608 587 165	117	5	2 608 588 140	103	5	2 608 594 228	476	1	2 608 595 423	51	1
2 608 587 166	117	5	2 608 588 141	103	5	2 608 594 229	476	1	2 608 595 517	26	1
2 608 587 167	117	5	2 608 588 142	103	5	2 608 594 230	476	1	2 608 595 518	54	5
2 608 587 168	117	5	2 608 588 144	103	5	2 608 594 231	476	1	2 608 595 519	54	5
2 608 587 169	117	1	2 608 588 145	103	5	2 608 594 232	476	1	2 608 595 520	54	5
2 608 587 170	117	1	2 608 588 146	103	1	2 608 594 233	476	1	2 608 595 521	54	5
2 608 587 184	164	1	2 608 588 147	103	5	2 608 594 234	476	1	2 608 595 522	54	5
2 608 587 314	234	1	2 608 588 149	103	5	2 608 594 235	476	1	2 608 595 523	54	5
2 608 587 315	234	1	2 608 588 151	103	5	2 608 594 236	476	1	2 608 595 524	54	5
2 608 587 316	234	1	2 608 588 152	103	5	2 608 594 237	477	1	2 608 595 525	55	1
2 608 587 317	234	1	2 608 588 153	103	1	2 608 594 238	476	1	2 608 595 676	29	5
2 608 587 318	234	1	2 608 588 154	103	5	2 608 594 239	476	1	2 608 595 677	29	5
2 608 587 319	234	1	2 608 588 155	103	5	2 608 594 240	476	1	2 608 595 678	29	5
2 608 587 320	234	1	2 608 588 156	103	1	2 608 594 241	476	1	2 608 595 679	29	5
2 608 587 322	234	1	2 608 588 157	103	5	2 608 594 242	476	1	2 608 595 680	29	5
2 608 587 323	234	1	2 608 588 158	103	1	2 608 594 243	476	1	2 608 595 681	29	5
2 608 587 324	234	1	2 608 588 159	103	5	2 608 594 244	476	1	2 608 595 682	29	5
2 608 587 325	234	1	2 608 588 164	103	5	2 608 594 245	476	1	2 608 595 683	29	5
2 608 587 326	234	1	2 608 588 165	104	1	2 608 594 246	476	1	2 608 595 684	29	5
2 608 587 328	234	1	2 608 588 167	104	1	2 608 594 247	476	1	2 608 595 685	29	5
2 608 587 329	234	1	2 608 589 539	118	5	2 608 594 248	476	1	2 608 595 686	29	5
2 608 587 330	234	1	2 608 589 546	118	5	2 608 594 249	477	1	2 608 595 687	29	5
2 608 587 331	234	1	2 608 589 547	118	5	2 608 594 250	477	1	2 608 595 688	29	5
2 608 587 332	234	1	2 608 589 550	118	5	2 608 594 251	477	1	2 608 595 689	29	5
2 608 587 333	234	1	2 608 594 160	496	1	2 608 595 049	23	1	2 608 595 690	29	5
2 608 587 335	234	1	2 608 594 161	496	1	2 608 595 050	23	1	2 608 595 691	29	5
2 608 587 336	235	1	2 608 594 162	496	1	2 608 595 051	23	1	2 608 595 692	29	5
2 608 587 337	235	1	2 608 594 189	477	1	2 608 595 052	23	1	2 608 595 693	29	5
2 608 587 338	235	1	2 608 594 192	477	1	2 608 595 053	23	1	2 608 596 119	491	5
2 608 587 339	235	1	2 608 594 195	476	1	2 608 595 054	23	1	2 608 596 157	88	5
2 608 587 340	235	1	2 608 594 196	476	1	2 608 595 055	23	1	2 608 596 295	491	5
2 608 587 341	235	1	2 608 594 197	476	1	2 608 595 058	23	1	2 608 596 300	55	5
2 608 587 342	235	1	2 608 594 198	476	1	2 608 595 059	23	1	2 608 596 301	55	5
2 608 587 343	235	1	2 608 594 199	476	1	2 608 595 061	24	1	2 608 596 302	55	5
2 608 587 425	40	1	2 608 594 200	476	1	2 608 595 062	24	1	2 608 596 303	55	5
2 608 587 426	41	1	2 608 594 201	476	1	2 608 595 064	24	1	2 608 596 304	55	5
2 608 587 427	40	1	2 608 594 202	476	1	2 608 595 065	24	1	2 608 596 305	55	5
2 608 587 428	41	1	2 608 594 203	476	1	2 608 595 066	24	1	2 608 596 306	55	5
2 608 587 429	40	1	2 608 594 204	476	1	2 608 595 067	24	1	2 608 596 307	55	5
2 608 587 430	40	1	2 608 594 205	476	1	2 608 595 068	24	1	2 608 596 308	55	5
2 608 587 431	40	1	2 608 594 206	476	1	2 608 595 070	24	1	2 608 596 309	55	5
2 608 587 432	41	1	2 608 594 207	476	1	2 608 595 071	24	1	2 608 596 310	55	1
2 608 587 433	39	1	2 608 594 208	476	1	2 608 595 072	25	1	2 608 596 311	55	1
2 608 587 434	40	1	2 608 594 209	476	1	2 608 595 073	25	1	2 608 596 312	55	1
2 608 587 435	41	1	2 608 594 210	476	1	2 608 595 074	25	1	2 608 596 313	55	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 596 333	51	1	2 608 596 817	29	1	2 608 597 209	37	1	2 608 597 616	60	1
2 608 596 335	63	1	2 608 596 818	29	1	2 608 597 214	37	1	2 608 597 618	60	1
2 608 596 336	63	1	2 608 596 819	29	1	2 608 597 219	37	1	2 608 597 622	58	1
2 608 596 337	63	1	2 608 596 820	29	1	2 608 597 221	37	1	2 608 597 623	58	1
2 608 596 338	63	1	2 608 596 821	29	1	2 608 597 223	37	1	2 608 597 624	58	1
2 608 596 339	63	1	2 608 596 822	29	1	2 608 597 225	37	1	2 608 597 625	58	1
2 608 596 340	63	1	2 608 596 824	29	1	2 608 597 229	37	1	2 608 597 626	58	1
2 608 596 341	63	1	2 608 596 825	29	1	2 608 597 231	37	1	2 608 597 627	58	1
2 608 596 342	63	1	2 608 596 826	29	1	2 608 597 232	37	1	2 608 597 628	58	1
2 608 596 343	63	1	2 608 596 827	29	1	2 608 597 233	37	1	2 608 597 629	58	1
2 608 596 344	63	1	2 608 596 828	29	1	2 608 597 236	37	1	2 608 597 630	58	1
2 608 596 345	63	1	2 608 596 829	29	1	2 608 597 239	37	1	2 608 597 631	58	1
2 608 596 346	63	1	2 608 596 830	29	1	2 608 597 240	37	1	2 608 597 632	58	1
2 608 596 347	63	1	2 608 596 832	29	1	2 608 597 241	37	1	2 608 597 633	58	1
2 608 596 348	63	1	2 608 596 833	29	1	2 608 597 247	37	1	2 608 597 634	58	1
2 608 596 371	43	1	2 608 596 834	29	1	2 608 597 248	37	1	2 608 597 635	58	1
2 608 596 372	43	1	2 608 596 835	29	1	2 608 597 251	37	1	2 608 597 636	58	1
2 608 596 373	43	1	2 608 596 979	62	1	2 608 597 252	37	1	2 608 597 637	58	1
2 608 596 391	53	1	2 608 596 980	62	1	2 608 597 255	37	1	2 608 597 638	58	1
2 608 596 392	53	1	2 608 596 981	62	1	2 608 597 257	37	1	2 608 597 639	58	1
2 608 596 393	53	1	2 608 597 122	82	1	2 608 597 259	37	1	2 608 597 640	58	1
2 608 596 395	53	1	2 608 597 123	82	1	2 608 597 475	237	1	2 608 597 641	58	1
2 608 596 396	53	1	2 608 597 124	82	1	2 608 597 476	237	1	2 608 597 642	58	1
2 608 596 397	53	1	2 608 597 125	82	1	2 608 597 477	237	1	2 608 597 643	58	1
2 608 596 399	43	1	2 608 597 126	82	1	2 608 597 478	237	1	2 608 597 644	58	1
2 608 596 400	43	1	2 608 597 127	82	1	2 608 597 479	237	1	2 608 597 645	58	1
2 608 596 401	43	1	2 608 597 128	82	1	2 608 597 480	237	1	2 608 597 646	58	1
2 608 596 405	42	1	2 608 597 129	82	1	2 608 597 481	237	1	2 608 597 647	58	1
2 608 596 407	42	1	2 608 597 165	63	1	2 608 597 482	237	1	2 608 597 648	58	1
2 608 596 408	42	1	2 608 597 167	63	1	2 608 597 500	43	1	2 608 597 649	58	1
2 608 596 664	43	1	2 608 597 168	63	1	2 608 597 511	43	1	2 608 597 650	58	1
2 608 596 665	43	1	2 608 597 169	63	1	2 608 597 512	43	1	2 608 597 651	58	1
2 608 596 666	35	5	2 608 597 170	63	1	2 608 597 513	43	1	2 608 597 652	58	1
2 608 596 667	42	1	2 608 597 171	63	1	2 608 597 518	40	1	2 608 597 655	105	5
2 608 596 671	35	5	2 608 597 172	63	1	2 608 597 519	40	1	2 608 597 656	105	5
2 608 596 676	35	5	2 608 597 173	63	1	2 608 597 520	40	1	2 608 597 657	105	5
2 608 596 681	35	5	2 608 597 174	63	1	2 608 597 521	40	1	2 608 597 658	105	5
2 608 596 683	35	5	2 608 597 175	63	1	2 608 597 524	39	1	2 608 597 659	105	5
2 608 596 686	35	5	2 608 597 176	63	1	2 608 597 525	40	1	2 608 597 660	105	5
2 608 596 691	35	5	2 608 597 178	63	1	2 608 597 526	40	1	2 608 597 661	105	5
2 608 596 696	35	5	2 608 597 187	54	1	2 608 597 580	38	1	2 608 597 662	105	5
2 608 596 701	35	5	2 608 597 188	54	1	2 608 597 581	38	1	2 608 597 663	105	5
2 608 596 706	35	1	2 608 597 189	54	1	2 608 597 582	38	1	2 608 597 664	105	5
2 608 596 711	35	1	2 608 597 190	54	1	2 608 597 583	38	1	2 608 597 665	105	5
2 608 596 716	35	1	2 608 597 191	54	1	2 608 597 584	38	1	2 608 597 666	105	5
2 608 596 721	35	1	2 608 597 192	54	1	2 608 597 585	38	1	2 608 597 667	105	5
2 608 596 726	35	1	2 608 597 193	54	1	2 608 597 587	38	1	2 608 597 668	105	5
2 608 596 731	35	1	2 608 597 194	54	1	2 608 597 588	38	1	2 608 597 669	105	5
2 608 596 736	35	1	2 608 597 195	54	1	2 608 597 589	38	1	2 608 597 670	105	1
2 608 596 741	35	1	2 608 597 196	54	1	2 608 597 590	38	1	2 608 597 671	105	5
2 608 596 746	35	1	2 608 597 197	54	1	2 608 597 591	38	1	2 608 597 677	105	5
2 608 596 751	35	1	2 608 597 198	54	1	2 608 597 592	38	1	2 608 597 678	105	5
2 608 596 761	35	1	2 608 597 199	54	1	2 608 597 593	38	1	2 608 597 679	105	5
2 608 596 771	35	1	2 608 597 200	54	1	2 608 597 594	38	1	2 608 597 680	105	5
2 608 596 781	35	1	2 608 597 201	55	1	2 608 597 595	38	1	2 608 597 681	105	5
2 608 596 808	29	1	2 608 597 202	55	1	2 608 597 597	38	1	2 608 597 682	105	5
2 608 596 809	29	1	2 608 597 203	55	1	2 608 597 599	38	1	2 608 597 683	105	5
2 608 596 810	29	1	2 608 597 204	55	1	2 608 597 601	60	1	2 608 597 684	105	5
2 608 596 812	29	1	2 608 597 205	55	1	2 608 597 604	60	1	2 608 597 685	105	5
2 608 596 813	29	1	2 608 597 206	55	1	2 608 597 607	60	1	2 608 597 686	105	5
2 608 596 814	29	1	2 608 597 207	55	1	2 608 597 610	60	1	2 608 597 688	105	1
2 608 596 816	29	1	2 608 597 208	55	1	2 608 597 613	60	1	2 608 597 689	105	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 597 690	105	1	2 608 600 215	253	25	2 608 601 713	657	1	2 608 602 616	198	1
2 608 597 691	105	1	2 608 600 218	265	10	2 608 601 714	657	1	2 608 602 617	198	1
2 608 597 692	105	1	2 608 600 220	254	25	2 608 601 715	657	1	2 608 602 618	198	1
2 608 597 693	105	1	2 608 600 221	258	25	2 608 601 716	658	1	2 608 602 619	198	1
2 608 597 694	105	1	2 608 600 223	265	10	2 608 601 720	658	1	2 608 602 620	211	1
2 608 597 704	105	1	2 608 600 226	258	25	2 608 601 721	658	1	2 608 602 621	211	1
2 608 597 705	105	5	2 608 600 228	265	10	2 608 601 722	658	1	2 608 602 622	211	1
2 608 597 706	105	5	2 608 600 315	265	10	2 608 601 723	658	1	2 608 602 623	211	1
2 608 597 709	106	5	2 608 600 316	258	25	2 608 601 724	658	1	2 608 602 624	211, 215	1
2 608 597 716	105	1	2 608 600 318	257	25	2 608 601 762	222	1	2 608 602 625	211, 215	1
2 608 597 719	105	1	2 608 600 321	257	25	2 608 601 763	222	1	2 608 602 626	211, 215	1
2 608 597 720	106	1	2 608 600 324	257	25	2 608 602 196	196	1	2 608 602 627	215	1
2 608 597 773	82	5	2 608 600 394	257	25	2 608 602 197	196	1	2 608 602 635	205	1
2 608 597 898	105	5	2 608 600 539	264	10	2 608 602 198	196	1	2 608 602 636	205	1
2 608 597 899	105	5	2 608 600 543	257	10	2 608 602 200	196	1	2 608 602 637	205	1
2 608 597 904	237	1	2 608 600 545	253	25	2 608 602 201	188	1	2 608 602 638	205	1
2 608 597 905	237	1	2 608 600 549	253	25	2 608 602 202	188	1	2 608 602 639	205	1
2 608 597 921	238	1	2 608 600 649	257	10	2 608 602 203	188	1	2 608 602 640	205	1
2 608 598 037	149	1	2 608 600 706	258	10	2 608 602 204	188	1	2 608 602 641	189	1
2 608 598 043	237	1	2 608 600 710	253	25	2 608 602 205	188	1	2 608 602 642	189	1
2 608 598 044	237	1	2 608 600 711	253	25	2 608 602 217	263	10	2 608 602 643	189	1
2 608 598 045	238	1	2 608 601 005	656	1	2 608 602 218	263	10	2 608 602 644	189	1
2 608 598 046	88	1	2 608 601 046	656	1	2 608 602 282	197	1	2 608 602 645	189	1
2 608 598 047	89	1	2 608 601 051	687	1	2 608 602 283	197	1	2 608 602 647	206	1
2 608 598 109	88, 236	1	2 608 601 052	687	1	2 608 602 383	261	25	2 608 602 648	206	1
2 608 598 110	88, 236	1	2 608 601 053	687	1	2 608 602 384	261	25	2 608 602 649	206	1
2 608 598 122	237	1	2 608 601 061	686	1	2 608 602 385	261	25	2 608 602 650	206	1
2 608 598 123	237	1	2 608 601 062	686	1	2 608 602 388	251	25	2 608 602 651	196	1
2 608 599 011	230	1	2 608 601 063	686	1	2 608 602 389	251	25	2 608 602 652	196	1
2 608 599 014	232	1	2 608 601 064	686	1	2 608 602 393	194	1	2 608 602 653	196	1
2 608 599 015	232	1	2 608 601 065	686	1	2 608 602 394	194	1	2 608 602 654	196	1
2 608 599 016	232	1	2 608 601 066	686	1	2 608 602 395	194	1	2 608 602 655	196	1
2 608 599 017	232	1	2 608 601 076	656	1	2 608 602 396	194	1	2 608 602 656	196	1
2 608 599 018	232	1	2 608 601 077	656	1	2 608 602 397	194	1	2 608 602 657	207, 213	1
2 608 599 019	232	1	2 608 601 114	687	1	2 608 602 478	188	1	2 608 602 658	207, 213	1
2 608 599 020	232	1	2 608 601 115	687	1	2 608 602 479	188	1	2 608 602 659	207, 213	1
2 608 599 021	232	1	2 608 601 116	687	1	2 608 602 488	264	10	2 608 602 660	207, 213	1
2 608 599 022	232	1	2 608 601 117	686	1	2 608 602 489	264	10	2 608 602 671	192	1
2 608 599 023	232	1	2 608 601 118	686	1	2 608 602 535	188	1	2 608 602 679	198	1
2 608 599 024	232	1	2 608 601 119	686	1	2 608 602 536	205	1	2 608 602 680	198	1
2 608 599 025	232	1	2 608 601 127	688	1	2 608 602 537	205	1	2 608 602 683	198	1
2 608 599 026	232	1	2 608 601 171	765	1	2 608 602 538	205	1	2 608 602 687	211	1
2 608 599 027	232	1	2 608 601 175	687	1	2 608 602 539	205	1	2 608 602 688	211	1
2 608 599 028	232	1	2 608 601 185	687	1	2 608 602 540	205	1	2 608 602 689	197	1
2 608 599 029	232	1	2 608 601 209	656	1	2 608 602 541	205	1	2 608 602 690	197	1
2 608 599 030	232	1	2 608 601 210	656	1	2 608 602 542	196	1	2 608 602 691	197	1
2 608 599 031	232	1	2 608 601 218	609	1	2 608 602 544	207, 213	1	2 608 602 692	197	1
2 608 599 032	232	1	2 608 601 443	690	1	2 608 602 545	207, 213	1	2 608 602 693	197	1
2 608 599 033	232	1	2 608 601 444	690	1	2 608 602 546	207, 213	1	2 608 602 698	189	1
2 608 599 034	232	1	2 608 601 445	690	1	2 608 602 553	220	1	2 608 602 702	210	1
2 608 599 035	232	1	2 608 601 446	690	1	2 608 602 586	209	1	2 608 602 759	258	20
2 608 599 036	232	1	2 608 601 447	690	1	2 608 602 587	209	1	2 608 603 159	258	25
2 608 599 037	233	1	2 608 601 448	691	1	2 608 602 597	189	1	2 608 603 160	258	25
2 608 599 038	232	1	2 608 601 513	256	50	2 608 602 598	189	1	2 608 603 161	258	20
2 608 599 049	226	1	2 608 601 514	256	25	2 608 602 599	189	1	2 608 603 162	258	25
2 608 599 050	227	1	2 608 601 520	266	1	2 608 602 600	189	1	2 608 603 164	258	25
2 608 599 051	227	1	2 608 601 573	223	1	2 608 602 601	189	1	2 608 603 166	258	25
2 608 599 052	227	1	2 608 601 575	223	1	2 608 602 602	206	1	2 608 603 167	258	40
2 608 600 005	258	25	2 608 601 607	687	1	2 608 602 603	206	1	2 608 603 168	258	25
2 608 600 017	265	25	2 608 601 705	266	1	2 608 602 604	206	1	2 608 603 169	255	25
2 608 600 029	44	1	2 608 601 711	656	1	2 608 602 605	206	1	2 608 603 170	255	25
2 608 600 091	257	25	2 608 601 712	657	1	2 608 602 615	198	1	2 608 603 171	255	25

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 603 172	255	25	2 608 605 183	576	5	2 608 605 584	586	5	2 608 606 080	590	2
2 608 603 173	260	25	2 608 605 184	576	5	2 608 605 585	586	5	2 608 606 081	590	1
2 608 603 174	260	25	2 608 605 185	576	5	2 608 605 640	564	5	2 608 606 082	590	1
2 608 603 175	260	20	2 608 605 186	576	5	2 608 605 641	564	5	2 608 606 083	590	1
2 608 603 176	260	25	2 608 605 279	584	5	2 608 605 642	564	5	2 608 606 084	590	1
2 608 603 177	260	25	2 608 605 280	584	5	2 608 605 643	564	5	2 608 606 085	590	1
2 608 603 178	260	25	2 608 605 281	584	5	2 608 605 644	564	5	2 608 606 089	590	2
2 608 603 179	260	25	2 608 605 282	584	5	2 608 605 645	564	5	2 608 606 090	590	4
2 608 603 180	260	25	2 608 605 283	584	5	2 608 605 657	563	5	2 608 606 091	590	4
2 608 603 181	265	10	2 608 605 294	585	5	2 608 605 716	564	5	2 608 606 092	590	4
2 608 603 182	265	10	2 608 605 295	585	5	2 608 605 717	564	5	2 608 606 093	591	4
2 608 603 183	265	10	2 608 605 296	585	5	2 608 605 718	564	5	2 608 606 094	591	4
2 608 603 184	265	10	2 608 605 298	585	5	2 608 605 720	564	5	2 608 606 095	591	4
2 608 603 231	188	1	2 608 605 300	585	5	2 608 605 721	564	5	2 608 606 113	591	2
2 608 603 232	188	1	2 608 605 301	585	5	2 608 605 722	564	5	2 608 606 114	591	4
2 608 603 237	189	1	2 608 605 302	585	5	2 608 606 000	589	2	2 608 606 115	591	4
2 608 603 238	189	1	2 608 605 303	585	5	2 608 606 001	589	4	2 608 606 116	591	4
2 608 603 239	196	1	2 608 605 304	585	5	2 608 606 002	589	4	2 608 606 117	591	4
2 608 603 240	196	1	2 608 605 306	585	5	2 608 606 003	589	4	2 608 606 118	591	4
2 608 603 241	196	1	2 608 605 308	585	5	2 608 606 004	589	4	2 608 606 128	591	4
2 608 603 242	196	1	2 608 605 309	585	5	2 608 606 005	589	4	2 608 606 129	591	2
2 608 603 243	196	1	2 608 605 310	585	5	2 608 606 007	589	4	2 608 606 130	591	4
2 608 603 249	194	1	2 608 605 311	585	5	2 608 606 015	589	2	2 608 606 131	591	4
2 608 603 250	194	1	2 608 605 312	585	5	2 608 606 017	589	4	2 608 606 132	591	4
2 608 603 251	194	1	2 608 605 313	585	5	2 608 606 018	589	4	2 608 606 133	591	4
2 608 603 252	194	1	2 608 605 314	585	5	2 608 606 019	589	4	2 608 606 134	591	2
2 608 603 254	255	10	2 608 605 315	585	5	2 608 606 020	589	4	2 608 606 135	591	1
2 608 603 255	255	10	2 608 605 316	586	5	2 608 606 021	589	4	2 608 606 136	591	1
2 608 603 395	257	25	2 608 605 317	586	5	2 608 606 022	589	4	2 608 606 137	591	1
2 608 603 401	258	25	2 608 605 318	586	5	2 608 606 023	589	4	2 608 606 138	591	1
2 608 603 406	253	25	2 608 605 319	586	5	2 608 606 032	589	2	2 608 606 139	591	4
2 608 604 496	539	5	2 608 605 320	586	5	2 608 606 033	589	4	2 608 606 141	591	2
2 608 605 103	563	5	2 608 605 322	586	5	2 608 606 034	589	4	2 608 606 142	591	4
2 608 605 104	563	5	2 608 605 323	586	5	2 608 606 035	589	4	2 608 606 143	591	4
2 608 605 105	563	5	2 608 605 324	586	5	2 608 606 036	589	4	2 608 606 144	591	4
2 608 605 106	563	5	2 608 605 325	586	5	2 608 606 037	589	4	2 608 606 145	591	4
2 608 605 107	564	5	2 608 605 326	586	5	2 608 606 038	589	4	2 608 606 146	591	4
2 608 605 112	564	5	2 608 605 341	586	5	2 608 606 039	589	4	2 608 606 161	591	2
2 608 605 115	565	5	2 608 605 342	586	5	2 608 606 040	589	4	2 608 606 162	592	4
2 608 605 116	565	5	2 608 605 343	586	5	2 608 606 042	589	2	2 608 606 163	592	4
2 608 605 117	565	5	2 608 605 345	586	5	2 608 606 043	590	4	2 608 606 164	592	4
2 608 605 118	565	5	2 608 605 347	586	5	2 608 606 044	590	4	2 608 606 165	592	4
2 608 605 119	565	5	2 608 605 348	586	5	2 608 606 045	590	4	2 608 606 203	593	4
2 608 605 120	565	5	2 608 605 450	626	10	2 608 606 046	590	4	2 608 606 204	593	4
2 608 605 121	565	5	2 608 605 451	626	10	2 608 606 047	590	4	2 608 606 205	593	4
2 608 605 122	565	5	2 608 605 452	626	10	2 608 606 048	590	4	2 608 606 206	592	4
2 608 605 123	565	5	2 608 605 464	622	50	2 608 606 049	590	4	2 608 606 207	592	4
2 608 605 124	565	5	2 608 605 466	622	50	2 608 606 059	590	4	2 608 606 208	592	4
2 608 605 126	565	5	2 608 605 467	622	50	2 608 606 060	590	2	2 608 606 209	592	4
2 608 605 127	565	5	2 608 605 468	622	50	2 608 606 061	590	4	2 608 606 211	592	4
2 608 605 128	565	5	2 608 605 469	622	50	2 608 606 062	590	4	2 608 606 217	593	4
2 608 605 129	565	5	2 608 605 474	622	50	2 608 606 063	590	4	2 608 606 218	593	4
2 608 605 130	565	5	2 608 605 477	622	50	2 608 606 064	590	4	2 608 606 219	593	4
2 608 605 131	565	5	2 608 605 478	622	50	2 608 606 065	590	4	2 608 606 220	592	4
2 608 605 132	565	5	2 608 605 479	622	50	2 608 606 067	590	4	2 608 606 221	592	4
2 608 605 166	575	5	2 608 605 484	622	50	2 608 606 068	590	4	2 608 606 222	592	4
2 608 605 167	575	5	2 608 605 486	622	50	2 608 606 069	590	2	2 608 606 223	592	4
2 608 605 168	575	5	2 608 605 487	622	50	2 608 606 070	590	4	2 608 606 716	627	10
2 608 605 169	575	5	2 608 605 489	622	50	2 608 606 071	590	4	2 608 606 717	627	10
2 608 605 170	575	5	2 608 605 577	576	5	2 608 606 072	590	4	2 608 606 718	627	10
2 608 605 171	575	5	2 608 605 578	576	5	2 608 606 073	590	4	2 608 606 727	621	50
2 608 605 182	576	5	2 608 605 583	585	5	2 608 606 078	590	4	2 608 606 728	621	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 606 729	621	50	2 608 607 340	626	10	2 608 608 C31	604	1	2 608 615 166	195	1
2 608 606 730	621	50	2 608 607 342	626	10	2 608 608 C32	604	1	2 608 619 153	622	50
2 608 606 731	621	50	2 608 607 343	626	10	2 608 608 C33	604	1	2 608 619 154	622	50
2 608 606 733	621	50	2 608 607 344	626	10	2 608 608 C35	604	1	2 608 619 155	622	50
2 608 606 734	621	50	2 608 607 346	627	10	2 608 608 C37	604	1	2 608 619 156	622	50
2 608 606 735	621	50	2 608 607 347	627	10	2 608 608 C39	604	1	2 608 619 157	622	50
2 608 606 736	621	50	2 608 607 349	627	10	2 608 608 Z79	595	1	2 608 619 158	622	50
2 608 606 737	626	10	2 608 607 350	627	10	2 608 608 Z80	595	1	2 608 619 159	622	50
2 608 606 738	626	10	2 608 607 351	627	10	2 608 608 Z81	595	1	2 608 619 160	622	50
2 608 606 740	621	50	2 608 607 352	627	10	2 608 608 Z82	595	1	2 608 619 161	622	50
2 608 606 742	621	50	2 608 607 353	627	10	2 608 608 Z83	595	1	2 608 619 162	622	50
2 608 606 743	621	50	2 608 607 354	627	10	2 608 610 001	568	1	2 608 619 163	622	50
2 608 606 744	621	50	2 608 607 355	627	10	2 608 612 023	635	1	2 608 619 164	622	50
2 608 606 745	621	50	2 608 607 356	627	10	2 608 612 025	635	1	2 608 619 165	621	50
2 608 606 752	627	10	2 608 607 361	627	10	2 608 612 026	568, 635	1	2 608 619 166	621	50
2 608 606 753	627	10	2 608 607 362	627	10	2 608 612 027	635	1	2 608 619 167	621	50
2 608 606 754	627	10	2 608 607 365	627	10	2 608 613 005	567	1	2 608 619 168	621	50
2 608 606 802	602	4	2 608 607 366	627	10	2 608 613 009	567	1	2 608 619 169	621	50
2 608 606 817	602	4	2 608 607 367	627	10	2 608 613 016	539	5	2 608 619 170	621	50
2 608 606 818	602	4	2 608 607 368	627	10	2 608 615 027	192	10	2 608 619 171	621	50
2 608 606 819	602	4	2 608 607 407	575	1	2 608 615 028	192	10	2 608 619 172	621	50
2 608 606 820	602	4	2 608 607 408	575	1	2 608 615 029	192	10	2 608 619 173	621	50
2 608 606 821	602	4	2 608 607 409	575	1	2 608 615 030	192	10	2 608 619 174	621	50
2 608 606 822	602	4	2 608 607 410	575	1	2 608 615 031	192	10	2 608 619 175	621	50
2 608 606 916	622	50	2 608 607 417	574	1	2 608 615 032	209	1	2 608 619 176	621	50
2 608 606 918	622	50	2 608 607 419	577	1	2 608 615 033	209	1	2 608 619 177	620	50
2 608 606 919	622	50	2 608 607 428	576	5	2 608 615 034	209	1	2 608 619 178	620	50
2 608 606 920	622	50	2 608 607 429	576	5	2 608 615 035	209	1	2 608 619 179	620	50
2 608 606 921	622	50	2 608 607 430	576	5	2 608 615 036	193	10	2 608 619 180	620	50
2 608 606 922	626	10	2 608 607 431	576	5	2 608 615 037	193	10	2 608 619 181	620	50
2 608 606 923	626	10	2 608 607 432	576	5	2 608 615 038	193	10	2 608 619 182	620	50
2 608 606 924	626	10	2 608 607 540	538, 577	5	2 608 615 039	193	10	2 608 619 183	620	50
2 608 606 929	589	2	2 608 607 632	628	5	2 608 615 040	192	1	2 608 619 184	620	50
2 608 607 246	563	5	2 608 607 633	628	5	2 608 615 041	193	1	2 608 619 185	620	50
2 608 607 247	564	5	2 608 607 639	623	10	2 608 615 042	193	1	2 608 619 186	620	50
2 608 607 248	622	50	2 608 607 772	603	1	2 608 615 043	193	1	2 608 619 187	620	50
2 608 607 249	622	50	2 608 607 773	603	1	2 608 615 044	193	1	2 608 619 188	620	50
2 608 607 251	622	50	2 608 607 774	603	1	2 608 615 045	193	1	2 608 619 197	624	10
2 608 607 254	621	50	2 608 607 775	603	1	2 608 615 046	193	1	2 608 619 198	624	10
2 608 607 255	621	50	2 608 607 776	603	1	2 608 615 047	193	1	2 608 619 199	624	10
2 608 607 256	621	50	2 608 607 787	603	1	2 608 615 048	193	1	2 608 619 200	624	10
2 608 607 258	590	4	2 608 607 788	603	1	2 608 615 057	193	1	2 608 619 201	624	10
2 608 607 259	590	1	2 608 607 789	603	1	2 608 615 058	193	1	2 608 619 202	624	10
2 608 607 260	590	4	2 608 608 263	623	10	2 608 615 059	193	1	2 608 619 203	624	10
2 608 607 261	590	1	2 608 608 264	623	10	2 608 615 060	193	1	2 608 619 204	624	10
2 608 607 262	591	4	2 608 608 265	623	10	2 608 615 061	193	1	2 608 619 205	625	10
2 608 607 263	591	1	2 608 608 267	624	10	2 608 615 062	193	1	2 608 619 206	625	10
2 608 607 319	626	10	2 608 608 268	624	10	2 608 615 063	193	1	2 608 619 207	625	10
2 608 607 320	626	10	2 608 608 269	624	10	2 608 615 064	193	1	2 608 619 208	625	10
2 608 607 322	626	10	2 608 608 276	624	10	2 608 615 065	193	1	2 608 619 209	625	10
2 608 607 323	626	10	2 608 608 586	609	1	2 608 615 066	193	1	2 608 619 210	625	10
2 608 607 324	626	10	2 608 608 C05	600	25	2 608 615 067	193	1	2 608 619 211	625	10
2 608 607 325	626	10	2 608 608 C06	600	25	2 608 615 068	209	1	2 608 619 212	625	10
2 608 607 326	626	10	2 608 608 C07	600	25	2 608 615 070	209	1	2 608 619 252	257	25
2 608 607 327	626	10	2 608 608 C08	600	25	2 608 615 071	209	1	2 608 619 253	257	25
2 608 607 328	626	10	2 608 608 C09	600	25	2 608 615 074	209	1	2 608 619 254	257	25
2 608 607 334	626	10	2 608 608 C11	600	25	2 608 615 131	187	1	2 608 619 255	257	25
2 608 607 335	626	10	2 608 608 C13	600	25	2 608 615 132	187	1	2 608 619 256	257	25
2 608 607 336	626	10	2 608 608 C15	600	25	2 608 615 136	188	1	2 608 619 257	257	25
2 608 607 337	626	10	2 608 608 C16	600	25	2 608 615 137	188	1	2 608 619 258	265	10
2 608 607 338	626	10	2 608 608 C29	604	1	2 608 615 138	188	1	2 608 619 259	265	10
2 608 607 339	626	10	2 608 608 C30	604	1	2 608 615 165	195	1	2 608 619 260	253	25

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 619 261	254	25	2 608 621 592	599	50	2 608 621 821	615	1	2 608 628 414	340	1
2 608 619 262	254	25	2 608 621 593	599	50	2 608 621 822	615	1	2 608 628 415	348	1
2 608 619 263	252	25	2 608 621 594	599	50	2 608 621 823	615	1	2 608 628 416	345	1
2 608 619 264	252	25	2 608 621 595	599	50	2 608 621 824	615	1	2 608 628 417	342	1
2 608 619 265	253	25	2 608 621 596	599	50	2 608 621 825	615	1	2 608 628 418	347	1
2 608 619 266	254	10	2 608 621 597	599	50	2 608 621 826	615	1	2 608 628 419	346	1
2 608 619 267	254	10	2 608 621 604	619	50	2 608 621 827	615	1	2 608 628 420	343	1
2 608 619 268	261	25	2 608 621 605	619	50	2 608 621 828	616	1	2 608 628 421	344	1
2 608 619 269	261	25	2 608 621 606	619	50	2 608 621 829	616	1	2 608 628 422	344	1
2 608 619 270	261	25	2 608 621 607	619	50	2 608 621 830	616	1	2 608 628 423	344	1
2 608 619 767	258	50	2 608 621 608	619	50	2 608 621 831	616	1	2 608 628 424	346	1
2 608 619 768	258	50	2 608 621 609	619	50	2 608 621 832	625	5	2 608 628 425	347	1
2 608 619 770	258	25	2 608 621 610	619	50	2 608 621 833	625	5	2 608 628 427	340	1
2 608 619 771	255	25	2 608 621 611	619	50	2 608 622 006	278	1	2 608 628 428	340	1
2 608 619 772	256	25	2 608 621 612	619	50	2 608 622 007	279	1	2 608 628 429	340	1
2 608 619 773	255	25	2 608 621 613	619	50	2 608 622 008	281	1	2 608 628 630	348	1
2 608 619 774	258	25	2 608 621 614	619	50	2 608 622 009	281	1	2 608 628 631	348	1
2 608 619 776	258	25	2 608 621 615	619	50	2 608 622 010	274	1	2 608 628 632	347	1
2 608 619 777	265	10	2 608 621 616	619	50	2 608 622 011	275	1	2 608 628 633	347	1
2 608 619 778	265	10	2 608 621 617	619	50	2 608 622 022	278	1	2 608 628 634	347	1
2 608 619 780	259	25	2 608 621 618	619	50	2 608 622 050	278	1	2 608 628 635	341	1
2 608 619 781	259	25	2 608 621 619	619	50	2 608 622 051	282	1	2 608 628 636	341	1
2 608 619 782	259	25	2 608 621 620	619	50	2 608 622 052	282	1	2 608 628 637	341	1
2 608 619 783	259	25	2 608 621 621	619	50	2 608 622 054	281	1	2 608 630 014	376	10
2 608 620 012	283	1	2 608 621 684	538, 577	5	2 608 622 055	282	1	2 608 630 030	376	10
2 608 620 014	283	1	2 608 621 685	538, 577	5	2 608 622 056	282	1	2 608 630 031	375	10
2 608 620 034	634	1	2 608 621 686	538, 577	5	2 608 622 057	275	1	2 608 630 032	376	10
2 608 620 038	634	1	2 608 621 687	538, 577	5	2 608 622 058	275	1	2 608 630 033	377	10
2 608 620 725	271	1	2 608 621 688	538, 577	5	2 608 622 059	274	1	2 608 630 037	377	10
2 608 620 726	270	1	2 608 621 689	538, 577	5	2 608 622 060	275	1	2 608 630 040	376	10
2 608 620 727	270	1	2 608 621 690	538, 577	5	2 608 622 061	276	1	2 608 630 058	377	10
2 608 620 728	272	1	2 608 621 779	617	5	2 608 622 098	274	1	2 608 630 310	377	10
2 608 620 729	272	1	2 608 621 780	617	5	2 608 622 099	274	1	2 608 630 557	376	10
2 608 620 730	273	1	2 608 621 781	617	5	2 608 622 100	274	1	2 608 630 558	376	10
2 608 620 731	271	1	2 608 621 782	617	5	2 608 622 101	275	1	2 608 630 559	375	10
2 608 620 732	271	1	2 608 621 783	617	5	2 608 622 102	276	1	2 608 630 560	376	10
2 608 620 733	272	1	2 608 621 784	618	5	2 608 622 103	276	1	2 608 630 565	394	10
2 608 621 274	579	1	2 608 621 788	618	1	2 608 622 104	275	1	2 608 630 566	395	10
2 608 621 276	579	1	2 608 621 789	618	1	2 608 622 105	275	1	2 608 630 568	394	10
2 608 621 457	603	1	2 608 621 790	618	1	2 608 622 106	276	1	2 608 630 808	377	10
2 608 621 464	603	1	2 608 621 791	618	1	2 608 622 107	276	1	2 608 630 878	377	10
2 608 621 465	603	1	2 608 621 792	618	1	2 608 622 108	277	1	2 608 630 879	377	10
2 608 621 466	603	1	2 608 621 793	618	1	2 608 622 109	276	1	2 608 631 010	389	10
2 608 621 467	603	1	2 608 621 794	618	1	2 608 622 110	279	1	2 608 631 012	381	10
2 608 621 469	603	1	2 608 621 795	618	1	2 608 622 112	279	1	2 608 631 013	382	10
2 608 621 471	603	1	2 608 621 796	618	1	2 608 622 113	278	1	2 608 631 014	382	10
2 608 621 472	603	1	2 608 621 797	619	1	2 608 622 114	279	1	2 608 631 017	382	10
2 608 621 473	603	1	2 608 621 798	619	1	2 608 622 115	279	1	2 608 631 030	383	10
2 608 621 474	603	1	2 608 621 799	619	1	2 608 622 116	279	1	2 608 631 032	382	10
2 608 621 475	603	1	2 608 621 804	614	5	2 608 622 117	280	1	2 608 631 319	382	10
2 608 621 476	603	1	2 608 621 805	614	5	2 608 622 118	280	1	2 608 631 404	382	10
2 608 621 478	603	1	2 608 621 806	614	5	2 608 622 121	280	1	2 608 631 507	382	10
2 608 621 480	603	1	2 608 621 807	614	5	2 608 622 124	280	1	2 608 631 508	382	10
2 608 621 481	603	1	2 608 621 808	614	5	2 608 622 125	280	1	2 608 631 511	396	10
2 608 621 482	603	1	2 608 621 809	615	5	2 608 622 126	281	1	2 608 631 512	396	10
2 608 621 483	603	1	2 608 621 810	615	5	2 608 622 127	281	1	2 608 631 670	388	10
2 608 621 484	603	1	2 608 621 811	615	5	2 608 622 128	280	1	2 608 631 671	383	10
2 608 621 485	603	1	2 608 621 816	615	1	2 608 622 129	280	1	2 608 631 672	382	10
2 608 621 487	603	1	2 608 621 817	615	1	2 608 622 130	282	1	2 608 631 673	382	10
2 608 621 489	603	1	2 608 621 818	615	1	2 608 628 411	340	1	2 608 631 674	381	10
2 608 621 490	603	1	2 608 621 819	615	1	2 608 628 412	340	1	2 608 631 706	382	1
2 608 621 591	599	50	2 608 621 820	615	1	2 608 628 413	340	1	2 608 631 770	396	10

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 631 771	396	10	2 608 636 429	402	10	2 608 640 443	323	1	2 608 640 673	323	1
2 608 631 808	382	1	2 608 636 430	404	10	2 608 640 444	323	1	2 608 640 674	323	1
2 608 631 964	382	1	2 608 636 431	372	10	2 608 640 445	336	1	2 608 640 675	323	1
2 608 631 965	382	1	2 608 636 432	372	10	2 608 640 446	336	1	2 608 640 680	325	1
2 608 631 966	383	1	2 608 636 496	379	10	2 608 640 447	336	1	2 608 640 681	325	1
2 608 632 120	458	1	2 608 636 497	379	10	2 608 640 449	336	1	2 608 640 682	325	1
2 608 632 123	458	1	2 608 636 498	379	10	2 608 640 450	336	1	2 608 640 683	325	1
2 608 633 104	393	1	2 608 636 499	379	10	2 608 640 451	336	1	2 608 640 684	325	1
2 608 633 105	393	1	2 608 636 695 ⁱ	380	10	2 608 640 452	336	1	2 608 640 690	330	1
2 608 633 523	375	10	2 608 636 696 ⁱ	380	10	2 608 640 453	336	1	2 608 640 691	330	1
2 608 633 524	375	1	2 608 636 697 ⁱ	380	1	2 608 640 501	335	1	2 608 640 692	330	1
2 608 633 525	394	10	2 608 636 698 ⁱ	380	10	2 608 640 503	335	1	2 608 640 693	330	1
2 608 633 528	375	10	2 608 636 699 ⁱ	380	10	2 608 640 506	335	1	2 608 640 694	330	1
2 608 633 577	376	1	2 608 636 700 ⁱ	380	1	2 608 640 507	335	1	2 608 640 695	330	1
2 608 633 622	376	1	2 608 636 701 ⁱ	380	10	2 608 640 508	335	1	2 608 640 700	330	1
2 608 633 623	376	1	2 608 636 702 ⁱ	380	10	2 608 640 509	335	1	2 608 640 701	330	1
2 608 633 625	376	1	2 608 636 703 ⁱ	380	1	2 608 640 510	335	1	2 608 640 702	330	1
2 608 633 626	377	1	2 608 636 704	380	10	2 608 640 511	335	1	2 608 640 703	330	1
2 608 633 779	376	10	2 608 636 705	380	10	2 608 640 513	335	1	2 608 640 704	330	1
2 608 633 A31	374	10	2 608 636 706	380	10	2 608 640 516	336	1	2 608 640 705	330	1
2 608 633 A34	377	10	2 608 636 707	380	10	2 608 640 518	336	1	2 608 640 725	322	1
2 608 633 A35	374	10	2 608 636 780	388	10	2 608 640 582	321	1	2 608 640 727	322	1
2 608 633 A36	375	10	2 608 636 781	388	10	2 608 640 583	321	1	2 608 640 728	322	1
2 608 633 A37	375	10	2 608 636 793	383	5	2 608 640 586	321	1	2 608 640 729	322	1
2 608 633 A38	377	1	2 608 637 559	395	10	2 608 640 592	321	1	2 608 640 732	321	1
2 608 633 A39	374	1	2 608 637 590	376	10	2 608 640 593	321	1	2 608 640 761	330	1
2 608 633 A40	375	1	2 608 637 591	376	10	2 608 640 596	321	1	2 608 640 762	330	1
2 608 633 A41	375	1	2 608 637 723	394	10	2 608 640 597	321	1	2 608 640 770	336	1
2 608 633 A42	375	1	2 608 637 724	394	10	2 608 640 608	321	1	2 608 640 774	324	1
2 608 634 233	371	10	2 608 637 876	376	1	2 608 640 609	322	1	2 608 640 775	324	1
2 608 634 234	371	10	2 608 637 877	376	1	2 608 640 610	321	1	2 608 640 781	324	1
2 608 634 235	371	10	2 608 637 878	377	1	2 608 640 611	321	1	2 608 640 784	324	1
2 608 634 237	381	10	2 608 637 879	377	1	2 608 640 612	321	1	2 608 640 785	324	1
2 608 634 241	381	10	2 608 637 880	376	1	2 608 640 613	321	1	2 608 640 786	324	1
2 608 634 242	381	10	2 608 637 881	377	1	2 608 640 614	321	1	2 608 640 787	324	1
2 608 634 243	372	10	2 608 637 944	377	10	2 608 640 615	321	1	2 608 640 795	324	1
2 608 634 486	385	1	2 608 638 382	383	1	2 608 640 616	321	1	2 608 640 799	324	1
2 608 634 503	381	10	2 608 638 470	382	1	2 608 640 617	321	1	2 608 640 800	324	1
2 608 634 505	381	10	2 608 638 471	382	1	2 608 640 618	321	1	2 608 640 801	324	1
2 608 634 567	371	10	2 608 638 472	379	10	2 608 640 620	321	1	2 608 640 803	324	1
2 608 634 694	381	10	2 608 638 473	379	10	2 608 640 621	322	1	2 608 640 804	324	1
2 608 634 897	371	10	2 608 638 474	379	1	2 608 640 622	321	1	2 608 640 805	324	1
2 608 634 988	371	1	2 608 638 700	379	1	2 608 640 623	321	1	2 608 640 807	324	1
2 608 634 989	371	1	2 608 639 013	711	1	2 608 640 627	322	1	2 608 640 815	335	1
2 608 634 990	371	1	2 608 639 021	712	1	2 608 640 628	322	1	2 608 640 817	321	1
2 608 634 991	381	1	2 608 639 022	711	1	2 608 640 629	322	1	2 608 640 818	321	1
2 608 634 992	381	1	2 608 639 026	712	1	2 608 640 630	329	1	2 608 641 167	321	1
2 608 634 993	385	10	2 608 639 027	711	1	2 608 640 632	329	1	2 608 641 168	321	1
2 608 634 994	385	10	2 608 639 028	712	1	2 608 640 633	329	1	2 608 641 169	321	1
2 608 634 995	385	1	2 608 639 900	712	1	2 608 640 634	329	1	2 608 641 170	321	1
2 608 635 126	714	1	2 608 639 902	712	1	2 608 640 635	329	1	2 608 641 171	321	1
2 608 635 177	393	5	2 608 640 430	322	1	2 608 640 636	329	1	2 608 641 172	321	1
2 608 635 187	393	5	2 608 640 431	322	1	2 608 640 641	322	1	2 608 641 173	321	1
2 608 635 243	714	1	2 608 640 432	322	1	2 608 640 642	322	1	2 608 641 181	321	1
2 608 635 350	358	1	2 608 640 433	322	1	2 608 640 643	322	1	2 608 641 184	321	1
2 608 635 521	449	5	2 608 640 434	322	1	2 608 640 644	322	1	2 608 641 185	321	1
2 608 635 527 ⁱ	448	5	2 608 640 435	322	1	2 608 640 645	322	1	2 608 641 186	321	1
2 608 635 528	448	5	2 608 640 436	322	1	2 608 640 651	323	1	2 608 641 187	322	1
2 608 635 529	448	5	2 608 640 437	322	1	2 608 640 660	323	1	2 608 641 188	321	1
2 608 636 225	371	10	2 608 640 440	322	1	2 608 640 665	323	1	2 608 641 190	321	1
2 608 636 229	371	10	2 608 640 441	322	1	2 608 640 670	323	1	2 608 641 192	322	1
2 608 636 335	383	5	2 608 640 442	322	1	2 608 640 672	323	1	2 608 641 195	335	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 641 199	329	1	2 608 643 061	313	1	2 608 644 137	302	1	2 608 644 517	301	1
2 608 641 200	329	1	2 608 643 062	313	1	2 608 644 139	302	1	2 608 644 518	300	1
2 608 641 201	329	1	2 608 643 063	313	1	2 608 644 142	317	1	2 608 644 519	300	1
2 608 641 202	322	1	2 608 643 071	321	1	2 608 644 143	317	1	2 608 644 520	301	1
2 608 641 204	336	1	2 608 644 022	295	1	2 608 644 144	317	1	2 608 644 521	301	1
2 608 641 765	322	1	2 608 644 023	295	1	2 608 644 145	317	1	2 608 644 522	300	1
2 608 641 768	322	1	2 608 644 024	295	1	2 608 644 146	317	1	2 608 644 523	300	1
2 608 641 769	322	1	2 608 644 032	295	1	2 608 644 147	317	1	2 608 644 524	301	1
2 608 641 771	323	1	2 608 644 036	295	1	2 608 644 148	317	1	2 608 644 525	301	1
2 608 641 774	330	1	2 608 644 037	295	1	2 608 644 165	317	1	2 608 644 526	301	1
2 608 642 099	294	1	2 608 644 047	295	1	2 608 644 282	315	1	2 608 644 527	300	1
2 608 642 101	290	1	2 608 644 048	295	1	2 608 644 283	315	1	2 608 644 528	300	1
2 608 642 103	290	1	2 608 644 049	295	1	2 608 644 284	315	1	2 608 644 529	300	1
2 608 642 104	292	1	2 608 644 050	295	1	2 608 644 285	315	1	2 608 644 530	314	1
2 608 642 116	291	1	2 608 644 064	295	1	2 608 644 286	315	1	2 608 644 531	314	1
2 608 642 133	293	1	2 608 644 065	295	1	2 608 644 287	315	1	2 608 644 532	314	1
2 608 642 135	293	1	2 608 644 066	295	1	2 608 644 288	315	1	2 608 644 533	314	1
2 608 642 137	293	1	2 608 644 079	296	1	2 608 644 289	315	1	2 608 644 534	311	1
2 608 642 384	290	1	2 608 644 080	297	1	2 608 644 344	318	1	2 608 644 535	311	1
2 608 642 385	290	1	2 608 644 083	297	1	2 608 644 345	318	1	2 608 644 536	311	1
2 608 642 386	290	1	2 608 644 084	297	1	2 608 644 346	318	1	2 608 644 537	311	1
2 608 642 387	294	1	2 608 644 085	297	1	2 608 644 347	318	1	2 608 644 538	311	1
2 608 642 388	294	1	2 608 644 092	308	1	2 608 644 348	318	1	2 608 644 539	311	1
2 608 642 492	316	1	2 608 644 093	308	1	2 608 644 349	318	1	2 608 644 540	311	1
2 608 642 493	316	1	2 608 644 094	308	1	2 608 644 350	318	1	2 608 644 541	311	1
2 608 642 494	316	1	2 608 644 095	308	1	2 608 644 351	319	1	2 608 644 542	312	1
2 608 642 495	316	1	2 608 644 096	308	1	2 608 644 352	319	1	2 608 644 543	312	1
2 608 642 496	296	1	2 608 644 097	308	1	2 608 644 353	319	1	2 608 644 544	312	1
2 608 642 497	296	1	2 608 644 098	308	1	2 608 644 354	306	1	2 608 644 545	312	1
2 608 642 498	296	1	2 608 644 099	308	1	2 608 644 355	306	1	2 608 644 546	312	1
2 608 642 499	297	1	2 608 644 101	308	1	2 608 644 356	306	1	2 608 644 547	312	1
2 608 642 500	297	1	2 608 644 102	308	1	2 608 644 357	306	1	2 608 644 548	305	1
2 608 642 501	297	1	2 608 644 103	308	1	2 608 644 358	306	1	2 608 644 549	305	1
2 608 642 502	298	1	2 608 644 104	308	1	2 608 644 359	307	1	2 608 644 550	305	1
2 608 642 503	298	1	2 608 644 105	308	1	2 608 644 360	306	1	2 608 644 551	303	1
2 608 642 505	298	1	2 608 644 106	308	1	2 608 644 361	307	1	2 608 644 552	303	1
2 608 642 506	298	1	2 608 644 108	308	1	2 608 644 362	307	1	2 608 644 553	303	1
2 608 642 507	298	1	2 608 644 109	309	1	2 608 644 363	307	1	2 608 644 554	319	1
2 608 642 508	298	1	2 608 644 110	309	1	2 608 644 364	307	1	2 608 644 555	319	1
2 608 642 509	298	1	2 608 644 112	309	1	2 608 644 365	317	1	2 608 644 556	319	1
2 608 642 510	298	1	2 608 644 113	309	1	2 608 644 366	317	1	2 608 644 557	320	1
2 608 642 511	298	1	2 608 644 115	309	1	2 608 644 367	317	1	2 608 644 558	320	1
2 608 642 512	298	1	2 608 644 116	309	1	2 608 644 368	317	1	2 608 644 559	320	1
2 608 642 514	304	1	2 608 644 117	310	1	2 608 644 497	299	1	2 608 644 685	300	1
2 608 642 515	304	1	2 608 644 118	310	1	2 608 644 498	299	1	2 608 644 686	300	1
2 608 642 516	304	1	2 608 644 119	310	1	2 608 644 499	299	1	2 608 644 687	312	1
2 608 642 517	304	1	2 608 644 120	318	1	2 608 644 500	299	1	2 608 649 000	460	1
2 608 642 518	304	1	2 608 644 121	318	1	2 608 644 502	299	1	2 608 649 001	460	1
2 608 642 528	316	1	2 608 644 122	318	1	2 608 644 503	299	1	2 608 650 065	456	1
2 608 642 529	316	1	2 608 644 123	318	1	2 608 644 504	299	1	2 608 650 414	456	1
2 608 642 530	297	1	2 608 644 124	318	1	2 608 644 505	299	1	2 608 650 463	452	1
2 608 642 531	297	1	2 608 644 125	318	1	2 608 644 506	299	1	2 608 650 464	451	1
2 608 642 600	324	1	2 608 644 126	303	1	2 608 644 507	299	1	2 608 650 465	451	1
2 608 642 601	324	1	2 608 644 127	303	1	2 608 644 508	299	1	2 608 650 551	451	1
2 608 642 602	322	1	2 608 644 128	303	1	2 608 644 509	299	1	2 608 650 613	451	5
2 608 643 054	313	1	2 608 644 129	303	1	2 608 644 510	299	1	2 608 650 614	451	5
2 608 643 055	313	1	2 608 644 130	303	1	2 608 644 511	299	1	2 608 650 616	452	5
2 608 643 056	313	1	2 608 644 131	306	1	2 608 644 512	299	1	2 608 650 617	452	5
2 608 643 057	313	1	2 608 644 132	306	1	2 608 644 513	299	1	2 608 650 673	451	5
2 608 643 058	313	1	2 608 644 133	306	1	2 608 644 514	299	1	2 608 650 676	451	5
2 608 643 059	313	1	2 608 644 134	306	1	2 608 644 515	299	1	2 608 650 677	452	5
2 608 643 060	313	1	2 608 644 135	306	1	2 608 644 516	301	1	2 608 650 678	452	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 650 679	453	5	2 608 656 571 ⁱ	429	1	2 608 661 203 ⁱ	459	1	2 608 662 578	545	1
2 608 650 681	452	5	2 608 656 636	441	1	2 608 661 205 ⁱ	459	1	2 608 662 582	546	1
2 608 650 682	452	5	2 608 656 931	456	1	2 608 661 626	512	1	2 608 662 767	512	25
2 608 650 698	451	1	2 608 656 932	457	1	2 608 661 628	515	1	2 608 662 768	516	25
2 608 651 780	431	5	2 608 656 934	457	1	2 608 661 629	515	1	2 608 662 769	517	25
2 608 651 781	431	5	2 608 656 973	457	1	2 608 661 630	513	1	2 608 663 314	377	5
2 608 651 821	431	5	2 608 657 394 ⁱ	427	5	2 608 661 633	518	1	2 608 664 131	548	5
2 608 651 944	431	5	2 608 657 395 ⁱ	427	5	2 608 661 636	517	4	2 608 664 132	549	5
2 608 652 900	449	5	2 608 657 396 ⁱ	427	5	2 608 661 637	512	4	2 608 664 133	548	5
2 608 654 401	429	5	2 608 657 397 ⁱ	427	5	2 608 661 640	515	4	2 608 664 202	527	1
2 608 654 402	429	5	2 608 657 398 ⁱ	427	5	2 608 661 641	515	1	2 608 664 204	527	1
2 608 654 403	452	5	2 608 657 406 ⁱ	427	5	2 608 661 642	541	1	2 608 664 205	527	25
2 608 654 404	452	5	2 608 657 407	428	5	2 608 661 643	514	1	2 608 664 207	526	1
2 608 654 405	441	5	2 608 657 408	428	5	2 608 661 644	515	4	2 608 664 208	526	1
2 608 654 406	441	5	2 608 657 409	428	1	2 608 661 645	513	4	2 608 664 209	546	1
2 608 654 416	429	1	2 608 657 523 ⁱ	425	5	2 608 661 646	528	1	2 608 664 226	518	1
2 608 654 418	441	1	2 608 657 524 ⁱ	425	5	2 608 661 647	528	1	2 608 664 227	547	1
2 608 654 763	439	5	2 608 657 525 ⁱ	426	5	2 608 661 688	522	4	2 608 664 231	529	1
2 608 654 820 ⁱ	428	5	2 608 657 526 ⁱ	426	5	2 608 661 691	529	1	2 608 664 470	515	1
2 608 654 834	439	5	2 608 657 527	426	5	2 608 661 692	541	1	2 608 664 471	513	1
2 608 654 981	442	5	2 608 657 528	426	5	2 608 661 693	528	1	2 608 664 472	512	1
2 608 656 010	429	5	2 608 657 550	431	1	2 608 661 694	549	1	2 608 664 474	516	1
2 608 656 011	430	5	2 608 657 551	430	1	2 608 661 695	549	1	2 608 664 475	522	1
2 608 656 012	430	5	2 608 657 552	431	1	2 608 661 696	549	1	2 608 664 476	513	1
2 608 656 013	429	5	2 608 657 553	430	1	2 608 661 758	527	1	2 608 664 477	517	1
2 608 656 014	431	5	2 608 657 554 ⁱ	427	1	2 608 661 781	516	4	2 608 664 478	527	1
2 608 656 015	430	5	2 608 657 555 ⁱ	427	1	2 608 661 868	545	1	2 608 664 479	514	1
2 608 656 016	441	5	2 608 657 556	428	1	2 608 661 901	516	25	2 608 664 480	518	1
2 608 656 017	442	5	2 608 657 557 ⁱ	428	1	2 608 661 902	515	25	2 608 664 481	513	1
2 608 656 018	430	5	2 608 657 558	442	1	2 608 661 903	513	25	2 608 664 483	514	1
2 608 656 019	431	5	2 608 657 559	442	1	2 608 661 904	512	25	2 608 664 484	541	1
2 608 656 020	430	5	2 608 657 560	442	1	2 608 661 905	522	25	2 608 664 485	513	1
2 608 656 021	442	5	2 608 657 561	439	1	2 608 661 906	529	25	2 608 664 486	541	1
2 608 656 022	442	5	2 608 657 608	439	5	2 608 661 907	516	1	2 608 664 487	528	1
2 608 656 027	431	1	2 608 657 610	440	5	2 608 661 908	522	1	2 608 664 488	528	1
2 608 656 028	430	1	2 608 657 611	440	1	2 608 661 909	529	1	2 608 664 489	529	1
2 608 656 032	431	1	2 608 657 612	440	5	2 608 662 013	550	1	2 608 664 492	512	1
2 608 656 034	442	1	2 608 657 721	430	5	2 608 662 017	514	1	2 608 664 493	516	1
2 608 656 036	429	5	2 608 657 722	439	5	2 608 662 031	514	1	2 608 664 494	517	1
2 608 656 037	431	5	2 608 657 723	439	5	2 608 662 311	512	25	2 608 664 496	512	1
2 608 656 038	430	5	2 608 657 724	448	5	2 608 662 315	516	25	2 608 664 497	516	1
2 608 656 039	441	5	2 608 657 725	448	5	2 608 662 342	549	10	2 608 664 498	517	1
2 608 656 040	442	5	2 608 657 932	426	1	2 608 662 343	550	10	2 608 664 501	530	1
2 608 656 041	431	5	2 608 657 933 ⁱ	425	1	2 608 662 346	538	1	2 608 664 503	530	1
2 608 656 042	430	5	2 608 657 935	426	1	2 608 662 354	513	1	2 608 664 622	548	5
2 608 656 043	442	5	2 608 657 936 ⁱ	425	1	2 608 662 355	513	1	2 608 664 623	548	5
2 608 656 253 ⁱ	430	5	2 608 658 009 ⁱ	425	5	2 608 662 356	513	25	2 608 664 624	548	5
2 608 656 255 ⁱ	428	5	2 608 658 010 ⁱ	425	5	2 608 662 357	513	1	2 608 667 394	375	5
2 608 656 258	439	5	2 608 658 011 ⁱ	425	5	2 608 662 358	513	1	2 608 667 396	393	5
2 608 656 259	439	1	2 608 658 013 ⁱ	425	5	2 608 662 359	513	25	2 608 667 443	388	10
2 608 656 260	439	5	2 608 658 027	440	5	2 608 662 360	513	1	2 608 667 444	388	10
2 608 656 261	439	5	2 608 658 028	440	1	2 608 662 361	513	1	2 608 667 445	388	10
2 608 656 263	448	5	2 608 658 030 ⁱ	440	5	2 608 662 362	513	25	2 608 667 446	388	10
2 608 656 265	428	5	2 608 658 031 ⁱ	440	1	2 608 662 431	529	1	2 608 667 447	388	10
2 608 656 268 ⁱ	430	5	2 608 658 033	440	5	2 608 662 558	515	1	2 608 667 448	388	10
2 608 656 269	430	5	2 608 658 034	440	1	2 608 662 561	512	1	2 608 667 853	404	10
2 608 656 270	442	5	2 608 658 036 ⁱ	440	5	2 608 662 564	517	1	2 608 667 854	404	10
2 608 656 271	439	5	2 608 658 037 ⁱ	440	1	2 608 662 568	512	1	2 608 667 855	403	10
2 608 656 272	439	5	2 608 658 147 ⁱ	426	5	2 608 662 571	516	1	2 608 667 856	401	10
2 608 656 273	439	5	2 608 661 200 ⁱ	459	1	2 608 662 574	517	1	2 608 667 857	402	10
2 608 656 274	448	5	2 608 661 201 ⁱ	459	1	2 608 662 575	530	1	2 608 667 858	401	10
2 608 656 567	439	1	2 608 661 202 ⁱ	459	1	2 608 662 577	544	1	2 608 685 860	94	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 685 861	94	1	2 608 690 188	170	1	2 608 831 049	83	1	2 608 833 794	79	5
2 608 685 862	94	1	2 608 690 190	170	1	2 608 831 050	83	1	2 608 833 795	79	5
2 608 685 863	94	1	2 608 690 193	170	1	2 608 831 051	84	1	2 608 833 796	79	5
2 608 685 864	94	1	2 608 690 194	170	1	2 608 831 052	84	1	2 608 833 797	79	10
2 608 685 865	94	1	2 608 690 195	170	1	2 608 831 053	84	1	2 608 833 798	79	10
2 608 685 866	94	1	2 608 690 196	170	1	2 608 831 054	84	1	2 608 833 799	79	10
2 608 685 867	94	1	2 608 690 198	164	1	2 608 831 055	84	1	2 608 833 800	79	10
2 608 685 868	94	1	2 608 690 199	164	1	2 608 831 056	84	1	2 608 833 801	79	5
2 608 685 869	94	1	2 608 690 200	156	1	2 608 831 057	84	1	2 608 833 802	79	5
2 608 685 870	94	1	2 608 690 201	156	1	2 608 831 058	84	1	2 608 833 803	79	5
2 608 685 871	94	1	2 608 690 236	163	1	2 608 831 059	84	1	2 608 833 804	79	5
2 608 685 872	94	1	2 608 690 237	163	1	2 608 831 060	84	1	2 608 833 805	79	1
2 608 685 873	94	1	2 608 690 238	164	1	2 608 831 061	84	1	2 608 833 806	79	5
2 608 685 874	94	1	2 608 831 000	83	5	2 608 831 062	84	1	2 608 833 807	79	10
2 608 685 875	94	1	2 608 831 001	83	5	2 608 831 063	84	1	2 608 833 808	79	10
2 608 685 876	94	1	2 608 831 002	83	5	2 608 831 103	84	1	2 608 833 809	79	10
2 608 685 877	94	1	2 608 831 003	83	5	2 608 831 104	84	1	2 608 833 810	79	5
2 608 690 000	165	1	2 608 831 004	83	5	2 608 831 105	84	1	2 608 833 811	79	5
2 608 690 003	165	1	2 608 831 005	83	5	2 608 831 106	84	1	2 608 833 812	79	5
2 608 690 004	166	1	2 608 831 006	83	5	2 608 831 107	84	1	2 608 833 813	79	5
2 608 690 005	166	1	2 608 831 007	83	5	2 608 831 108	84	1	2 608 833 814	79	1
2 608 690 006	156	1	2 608 831 008	83	5	2 608 831 109	84	1	2 608 833 815	79	5
2 608 690 007	155	1	2 608 831 009	83	5	2 608 831 110	84	1	2 608 833 816	79	10
2 608 690 010	156	1	2 608 831 010	83	5	2 608 831 111	84	1	2 608 833 817	79	10
2 608 690 091	155	1	2 608 831 011	83	1	2 608 831 112	84	1	2 608 833 818	79	10
2 608 690 097	164	1	2 608 831 012	83	5	2 608 831 113	84	1	2 608 833 819	79	5
2 608 690 098	164	1	2 608 831 013	83	5	2 608 831 114	84	1	2 608 833 820	79	5
2 608 690 099	164	1	2 608 831 014	83	5	2 608 831 115	84	1	2 608 833 821	79	5
2 608 690 100	164	1	2 608 831 015	83	5	2 608 831 116	84	1	2 608 833 822	79	5
2 608 690 101	155	1	2 608 831 016	83	5	2 608 831 117	84	1	2 608 833 823	79	5
2 608 690 102	155	1	2 608 831 017	83	5	2 608 831 118	84	1	2 608 833 824	79	1
2 608 690 106	172	1	2 608 831 018	83	5	2 608 831 119	84	1	2 608 833 825	79	10
2 608 690 108	172	1	2 608 831 019	83	5	2 608 831 120	84	1	2 608 833 826	79	5
2 608 690 110	174	1	2 608 831 020	83	5	2 608 831 121	84	1	2 608 833 827	79	5
2 608 690 111	174	1	2 608 831 021	83	5	2 608 831 122	84	1	2 608 833 828	80	5
2 608 690 112	174	1	2 608 831 022	83	1	2 608 831 123	84	1	2 608 833 829	80	5
2 608 690 113	174	1	2 608 831 023	83	5	2 608 831 124	84	1	2 608 833 889	80	1
2 608 690 114	174	1	2 608 831 024	83	5	2 608 831 125	84	1	2 608 833 890	80	1
2 608 690 124	163	1	2 608 831 025	83	5	2 608 831 126	84	1	2 608 833 891	80	1
2 608 690 125	163	1	2 608 831 026	83	5	2 608 833 771	78	10	2 608 833 892	80	1
2 608 690 126	163	1	2 608 831 027	83	5	2 608 833 772	78	10	2 608 833 893	80	1
2 608 690 127	163	1	2 608 831 028	83	5	2 608 833 773	78	5	2 608 833 894	80	1
2 608 690 128	163	1	2 608 831 029	83	5	2 608 833 774	78	10	2 608 833 895	80	1
2 608 690 129	163	1	2 608 831 030	83	1	2 608 833 775	78	5	2 608 833 896	80	1
2 608 690 130	163	1	2 608 831 031	83	5	2 608 833 776	78	1	2 608 833 897	80	1
2 608 690 131	155	1	2 608 831 032	83	5	2 608 833 777	78	10	2 608 833 898	80	1
2 608 690 132	154	1	2 608 831 033	83	5	2 608 833 778	78	10	2 608 833 899	80	1
2 608 690 133	155	1	2 608 831 034	83	5	2 608 833 779	78	10	2 608 833 900	80	1
2 608 690 141	163	1	2 608 831 035	83	5	2 608 833 780	79	10	2 608 833 901	80	1
2 608 690 142	163	1	2 608 831 036	83	1	2 608 833 781	79	10	2 608 833 902	80	1
2 608 690 143	164	1	2 608 831 037	83	5	2 608 833 782	79	10	2 608 833 903	80	1
2 608 690 144	155	1	2 608 831 038	83	5	2 608 833 783	79	5	2 608 833 904	80	1
2 608 690 145	154	1	2 608 831 039	83	5	2 608 833 784	79	5	2 608 833 905	80	1
2 608 690 146	155	1	2 608 831 040	83	5	2 608 833 785	79	10	2 608 833 906	80	1
2 608 690 166	163	1	2 608 831 041	83	5	2 608 833 786	79	10	2 608 833 907	80	1
2 608 690 167	163	1	2 608 831 042	83	1	2 608 833 787	79	5	2 608 833 908	80	1
2 608 690 168	163	1	2 608 831 043	83	5	2 608 833 788	79	10	2 608 833 909	80	1
2 608 690 176	154	1	2 608 831 044	83	5	2 608 833 789	79	10	2 608 833 910	81	5
2 608 690 177	155	1	2 608 831 045	83	5	2 608 833 790	79	10	2 608 833 911	81	5
2 608 690 178	155	1	2 608 831 046	83	1	2 608 833 791	79	10	2 608 833 912	81	10
2 608 690 179	166	1	2 608 831 047	83	1	2 608 833 792	79	5	2 608 833 959	94	1
2 608 690 180	157	1	2 608 831 048	83	1	2 608 833 793	79	5	2 608 833 960	94	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 833 961	94	1	2 608 837 685	326	1	2 608 838 409	323	1	2 608 900 060	71	5
2 608 833 962	94	1	2 608 837 686	326	1	2 608 838 410	323	1	2 608 900 061	71	5
2 608 833 963	94	1	2 608 837 687	326	1	2 608 838 411	323	1	2 608 900 062	71	5
2 608 833 964	94	1	2 608 837 688	326	1	2 608 838 412	323	1	2 608 900 063	71	5
2 608 836 604	78	5	2 608 837 689	326	1	2 608 842 237	328	1	2 608 900 064	71	1
2 608 836 605	78	5	2 608 837 690	326	1	2 608 842 239	328	1	2 608 900 065	71	5
2 608 836 606	78	5	2 608 837 697	326	1	2 608 842 242	332	1	2 608 900 066	71	5
2 608 836 607	78	5	2 608 837 698	326	1	2 608 900 000	661	1	2 608 900 067	71	5
2 608 836 608	78	5	2 608 837 699	326	1	2 608 900 001	662	1	2 608 900 068	71	5
2 608 836 610	78	5	2 608 837 700	328	1	2 608 900 003	685	1	2 608 900 069	71	1
2 608 836 611	78	5	2 608 837 701	328	1	2 608 900 004	685	1	2 608 900 070	71	1
2 608 836 612	79	5	2 608 837 702	326	1	2 608 900 005	685	1	2 608 900 071	71	5
2 608 836 613	79	5	2 608 837 703	326	1	2 608 900 006	685	1	2 608 900 072	71	5
2 608 836 614	79	5	2 608 837 704	326	1	2 608 900 007	685	1	2 608 900 073	71	5
2 608 836 615	79	5	2 608 837 705	328	1	2 608 900 008	685	1	2 608 900 074	71	5
2 608 836 616	79	1	2 608 837 706	326	1	2 608 900 009	684	1	2 608 900 075	71	5
2 608 836 618	79	1	2 608 837 708	326	1	2 608 900 010	684	1	2 608 900 076	71	1
2 608 836 620	79	1	2 608 837 710	326	1	2 608 900 011	684	1	2 608 900 077	71	1
2 608 836 623	79	1	2 608 837 711	326	1	2 608 900 012	519	1	2 608 900 078	71	5
2 608 836 626	80	1	2 608 837 713	327	1	2 608 900 013	519	1	2 608 900 079	71	5
2 608 836 628	80	5	2 608 837 714	327	1	2 608 900 014	520	1	2 608 900 080	71	5
2 608 836 629	80	5	2 608 837 721	328	1	2 608 900 015	520	1	2 608 900 081	71	1
2 608 836 631	80	5	2 608 837 723	328	1	2 608 900 016	520	1	2 608 900 082	71	1
2 608 836 632	80	1	2 608 837 724	327	1	2 608 900 017	520	25	2 608 900 083	71	1
2 608 836 633	80	1	2 608 837 726	327	1	2 608 900 018	521	1	2 608 900 084	71	1
2 608 836 634	80	1	2 608 837 727	328	1	2 608 900 019	520	1	2 608 900 085	71	1
2 608 836 636	80	5	2 608 837 728	328	1	2 608 900 020	520	1	2 608 900 086	71	1
2 608 836 637	80	1	2 608 837 733	327	1	2 608 900 021	522	1	2 608 900 087	71	5
2 608 836 638	80	1	2 608 837 734	327	1	2 608 900 022	521	1	2 608 900 088	71	5
2 608 836 639	80	5	2 608 837 736	327	1	2 608 900 023	521	1	2 608 900 089	71	5
2 608 836 640	80	1	2 608 837 741	328	1	2 608 900 024	523	1	2 608 900 090	71	5
2 608 836 641	80	1	2 608 837 742	328	1	2 608 900 025	523	1	2 608 900 091	71	1
2 608 836 642	80	1	2 608 837 744	328	1	2 608 900 026	523	1	2 608 900 092	71	5
2 608 836 644	80	5	2 608 837 745	334	1	2 608 900 027	523	25	2 608 900 093	71	1
2 608 836 645	80	1	2 608 837 746	334	1	2 608 900 028	524	1	2 608 900 094	71	1
2 608 836 646	80	1	2 608 837 747	334	1	2 608 900 029	524	1	2 608 900 095	71	1
2 608 836 647	80	1	2 608 837 748	334	1	2 608 900 030	524	1	2 608 900 096	71	1
2 608 836 648	80	1	2 608 837 749	334	1	2 608 900 031	525	1	2 608 900 097	71	5
2 608 836 649	80	1	2 608 837 750	334	1	2 608 900 032	525	1	2 608 900 098	71	5
2 608 836 650	80	1	2 608 837 752	337	1	2 608 900 034	540	1	2 608 900 099	71	5
2 608 836 651	80	1	2 608 837 753	331	1	2 608 900 035	540	1	2 608 900 100	71	1
2 608 836 652	80	1	2 608 837 754	331	1	2 608 900 036	543	1	2 608 900 101	71	5
2 608 837 138	81	1	2 608 837 755	331	1	2 608 900 037	543	1	2 608 900 102	71	1
2 608 837 666	326	1	2 608 837 756	331	1	2 608 900 038	544	1	2 608 900 103	71	1
2 608 837 667	326	1	2 608 837 757	331	1	2 608 900 039	537	1	2 608 900 104	71	1
2 608 837 668	326	1	2 608 837 758	331	1	2 608 900 040	536	1	2 608 900 105	71	1
2 608 837 669	326	1	2 608 837 759	331	1	2 608 900 041	542	1	2 608 900 106	71	1
2 608 837 670	326	1	2 608 837 761	331	1	2 608 900 042	542	1	2 608 900 107	71	1
2 608 837 671	326	1	2 608 837 762	331	1	2 608 900 043	533	1	2 608 900 108	71	5
2 608 837 672	326	1	2 608 837 763	331	1	2 608 900 045	531	1	2 608 900 109	71	5
2 608 837 673	326	1	2 608 837 764	331	1	2 608 900 046	531	1	2 608 900 110	71	5
2 608 837 674	326	1	2 608 837 766	331	1	2 608 900 047	532	1	2 608 900 111	71	5
2 608 837 675	326	1	2 608 837 767	332	1	2 608 900 049	532	1	2 608 900 112	71	5
2 608 837 676	326	1	2 608 837 768	331	1	2 608 900 051	535	1	2 608 900 113	71	1
2 608 837 677	326	1	2 608 837 769	331	1	2 608 900 052	533	1	2 608 900 114	71	1
2 608 837 678	326	1	2 608 837 770	332	1	2 608 900 053	534	1	2 608 900 115	71	1
2 608 837 679	326	1	2 608 837 771	331	1	2 608 900 054	534	1	2 608 900 116	71	1
2 608 837 680	326	1	2 608 837 773	333	1	2 608 900 055	70	1	2 608 900 117	71	1
2 608 837 681	326	1	2 608 837 776	332	1	2 608 900 056	70	1	2 608 900 118	71	1
2 608 837 682	326	1	2 608 837 778	332	1	2 608 900 057	70	1	2 608 900 119	71	5
2 608 837 683	326	1	2 608 837 780	333	1	2 608 900 058	70	1	2 608 900 120	71	5
2 608 837 684	326	1	2 608 837 782	332	1	2 608 900 059	70	5	2 608 900 121	71	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 122	71	5	2 608 900 184	72	1	2 608 900 264	91	1	2 608 900 365	416	1
2 608 900 123	71	1	2 608 900 185	72	1	2 608 900 265	91	1	2 608 900 366	416	1
2 608 900 124	71	1	2 608 900 186	72	1	2 608 900 266	91	1	2 608 900 367	416	1
2 608 900 125	71	1	2 608 900 187	72	1	2 608 900 267	91	1	2 608 900 368	416	1
2 608 900 126	71	1	2 608 900 188	72	1	2 608 900 268	91	1	2 608 900 369	416	1
2 608 900 127	71	1	2 608 900 189	72	1	2 608 900 269	91	1	2 608 900 370	416	1
2 608 900 128	72	1	2 608 900 190	72	1	2 608 900 270	91	1	2 608 900 371	417	1
2 608 900 129	72	1	2 608 900 191	72	1	2 608 900 309	48	5	2 608 900 372	417	1
2 608 900 130	72	5	2 608 900 192	72	1	2 608 900 310	48	5	2 608 900 373	418	1
2 608 900 131	72	5	2 608 900 193	73	1	2 608 900 311	48	5	2 608 900 374	419	1
2 608 900 132	72	1	2 608 900 194	73	1	2 608 900 312	49	5	2 608 900 375	419	1
2 608 900 133	72	1	2 608 900 195	73	1	2 608 900 313	49	5	2 608 900 376	419	1
2 608 900 134	72	1	2 608 900 196	73	5	2 608 900 314	49	5	2 608 900 377	419	1
2 608 900 135	72	1	2 608 900 197	73	1	2 608 900 315	49	5	2 608 900 378	422	1
2 608 900 136	72	1	2 608 900 198	73	1	2 608 900 316	49	5	2 608 900 379	422	1
2 608 900 137	72	1	2 608 900 201	90	1	2 608 900 317	49	5	2 608 900 380	423	1
2 608 900 138	72	1	2 608 900 202	90	1	2 608 900 318	49	5	2 608 900 381	423	1
2 608 900 139	72	1	2 608 900 203	90	1	2 608 900 319	49	5	2 608 900 382	423	1
2 608 900 140	72	1	2 608 900 204	90	1	2 608 900 320	49	5	2 608 900 383	424	1
2 608 900 141	72	1	2 608 900 207	90	1	2 608 900 321	49	5	2 608 900 384	436	1
2 608 900 142	72	1	2 608 900 208	90	1	2 608 900 322	49	5	2 608 900 385	434	1
2 608 900 143	72	1	2 608 900 209	91	1	2 608 900 323	49	5	2 608 900 386	434	1
2 608 900 144	72	1	2 608 900 210	91	1	2 608 900 324	49	5	2 608 900 387	435	1
2 608 900 145	72	1	2 608 900 212	91	1	2 608 900 325	49	5	2 608 900 388	435	1
2 608 900 146	72	1	2 608 900 214	91	1	2 608 900 326	49	5	2 608 900 389	437	1
2 608 900 147	72	1	2 608 900 215	91	1	2 608 900 327	49	5	2 608 900 390	437	1
2 608 900 148	72	1	2 608 900 216	91	1	2 608 900 328	49	5	2 608 900 391	438	1
2 608 900 149	72	1	2 608 900 217	91	1	2 608 900 329	49	5	2 608 900 392	438	1
2 608 900 150	72	1	2 608 900 221	91	1	2 608 900 330	49	5	2 608 900 393	438	1
2 608 900 151	72	1	2 608 900 222	91	1	2 608 900 331	50	5	2 608 900 394	438	1
2 608 900 152	72	1	2 608 900 223	91	1	2 608 900 332	50	1	2 608 900 395	438	1
2 608 900 153	72	1	2 608 900 224	91	1	2 608 900 333	50	1	2 608 900 396	432	1
2 608 900 154	72	1	2 608 900 228	91	1	2 608 900 334	50	5	2 608 900 397	432	1
2 608 900 155	72	1	2 608 900 229	91	1	2 608 900 336	50	5	2 608 900 398	433	1
2 608 900 156	72	1	2 608 900 230	91	1	2 608 900 337	49	5	2 608 900 399	433	1
2 608 900 157	72	1	2 608 900 231	91	1	2 608 900 338	49	5	2 608 900 400	433	1
2 608 900 158	72	1	2 608 900 233	91	1	2 608 900 339	49	5	2 608 900 401	433	1
2 608 900 159	72	1	2 608 900 234	91	1	2 608 900 340	49	5	2 608 900 402	433	1
2 608 900 160	72	1	2 608 900 235	91	1	2 608 900 341	49	5	2 608 900 403	450	1
2 608 900 161	72	1	2 608 900 236	91	1	2 608 900 342	49	5	2 608 900 404	450	1
2 608 900 162	72	1	2 608 900 238	91	1	2 608 900 343	49	5	2 608 900 405	450	1
2 608 900 163	72	1	2 608 900 239	91	1	2 608 900 344	49	5	2 608 900 406	451	1
2 608 900 164	72	1	2 608 900 240	91	1	2 608 900 345	49	5	2 608 900 407	447	1
2 608 900 165	72	1	2 608 900 241	91	1	2 608 900 346	49	5	2 608 900 408	445	1
2 608 900 166	72	1	2 608 900 242	91	1	2 608 900 347	49	5	2 608 900 409	445	1
2 608 900 167	72	1	2 608 900 243	91	1	2 608 900 348	49	5	2 608 900 410	446	1
2 608 900 168	72	1	2 608 900 245	91	1	2 608 900 349	49	5	2 608 900 411	446	1
2 608 900 169	72	1	2 608 900 246	91	1	2 608 900 350	49	5	2 608 900 412	446	1
2 608 900 170	72	1	2 608 900 247	91	1	2 608 900 351	49	5	2 608 900 413	446	1
2 608 900 171	72	1	2 608 900 248	91	1	2 608 900 352	49	5	2 608 900 414	444	1
2 608 900 172	72	1	2 608 900 249	91	1	2 608 900 353	49	5	2 608 900 415	444	1
2 608 900 173	72	1	2 608 900 250	91	1	2 608 900 354	49	5	2 608 900 416	444	1
2 608 900 174	72	1	2 608 900 252	91	1	2 608 900 355	49	5	2 608 900 417	443	1
2 608 900 175	72	1	2 608 900 253	91	1	2 608 900 356	49	5	2 608 900 418	444	1
2 608 900 176	72	1	2 608 900 254	91	1	2 608 900 357	49	5	2 608 900 419	464	1
2 608 900 177	72	1	2 608 900 255	91	1	2 608 900 358	49	5	2 608 900 420	464	1
2 608 900 178	72	1	2 608 900 256	91	1	2 608 900 359	420	1	2 608 900 421	464	1
2 608 900 179	72	1	2 608 900 257	91	1	2 608 900 360	421	1	2 608 900 422	465	1
2 608 900 180	72	1	2 608 900 260	91	1	2 608 900 361	421	1	2 608 900 423	465	1
2 608 900 181	72	1	2 608 900 261	91	1	2 608 900 362	421	1	2 608 900 424	465	1
2 608 900 182	72	1	2 608 900 262	91	1	2 608 900 363	421	1	2 608 900 425	465	1
2 608 900 183	72	1	2 608 900 263	91	1	2 608 900 364	415	1	2 608 900 426	465	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 427	465	1	2 608 900 489	472	1	2 608 900 575	110	5	2 608 900 656	185	1
2 608 900 428	465	1	2 608 900 490	472	1	2 608 900 577	110	5	2 608 900 657	185	1
2 608 900 429	465	1	2 608 900 491	479	1	2 608 900 579	110	5	2 608 900 658	185	1
2 608 900 430	465	1	2 608 900 492	479	1	2 608 900 580	110	5	2 608 900 659	191	1
2 608 900 431	465	1	2 608 900 493	479	1	2 608 900 581	110	5	2 608 900 660	191	1
2 608 900 432	465	1	2 608 900 494	479	1	2 608 900 582	110	5	2 608 900 661	191	1
2 608 900 433	465	1	2 608 900 495	480	1	2 608 900 583	110	5	2 608 900 662	191	1
2 608 900 434	465	1	2 608 900 496	480	1	2 608 900 584	111	1	2 608 900 663	191	1
2 608 900 435	465	1	2 608 900 497	480	1	2 608 900 585	111	1	2 608 900 664	191	1
2 608 900 436	465	1	2 608 900 498	480	1	2 608 900 586	111	1	2 608 900 665	208	1
2 608 900 437	465	1	2 608 900 499	480	1	2 608 900 587	115	1	2 608 900 666	208	1
2 608 900 438	465	1	2 608 900 500	480	1	2 608 900 588	115	1	2 608 900 667	208	1
2 608 900 439	465	1	2 608 900 501	480	1	2 608 900 589	115	1	2 608 900 668	208	1
2 608 900 440	465	1	2 608 900 502	480	1	2 608 900 590	115	1	2 608 900 669	190	1
2 608 900 441	465	1	2 608 900 503	481, 488	5	2 608 900 591	116	1	2 608 900 670	190	1
2 608 900 442	465	1	2 608 900 526	467, 473, 486	1	2 608 900 592	116	1	2 608 900 671	555	5
2 608 900 443	465	1	2 608 900 527	467, 472, 485	1	2 608 900 593	116	1	2 608 900 672	555	5
2 608 900 444	465	1	2 608 900 528	468, 473, 486	5	2 608 900 594	116	1	2 608 900 673	555	5
2 608 900 445	466	1	2 608 900 529	468, 474, 487	5	2 608 900 595	116	1	2 608 900 674	555	5
2 608 900 446	466	1	2 608 900 530	469, 474, 487	5	2 608 900 596	116	1	2 608 900 675	555	5
2 608 900 447	466	1	2 608 900 531	246	1	2 608 900 597	116	1	2 608 900 676	555	5
2 608 900 448	466	1	2 608 900 532	245	1	2 608 900 598	116	1	2 608 900 677	556	5
2 608 900 449	465	1	2 608 900 533	246	1	2 608 900 599	116	1	2 608 900 678	556	5
2 608 900 450	465	1	2 608 900 535	247	1	2 608 900 600	113	5	2 608 900 679	556	5
2 608 900 451	470	1	2 608 900 536	247	1	2 608 900 602	113	1	2 608 900 680	556	1
2 608 900 452	470	1	2 608 900 537	247	1	2 608 900 604	113	5	2 608 900 681	556	1
2 608 900 453	471	1	2 608 900 541	367	1	2 608 900 605	113	5	2 608 900 682	556	1
2 608 900 454	471	1	2 608 900 542	370	1	2 608 900 606	113	5	2 608 900 683	556	1
2 608 900 455	471	1	2 608 900 543	368	10	2 608 900 607	113	5	2 608 900 684	556	1
2 608 900 456	471	1	2 608 900 544	368	10	2 608 900 612	113	5	2 608 900 685	556	1
2 608 900 457	471	1	2 608 900 545	368	1	2 608 900 615	113	5	2 608 900 686	556	1
2 608 900 458	471	1	2 608 900 546	368	1	2 608 900 616	113	5	2 608 900 687	556	1
2 608 900 459	471	1	2 608 900 547	369	10	2 608 900 618	113	5	2 608 900 688	556	1
2 608 900 460	471	1	2 608 900 548	369	10	2 608 900 619	113	5	2 608 900 689	556	5
2 608 900 461	471	1	2 608 900 549	397	10	2 608 900 621	113	5	2 608 900 690	556	5
2 608 900 462	471	1	2 608 900 550	373	10	2 608 900 622	113	5	2 608 900 693	556	5
2 608 900 463	471	1	2 608 900 551	373	10	2 608 900 625	113	5	2 608 900 694	556	5
2 608 900 464	471	1	2 608 900 552	373	1	2 608 900 626	113	5	2 608 900 695	556	5
2 608 900 465	471	1	2 608 900 553	373	1	2 608 900 627	113	5	2 608 900 696	556	5
2 608 900 466	471	1	2 608 900 554	374	10	2 608 900 630	113	5	2 608 900 697	556	5
2 608 900 467	471	1	2 608 900 555	374	10	2 608 900 631	113	5	2 608 900 698	556	1
2 608 900 468	471	1	2 608 900 556	374	1	2 608 900 637	113	1	2 608 900 699	556	1
2 608 900 469	471	1	2 608 900 557	374	10	2 608 900 638	113	1	2 608 900 700	556	1
2 608 900 470	471	1	2 608 900 558	374	10	2 608 900 639	113	1	2 608 900 701	556	1
2 608 900 471	471	1	2 608 900 559	397	10	2 608 900 640	113	1	2 608 900 702	556	1
2 608 900 472	471	1	2 608 900 560	384	1	2 608 900 642	113	1	2 608 900 703	556	1
2 608 900 473	471	1	2 608 900 561	378	1	2 608 900 643	113	1	2 608 900 704	556	1
2 608 900 474	471	1	2 608 900 562	379	1	2 608 900 644	113	1	2 608 900 705	556	1
2 608 900 475	471	1	2 608 900 563	390	1	2 608 900 645	114	1	2 608 900 706	556	1
2 608 900 476	471	1	2 608 900 564	391	1	2 608 900 646	114	1	2 608 900 707	557	1
2 608 900 477	471	1	2 608 900 565	387	1	2 608 900 647	114	1	2 608 900 708	557	1
2 608 900 478	471	1	2 608 900 566	386	1	2 608 900 648	114	1	2 608 900 709	557	1
2 608 900 479	471	1	2 608 900 567	392	1	2 608 900 649	114	5	2 608 900 710	557	1
2 608 900 480	471	1	2 608 900 569	109	5	2 608 900 650	114	1	2 608 900 711	557	1
2 608 900 481	471	1	2 608 900 570	109	5	2 608 900 651	221	1	2 608 900 712	557	1
2 608 900 482	471	1	2 608 900 571	109	5	2 608 900 652	186	1	2 608 900 713	557	1
2 608 900 483	471	1	2 608 900 572	109	5	2 608 900 653	186	1	2 608 900 714	557	1
2 608 900 484	471	1	2 608 900 573	110	5	2 608 900 654	186	1	2 608 900 715	557	1
2 608 900 485	471	1	2 608 900 574	110	5	2 608 900 655	186	1	2 608 900 716	570	5
2 608 900 486	471	1							2 608 900 717	570	5
2 608 900 487	471	1									
2 608 900 488	471	1									

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 718	570	5	2 608 900 780	601	1	2 608 900 842	584	5	2 608 900 904	601	1
2 608 900 719	570	5	2 608 900 781	601	1	2 608 900 843	584	5	2 608 900 905	601	1
2 608 900 720	570	5	2 608 900 782	601	1	2 608 900 844	584	5	2 608 900 906	601	1
2 608 900 721	570	5	2 608 900 783	601	1	2 608 900 845	584	5	2 608 900 907	601	1
2 608 900 722	570	5	2 608 900 784	601	1	2 608 900 846	583	5	2 608 900 908	560	1
2 608 900 723	570	5	2 608 900 785	601	1	2 608 900 847	583	5	2 608 900 909	560	1
2 608 900 724	570	5	2 608 900 786	601	1	2 608 900 848	583	5	2 608 900 910	560	1
2 608 900 725	571	5	2 608 900 787	601	1	2 608 900 849	583	5	2 608 900 911	560	1
2 608 900 726	571	5	2 608 900 788	601	1	2 608 900 850	583	5	2 608 900 912	560	1
2 608 900 727	571	5	2 608 900 789	601	1	2 608 900 851	583	5	2 608 900 913	560	1
2 608 900 728	571	5	2 608 900 790	601	1	2 608 900 852	583	5	2 608 900 914	560	1
2 608 900 729	571	5	2 608 900 791	601	1	2 608 900 853	582	5	2 608 900 915	560	1
2 608 900 730	571	5	2 608 900 792	601	1	2 608 900 854	582	5	2 608 900 916	560	1
2 608 900 731	571	5	2 608 900 793	601	1	2 608 900 855	582	5	2 608 900 917	561	1
2 608 900 732	571	5	2 608 900 794	559	5	2 608 900 856	582	5	2 608 900 918	561	1
2 608 900 733	571	5	2 608 900 795	559	5	2 608 900 857	582	5	2 608 900 919	561	1
2 608 900 734	579	5	2 608 900 796	560	5	2 608 900 858	582	5	2 608 900 920	561	1
2 608 900 735	579	5	2 608 900 797	560	5	2 608 900 859	582	5	2 608 900 921	561	1
2 608 900 736	579	5	2 608 900 798	560	5	2 608 900 860	583	5	2 608 900 922	561	1
2 608 900 737	579	5	2 608 900 799	560	5	2 608 900 861	583	5	2 608 900 923	561	1
2 608 900 738	579	5	2 608 900 800	560	5	2 608 900 862	583	5	2 608 900 924	561	1
2 608 900 739	579	5	2 608 900 801	560	5	2 608 900 863	583	5	2 608 900 925	561	1
2 608 900 740	579	5	2 608 900 802	561	5	2 608 900 864	583	5	2 608 900 926	572	1
2 608 900 741	579	5	2 608 900 803	560	5	2 608 900 865	583	5	2 608 900 927	572	1
2 608 900 742	579	5	2 608 900 804	560	5	2 608 900 866	583	5	2 608 900 928	572	1
2 608 900 743	579	5	2 608 900 805	560	5	2 608 900 867	584	5	2 608 900 929	572	1
2 608 900 744	579	5	2 608 900 806	560	5	2 608 900 868	583	5	2 608 900 930	572	1
2 608 900 745	579	5	2 608 900 807	560	5	2 608 900 869	583	5	2 608 900 931	572	1
2 608 900 746	579	5	2 608 900 808	560	5	2 608 900 870	582	5	2 608 900 932	572	1
2 608 900 747	579	5	2 608 900 809	560	5	2 608 900 871	582	5	2 608 900 933	572	1
2 608 900 748	579	5	2 608 900 810	560	5	2 608 900 872	582	5	2 608 900 934	572	1
2 608 900 749	579	5	2 608 900 811	560	5	2 608 900 873	584	5	2 608 900 935	582	1
2 608 900 750	579	5	2 608 900 812	561	5	2 608 900 874	582	5	2 608 900 936	582	1
2 608 900 751	579	5	2 608 900 813	560	5	2 608 900 875	583	5	2 608 900 937	582	1
2 608 900 752	579	1	2 608 900 814	560	5	2 608 900 876	583	5	2 608 900 938	582	1
2 608 900 753	579	1	2 608 900 815	560	5	2 608 900 877	582	5	2 608 900 939	582	1
2 608 900 754	579	1	2 608 900 816	560	5	2 608 900 878	582	5	2 608 900 940	582	1
2 608 900 755	579	1	2 608 900 817	560	5	2 608 900 879	582	5	2 608 900 941	582	1
2 608 900 756	579	1	2 608 900 818	560	5	2 608 900 880	582	5	2 608 900 942	583	1
2 608 900 757	579	1	2 608 900 819	560	5	2 608 900 881	582	5	2 608 900 943	583	1
2 608 900 758	579	1	2 608 900 820	560	5	2 608 900 882	582	5	2 608 900 944	583	1
2 608 900 759	579	1	2 608 900 821	560	5	2 608 900 883	582	5	2 608 900 945	584	1
2 608 900 760	579	1	2 608 900 822	562	5	2 608 900 884	582	5	2 608 900 946	584	1
2 608 900 761	579	5	2 608 900 823	572	5	2 608 900 885	582	5	2 608 900 947	584	1
2 608 900 762	579	5	2 608 900 824	572	5	2 608 900 886	574	5	2 608 900 948	584	1
2 608 900 763	579	5	2 608 900 825	572	5	2 608 900 887	574	5	2 608 900 949	584	1
2 608 900 764	579	5	2 608 900 826	572	5	2 608 900 888	574	1	2 608 900 950	584	1
2 608 900 765	579	5	2 608 900 827	572	5	2 608 900 889	574	5	2 608 900 951	631	1
2 608 900 766	579	5	2 608 900 828	572	5	2 608 900 890	581	5	2 608 900 952	631	1
2 608 900 767	579	5	2 608 900 829	572	5	2 608 900 891	581	5	2 608 900 953	631	1
2 608 900 768	579	5	2 608 900 830	572	5	2 608 900 892	581	5	2 608 900 954	631	1
2 608 900 769	579	5	2 608 900 831	572	5	2 608 900 893	581	5	2 608 900 955	631	1
2 608 900 770	579	1	2 608 900 832	572	5	2 608 900 894	581	5	2 608 900 956	631	1
2 608 900 771	579	1	2 608 900 833	582	5	2 608 900 895	581	5	2 608 900 957	599	25
2 608 900 772	579	1	2 608 900 834	582	5	2 608 900 896	601	1	2 608 900 958	599	50
2 608 900 773	579	1	2 608 900 835	582	5	2 608 900 897	601	1	2 608 900 959	599	50
2 608 900 774	579	1	2 608 900 836	582	5	2 608 900 898	602	1	2 608 900 960	599	50
2 608 900 775	580	1	2 608 900 837	582	5	2 608 900 899	602	1	2 608 900 961	599	50
2 608 900 776	601	1	2 608 900 838	582	5	2 608 900 900	602	1	2 608 900 962	599	50
2 608 900 777	601	1	2 608 900 839	582	5	2 608 900 901	602	1	2 608 900 963	599	50
2 608 900 778	601	1	2 608 900 840	584	5	2 608 900 902	601	1	2 608 900 964	599	50
2 608 900 779	601	1	2 608 900 841	584	5	2 608 900 903	601	1	2 608 900 965	599	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 966	599	50	2 608 901 134	559	1	2 608 901 219	605	10	2 608 901 471	623	10
2 608 900 967	599	50	2 608 901 135	559	1	2 608 901 220	605	10	2 608 901 472	623	10
2 608 900 968	602	1	2 608 901 136	559	1	2 608 901 221	605	1	2 608 901 473	623	10
2 608 900 969	602	1	2 608 901 137	559	1	2 608 901 222	605	1	2 608 901 474	623	10
2 608 900 970	602	1	2 608 901 138	559	1	2 608 901 223	605	1	2 608 901 475	623	10
2 608 900 971	602	1	2 608 901 139	559	1	2 608 901 224	605	1	2 608 901 476	162	1
2 608 900 972	602	1	2 608 901 140	559	1	2 608 901 225	605	1	2 608 901 477	162	1
2 608 900 973	602	1	2 608 901 141	559	1	2 608 901 226	605	1	2 608 901 478	221	1
2 608 900 974	602	1	2 608 901 142	559	1	2 608 901 227	605	1	2 608 901 479	221	1
2 608 900 975	602	1	2 608 901 143	559	1	2 608 901 228	605	1	2 608 901 480	654	1
2 608 900 976	602	1	2 608 901 144	559	1	2 608 901 229	605	1	2 608 901 481	113	1
2 608 900 977	602	1	2 608 901 145	559	1	2 608 901 230	605	1	2 608 901 482	113	1
2 608 900 978	602	1	2 608 901 146	563	1	2 608 901 231	605	1	2 608 901 483	113	1
2 608 900 979	602	1	2 608 901 147	563	1	2 608 901 232	605	1	2 608 901 484	113	1
2 608 900 980	602	1	2 608 901 148	563	1	2 608 901 233	605	1	2 608 901 485	113	1
2 608 900 981	602	1	2 608 901 149	563	1	2 608 901 234	605	1	2 608 901 486	113	1
2 608 900 982	602	1	2 608 901 150	563	1	2 608 901 235	606	1	2 608 901 487	113	1
2 608 900 983	602	1	2 608 901 151	563	1	2 608 901 236	606	1	2 608 901 488	113	1
2 608 900 984	602	1	2 608 901 152	563	1	2 608 901 237	606	1	2 608 901 489	113	1
2 608 900 985	602	1	2 608 901 153	563	1	2 608 901 238	606	1	2 608 901 596	191	1
2 608 901 092	558	5	2 608 901 154	631	1	2 608 901 239	606	1	2 608 901 597	191	1
2 608 901 093	558	5	2 608 901 155	631	1	2 608 901 240	567	20	2 608 901 598	192	1
2 608 901 094	558	5	2 608 901 156	631	1	2 608 901 241	566	20	2 608 901 619	75	
2 608 901 095	558	5	2 608 901 166	573	5	2 608 901 242	566	20	2 608 901 620	75	
2 608 901 096	558	5	2 608 901 167	573	5	2 608 901 243	566	20	2 608 901 621	654	1
2 608 901 097	558	5	2 608 901 168	607	50	2 608 901 244	567	20	2 608 901 622	655	1
2 608 901 098	559	5	2 608 901 169	608	50	2 608 901 245	567	20	2 608 901 623	571	1
2 608 901 099	559	5	2 608 901 170	608	50	2 608 901 246	567	20	2 608 901 624	571	1
2 608 901 100	559	5	2 608 901 171	608	50	2 608 901 247	567	20	2 608 901 625	571	1
2 608 901 101	562	5	2 608 901 172	608	50	2 608 901 248	567	20	2 608 901 626	571	1
2 608 901 102	559	5	2 608 901 173	608	50	2 608 901 249	567	20	2 608 901 627	579	1
2 608 901 103	559	5	2 608 901 174	607	5	2 608 901 250	567	20	2 608 901 628	579	1
2 608 901 104	559	5	2 608 901 175	608	5	2 608 901 251	567	20	2 608 901 629	579	1
2 608 901 105	559	5	2 608 901 176	608	5	2 608 901 252	567	20	2 608 901 630	579	1
2 608 901 106	559	5	2 608 901 177	608	20	2 608 901 253	567	20	2 608 901 631	579	1
2 608 901 107	559	5	2 608 901 178	608	20	2 608 901 254	594	1	2 608 901 632	579	1
2 608 901 108	559	5	2 608 901 179	608	20	2 608 901 255	594	1	2 608 901 633	579	
2 608 901 109	559	5	2 608 901 180	608	50	2 608 901 256	594	1	2 608 901 634	579	1
2 608 901 110	559	5	2 608 901 181	369	1	2 608 901 257	595	1	2 608 901 635	598	1
2 608 901 111	562	5	2 608 901 188	242	1	2 608 901 258	595	1	2 608 901 636	557	3
2 608 901 112	583	5	2 608 901 189	242	1	2 608 901 259	595	1	2 608 901 637	557	3
2 608 901 113	581	5	2 608 901 192	241	1	2 608 901 260	630	25	2 608 901 638	557	3
2 608 901 114	573	5	2 608 901 193	241	1	2 608 901 261	630	25	2 608 901 639	557	3
2 608 901 115	573	5	2 608 901 194	241	1	2 608 901 262	630	25	2 608 901 640	573	1
2 608 901 116	573	5	2 608 901 195	241	1	2 608 901 263	630	25	2 608 901 641	573	1
2 608 901 117	573	5	2 608 901 196	242	1	2 608 901 264	629	25	2 608 901 642	573	1
2 608 901 118	573	5	2 608 901 202	556	5	2 608 901 265	629	25	2 608 901 643	573	1
2 608 901 119	573	5	2 608 901 203	556	5	2 608 901 266	629	25	2 608 901 644	573	1
2 608 901 120	560	1	2 608 901 204	570	5	2 608 901 267	629	25	2 608 901 645	573	1
2 608 901 121	560	1	2 608 901 205	580	5	2 608 901 268	630	25	2 608 901 648	574	1
2 608 901 122	561	1	2 608 901 206	580	5	2 608 901 269	629	25	2 608 901 649	574	1
2 608 901 123	561	1	2 608 901 207	580	5	2 608 901 270	630	25	2 608 901 650	574	1
2 608 901 124	559	1	2 608 901 208	571	5	2 608 901 271	630	25	2 608 901 651	574	1
2 608 901 125	559	1	2 608 901 210	605	20	2 608 901 385	566	4	2 608 901 652	574	5
2 608 901 126	559	1	2 608 901 211	605	20	2 608 901 386	566	4	2 608 901 653	574	5
2 608 901 127	559	1	2 608 901 212	605	20	2 608 901 387	566	4	2 608 901 654	581	1
2 608 901 128	559	1	2 608 901 213	605	20	2 608 901 388	567	4	2 608 901 655	581	1
2 608 901 129	559	1	2 608 901 214	605	20	2 608 901 389	567	4	2 608 901 656	581	1
2 608 901 130	559	1	2 608 901 215	605	20	2 608 901 390	567	4	2 608 901 657	581	1
2 608 901 131	559	1	2 608 901 216	605	20	2 608 901 391	248	1	2 608 901 658	581	1
2 608 901 132	559	1	2 608 901 217	605	20	2 608 901 392	248	1	2 608 901 659	581	
2 608 901 133	559	1	2 608 901 218	605	1	2 608 901 470	623	10	2 608 901 660	582	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 901 662	582	1	2 608 902 354	110	1	F 00Y 145 199	98	1
2 608 901 663	582	1	2 608 902 355	110	1	F 00Y 145 200	98	1
2 608 901 664	582	1	2 608 902 356	110	1	F 00Y 145 201	98	1
2 608 901 666	580		2 608 902 357	110	1	F 00Y 145 202	98	1
2 608 901 667	557	3	2 608 902 358	110	1	F 00Y 145 203	98	5
2 608 901 668	581	5	2 608 902 359	110	1	F 00Y 145 204	98	1
2 608 901 670	583	5	2 608 902 360	110	1			
2 608 901 671	563	3	2 608 902 361	110	1			
2 608 901 672	563	3	2 608 902 362	110	1			
2 608 901 673	563	5	2 608 902 363	110	1			
2 608 901 674	563	3	2 608 902 364	110	1			
2 608 901 675	573	5	2 608 902 365	110	1			
2 608 901 676	574	5	2 608 902 368	111	1			
2 608 901 677	563	3	2 608 902 369	111	1			
2 608 901 678	608	20	2 608 902 370	111	1			
2 608 901 681	243	1	2 608 902 371	111	1			
2 608 901 682	243	1	2 609 200 138	705	1			
2 608 901 683	116	1	2 609 200 139	705	1			
2 608 901 755	74		2 609 200 140	705	1			
2 608 901 756	74		2 609 200 141	705	1			
2 608 901 757	74		2 609 200 142	705	1			
2 608 901 758	74		2 609 200 143	703	1			
2 608 901 759	74		2 609 200 144	703	1			
2 608 901 760	74		2 609 200 145	703	1			
2 608 901 761	74		2 609 200 214	721	1			
2 608 901 762	74		2 609 200 215	721	1			
2 608 901 765	75		2 609 200 216	721	1			
2 608 901 766	75		2 609 200 306	780	1			
2 608 901 768	75		2 609 200 307	780	1			
2 608 901 769	75		2 609 200 308	780	1			
2 608 901 770	75		2 609 200 312	705	1			
2 608 901 771	75		2 609 390 034	490	1			
2 608 901 772	75		2 609 390 035	490	1			
2 608 901 773	75		2 609 390 036	490	1			
2 608 901 774	75		2 609 390 380	238	1			
2 608 901 779	75		2 609 390 392	752	1			
2 608 901 780	75		2 609 390 394	155	1			
2 608 901 781	76		2 609 390 576	154	1			
2 608 901 782	92		2 609 390 586	490	1			
2 608 901 787	76		2 609 390 587	490	1			
2 608 901 788	92		2 609 390 589	490	1			
2 608 901 793	76		2 609 390 590	490	1			
2 608 901 794	92		2 609 390 592	490	1			
2 608 901 795	76		3 600 320 014	640	1			
2 608 901 796	92		3 605 411 003	766	1			
2 608 901 801	76		3 607 010 028	713	1			
2 608 901 802	92		3 608 604 001	567	1			
2 608 901 807	76		3 608 610 000	568	1			
2 608 901 808	92		3 608 641 002	356	1			
2 608 901 809	76		3 608 641 013	356	1			
2 608 901 810	92		3 609 201 038	651	1			
2 608 901 816	367	1	F 00Y 145 188	98	1			
2 608 901 817	390	1	F 00Y 145 189	98	1			
2 608 901 818	384	1	F 00Y 145 190	98	1			
2 608 902 346	110	5	F 00Y 145 191	98	1			
2 608 902 347	110	5	F 00Y 145 192	98	1			
2 608 902 348	110	5	F 00Y 145 193	98	1			
2 608 902 349	110	5	F 00Y 145 194	98	1			
2 608 902 350	110	5	F 00Y 145 195	98	1			
2 608 902 351	110	5	F 00Y 145 196	98	1			
2 608 902 352	110	5	F 00Y 145 197	98	1			
2 608 902 353	110	1	F 00Y 145 198	98	1			

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

BOSCH

Ordering and packaging control system.

The ordering and packaging control system makes it easier to order the right amount and find the packaging type at a glance.

Order quantities are rounded up to the minimum order quantity.



Order quantity

PQ

MOQ

Order quantities must be a multiple of the minimum order quantity: 3, 6, 9 etc.



Order quantity

PQ

MOQ

MOQ

Example:

Step 1: The packaging type for each part number can be found on the product pages:



Ordering information

2 608 585 780	P1p	1	1	511421
2 608 585 781	P1p	1	1	511438

Step 2: An illustration of the corresponding packaging type and specifications about the type of suspension and form of the packaging can be found on the back cover.



P1p Watchbox with Euro hole

P2p Watchbox with other type of suspension

Step 3: What is the structure of a packaging type code?



1. There are six different material groups which are identified by the initial letter in the English packaging code:

- Packaging made of paper, cardboard or corrugated board (**C**ardboard)
- Plastic packaging (**P**lastic)
- Combined plastic / cardboard packaging (**P**lastic and **C**ardboard)
- Metal packaging (**M**etal)
- Unpacked product (**U**npacked)
- Wood packaging (**W**ood)

2. Each packaging has one of three different types of suspension:

- 0 without any type of suspension
- 1 with Euro hole
- 2 other type of suspension

3. In the six material groups, each form of packaging is identified by a lower case letter:

C Packaging made of paper, cardboard or corrugated board

- a Box
- b Folded carton
- c Pocket
- d Sleeve
- e Hanger
- f Paper bag
- h Tube
- k Carton with sleeve

P Plastic packaging

- a Box
- b Bag
- c Pouch
- d Bag with tab card
- e Hanger
- f Shrink-wrapped
- h Tube
- k Cassette
- n Sleeve
- p Watchbox

PC Combined plastic/cardboard packaging

- a Blister
- b Folding blister
- c Shrink-wrapped carton
- d Tight Pack

M Metal packaging

- a Cassette
- b Aerosol

U Unpacked product

No form specifications

W Wood packaging

- a Case

PACKAGING

That holds clear information.

PACKAGING MADE OF PAPER, CARDBOARD OR CORRUGATED BOARD (CARDBOARD)



C0a Box without any type of suspension



C1a Box with Euro hole



C2a Box with other type of suspension



C1b Folded carton with Euro hole



C1c Pocket with Euro hole



C1d Sleeve with Euro hole



C1e Hanger with Euro hole



C0h Tube without any type of suspension



C2h Tube with other type of suspension



C1k Carton with sleeve and Euro hole

PLASTIC PACKAGING (PLASTIC)



P0a Box without any type of suspension
 P1a Box with Euro hole
 P2a Box with other type of suspension




P0b Bag without any type of suspension
 P1b Bag with Euro hole



P1c Pouch with Euro hole
 P2c Pouch with other type of suspension



P1d Bag with tab card and Euro hole



P1e Hanger with Euro hole
 P2e Hanger with other type of suspension




P0f Shrink-wrapped without any type of suspension
 P1f Shrink-wrapped with Euro hole



P0h Tube without any type of suspension
 P1h Tube with Euro hole



P1k Cassette with Euro hole



P0n Sleeve without any type of suspension



P1p Watchbox with Euro hole
 P2p Watchbox with other type of suspension

OVERVIEW

COMBINED PLASTIC/CARDBOARD PACKAGING (PLASTIC AND CARDBOARD)



PC1a Blister with Euro hole



PC1b Folding blister with Euro hole



PC1c Shrink-wrapped carton with Euro hole



PC1d Tight Pack with Euro hole

METAL PACKAGING (METAL)



M1a Cassette with Euro hole

M0b Aerosol without any type of suspension

UNPACKED PRODUCT (UNPACKED)



U0 Without any type of suspension

WOOD PACKAGING (WOOD)



W0a Case without any type of suspension

TECHNICAL INFORMATION AND APPLICATIONS

MACHINES

EXPERT



Concrete Grinder



Drum Sander



Floor Sander



Multi delta sander



Orbital sander



Powerfile



Random Orbital Sander



Random Orbital Sander Dustbag



Hand Sanding



Petrol Saw



Marble Saw



Masonry Saw



Metal Saw



Jigsaw



Sabre Saw Noblade



Sabre Saw



Sabre Saw Corded



Multicutter Cordless



Multicutter



Dustextractor



Hammer Drill



Impact Drill



Impact Screwdriver



Screwdriver




























Angle Grinder Big



Angle Grinder Small

MACHINES

	Hand-held circular saw		Plunge saw		Multi-router
	Table saw		Pull-push saw		Horizontal panel sizing saw
	Vertical panel sizing saw		Mitre saw		Mitre dry cutters
	Hand dry cutters		Router		Table router
	CNC router		Angle grinder		Petrol saw
	Joint cutter		Block saw		Hilti concrete grinder
	Eibenstock concrete grinder		Concrete grinder		GTR 30 CE
	GTR 30 CE/GTR 18 V-LI		Polisher		Table saw
	Tile cutting machine				

BENEFITS AND TECHNOLOGIES

EXPERT



Long Life



Protection



3-in-1



Diamond Technology



Surface Structure



No Dust



High speed



Carbide Technology



Particle Control




Tip Technology



High precision



Robust



Centering Geometry








































Prisma Technology

























































Vibration Control


BENEFITS

	For effortless cuts		Clean cut		Very clean cut
	Long lifetime		Very long lifetime		Clean cuts over the entire lifetime
	Quick cut		Fast work progress		Extra-high speed
	Precise drilling		3 times longer lifetime		Fast drilling
	Easy drilling		Heavy Duty		Tungsten carbide hinge & cantilever hinge cutter bits
	Powerful, rough cut		Effortless, fine cut		No sticking
	Deep cut		Very good surface quality		3 applications with one disc
	Test mark from Prüfgemeinschaft Mauerbohrer e.V.		Specially for plunge cutting		Round cut, fine
	Round cut, coarse		Straight cut, fine		Straight cut, coarse
	Tear-free cuts		Accurate angled cut		Angled cut, 90°
	Cutting with parallel guide		Flexible blade (bi-metal) for flush cut		Specially for curved cutting with sabre saw blades
	Material, thin and thick		Fine result		Coarse result
	Cleaning surfaces				

FEATURES

	microteQ teyst		cleanteQ		proteQtion
	stabilteQ		ResisteQ		Vibration Control
	Dura Technology		microteQ		cleanteQ
	proteQtion		Silent		Precise
	Cylindrical shank with wings		Cylindrical shank		SDS-plus shank
	SDS-max shank		Hexagonal shank		activeteq
	Power Grip System - 100% power transfer		2-cutter		5-cutter
	Power-Change		SDS-plus		Segment design
	SDS-pro		Impact Control		Break-resistant
	Prevents wear of the fastener		Tungsten carbide-tipped		Carbide-tipped (bar)
	Knife blade		Depth stop for segment saw blades with Ø 100 mm		Depth stop for segment saw blades with Ø 85 mm
	Basic depth stop		Expert depth stop		Fine grit
	Very fine grit		Medium grit		Coarse grit
	Extra coarse grit		RIFF grit (30)		3D diamond technology
	2x2 Tooth Geometry		Tooth spacing, reverse		Extraclean tooth strip
	Tooth spacing		Tooth spacing, progressive		No. of teeth per inch (TPI) and tooth spacing
	Ground, extra-sharp teeth		RIFF grit 30		For demolition and rescue work
	Length / width of plunge-cutting saw blade		Length / width of RIFF plunge-cutting saw blade		Length / width of Scrapers

FEATURES



Length / width of universal joint cutter



Diameter of round saw blade



Tooth spacing



Delta plate



Sharp blade



Flexible backing



Cleaning grooves



Pressure equalisation



Pointed combination block side



Flap sanding wheel with fleece



Expansion wheel



Cooling




Spanner



Torx®



Tri-Wing®



Diameter of segment saw blade



Diameter of RIFF segment saw blade



Tooth spacing



Sanding plate



Sharp blade



Very flexible backing



Cleaning corners



Side reinforcement



Wet application



Fleece sanding wheel



Crimped wire = Fine result



Waterproof



Internal square



Phillips



Diameter of RIFF grout and mortar remover



Blade thickness



Tooth spacing



Do not drill with impact



Velcro-type fastening system



Cleaning edges



Working on the inside of pipes



Round combination block side



Solvent-free



Flap sanding wheel



Knotted wire = Coarse result



Pozidriv®



Slotted screw



Security Torx®

MATERIALS

EXPERT



Aluminium



Autoclaved aerated concrete




Brick



Cast Iron



CFK, GFK



Chipboard



Concrete building block



Concrete




Construction wood




Drywall board



Drywall



Fiber cement board



Glass



Glue




Hard stone



Hard wood




HPL – high pressure laminate



Kitchen Countertop



Lime sand brick



Mortar



Multiplex boards



Non-ferrous materials



Paint on wood



Parquet



Plastic



Plastic coated boards



Plywood



Poroton building block



Pressure treated lumber



PVC – vinyl solid laminate flooring



Reinforced concrete



Rooftile



Rubber



Soft stone



Soft wood



Solid brick




Solid surface composite



Solid wood furniture boards




Stainless steel



Stainless steel sheets



Steel



Steel sheets



Tiles










































Wood with metal



WPC – wood with plastic composites

MATERIALS

	Concrete		Rebar		Natural stone
	Tiles		Masonry		Marble
	Granite		Aluminium		Hard and soft wood
	Stainless steel Stainless Inox Nirosta		Metal		Wood, hard and soft
	Brass & alloys Cu Ni Ms Zn		Sheet metals		Construction timber
	Softwood		Hardwood		Plasterboard on metal
	Construction timber with nails and concrete residues		Formwork boards		Chipboard (raw), acoustic panels
	Abrasive panel materials coated on one or two sides		Panel materials, veneered laminate, thin chipboards FINE		Composite material
	Pressed laminated wood, plywood		Fibre materials, MDF, OSB, MDF composite panels		Wood core plywood
	Laminate flooring, parquet		High pressure laminate panels, suitable for Trespa®		Porous concrete
	Plastics, epoxy		Steel		Sandwich panels, laminated on one or two sides
	Fibre cement, suitable for Eternit®		Plasterboard		Suitable for Corian®
	Perspex <5mm		Glass		Plastic

SAFETY



Wear protective glasses



Wear ear protectors



Wear protective gloves



Wear dust mask



Wear protective shoes



Read enclosed Instruction Manual



Read Instruction Manual of Machine



Holesaw always to be used with guided pilot drill bit



Wet use not permitted (dry use only)



Not allowed for lateral grinding



Do not use damaged disc



Do not use damaged accessory



Do not use broken bits



Don't use bent drill bits (for drill bits \geq 300mm)



No drinking liquids




Do not use for flammable products



Live working prohibited



Wet application allowed



Wet and dry application allowed



No pressure on tip



Do not use on drill stand



Do not use with hammer-/impact-mode



Use drill rig



Place drill bit first on surface of workpiece, then start the drill

BOSCH CUSTOMER SERVICE

0344 7360106*

Monday – Friday 09.00am – 05.00pm

bosch-sales@uk.bosch.com

*Calls to 03 numbers cost same as 01/02 prefix calls and are included in inclusive minutes and discounts schemes in the same way.

This number connects you to the Bosch customer adviser team. It is there to answer your queries regarding technical matters and for quick and user friendly customer service. Outside office hours an answer phone will take your message.



THE BEST YOUR TOOL CAN GET.

Bosch Professional Accessories.



Robert Bosch Limited
Power Tools Division
Broadwater Park Denham
Uxbridge Middlesex UB9 5HJ
United Kingdom
www.bosch-pt.com



1.619.A00.Z3L

1.619.A00.Z3L - EN - Printed in Germany - Imprimé en Allemagne -
Subject to technical alterations. Liability for printing errors is not accepted. Valid from: 15.11.2023
Printed at Elanders GmbH, Anton-Schmidt-Str. 15, 71332 Waiblingen, Germany.