



Firma



Sanwald

10.05.2006 14:48:25

MtB/EMG3

249

Seite 1/1



Einzelwerte:	01. 0.93	02. 0.94	03. 0.95	04. 0.95	05. 0.93	06. 0.94	07. 0.93	08. 0.95	09. 0.94	10. 0.94
	11. 0.93	12. 0.94	13. 0.94	14. 0.93	15. 0.93	16. 0.94	17. 0.93	18. 0.95	19. 0.94	20. 0.93
	21. 0.94	22. 0.94	23. 0.93	24. 0.94	25. 0.93	26. 0.95	27. 0.93	28. 0.93	29. 0.93	30. 0.94
	31. 0.93	32. 0.94	33. 0.94	34. 0.94	35. 0.93	36. 0.92	37. 0.93	38. 0.93	39. 0.93	40. 0.93
	41. 0.93	42. 0.94	43. 0.94	44. 0.93	45. 0.92	46. 0.94	47. 0.93	48. 0.93	49. 0.93	50. 0.93
	51. 0.93	52. 0.95	53. 0.96	54. 0.92	55. 0.94	56. 0.94	57. 0.93	58. 0.94	59. 0.93	60. 0.92
	61. 0.93	62. 0.94	63. 0.94	64. 0.93	65. 0.93	66. 0.93	67. 0.93	68. 0.94	69. 0.92	70. 0.95
	71. 0.94	72. 0.95	73. 0.94	74. 0.95	75. 0.94	76. 0.95	77. 0.94	78. 0.95	79. 0.94	80. 0.94
	81. 0.94	82. 0.95	83. 0.94	84. 0.95	85. 0.94	86. 0.94	87. 0.94	88. 0.93	89. 0.94	90. 0.94
	91. 0.93	92. 0.94	93. 0.94	94. 0.93	95. 0.94	96. 0.93	97. 0.94	98. 0.94	99. 0.93	100. 0.93

- E 682 000 047 - 0.50-3.50 Nm - 0.00 -0 602 495 200 -Bosch -Schrauber (allg.)

MFU vom 10.05.2006 auf BLM3850 (3860SK.055 - ) Zelle/Kanal 1

Einheit: MD [Nm]Anzahl Messwerte: 1Mittelwert (x-quer): Standardabweichung: 0.01 Cm: 4.33

Cmk: 3.95 i. O.

Normalverteilung

Toleranz

Sollwert

Mittelwert (x-quer):

6s (x ± 3 s)