## Product data sheet





Cordless Impact Drill/Drivers

GSB 18V-45



More work with no limits

#### The most important data

Torque (soft/hard/max.)	21/45/- Nm
No-load speed (1st gear / 2nd gear)	0 - 500 / 0 - 1,900 rpm
Battery voltage	18.0 V

Part Number 0 601 9K3 301

## Technical data

#### Technical data

Torque (soft/hard/max.)	21/45/- Nm
No-load speed (1st gear / 2nd gear)	0 - 500 / 0 - 1,900 rpm
Battery type	Lithium-Ion
Max. impact rate	27,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Battery voltage	18.0 V
Weight excl. battery	1 kg
Torque settings	20+2
Packaging dimensions (width x length x height)	360 x 444 x 151 mm

# Noise/vibration information

#### Drilling in metal

Vibration emission value ah	2.5 m/s <sup>2</sup>
Uncertainty K	1.5 m/s <sup>2</sup>
Impact drilling in masonry	
Vibration emission value ah	12.2 m/s <sup>2</sup>
Uncertainty K	1.5 m/s <sup>2</sup>

# Invented for life

## Product data sheet

#### Power tools for trade & industry

# Advantages:

- Easy handling and operation due to compact design
- High-efficiency brushless motor enables longer work hours per charge and tool life
- Ideal in narrow spaces for screwdriving in wood and drilling in wood, metal and masonry
- Increased efficiency thanks to maximum working speed of up to 1,900 rpm
- Next-level compactness with powerful performance and brushless motor

