

# OPCIONES DE BATERÍAS Y CARGADORES 100% COMPATIBLES DENTRO DE LA MISMA CLASE DE VOLTAJE

Voltaje	Herramientas	Baterías	Cargadores																																	
12 V	<p>GSR 1000 SMART, GSR 12-LI, GSR 120-LI, GWI 12 V-LI, GSB 1200-2-LI, GDR 120-LI, GSA 12 V-LI, GOP 10,8 V-LI</p>	<p>2,0 Ah, 4,0 Ah</p>	<p>AL 1115 CV, AL 1130 CV</p> <table border="1"> <caption>Tempo de carga (min)</caption> <thead> <tr> <th>Ah</th> <th>80%</th> <th>100%</th> </tr> </thead> <tbody> <tr> <td>1,3 - 1,5</td> <td>80</td> <td>65</td> </tr> <tr> <td>2,0</td> <td>65</td> <td>80</td> </tr> </tbody> </table> <table border="1"> <caption>Tempo de carga (min)</caption> <thead> <tr> <th>Ah</th> <th>80%</th> <th>100%</th> </tr> </thead> <tbody> <tr> <td>1,3 - 1,5</td> <td>25</td> <td>35</td> </tr> <tr> <td>2,0</td> <td>35</td> <td>45</td> </tr> </tbody> </table>	Ah	80%	100%	1,3 - 1,5	80	65	2,0	65	80	Ah	80%	100%	1,3 - 1,5	25	35	2,0	35	45															
Ah	80%	100%																																		
1,3 - 1,5	80	65																																		
2,0	65	80																																		
Ah	80%	100%																																		
1,3 - 1,5	25	35																																		
2,0	35	45																																		
14,4 V	<p>GAS 14,4 V-LI, GSR 140-LI, GDR 1440-LI</p>	<p>1,5 Ah, 2,0 Ah, 4,0 Ah</p>	<p>AL 1820 CV</p> <table border="1"> <caption>Tempo de carga (min)</caption> <thead> <tr> <th>Ah</th> <th>80%</th> <th>100%</th> </tr> </thead> <tbody> <tr> <td>1,3</td> <td>35</td> <td>50</td> </tr> <tr> <td>2,0</td> <td>50</td> <td>65</td> </tr> <tr> <td>4,0</td> <td>95</td> <td>125</td> </tr> <tr> <td>5,0</td> <td>120</td> <td>150</td> </tr> </tbody> </table>	Ah	80%	100%	1,3	35	50	2,0	50	65	4,0	95	125	5,0	120	150																		
Ah	80%	100%																																		
1,3	35	50																																		
2,0	50	65																																		
4,0	95	125																																		
5,0	120	150																																		
18 V	<p>GSR 180-LI, GSR 18-2-LI PLUS, GSR 18 V-EC FC2, GSB 180-LI, GSB 18 V-LI, GSB 180-LI, GSB 18 VE-EC, GSB 18 V-EC + inductive charger, GDX 18 V-EC, GDS 18 V-EC 250, GKS 18 V-57, GST 18 V-LI, GWS 18 V-LI, GSA 18 V-LI, GBH 18 V-EC</p>	<p>1,5 Ah, 2,0 Ah, 3,0 Ah, 4,0 Ah, 5,0 Ah</p>	<p>AL 1860 CV, AL 1814 CV</p> <table border="1"> <caption>Tempo de carga (min)</caption> <thead> <tr> <th>Ah</th> <th>80%</th> <th>100%</th> </tr> </thead> <tbody> <tr> <td>1,5</td> <td>10</td> <td>25</td> </tr> <tr> <td>2,0</td> <td>15</td> <td>35</td> </tr> <tr> <td>3,0</td> <td>20</td> <td>35</td> </tr> <tr> <td>4,0</td> <td>30</td> <td>45</td> </tr> <tr> <td>5,0</td> <td>45</td> <td>65</td> </tr> </tbody> </table> <table border="1"> <caption>Tempo de carga (100%) (min)</caption> <thead> <tr> <th>Ah</th> <th>14,4V</th> <th>18V</th> </tr> </thead> <tbody> <tr> <td>1,5</td> <td>65</td> <td>80</td> </tr> <tr> <td>2,0</td> <td>90</td> <td>105</td> </tr> <tr> <td>3,0</td> <td>130</td> <td>160</td> </tr> <tr> <td>4,0</td> <td>180</td> <td>210</td> </tr> </tbody> </table>	Ah	80%	100%	1,5	10	25	2,0	15	35	3,0	20	35	4,0	30	45	5,0	45	65	Ah	14,4V	18V	1,5	65	80	2,0	90	105	3,0	130	160	4,0	180	210
Ah	80%	100%																																		
1,5	10	25																																		
2,0	15	35																																		
3,0	20	35																																		
4,0	30	45																																		
5,0	45	65																																		
Ah	14,4V	18V																																		
1,5	65	80																																		
2,0	90	105																																		
3,0	130	160																																		
4,0	180	210																																		
36 V	<p>GBH 36 V-LI PLUS</p>	<p>2,0 Ah, 4,0 Ah</p>	<p>GAL 3680</p> <table border="1"> <caption>Tempo de carga (min)</caption> <thead> <tr> <th>Ah</th> <th>80%</th> <th>100%</th> </tr> </thead> <tbody> <tr> <td>2,0</td> <td>15</td> <td>30</td> </tr> <tr> <td>4,0</td> <td>25</td> <td>35</td> </tr> </tbody> </table>	Ah	80%	100%	2,0	15	30	4,0	25	35																								
Ah	80%	100%																																		
2,0	15	30																																		
4,0	25	35																																		